



Drug Products (DP)


المنتجات الدوائية

اعداد

البروفيسور الدكتور / أحمد محمد السباتي

أستاذ الصيدلانيات والصيدلة السريرية والمهنية - كلية الصيدلة (جامعة صنعاء)
عميد كلية الصيدلة جامعة صنعاء (سابقاً) ، نائب رئيس الجامعة للشؤون الأكاديمية
وعميد كلية الصيدلة بجامعة ٢١ سبتمبر - استشاري الصيدلة السريرية
بمستشفى ٤٨ النموذجي (٢٠٠٨ وحتى ٢٠١٦)
عميد المعهد العالي للصيدلة والعلوم الطبية

2018-2019



TRADE NAME SECTION

في هذا القسم تم ترتيب المستحضرات الطبية حسب الأسم التجاري ويحتوي على معلومات مختصرة ومفيدة من حيث

الأسم التجاري (Trade Name) بشكله الصيدلاني (Dosage Form) والعبوة (Package)

الأسم والتركيب العلمي (Generic Name and Composition)

الفئة العلاجية (Therapeutic Category) والحالة المرضية التي يعطى لها (Disease)

الجرعة (Dose)

صورة المنتج (Product Picture)



100.00 %

ونسبة

4101


الإجمالي الكلي للمنتجات

Abbreviation : NSAID = Non-Steroidal Anti-Inflammatory Drugs

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
1,2,3	Pseudoephedrine+ Triprolidin +Paracetamol	Respiratory drugs	HIKMA	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Syrup		Common Cold نزلات البرد	Jordan		
120 gm					
123	Pseudoephedrine+ Triprolidin +Paracetamol	Respiratory drugs	Hikma	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Tablets		Common Cold نزلات البرد	Jordan		
20 Film Coated Tablets					
3v	vit B1 100mg+B6 200mg+B12 200Mg	Vitamines and Menirals	Julphar	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Tablets		Vitamins Deficiency نقص فيتامينات	UAE		
20 Coated Tablets					
A TRICAN 250	Tenonitrozole	Antiprtozoal	Unknown	given by mouth in a dose of 250 mg twice daily with meals, for 4 days.	
Capsules		Vaginal المهبل	Unknown		
A-B-worm	Albendazole	Anthelmentic	NIDA	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
Tablets		Common Worms الديدان الشائعة	Thailand		
tab					
ACCU-CHEK	Bood Glucose Tester	Test equipmens	ROCHE	As directed	
Strips		Test equipmens اجهزة تشخيصية	Germany		
10 Strips					
Acephyllin	Aminophylline	Respiratory drugs	AMRIYA PHARMA	16 mg/kg/daily	
Syrup		Bronchial Asthma الربو الشعبي	Egypt		
100 ml					


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
ACEPIME	Cefepime Hydrochloride	Antibacterial	OUBARY PHARMA	The usual adult dose is 1 to 2 g daily in 2 divided doses for mild to moderate infections, increased to 4 g daily in 2 divided doses in severe infections, Children 50 mg/kg	
Vial		Bacterial Infections الاصابات البكتيرية	Syria		
Acetage-C	Acetaminophen 300 mg + Codeine 20 mg	Non-Steroidal Anti-	Unknown	one capsule three times daily	
Capsules		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Unknown		
50 Capsules					
Acetylcistein	Acetylcysteine 200 mg	Respiratory drugs	SEDICO	100- 200 mg two times daily	
Sachets		Respiratory Disorders اضطرابات الجهاز التنفسي	Egypt		
10 Sachets					
Aciclovir 200 mg	Acyclovir 200mg	Antivirals	ACTAVIS	1 g t.i.d., 7 days.	
Tablets		Viral Infections الاصابات الفيروسية	Unknown		
25 tap.					
ACICONE-S	Magaladrate 780 mg + Simethicone 25 mg	Gastro Intestinal drugs	Unknown	*tab = 40 -120 mg QID orall a.m * susp = 10 ml QID *sachets = one sachet QID	
Tablets		Indigestion سوء الهضم	Unknown		
20 Chewable Tablets					
Acicone-S	Magaldrate + Semithicone	Gastro Intestinal drugs	Unknown	tab = 40 -120 mg QID orall a.m * suspension = 10 ml QID *sachets = one sachet QID	
Suspension		Indigestion سوء الهضم	Unknown		
120 ml					
Acicone-S	Magaldrate + Semithicone	Gastro Intestinal drugs	MUP	tab = 40 -120 mg QID orall a.m * suspension = 10 ml QID *sachets = one sachet QID	
Tablets		Indigestion سوء الهضم	Egypt		
20 Chewable Tablets					


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
ACICONE-S	Magaldrate + Semithicone	Gastro Intestinal drugs	Unknown	tab = 40 -120 mg QID orall a.m * suspension = 10 ml QID *sachets = one sachet QID	
Chewable Tablets		Indigestion سوء الهضم	Unknown		
Acicone-s 120	magaldrate 540 mg + Simethicone 40 mg	Gastro Intestinal drugs	MUP	tab = 40 -120 mg QID orall a.m * suspension = 10 ml QID *sachets = one sachet QID	
Suspension		Indigestion سوء الهضم	Egypt		
120 ml for bottle					
Aciderm	Combination	Antiseptic and Desinfectants	Unknown	As directed	
Solution		Antiseptic مطهرات	Unknown		
250 ml					
Aciran	Ranitidine 50 mg / 2 ml	Gastro Intestinal drugs	Pievico	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Ampoules		Peptic ulcer قرحة المعدة	Unknown		
10 amps					
Acne- Tec	Combination	Skin Disorders	AMC	Topically enough amount two times daily	
Cream		Acne حب الشباب	Jordan		
50 gm					
Acne Zinc Lotion	Calamine	Skin Disorders	PHARCO	topically as dusting powder, cream, lotion, or ointment	
Lotion		Acne حب الشباب	Egypt		
20 ml					
Acnetrix	unkown	Skin Disorders	HZM	As directed	
Gel		Acne حب الشباب	Syria		
30 gm					


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
AcneVit	Vitamin C Substances	Vitamines and Menirals	Serum	25 to 250 mg daily in divided doses	
Tube		حب الشباب Acne	Unknown		
Acnovin	Kumkumadi Tailam	Skin Disorders	Unknown	As directed	
Cream		حب الشباب Acne	Unknown		
25 gm					
Acretin 0.05%	Tretinoin	Skin Disorders	Jamjoum Pharma	As directed	
Cream		حب الشباب Acne	Saudi Arabia		
30 gm					
Actazone Asia 30	Pioglitazone Hydrochloride 30 mg	Antidiabetics	ASIA	Minimum/Maximum Adult Daily Dose:30 mg (milligram) OR 1 Tablet	
Tablets		Diabetes Mellitus أمراض السكري	Syria		
20 tab					
Actifed	Tripolidine HCL 1.25 mg + Pseudoephedrine 30 mg + Guaifenesine 100 mg	Respiratory drugs	gsk glaxosmithkline	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Syrup		Common Cold نزلات البرد	UK		
100 ml					
Actifed	Pseudoephedrine+ Tripolidine +Guaifenesin	Respiratory drugs	gsk glaxosmithkline	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Tablets		Common Cold نزلات البرد	UK		
24 Tablets					
Actonorm	Al(OH)+Mg(OH) +Simethicone	Gastro Intestinal drugs	Unknown	tab = 40 -120 mg QID orall a.m * suspension = 10 ml QID *sachets = one sachet QID	
Gel		Indigestion سوء الهضم	Unknown		
200 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
ACTOS	Pioglitazone HCL 30mg	Antidiabetics	A.P.M	Minimum/Maximum Adult Daily Dose:30 mg (milligram) OR 1 Tablet	
Tablets		Diabetes Mellitus أمراض السكري	Jordan		
30 Tablets					
Actrapid HM	insulin human	Antidiabetics	Novo Nordisk	0.5 - 0.7 u/kg , in sever cases or gestational D.M 1 u/ kg	
Vial		Diabetes Mellitus أمراض السكري	Denmark		
10 ml / vial					
Actrapid HM pinfill	Soluble human insulin 100 iu / ml	Antidiabetics	Novo Nordisk	0.5 - 0.7 u/kg , in sever cases or gestational D.M 1 u/ kg	
Vial		Diabetes Mellitus أمراض السكري	Denmark		
5 * 3ml					
Acugesic	Tramadol Hydrochloride 50 mg	Opioid analgesics	unknown	Capsules	
Tramadol hydrochloride is an		Analgesic مهدئات الأوجاع	Unknown		
10 cap					
Acyclovir	Acyclovir 5 % w/w	Antivirals	Global Pharma	1 g t.i.d., 7 days.	
Cream		Viral Infections الاصابات الفيروسية	Yemen		
15 g					
Acyclovir 800 mg	Acyclovir 800mg	Antivirals	Unknown	1 g t.i.d., 7 days.	
Tablets		Viral Infections الاصابات الفيروسية	Unknown		
100 tap.					
Adalat LA 30	Nifedipine 30 mg	Cardio Vascular System drugs	BAYER	10 to 40 mg twice daily	
Tablets		Hypertension ارتفاع ضغط الدم	Germany		
30 tab					



Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Adapalene	Adapalene 0.1%	Skin Disorders	Unknown	applied once daily at night as a 0.1% solution, cream, or gel to skin that has been cleansed and dried.	
Gel		حب الشباب	Unknown		
30 gm / tube					
Adenosin Forte	Adenosine Triphosphate 10 mg+cocoboxylase 50mg+Vit.B12 . 500	Cardio Vascular System drugs	NILE CO.	1 ampoule I.M (only) daily or as directed by the physician.	
Ampules		عدم انتظام ضربات القلب	Egypt		
3 lyophilized ampoules+3ampoul					
Adenosine	Adenosine (12mg/4ml = 6mg/2ml = 3mg/ml)	Cardio Vascular System drugs	Unknown	Adults: bolus of 6 mg. If no effect after 1-2 min, 12-mg bolus. May repeat 12-mg dose x 2. Child: bolus of 0.05 mg/kg; repeat dosage every 2 min. Maximum 0.25	
Vial		عدم انتظام ضربات القلب	Unknown		
12mg/4ml = 6mg/2ml = 3mg/ml					
Adol	Paracetamol syrup 120mg/5ml	Nonsteroidal Anti-	Julphar	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Syrup		Antipyretic - مهدئات الأوجاع والحمى	UAE		
60 ml					
Adol Compound	Salicylamide + paracetamol + caffeine + codeine phosphate	Respiratory drugs	Julphar	As directed	
Tablets		Common Cold نزلات البرد	UAE		
Adol Drops	Paracetamol drops 100mg/ml.	Nonsteroidal Anti-	Julphar	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Drops		Antipyretic - مهدئات الأوجاع والحمى	UAE		
15 ml					
ADOL EXTRA	Paracetamol 500 mg + Caffeine 65 mg	Nonsteroidal Anti-	Julphar	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Caplets		Antipyretic - مهدئات الأوجاع والحمى	UAE		
24 cap					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
Adol Supp 125	Paracetamol supp, 125mg.	Nonsteroidal Anti-	Julphar	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Suppositoris		Antipyretic - مهدئات الأوجاع والحمى	UAE		
10 supp,					
Adol Supp 250	Paracetamol supp, 250mg.	Nonsteroidal Anti-	Julphar	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Suppositoris		Antipyretic - مهدئات الأوجاع والحمى	UAE		
10 supp,					
ADRENALINE	Adrenaline 1 mg / 1 ml	Cardio Vascular System drugs	ROTEXMEDI CA	Adrenaline is usually given by intramuscular injection, subcutaneously; 1 in 10 000 or 1 in 100 000) by very slow intravenous injection or by slow intravenous infusion.	
Ampoules		Anaphylactic Shock الصدمة الأغمائية	Germany		
10 amp x 1ml					
Advil-200	Ibuprofen tablet 200mg.	Nonsteroidal Anti-	Pfizer	Oral doses of 400 mg to 1.2 g daily .	
Tablets		Analgesic مهدئات الأوجاع	USA		
50 coated tablets					
Adwiflam	Diclofenac Potassium ampoule 75mg/3ml.	Non-Steroidal Anti-	Adwia	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Ampoules		Analgesic مهدئات الأوجاع	Egypt		
3 ampoules					
Adwiflam 50 ER	Diclofenac Potassium	Non-Steroidal Anti-	ADWIA	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Capsules		Analgesic مهدئات الأوجاع	Egypt		
10 capsules					
Adwiflam Supp	Diclofenac potassium 75 mg	Non-Steroidal Anti-	ADWIA	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Suppositoris		Analgesic مهدئات الأوجاع	Egypt		
5 supp/packet each of 75 mg					


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
AERIUS	Desloratadine	Antihistamines	Schering-Plough	5 mg once daily. Children 2.5 mg once daily	
Syrup		Allergy الحساسية	Belgium		
150 ml					
Aerocort	Beclomethasone+ Salbutamol	Respiratory drugs	CIPLA	Use the missed dose as soon as remembered. Use the remaining doses for that day at evenly spaced intervals	
Inhlaer		Bronchial Asthma الربو الشعبي	India		
200 Metered Dose / bottle					
AFATAC-150	Ranitidine150 mg	Gastro Intestinal drugs	RFA	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Tablets		Peptic ulcer قرحة المعدة	Yemen		
100 tabs					
Afeel	Chlorphenamine Maleate	Antihistamines	BIOPHARM	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	
Tablets		Common Cold نزلات البرد	Yemen		
20 tab					
Afeel	Chlorphenamine Maleate	Antihistamines	BIOPHARM	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	
Ampoules		Common Cold نزلات البرد	Yemen		
50 amp					
Afeel	Chlorphenamine Maleate 10 mg / 1 ml	Antihistamines	BIOPHARM	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	
Ampoules		Common Cold نزلات البرد	Yemen		
3 amp					
Afeel	Chlorphenamine Maleate	Antihistamines	BIOPHARM	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	
Syrup		Common Cold نزلات البرد	Yemen		
100 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
A-ferin	Pseudoephedrine +Paracetamol +Codiene	Respiratory drugs	Bilim	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Capsules		Common Cold نزلات البرد	Turkey		
30 Cap					
A-ferin hot	Pseudoephedrine 50 mg + Paracetamol 500 mg	Respiratory drugs	Bilim	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Sachets		Common Cold نزلات البرد	Turkey		
10 Sachets					
A-ferin plus	Pseudoephedrine +Paracetamol+Chloraphiniramine	Respiratory drugs	Bilim	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Pediatric / Syrup		Common Cold نزلات البرد	Turkey		
100 ml					
AKAMON-3mg	Bromazepam tablets 3mg	Central Nervous system drugs	Medochemie	A usual initial dose for anxiety is 6 to 18 mg daily in divided doses by mouth. Higher doses up to 60 mg daily have occasionally been given. Initial doses for elderly and	
Tablets		Anxiety, Insomnia الأرق والقلق	Unknown		
30 tablets					
Akisol-2	Benzhexol(Trihexyphenidyl) tablet 2mg	Central Nervous system drugs	RAM PHARMA	1 mg daily is gradually increased at intervals of 3 to 5 days to 10 mg daily	
Tablets		Parkinson's disease مرض الرعاش	Jordan		
100 tablet					
Akisol-5	Benzhexol(Trihexyphenidyl) tablet 2mg	Central Nervous system drugs	RAM PHARMA	1 mg daily is gradually increased at intervals of 3 to 5 days to 10 mg daily	
Tablets		Parkinson's disease مرض الرعاش	Jordan		
100 tablets					
Albenda 400 mg	Albendazole	Anthelmintic	Julphar	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
Suspension		Common Worms الديدان الشائعة	UAE		
20 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
ALBEX	Albendazole 200 mg / tablet	Anthelmentic	Shiba pharma	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
Tablets		Common Worms الديدان الشائعة	Yemen		
2 f/c Chewable Tablets					
ALBEX	Albendazole 100 mg / 5 ml	Anthelmentic	Shiba pharma	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
Suspension		Common Worms الديدان الشائعة	Yemen		
20 ml					
ALBEX	Albendazole 400 / tablet	Anthelmentic	Shiba pharma	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
Tablets		Common Worms الديدان الشائعة	Yemen		
1 f/c Chewable tablet					
Albothyl	Miconazole Nitrate	Antifungals	Unknown	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Suppositories		Vaginal المهبل	Unknown		
6 Vaginal supp					
Alcipro 2	Ciprofloxacin 250 mg	Antibacterial	RFA	250 to 750 mg twice daily depending on the severity and nature of the infection	
Tablets		Bacterial Infections الأمراض البكتيرية	Yemen		
20 tabs					
Alcipro 500	Ciprofloxacin 500 mg	Antibacterial	RFA	250 to 750 mg twice daily depending on the severity and nature of the infection	
Tablets		Bacterial Infections الأمراض البكتيرية	Yemen		
10 tabs					
Alcipro 750	Ciprofloxacin 750 mg	Antibacterial	RFA	250 to 750 mg twice daily depending on the severity and nature of the infection	
Tablets		Bacterial Infections الأمراض البكتيرية	Yemen		
10 tabs					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
ALDEZOL	Metronidazole 200 mg	Antiprtozoal	RFA	Metronidazole dose + Diloxanide furoate ; 500 mg tid for adults and 20 mg/kg/day for children in 3 doses for 7-10 days	
pediatric oral suspension		Amoebiasis , Gardiasis جارديا واميبييا	Yemen		
100 ml					
ALDEZOL 250	Metronidazole 250 MG	Antiprtozoal	RFA	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , Gardiasis جارديا واميبييا	Yemen		
20 Tablet					
ALDEZOL 500	Metronidazole 500 MG	Antiprtozoal	RFA	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , Gardiasis جارديا واميبييا	Yemen		
20 Tablet					
ALDEZOL Plus	Metronidazole 200mg+ diloxnide 250mg	Antiprtozoal	RFA	Metronidazole dose + Diloxanide furoate ; 500 mg tid for adults and 20 mg/kg/day for children in 3 doses for 7-10 days	
Tablets		Amoebiasis , Gardiasis جارديا واميبييا	Yemen		
20 tab					
ALDEZOL Plus	Metronidazole 200 mg+Diloxanide 125 mg	Antiprtozoal	RFA	Metronidazole dose + Diloxanide furoate ; 500 mg tid for adults and 20 mg/kg/day for children in 3 doses for 7-10 days	
pediatric oral suspension		Amoebiasis , Gardiasis جارديا واميبييا	Yemen		
100 ml					
Aldomet	Methyldopa 250 mg	Cardio Vascular System drugs	unknown	250 - 500 mg of methyldopa two or three times daily - children is 10-60 mg/kg daily in 2 to 4 divided doses	
Tablets		Hypertension ارتفاع ضغط الدم	Unknown		
30 tab					
Aldomethyl	Aldomethyl	Cardio Vascular System drugs	Unknown	250 - 500 mg of methyldopa two or three times daily - children is 10-60 mg/kg daily in 2 to 4 divided doses	
Ampoules		Hypertension ارتفاع ضغط الدم	Unknown		
30 tab					



Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
Alendrotab 70 mg	Sodium Alendronate 70 mg	Osteoarthritis drugs	Shiba pharma	Adults: 10 mg/d. Elderly: 10 mg/d. Children: Safety and effectiveness not established in children <18 years.	
Tablets		Osteoarthritis التهابات العظام	Yemen		
4 Tablet					
Alerid	Cetirizine Hydrochloride	Antihistamines	CIPLA	Cetirizine hydrochloride is given by mouth in a dose of 10 mg once daily or 5 mg twice daily. Children aged 2 to 5 years may be given cetirizine 5 mg once daily or 2.5 mg twice	
Tablets		Allergy الحساسية	India		
10 Tablets					
Alerid	Cetirizine Hydrochloride	Antihistamines	CIPLA	Cetirizine hydrochloride is given by mouth in a dose of 10 mg once daily or 5 mg twice daily. Children aged 2 to 5 years may be given cetirizine 5 mg once daily or 2.5 mg twice	
Syrup		Allergy الحساسية	India		
60 ml					
Alerid -D	Cetirizine + Pseudoephedrine	Respiratory drugs	CIPLA	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Extended Release Tablets		Common Cold نزلات البرد	India		
10 Tablets					
Alertadin	Loratadine	Antihistamines	Y.E.PHARMA	Orally in a dose of 10 mg once daily. Children 5-10 mg - once daily	
Tablets		Allergy الحساسية	Yemen		
10 tablets					
Alertadin	Loratadine	Antihistamines	Y.E.PHARMA	Orally in a dose of 10 mg once daily. Children 5-10 mg - once daily	
Syrup		Allergy الحساسية	Yemen		
60 ml					
ALEZET	Cetirizine Hydrochloride 10 mg	Antihistamines	RFA	10 mg once daily or 5 mg twice daily. Children aged 2 to 5 years may be given cetirizine 5 mg once daily or 2.5 mg twice daily.	
Tablets		Allergy الحساسية	Yemen		
20 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
ALEZET	Cetirizine Hydrochloride 5mg/5 ml	Antihistamines	RFA	10 mg once daily or 5 mg twice daily. Children aged 2 to 5 years may be given cetirizine 5 mg once daily or 2.5 mg twice daily.	
Syrup		Allergy الحساسية	Yemen		
60 ml					
Alfacalcidol 0.25mcg	Alpha calciferol 0.25 mcg / cap	Vitamines and Menirals	Shiba pharma	Adult doses of 0.25 mcg daily or on alternate days , to a usual dose of 0.5 to 3 micrograms three times a week.	
Soft Gelatin Capsules		Ricketsia الكساح	Yemen		
30 Capsules					
Alfacip 0.25mcg	Alpha calciferol	Vitamines and Menirals	CIPLA	As directed	
Capsules		Ricketsia الكساح	India		
10 Capsules					
Alfacip 1mcg	Alpha calciferol	Vitamines and Menirals	CIPLA	As directed	
Capsules		Ricketsia الكساح	India		
10 Capsules					
Alfacort	Hydrocortisone 1%	Corticosteroid	Julphar	Concentrations usually used have ranged from 0.1 to 2.5%	
Ointment		Dermatitis التهابات الجلدية	UAE		
15 gm					
Alfenta	Alfentanil Hydrochloride	Central Nervous system drugs	Unknown	IV only.Initial: 50–75 µg/kg, continuous infusion, ≥ 45 min. Maintenance (with nitrous oxide/oxygen): 0.5–3 µg/kg/min.	
		Anaesthetics التخدير العام	Unknown		
Algason Cream	Diethylamine Salicylate + Menthol	Non-Steroidal Anti-	PHARCO	As directed	
Cream		Analgesic مهدئات الأوجاع	Egypt		
40 gm					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
ALIROSA	evening primrose oil and garlic	Natural products	MEPACO	1----2capsule tow times dialy	
Capsules		Oil	Egypt		
30					
Alkafen	Paracetamol 250mg+psedoephe drine	Nonsteroidal Anti-	Korea United Pharma	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Capsules	30mg+dextrometh orphan	Antipyretic -	Korea		
10 Soft Gelatin Capsules.	10+doxylamin	Analgesic مهدئات الأوجاع والحمى			
Alka-Misr	Sodium chloride +Sodium bicarbonate	Respiratory drugs	MISR	sodium chloride solution 0.9%, being isotonic, is a useful fluid for sterile irrigations, for example, of the eye or bladder, and general skin or wound cleansing.	
Sachets		Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	Egypt		
10 Sachets x 5 gm					
Alkapress	Amlodipine 5 mg	Cardio Vascular System drugs	Alhikma	Oral only : Hypertension Adults: Individualize: 2.5–5 mg/d. Maximum: 10 mg/d. Angina: Adults: 5–10 mg. Elderly: 5 mg.	
Tablets		Hypertension ارتفاع ضغط الدم	Unknown		
30 tablets					
Alkasid	Al(OH) + Mg(OH) 300 mg+Simethicone 30 mg	Gastro Intestinal drugs	Julphar	10 ml four times daily	
Suspension		Indigestion سوء الهضم	UAE		
200 ml / bottle					
Allercet	Cetirizine Hydrochloride	Antihistamines	MICRO	Cetirizine hydrochloride is given by mouth in a dose of 10 mg once daily or 5 mg twice daily. Children aged 2 to 5 years may be given cetirizine 5 mg once daily or 2.5 mg twice	
Tablets		Allergy الحساسية	India		
10 Tablets					
ALLEX	Unknown	Antihistamines	B.M Pharma	As directed	
Tablets		Allergy الحساسية	Unknown		
10 x 10 Tablets					


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Allopurinol 100mg	Allopurinol 100mg	Hyperuricaemia	WOCKHADT	100 to 300 up to 600 mg	
Tablet		Gout النقرس	UK		
28 tablet					
ALLOSPASMIN	Combination	Gastro Intestinal drugs	Unknown	As directed	
Tablets		Abdominal Spasm آلام البطن	Unknown		
10 tab					
All-Vent	Terbutaline+Bromhexine+Guaifenesine	Respiratory drugs	BORG	10 - 15 ml orally tid	
Syrup		Respiratory Disorders اضطرابات الجهاز التنفسي	Egypt		
125 ml					
ALLVII	Chlorphenamine Maleate 20 mg	Antihistamines	HUAYANG	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	
Ampoules		Common Cold نزلات البرد	China		
50 amp					
Almaprazol S.R	Esomeprazole 20 mg	Gastro Intestinal drugs	ALMA	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
Capsules		Peptic ulcer قرحة المعدة	HOMS - Syria		
14 caps					
ALMIRAL	Diclofenac Sodium	Non-Steroidal Anti-	unknown	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Ampoules		Analgesic مهدئات الأوجاع	Unknown		
10 amp					
Almivudine HBV	Lamivudine 100 mg	Antivirals	Alpha	chronic hepatitis B, the adult dose is 100 mg once daily by mouth. A dose for children aged over 2 years is 3 mg/kg once daily to a maximum daily dose of 100 mg.	
Tablets		Hepatic Disorders اضطرابات الكبد	Syria		
10 tab.					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
AloeDent	Aloe Vera	Skin Disorders	Unknown	As directed	
Mouth Wash		Mouth Wash الغسولات الفموية	Unknown		
Alopron-100mg	allopurinol-100mg	Hyperuricaemia	REMEDICA	100 to 300 up to 600 mg	
Tablet		Gout التقرس	Unknown		
ALPANAX	Alprazolam tablet 0.25mg	Central Nervous system drugs	BALSAM	Minimum/Maximum Adult Daily Dose:0.25 - 10 mg (milligram) OR 1 - 40 Tablet	
20 Tablets		Anxiety, Insomnia الأرق والقلق	Syria		
20 tablets					
ALPHAFEN	Ibuprofen	Non-Steroidal Anti-	unknown	Oral doses of400 mg to 1.2 g daily .	
Tablets		Analgesic مهدئات الأوجاع	Unknown		
10 tab					
Alphafen	Ibuprofen 600 mg	Non-Steroidal Anti-	Alphamoun	Oral doses of400 mg to 1.2 g daily .	
Tablets		Analgesic مهدئات الأوجاع	Egypt		
20 tab					
Alphanova	Brimonidine Tartrate 0.15%	Ophthalmic drugs	Orchidia Pharma	brimonidine tartrate 0.1, 0.15 or 0.2% are instilled two or three times daily.	
Suspension		Eye العين	Egypt		
10 ml					
Alphanova plus	Brimonidine Tartrate 0.2% + Timolol 0.5%	Ophthalmic drugs	Orchidia Pharma	brimonidine tartrate 0.1, 0.15 or 0.2% are instilled two or three times daily.	
Suspension		Eye العين	Egypt		
10 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
ALPHATRIM FORTE	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	Antibacterial	Alpha	Tablet (800 sulfam/ 160 trimeth)mg & Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	
Tablets		Bacterial Infections الأمراض البكتيرية	Syria		
2strip*10tablet					
Alpranax 0.25	Alprazolam tablet 0.25mg	Central Nervous system drugs	Hayat pharma	Minimum/Maximum Adult Daily Dose:0.25 - 10 mg (milligram) OR 1 - 40 Tablet	
Tablets		Anxiety, Insomnia الأرق والقلق	Unknown		
30 tablets					
Alpranax 0.5	Alprazolam tablet 0.5mg	Central Nervous system drugs	Hayat pharma	Minimum/Maximum Adult Daily Dose:0.25 - 10 mg (milligram) OR 1 - 40 Tablet	
Tablets		Anxiety, Insomnia الأرق والقلق	Unknown		
30 tablets					
Alpraz	Alprazolam tablet 0.5mg	Central Nervous system drugs	Sothema	Minimum/Maximum Adult Daily Dose:0.25 - 10 mg (milligram) OR 1 - 40 Tablet	
Tablets		Anxiety, Insomnia الأرق والقلق	Morocco		
28 Tablets					
Alprazolam	Alprazolam tablet 0.5mg	Central Nervous system drugs	YEDCO	Minimum/Maximum Adult Daily Dose:0.25 - 10 mg (milligram) OR 1 - 40 Tablet	
Tablets		Anxiety, Insomnia الأرق والقلق	Yemen		
30 Tablets					
Alsin- 100	Acetylsalicylic Acid tablet 100mg.	Cardio Vascular System drugs	CIPLA	a daily dose of aspirin in the range of 75 to 150 mg should be effective	
Tablets		Thrombosis الجلطات	India		
30 tablet					
ALTIAZEM	Diltiazem HCl	Cardio Vascular System drugs	EIPICO	initial dose is 60 to 120 mg twice daily, increased as required to a maximum of 360 mg daily.	
Tablets		Hypertension ارتفاع ضغط الدم	Egypt		
20 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
ALTIAZEM	Diltiazem Hydrochloride 60 mg	Cardio Vascular System drugs	MENARINI	initial dose is 60 to 120 mg twice daily, increased as required to a maximum of 360 mg daily.	
Tablets		Hypertension	Italy		
50 tabs		ارتفاع ضغط الدم			
ALZENTAL	Albendazole	Anthelmentic	SHIN POONG	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
Suspension		Common Worms	Korea		
20 ml		الديدان الشائعة			
Amaryl 1mg	Glimepiride 1mg	Antidiabetics	Sanofi Aventis	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Tablets		Diabetes Mellitus	France		
30 tab		أمراض السكري			
Amaryl 2mg	Glimepiride 2mg	Antidiabetics	Sanofi Aventis	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Tablets		Diabetes Mellitus	France		
30 tab		أمراض السكري			
Amaryl 3m	Glimepiride 3mg	Antidiabetics	Sanofi Aventis	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Tablets		Diabetes Mellitus	France		
30 tab		أمراض السكري			
Amaryl M SR	Glimepiride 2mg+Metformin 500mg	Antidiabetics	Sanofi Aventis	As directed	
Tablets		Diabetes Mellitus	France		
30 tab		أمراض السكري			
Ambrox	Ambroxol 15 mg / 5 ml	Respiratory drugs	Shiba pharma	5 ml by mouth, in 2 or 3 divided doses.	
Syrup		Respiratory Disorders	Yemen		
100 ml		اضطرابات الجهاز التنفسي			



Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Ambrox	Ambroxol 30 mg / tab	Respiratory drugs	Shiba pharma	5 ml by mouth, in 2 or 3 divided doses.	
Tablets		Respiratory Disorders اضطرابات الجهاز التنفسي	Yemen		
20 Tablet					
AMEBAZOLE	Secnidazole 1 gm / tab	Antiprtozoal	EGYPHAR	Adult: 2 gm single dose , children: 30 mg /kg / day sigle dose ,	
Tablets		Amoebiasis , جارديا واميبييا	Egypt		
2 tab					
Amika	Amikacin Sulfate	Antibiotics	Unknown	IM, IV. : Adults, children, older infants: 15 mg/kg in 2–3 divided doses, 7–10 days. Maximum: 15 mg/kg/d. Once daily dosing of amikacin has been advocated	
Ampoules		Serious M. Infections الاصابات الميكروبية الخطرة	Unknown		
2m / amp					
Amikacin 250 mg	Amikacin Sulfate	Antibiotics	ILDONG	vial 500mg &250mg &125mg &100mg	
Vial		Serious M. Infections الاصابات الميكروبية الخطرة	Korea		
1box*10 vials					
Amikacin 500 mg	Amikacin Sulfate	Antibiotics	ILDONG	vial 500mg &250mg &125mg &100mg	
Vial		Serious M. Infections الاصابات الميكروبية الخطرة	Korea		
1box*10vial (1vial 2 ml)					
Amikacin Normon 125 mg	Amikacin Sulfate 62.5 mg / ml	Antibiotics	Normon	IM, IV. : Adults, children, older infants: 15 mg/kg in 2–3 divided doses, 7–10 days. Maximum: 15 mg/kg/d. Once daily dosing of amikacin has been advocated	
Vial		Serious M. Infections الاصابات الميكروبية الخطرة	Spain		
2 ml					
amikacin normon 500 mg	Amikacin Sulfate 250 mg / ml	Antibiotics	Normon	vial 500mg &250mg &125mg &100mg	
Vial		Serious M. Infections الاصابات الميكروبية الخطرة	Spain		
2 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Amino 1000	Amino Acids	Vitamines and Menirals	Sentinel	As directed	
Tablets		Vitamins			
30 tab		نقص فيتامينات			
Aminophylline	Aminophylline 25 mg/ml	Respiratory drugs	Renaudin-france	16 mg/kg/daily	
Ampoules		Bronchial Asthma الربو الشعبي	France		
100 amp X 10 ml					
Amiodarone Tablets	Amiodarone 200 mg / tablet	Cardio Vascular System drugs	Unknown	200 mg three times daily for a week, then 200 mg twice daily for a week, and then a usual maintenance dosage of 200 mg or less daily,	
Tablets		Arrhythmia عدم انتظام ضربات القلب	Unknown		
28 Tablet					
Amiram-25	Amitriptyline tablet 25 mg	Central Nervous system drugs	RAM PHARMA	Oral, IM. : Minimum/Maximum Adult Daily Dose:100 - 300 mg (milligram) OR 1 - 3 Tablet	
Tablets		Mental Disorders الأمراض العقلية	Jordan		
30 Tablet					
Amlocard-5	Amlodipine	Cardio Vascular System drugs	RAM PHARMA	Oral only : Hypertension Adults: Individualize: 2.5-5 mg/d. Maximum: 10 mg/d. Angina: Adults: 5-10 mg. Elderly: 5 mg.	
Tablets		Hypertension ارتفاع ضغط الدم	Jordan		
28 Tablets					
Amlocare	Each tablet contains Amlodipine 5mg	Cardio Vascular System drugs	Pharmacare	Oral only : Hypertension Adults: 2.5-10 mg/day. Angina: Adults: 5-10 mg. Elderly: 5 mg.	
Tablets		Hypertension ارتفاع ضغط الدم	Yemen		
14 Tablet					
AMLODAK 10	Amlodipine 10 mg	Cardio Vascular System drugs	RFA	Oral only : Hypertension Adults: Individualize: 2.5-5 mg/d. Maximum: 10 mg/d. Angina: Adults: 5-10 mg. Elderly: 5 mg.	
Tablets		Hypertension ارتفاع ضغط الدم	Yemen		
30 Tablet					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
AMLODAK 5	Amlodipine 5 mg	Cardio Vascular System drugs	RFA	Oral only : Hypertension Adults: Individualize: 2.5–5 mg/d. Maximum: 10 mg/d. Angina: Adults: 5–10 mg. Elderly: 5 mg.	
Tablets		Hypertension ارتفاع ضغط الدم	Yemen		
30 Tablet					
Amlo-Denk 5	Amlodipine 5 mg	Cardio Vascular System drugs	Denk Pharma	Oral only : Hypertension Adults: Individualize: 2.5–5 mg/d. Maximum: 10 mg/d. Angina: Adults: 5–10 mg. Elderly: 5 mg.	
		Hypertension ارتفاع ضغط الدم	Germany		
Amlodip	Amlodipine	Cardio Vascular System drugs	Unknown	Oral only : Hypertension Adults: Individualize: 2.5–5 mg/d. Maximum: 10 mg/d. Angina: Adults: 5–10 mg. Elderly: 5 mg.	
Tablets		Hypertension ارتفاع ضغط الدم	Unknown		
Amlodipine	Amlodipine	Cardio Vascular System drugs	ACTAVIS	Oral only : Hypertension Adults: Individualize: 2.5–5 mg/d. Maximum: 10 mg/d. Angina: Adults: 5–10 mg. Elderly: 5 mg.	
10 mg		Hypertension ارتفاع ضغط الدم	Unknown		
28 Tablet					
Amlodipine oubari	Amlodipine	Cardio Vascular System drugs	OUBARY PHARMA	Oral only : Hypertension Adults: Individualize: 2.5–5 mg/d. Maximum: 10 mg/d. Angina: Adults: 5–10 mg. Elderly: 5 mg.	
Tablets		Hypertension ارتفاع ضغط الدم	Syria		
30 Tablet					
Amlodura	Amlodipine 5 mg / tab	Cardio Vascular System drugs	Shiba pharma	Oral only : Hypertension Adults: Individualize: 2.5–5 mg/d. Maximum: 10 mg/d. Angina: Adults: 5–10 mg. Elderly: 5 mg.	
Tablets		Hypertension ارتفاع ضغط الدم	Yemen		
30 Tablet					
Amlopin 5	Amlodipine	Cardio Vascular System drugs	Y.E.PHARMA	Oral only : Hypertension Adults: Individualize: 2.5–5 mg/d. Maximum: 10 mg/d. Angina: Adults: 5–10 mg. Elderly: 5 mg.	
Capsules		Hypertension ارتفاع ضغط الدم	Yemen		
20 Tablet					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Amlapres-5	Amlodipine	Cardio Vascular System drugs	CIPLA	Oral only : Hypertension Adults: Individualize: 2.5–5 mg/d. Maximum: 10 mg/d. Angina: Adults: 5–10 mg. Elderly: 5 mg.	
Tablets		Hypertension ارتفاع ضغط الدم	India		
10 Tablet					
AMOCCLAN FORTE	Amoxicillin 250 mg + Clavulanic Acid 62.5 mg = 312 mg / 5 ml	Antibiotics	Hikma	cap 1gm & 500mg & 250mg syrup 250mg & 125mg drop 100mg Vial 1gm & 500mg & 250mg	
Suspension		الأمراض البكتيرية Microbial Infections	Jordan		
100 ml					
Amol	Paracetamol supp 250mg.	NSAID	Shaphaco	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Suppositoris		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Yemen		
10 supp.					
Amol	Paracetamol 500mg.	NSAID	Shaphaco	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Yemen		
20 tablets					
Amol	Paracetamol drops 100mg/ml.	NSAID	Shaphaco	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Oral /Drops		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Yemen		
15 ml					
Amol	Paracetamol syrup 120mg /5ml.	NSAID	Shaphaco	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Suspension		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Yemen		
60 ml					
Amol	Paracetamol syrup 120mg /5ml.	NSAID	Shaphaco	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Syrup		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Yemen		
60 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Amol	Paracetamol tablet 500mg .	NSAID	Shaphaco	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Yemen		
200 tablets.					
Amol -6 plus	Paracetamol syrup 250mg /5ml.	NSAID	Shaphaco	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Syrup		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Yemen		
100ml					
Amol Cold Flu	Pseudoephedrine +Paracetamol+Chloraphiniramine	Respiratory drugs	Shaphaco	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Tablets		Common Cold نزلات البرد	Yemen		
20 Tablets					
Amol-Cold&Flu	Paracetamol 500mg + Pseudoephedrine 30mg + Diphenhydramin 25mg per tablet.	NSAID	Shaphaco	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Yemen		
20 tablets					
Amol-EXTRA	Paracetamol tablet 500+65 caffeine/tablet.	NSAID	Shaphaco	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Yemen		
200 tablets.					
Amoxacin	Amoxicillin 250 mg / 5 ml	Antibiotics	Shiba pharma	125 to 250 mg every 8 hours	
Dry syrup		الأمراض الميكروبية Microbial Infections	Yemen		
100ml					
Amoxacin	Amoxicillin 500 mg / cap	Antibiotics	Shiba pharma	250 - 1000 mg three times daily	
Capsules		الأمراض الميكروبية Microbial Infections	Yemen		
20 Cap					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms					
Package		Disease	Country		
Amoxacin	Amoxicillin 125 mg / 5 ml	Antibiotics	Shiba pharma	125 to 250 mg every 8 hours	
Syrup		الأمراض الميكروبية Microbial Infections	Yemen		
100 ml					
AMOXICAP 500	Amoxicillin	Antibiotics	Hovid	cap 1gm & 500mg & 250mg syrup 250mg & 125mg drop 100mg Vial 1gm & 500mg & 250mg	
Capsules		الأمراض الميكروبية Microbial Infections	Malaysia		
100 capsule					
Amoxicillin	Amoxicillin 500 mg / capsule	Antibiotics	Korea United Pharma	cap 1gm & 500mg & 250mg syrup 250mg & 125mg drop 100mg Vial 1gm & 500mg & 250mg	
capsules		الأمراض الميكروبية Microbial Infections	Korea		
10strip*10capsules					
Amoxicillin	Amoxicillin 500 mg / cap	Antibiotics	LABORATE	cap 1gm & 500mg & 250mg syrup 250mg & 125mg drop 100mg Vial 1gm & 500mg & 250mg	
Capsules		الأمراض الميكروبية Microbial Infections	India		
20 capsule					
Amoxicillin	Amoxicillin 125 mg / 5 ml	Antibiotics	Ipca	cap 1gm & 500mg & 250mg syrup 250mg & 125mg drop 100mg Vial 1gm & 500mg & 250mg	
Suspension		الأمراض الميكروبية Microbial Infections			
100 ml					
Amoxicillin	Amoxicillin 250 mg / tab	Antibiotics	MICRO	cap 1gm & 500mg & 250mg syrup 250mg & 125mg drop 100mg Vial 1gm & 500mg & 250mg	
Tablets		الأمراض الميكروبية Microbial Infections	India		
10 strip*10 tab					
Amoxicillin	Amoxicillin 250 mg / tab	Antibiotics	MILAN	cap 1gm & 500mg & 250mg syrup 250mg & 125mg drop 100mg Vial 1gm & 500mg & 250mg	
Tablets		الأمراض الميكروبية Microbial Infections	India		
10 x 10 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Amoxicillin - 500	Amoxicillin*	Antibiotics	YEDCO	250 - 1000 mg three times daily	
Capsules		الأمراض الميكروبية Microbial Infections	Yemen		
20strip*10capsules					
Amoxicillin Fort	Amoxicillin 250 mg /5 ml	Antibiotics	YEDCO	125 to 250 mg every 8 hours	
Suspension		الأمراض الميكروبية Microbial Infections	Yemen		
100 ml					
Amoxidrex	Amoxicillin*	Antibiotics	Phamadex	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Dry Suspension		الأمراض الميكروبية Microbial Infections	Unknown		
1bottel*100ml					
Amoxil	Amoxicillin*	Antibiotics	gsk glaxosmithkline	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Capsules		الأمراض الميكروبية Microbial Infections	UK		
10strip*10capsules					
Amoxil	Amoxicillin	Antibiotics	gsk glaxosmithkline	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Powder for Syrup		الأمراض الميكروبية Microbial Infections	UK		
100 ml					
Amoxil Fort	Amoxicillin 250 mg /5 ml	Antibiotics	gsk glaxosmithkline	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Dry Syrup		الأمراض الميكروبية Microbial Infections	UK		
1bottel*100ml					
Amoxitop	Amoxicillin	Antibiotics	Y.E.PHARMA	250 - 1000 mg three times daily	
Capsules		الأمراض الميكروبية Microbial Infections	Yemen		
20 cap					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
AMPAVIT	Vitamin B Substances	Vitamines and Menirals	ANB Laboratories CO. LTD	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Ampoules		Vitamins	Thailand		
10 amp of 1 ml		نقص فيتامينات			
Ampicillin	Ampicillin 1 gm	Antibiotics	Vitalis	Oral, IV, IM.: Adults PO 500 mg q6h. Children >20 kg: PO 250 mg q6h. Children <20 kg: PO 50 mg/kg/d in divided doses q6–8h. Children >40 kg: IV, IM 250–	
Vial		الأمراض الميكروبية	USA		
10 vial		Microbial Infections			
Ampicillin	Ampicillin 500 mg / cap	Antibiotics	Modern Pharama	Adults : 1 - 2 Capsule four times daily.	
Capsules		الأمراض الميكروبية	Yemen		
20 cap		Microbial Infections			
Ampicillin	Ampicillin 250 mg / 5 ml	Antibiotics	Modern Pharama	125 to 250 mg every 6 hours	
Syrup		الأمراض الميكروبية	Yemen		
100 ml		Microbial Infections			
Ampiluxe 500	Ampicillin + Cloxacillin	Antibiotics	ALPHA	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Capsules		الأمراض الميكروبية	Syria		
100 cap		Microbial Infections			
Ampixol - 500	Ampicillin	Antibiotics	YEDCO	Adults : 1 - 2 Capsule four times daily.	
Capsules		الأمراض الميكروبية	Yemen		
200 cap		Microbial Infections			
AMPY	Ampicillin 250mg/5ml	Antibiotics	RFA	125 to 250 mg every 6 hours	
Powder for Suspension		الأمراض الميكروبية	Yemen		
80 ML		Microbial Infections			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
AMPY	ampicillin 500 mg	Antibiotics	RFA	Adults : 1 - 2 Capsule four times daily.	
Capsules		الأمراض الميكروبية Microbial Infections	Yemen		
20 caps					
AMPY C	ampicillin 125 mg/cloxacillin 125 mg	Antibiotics	RFA	Children 2 – 10 years : 5 ml -10 ml four times daily. Children under 2 years : 2.5 ml - 5 ml four times daily.	
Powder for Suspension		الأمراض الميكروبية Microbial Infections	Yemen		
80 ML					
AMPY C	ampicillin 500 mg	Antibiotics	RFA	Adults : 1 - 2 Capsule four times daily.	
Capsules		الأمراض الميكروبية Microbial Infections	Yemen		
100 caps					
Amri-k Amp	Vit k (phytonadion) 10mg	Vitamines and Menirals	AMRIYA PHARMA	0.5 to 5 mg by slow intravenous injection or up to 5 mg orally	
Ampoules		Haemorrhage النزيف	Egypt		
5 Ampoules of 1ml					
Amritrim	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	Antibacterial	AMRIYA PHARMA	Tablet (800 sulfam/ 160 trimeth)mg & Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	
Suspension		Bacterial Infections الأمراض البكتيرية	Egypt		
1bottel*100ml					
Amrizole 500	Metronidazole 500 mg / tab	Antiprtozoal	AMRIYA PHARMA	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , Giardiasis جارديا واميبييا	Egypt		
20 Tablet					
Amrizole 250	Metronidazole	Antiprtozoal	AMRIYA PHARMA	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , Giardiasis جارديا واميبييا	Egypt		
20 Film coated tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Amrizole suspension	Benzoyl metronidazole 200 mg / 5 ml	Antiprtozoal	AMRIYA PHARMA	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Suspension		Amoebiasis , جارديا واميبييا	Egypt		
120 ml					
AMRIZYME	Unknown	Gastro Intestinal drugs	AMRIYA PHARMA	As directed	
Capsules		Indigestion سوء الهضم	Egypt		
20 cap					
Amrystar	Glimepiride 1 mg / tablet	Antidiabetics	Shiba pharma	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Tablets		Diabetes Mellitus أمراض السكري	Yemen		
30 Tablet					
Amrystar	Glimepiride 2 mg / tablet	Antidiabetics	Shiba pharma	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Tablets		Diabetes Mellitus أمراض السكري	Yemen		
30 Tablet					
Amrystar	Glimepiride 3 mg / tablet	Antidiabetics	Shiba pharma	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Tablets		Diabetes Mellitus أمراض السكري	Yemen		
30 Tablet					
Amtil	Amitriptyline 25 mg / tablet	Central Nervous system drugs	Shiba pharma	Minimum/Maximum Adult Daily Dose:100 - 300 mg (milligram) OR 1 - 3 Tablet	
Tablets		Mental Disorders الأمراض العقلية	Yemen		
30 F.C.Tablet					
AMYN-500	Amoxicillin*	Antibiotics	Kopran	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Capsules		الأمراض الميكروبية Microbial Infections	India		
10 strip*10 Capsules					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Anafranil	Clomipramine Hydrochloride	Central Nervous system drugs	NOVARTIS	Oral doses of 10 mg daily initially, increasing gradually to 30 to 150 mg daily maximum up to 250 mg daily .	
		Mental Disorders الأمراض العقلية	Switzerland		
Anafranil SR	Clomipramine Hydrochloride 75 mg	Central Nervous system drugs	NOVARTIS	Oral doses of 10 mg daily initially, increasing gradually to 30 to 150 mg daily maximum up to 250 mg daily .	
Divitabs		Mental Disorders الأمراض العقلية	Switzerland		
20 Divitabs					
ANALCAM	Tenoxicam tablet 20mg	Nonsteroidal Anti-	Duopharma	maximum dose 20 mg one time daily (for two weeks only)	
Tablets		Analgesic مهدئات الأوجاع	Malaysia		
10 tablets.					
Analpan	Diclofenac Sodium ampoule 75mg/3ml.	Nonsteroidal Anti-	DUO pharma	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Ampoules		Analgesic مهدئات الأوجاع	Unknown		
20 ampoules					
Anaplate-75mg	dipyridamole	Cardio Vascular System drugs	SEDICO	ADULTS: PO 1 capsule (200 mg extended-release dipyridamole/25 mg aspirin) bid, 1 in morning and 1 in evening. Do not crush or chew.	
Tablets		Thrombosis الجلطات	Egypt		
20 tablet					
Anax-0.25	Alprazolam 0,25	Central Nervous system drugs	RFA	Minimum/Maximum Adult Daily Dose:0.25 - 10 mg (milligram) OR 1 - 40 Tablet	
Tablets		Anxiety, الأرق Insomnia والقلق	Yemen		
30 Tablet					
Anax-0.5	Alprazolam 0,5	Central Nervous system drugs	RFA	Minimum/Maximum Adult Daily Dose:0.25 - 10 mg (milligram) OR 1 - 40 Tablet	
Tablets		Anxiety, الأرق Insomnia والقلق	Yemen		
30 Tablet					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Anax-1	Alprazolam	Central Nervous system drugs	RFA	Minimum/Maximum Adult Daily Dose:0.25 - 10 mg (milligram) OR 1 - 40 Tablet	
Tablets		Anxiety, Insunnea الأرق والقلق	Yemen		
30 Tablet					
Anazol	Metronidazole	Antiprtozoal	JPI	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Suspension		Amoebiasis , Gardiasis جارديا واميبييا	Saudi Arabia		
120ml					
ANAZOL 500	Metronidazole	Antiprtozoal	JPI	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , Gardiasis جارديا واميبييا	Saudi Arabia		
20 TAB					
ANDRIOL	testosterone	Hormones	ORGANON - MSD	by mouth in an initial dose of 120 to 160 mg daily for 2 to 3 weeks, f maintenance dose of 40 to 120 mg daily. intramuscular injection as oily solution at a dose of 1 g every	
Capsules		Sex Hormones هرمونات جنسية	Unknown		
10 cap					
angiotec 10	Enalapril 10 mg	Cardio Vascular System drugs	JPM	Initial dose of 5 mg of enalapril maleate daily by mouth, maintenance dose is 10 to 20 mg given once daily	
Tablets		Hypertension ارتفاع ضغط الدم	Jordan		
30 tab					
Angiotec 5	Enalapril 5 mg	Cardio Vascular System drugs	JPM	Initial dose of 5 mg of enalapril maleate daily by mouth, maintenance dose is 10 to 20 mg given once daily	
Tablets		Hypertension ارتفاع ضغط الدم	Jordan		
30 tablet					
ANGIOZIDE	Enalapril	Cardio Vascular System drugs	JPM	Initial dose of 5 mg of enalapril maleate daily by mouth, maintenance dose is 10 to 20 mg given once daily	
Tablets		Hypertension ارتفاع ضغط الدم	Jordan		
20 TAB					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
Angised	Glyceryl Trinitrate 0.5 mg	Cardio Vascular System drugs	gsk glaxosmithkline	One sublingual tablet (usual strength 300 to 600 micrograms) is placed under the tongue. ,for total of 3 doses within 15 minutes.	
Tablets		الذبحة الصدرية	UK		
100					
Anikef 750 mg	Ceftriaxone Sodium 750 mg	Antibacterial	Unknown	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Parentral inj		Bacterial Infections	Unknown		
1vial		الأمراض البكتيرية			
Anolip	Amphotericin B Lipid Complex Inj 50mg/10ml	Antifungals	Samarth pharma	IV, intrathecal, topical.: Adults: Initial: IV 0.25 mg/kg q2-6h. Maintenance: IV 0.25-1 mg/kg/d. Infants, children: Initial: IV 0.25 mg/kg/d. Maintenance: IV 0.25-1	
Vial		Dermatitis	Unknown		
1 Vial 10ml		التهابات الجلدية			
Anopil	Herbal extract	Antihemorrhages	Unknown	As directed	
Ointment		Haemorrhoids	Unknown		
25 gm		البواسير			
anso3	Multi Vitamines	Vitamines and Menirals	Blue BioTech Int.Germany	As directed	
Solid		Vitamins	Unknown		
		نقص فيتامينات			
ANTI-AGE	Vitamine A, C, E, Selenium + Zinc + Beta _ Carotene	Vitamines and Menirals	JUVAMINE	As directed	
		Vitamins	France		
		نقص فيتامينات			
Anticox II	Meloxicam 15 mg	Non-Steroidal Anti-	ADWIA	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Ampoules		مهدئات	Egypt		
3 amp		الأوجاع			


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Anti-Cox II	Meloxicam	Non-Steroidal Anti-	ADWIA	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Capsules		مهدئات الأوجاع	Egypt		
10 cap					
Anti-coxII 15	Meloxicam 15mg/ampoule.	Nonsteroidal Anti-	ADWIA	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Ampoules		مهدئات الأوجاع	Egypt		
3 ampoules.					
Antinal	nifuroxazide	Gastro Intestinal drugs	AMOUN	* tabs = q I d syrup = less two months 5 ml bid 2-12 months tid more 1 years = q I d	
Capsules		الأسهال Diarrhea	Egypt		
12 caps					
Antinal	nifuroxazide	Gastro Intestinal drugs	AMOUN	* tabs = q I d syrup = less two months 5 ml bid 2-12 months tid more 1 years = q I d	
Suspension		الأسهال Diarrhea	Egypt		
200 ml for bottle					
Apidone	Chlorphenamine Maleate 2 mg + Dexamethasone 0.5 mg	Antihistamines	AMOUN	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	
Syrup		Common Cold نزلات البرد	Egypt		
125 ml					
APIFORTYL	Vit. A 2000 I.U. Vit. B1-Nitrate 2 mg. Vit. B2 1 mg. Vit. B6 1 mg. Vit. B12 1 µg. Folic Acid 0.1	Vitamines and Menirals	OCTOBER PHARMA	As directed	
Capsules		Vitamins نقص فيتامينات	Egypt		
30 capsules					
Apilox	Ampicillin 125 mg + Cloxacillin 125 mg.	Antibiotics	Pharmacare	Children 2 – 10 years : 5 ml -10 ml four times daily. Children under 2 years : 2.5 ml - 5 ml four times daily.	
Syrup		الأمراض الميكروبية Microbial Infections	Yemen		
100 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Apilox	Ampicillin 250 mg + Cloxacillin 250 mg.	Antibiotics	Pharmacare	Adults : 1 - 2 Capsule four times daily.	
Capsules		الأمراض الميكروبية Microbial Infections	Yemen		
20 cap					
APISULFA-10	Sulfabenzamide	Antibacterial	Unknown	As directed	
Eye drops		Bacterial Infections الأمراض البكتيرية	Unknown		
10 ml					
Apitofen	Pizotifen 0.25 mg / 5 ml	Antihistamines	Shaphaco	1.5 mg daily by mouth either in three divided doses or as a single dose at night	
Syrup		Appetizer Stimulant منشطات الشهية	Yemen		
100 ml					
Apitofen	Pizotifen 0.5 mg	Antihistamines	Shaphaco	1.5 mg daily by mouth either in three divided doses or as a single dose at night	
Tablets		Appetizer Stimulant منشطات الشهية	Yemen		
20 tabs					
Apperize	Cyproheptadine Hydrochloride 2 mg / 5 ml	Antihistamines	Pharmacare	Children: (2-6yrs) : One teaspoonful two to three times daily, Children (over 6 yrs) & adults: 2 teaspoonfuls 2 to 3 times daily	
Syrup		Appetizer Stimulant منشطات الشهية	Yemen		
100 ml					
APPETON	multivitamin with lysine	Vitamines and Menirals	cotra pharma, malaysia	As directed	
Tablets		Vitamins Deficiency نقص فيتامينات	Malaysia		
60 chewable tablets					
APPETON	Multi Vitamines	Vitamines and Menirals	Unknown	As directed	
Oral /Drops		Vitamins Deficiency نقص فيتامينات	Unknown		
30 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Apple-Lite	Herbal extract	Gastro Intestinal drugs	MEPACO	As directed	
Tablets		Appetite Suppressant سادات الشهية	Egypt		
30 tab					
Aprazol	Lansoprazole	Gastro Intestinal drugs	Bilim	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
Capsules		Peptic ulcer قرحة المعدة	Turkey		
14 caps					
Aquamarine	Omega-3 Fish Oil 540 mg+Cod Liver Oil 540 mg+ EPA 116 mg + DHA 106 mg Vitami D (as	Vitamines and Menirals	VITABIOTICS	For lowering triglycerides: 20 mL of cod liver oil per day. For high cholesterol: 30 mL of cod liver oil per day. For lowering blood pressure: 20 mL of cod liver oil per day.	
Capsules		Hyperlipidaemias زيادة الدهون في الدم	Unknown		
60 capsules					
Aquamarine	Omega 4.52 +cod liver oil 4.52 + DHA 878mg+EPA 968mg + VIT. A 200mcg+ vit. E	Vitamines and Menirals	VITABIOTICS	For lowering triglycerides: 20 mL of cod liver oil per day. For high cholesterol: 30 mL of cod liver oil per day. For lowering blood pressure: 20 mL of cod liver oil per day.	
Syrup		Hyperlipidaemias زيادة الدهون في الدم	Unknown		
250 ml					
Aquax	unkown	Skin Disorders	Unknown	As directed	
Cream		Dermatitis التهابات الجلدية	Unknown		
150 gm					
ARCOXIA 120 mg	Etoricoxib	Nonsteroidal Anti-	MSD	Oraly : In osteoarthritis 60 mg once daily, in rheumatoid arthritis 90 mg once daily, in gouty arthritis 120 mg once daily .	
		Osteoarthritis التهابات العظام	USA		
ARCOXIA 60 mg	Etoricoxib	Nonsteroidal Anti-	MSD	Oraly : In osteoarthritis 60 mg once daily, in rheumatoid arthritis 90 mg once daily, in gouty arthritis 120 mg once daily .	
		Osteoarthritis التهابات العظام	USA		

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
Arcoxia 90 mg	Etoricoxib tablet 90mg.	Nonsteroidal Anti-	MSD	Oraly : In osteoarthritis 60 mg once daily, in rheumatoid arthritis 90 mg once daily, in gouty arthritis 120 mg once daily .	
Tablets		Osteoarthritis	USA		
14 tablets		التهابات العظام			
ARTADIN	Loratadine	Antihistamines	KP	Orally in a dose of 10 mg once daily. Children 5-10 mg - once daily	
Tablets		Allergy الحساسية	Korea		
10 tab					
ArteCare 80 mg	Artemether	Antimalarial medicines	Unknown	6 doses , the first at diagnosis and repeated after 8, 24, 36, 48, and 60 hours. Each dose is: adults and children weighing over 34 kg, artemether 80 mg with lumefantrine 480 mg-	
Ampoules		Malaria الملاريا	Unknown		
80 mg / ml					
ARTEFAN KIT	malicur tablat contain- Sulfadoxine 500 mg + Pyrimethamine 25 mg + artefan	Antimalarial medicines	RFA	the usual dose by mouth is 1.5 g of sulfadoxine with 75 mg of pyrimethamine as a single dose	
Tablets		Malaria الملاريا	Yemen		
3 tabs+6 tabs					
ARTHRELLA	unkown	Unknown	Unknown	As directed	
Ointment		Unknown	Unknown		
Arthri-Flex	Glucosamine + Chondroitin	Osteoarthritis drugs	Unknown	As directed	
		Osteoarthritis	Unknown		
		التهابات العظام			
Artosine 100	Sulfadoxine 500 mg + Pyrimethamine 25 mg + artesunate 100 mg	Antimalarial medicines	Shaphaco	the usual dose by mouth is 1.5 g of sulfadoxine with 75 mg of pyrimethamine as a single dose	
Tablets		Malaria الملاريا	Yemen		
6+3 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
Artosine 50	Sulfadoxine 500 mg + Pyrimethamine 25 mg + artesunate 50 mg	Antimalarial medicines	Shaphaco	the usual dose by mouth is 1.5 g of sulfadoxine with 75 mg of pyrimethamine as a single dose	
Tablets		Malaria الملاريا	Yemen		
6+2 tab					
Artrofen gel	Ketoprofen	Non-Steroidal Anti-	Unknown	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Gel		Analgesic مهدئات	Unknown		
50 gm		الأوجاع			
Artrofen gel	Ketoprofen 100 ng /tab	NSAID	Global Pharma	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Tablets		Analgesic مهدئات	Yemen		
30 tab		الأوجاع			
ASCAZIL	Albendazole	Anthelmentic	ALSHAHBA	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
Suspension		Common Worms	Syria		
10ml		الديدان الشائعة			
Ascorbic acid	Vitamin c 1000mg/sheat.	Vitamines and Menirals	SEDICO	Doses of 25 to 75 mg daily in the prevention of deficiency, and 250 mg or more daily in divided doses for the treatment of deficiency, have been recommended.	
Sachets		Vitamins	Egypt		
10 sheats.		نقص فيتامينات			
Ascoril	Each 10 ml contains 2 mg salbutamol + 4 mg bromhexine BP + 100 mg guaifenesin USP	Respiratory drugs	Unknown	As directed	
Syrup		Common Cold	Unknown		
100 ml		نزلات البرد			
ASEEL	Tadalafil 20 mg	Sex Stimulants	Global Pharma	10 - 20 mg depending on response, about 30 minutes before sexual intercourse	
Tablets		Sex Stimulants	Yemen		
4 tab		منشطات جنسية			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
ASEPRON	Acetylsalicylic acid	Cardio Vascular System drugs	Unknown	a daily dose of aspirin in the range of 75 to 150 mg should be effective	
Tablets		Thrombosis الجلطات	Unknown		
60 tab					
Asist	Acetylcysteine 300 mg	Respiratory drugs	Unknown	100- 200 mg two times daily	
Ampoules		Respiratory Disorders اضطرابات الجهاز التنفسي	Syria		
10 Amp					
Aspicot-100	Acetylsalicylic Acid tablet 100mg.	Cardio Vascular System drugs	Shaphaco	a daily dose of aspirin in the range of 75 to 150 mg should be effective	
Tablets		Thrombosis الجلطات	Yemen		
30 enteric coated tablets					
Aspicot-300	Acetylsalicylic Acid 300mg.	NSAID	Shaphaco	The usual oral dose of aspirin as an analgesic and antipyretic is 300 to 900 mg, repeated every 4 to 6 hours . The dose as suppositories is 600 to 900 mg every 4 hours to a maximum of	
Tablets		مهدئات الأوجاع	Yemen		
30 enteric caoted tablets					
Aspicot-75	Acetylsalicylic Acid 75mg.	Cardio Vascular System drugs	Shaphaco	a daily dose of aspirin in the range of 75 to 150 mg should be effective	
Tablets		Thrombosis الجلطات	Yemen		
30 enteric coated tablets					
Aspin-100	Acetylsalicylic Acid 100mg	Cardio Vascular System drugs	CIPLA	a daily dose of aspirin in the range of 75 to 150 mg should be effective	
Tablets		Thrombosis الجلطات	India		
30 tablets.					
Aspin-100mg	Acetylsalicylic Acid tablet 100mg.	Cardio Vascular System drugs	CIPLA	a daily dose of aspirin in the range of 75 to 150 mg should be effective	
Tablets		Thrombosis الجلطات	India		
30 Entric Coated Tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Aspirem 75	Acetylsalicylic acid	Cardio Vascular System drugs	Unknown	a daily dose of aspirin in the range of 75 to 150 mg should be effective	
Tablets		Thrombosis الجلطات	Unknown		
56 E.C.T					
Aspirin	Acetylsalicylic acid 75 mg / tab	Non-Steroidal Anti-	Unknown	The usual oral dose of aspirin as an analgesic and antipyretic is 300 to 900 mg, repeated every 4 to 6 hours according to clinical needs, to a maximum of 4 g daily. The dose as	
Tablets		مهدئات الأوجاع Analgesic	Unknown		
56 E.C.T					
ASPIRIN	Acetylsalicylic acid 100 mg	Cardio Vascular System drugs	BAYER	a daily dose of aspirin in the range of 75 to 150 mg should be effective	
Tablets		Thrombosis الجلطات	Germany		
20 tablet for children					
ASPIRIN	Acetylsalicylic Acid 81 mg / tablet	Cardio Vascular System drugs	Shiba pharma	a daily dose of aspirin in the range of 75 to 150 mg should be effective	
Tablets		Thrombosis الجلطات	Yemen		
30 Enteric Coated Tablets					
Aspirin 300mg	Acetylsalicylic acid 300mg	Nonsteroidal Anti-	UK	The usual oral dose of aspirin as an analgesic and antipyretic is 300 to 900 mg, repeated every 4 to 6 hours according to clinical needs, to a maximum of 4 g daily. The dose as	
Tablets		مهدئات الأوجاع Analgesic	Unknown		
16tablet					
ASPIRIN 75	Acetylsalicylic acid 75mg / Tab	Cardio Vascular System drugs	Modern Pharama	a daily dose of aspirin in the range of 75 to 150 mg should be effective	
Tablets		Thrombosis الجلطات	Yemen		
20 tablet					
ASPIRIN protect	(aspirin protect 100mg) active ingredient acetylsalicylic acid+thrombocyte aggregation	Cardio Vascular System drugs	BAYER	a daily dose of aspirin in the range of 75 to 150 mg should be effective	
Tablets		Thrombosis الجلطات	Germany		
20 tablet					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
ASPIRIN-C	Acetylsalicylic acid	Non-Steroidal Anti-	Unknown	The usual oral dose of aspirin as an analgesic and antipyretic is 300 to 900 mg, repeated every 4 to 6 hours according to clinical needs, to a maximum of 4 g daily. The dose as	
Tablets		Analgesic مهدئات الأوجاع	Unknown		
Aspirine-C	Acetylsalicylic Acid + vit.c effer.tablet.	Nonsteroidal Anti-	BAYER	The usual oral dose of aspirin as an analgesic and antipyretic is 300 to 900 mg, repeated every 4 to 6 hours according to clinical needs, to a maximum of 4 g daily. The dose as	
Tablets		Analgesic مهدئات الأوجاع	Germany		
(10 tab/strip) 2					
ASPO CID	Pediatric Chewable tablets	Unknown	CID	As directed	
Tablets		Unknown	Egypt		
30 tab					
Asthalin Inhaler	Salbutamol 200 mcg metered doses	Respiratory drugs	CIPLA	2 -4 mg / or 2 buffs *qid	
Inhaler		Bronchial Asthma الربو الشعبي	India		
200 metred doses					
Asthalin Inhaler solution	Salbutamol	Respiratory drugs	CIPLA	2 -4 mg / or 2 buffs *qid	
Inhaler		Bronchial Asthma الربو الشعبي	India		
15 ml					
Asthalin Respules	Salbutamol	Respiratory drugs	CIPLA	2 -4 mg / or 2 buffs *qid	
Respules/inh		Bronchial Asthma الربو الشعبي	India		
10 X 2.5 ml					
Asthalin Rotacaps	Salbutamol	Respiratory drugs	CIPLA	2 -4 mg / or 2 buffs *qid	
Rotacaps		Bronchial Asthma الربو الشعبي	India		
200 mcg					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Asthalin-4	Salbutamol 4 mg	Respiratory drugs	CIPLA	2 -4 mg / or 2 buffs *qid	
Tablets		Bronchial Asthma الربو الشعبي	India		
10X 10 tab					
ASTOMED	Ketotifen Fumarate	Respiratory drugs	MEDICO LABS	adult dose 1-2 mg/bid or pead. 1 mg /bid	
Syrup		Bronchitis التهاب الشعب الهوائية	Syria		
100 ml					
Asu-Denk	500 mg Sulfamethoxyipyridazine +25 mg Pyrimethamine +Artesunate 200 mg	Antimalarial medicines	Denk Pharma	6 doses , the first at diagnosis and repeated after 8, 24, 36, 48, and 60 hours. Each dose is: adults and children weighing over 34 kg, artemether 80 mg with lumefantrine 480 mg-	
Tablets		Malaria الملاريا	Germany		
3 tab / Sigle dose					
Atacand 8	Candesartan Cilexetil 8 mg	Cardio Vascular System drugs	ASTRAZENECA	8 mg once daily, but doses up to 32 mg daily, as a single dose or in 2 divided doses	
Tablets		Hypertension ارتفاع ضغط الدم	Unknown		
28 tab					
Atarax	Hydroxyzine Syrup 10mg/5ml	Antihistamines	UCB	Adult :25 to 100 mg four times daily , Children : 2.5 mg/kg daily	
Syrup		Allergy الحساسية	Unknown		
200 ml					
Atarax 10 mg	Hydroxyzine HCL	Antihistamines	UCB	Adult :25 to 100 mg four times daily , Children : 2.5 mg/kg daily	
Tablets		Allergy الحساسية	Unknown		
25 tab					
Atarax-25	Hydroxyzine tablet 25mg	Antihistamines	UCB	Adult :25 to 100 mg four times daily , Children : 2.5 mg/kg daily	
Tablets		Allergy الحساسية	Unknown		
25 tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
ATENO 100 mg	Atenolol 100 mg	Cardio Vascular System drugs	EIPICO	Oral, IV.: Initial: PO 50 mg/d. Maximum: 100 mg/d. ,, Acute MI:Initial: IV 5 mg over 5 min, followed by 5-mg dose 10 min later; then 50-mg tablet 10 min after last IV dose, then	
Tablets		Hypertension ارتفاع ضغط الدم	Egypt		
20 f.c.t					
ATENO 50 mg	Atenolol 50 mg	Cardio Vascular System drugs	EIPICO	Oral, IV.: Initial: PO 50 mg/d. Maximum: 100 mg/d. ,, Acute MI:Initial: IV 5 mg over 5 min, followed by 5-mg dose 10 min later; then 50-mg tablet 10 min after last IV dose, then	
Tablets		Hypertension ارتفاع ضغط الدم	Egypt		
20 f.c.t					
Atenolo denk 50	Atenolol	Cardio Vascular System drugs	Unknown	Oral, IV.: Initial: PO 50 mg/d. Maximum: 100 mg/d. ,, Acute MI:Initial: IV 5 mg over 5 min, followed by 5-mg dose 10 min later; then 50-mg tablet 10 min after last IV dose, then	
		Hypertension ارتفاع ضغط الدم	Unknown		
ATENOLOL 50 mg	Atenolol	Cardio Vascular System drugs	KAHIRA PHARM	Oral, IV.: Initial: PO 50 mg/d. Maximum: 100 mg/d. ,, Acute MI:Initial: IV 5 mg over 5 min, followed by 5-mg dose 10 min later; then 50-mg tablet 10 min after last IV dose, then	
Tablets		Hypertension ارتفاع ضغط الدم	Egypt		
14 tab					
Atenolol Denk 50	Atenolol	Cardio Vascular System drugs	Denk Pharma	Oral, IV.: Initial: PO 50 mg/d. Maximum: 100 mg/d. ,, Acute MI:Initial: IV 5 mg over 5 min, followed by 5-mg dose 10 min later; then 50-mg tablet 10 min after last IV dose, then	
Tablets		Hypertension ارتفاع ضغط الدم	Germany		
100 c.t					
Atenolol-100	Atenolol	Cardio Vascular System drugs	BALSAM	Oral, IV.: Initial: PO 50 mg/d. Maximum: 100 mg/d. ,, Acute MI:Initial: IV 5 mg over 5 min, followed by 5-mg dose 10 min later; then 50-mg tablet 10 min after last IV dose, then	
Tablets		Hypertension ارتفاع ضغط الدم	Syria		
30 tab					
ATEROZ	Atorvastatin Calcium 20 mg	Cardio Vascular System drugs	Bilim	Oral only.: ADULTS: PO 10 to 80 mg/day.	
Tablets		Hyperlipidaemias زيادة الدهون في الدم	Turkey		
30 f.t					



Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
ATEROZ-10mg	Atorvastatin10mg	Cardio Vascular System drugs	Bilim	Oral only.: ADULTS: PO 10 to 80 mg/day.	
Tablets		Hyperlipidaemias	Turkey		
30 film coated tablet		زيادة الدهون في الدم			
ATEROZ-20mg	atorvastatin20mg	Cardio Vascular System drugs	Bilim	Oral only.: ADULTS: PO 10 to 80 mg/day.	
tablet		Hyperlipidaemias	Turkey		
30film tablet		زيادة الدهون في الدم			
ATOR	Atorvastatin (as atorvastatin calcium).....10, 20 or 40 mg	Cardio Vascular System drugs	EIPICO	Oral only.: ADULTS: PO 10 to 80 mg/day.	
Tablets		Hyperlipidaemias	Egypt		
10 tab		زيادة الدهون في الدم			
ATOR	Atorvastatin (as atorvastatin calcium). 40 mg / tab	Cardio Vascular System drugs	EIPICO	Oral only.: ADULTS: PO 10 to 80 mg/day.	
Tablets		Hyperlipidaemias	Egypt		
10 tab		زيادة الدهون في الدم			
ATOR	Atorvastatin (as atorvastatin calcium). 10 mg / tab	Cardio Vascular System drugs	EIPICO	Oral only.: ADULTS: PO 10 to 80 mg/day.	
Tablets		Hyperlipidaemias	Egypt		
10 tab		زيادة الدهون في الدم			
Atoris	Atorvastatin (as atorvastatin calcium). 40 mg / tab	Cardio Vascular System drugs	KRKA	Oral only.: ADULTS: PO 10 to 80 mg/day.	
Tablets		Hyperlipidaemias	India		
30 tab		زيادة الدهون في الدم			
Atoris	Atorvastatin (as atorvastatin calcium). 10 mg / tab	Cardio Vascular System drugs	KRKA	Oral only.: ADULTS: PO 10 to 80 mg/day.	
Tablets		Hyperlipidaemias	India		
30 tab		زيادة الدهون في الدم			


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Atoris	Atorvastatin (as atorvastatin calcium). 20 mg / tab	Cardio Vascular System drugs	KRKA	Oral only.: ADULTS: PO 10 to 80 mg/day.	
Tablets		Hyperlipidaemias	India		
30 tab		زيادة الدهون في الدم			
Atorlip-10	atorvastatin10mg	Cardio Vascular System drugs	CIPLA	Oral only.: ADULTS: PO 10 to 80 mg/day.	
Tablets		Hyperlipidaemias	India		
3*10 tablet		زيادة الدهون في الدم			
Atorlip-20	Atorvastatin Calcium 20 mg	Cardio Vascular System drugs	CIPLA	Oral only.: ADULTS: PO 10 to 80 mg/day.	
Tablets		Hyperlipidaemias	India		
3 x 10 tab		زيادة الدهون في الدم			
atorlip-40mg	atorvastatin40mg	Cardio Vascular System drugs	CIPLA	Oral only.: ADULTS: PO 10 to 80 mg/day.	
Tablets		Hyperlipidaemias	India		
10 tablet		زيادة الدهون في الدم			
Atorva 10	Atorvastatin Calcium	Cardio Vascular System drugs	Modern Pharama	Oral only.: ADULTS: PO 10 to 80 mg/day.	
Tablets		Hyperlipidaemias	Yemen		
30 tab		زيادة الدهون في الدم			
Atorva Plus	Atorvastatin Calcium 10 mg + Ezetimibe 10 mg	Cardio Vascular System drugs	Modern Pharama	Oral only.: ADULTS: PO 10 to 80 mg/day.	
Tablets		Hyperlipidaemias	Yemen		
30 tab		زيادة الدهون في الدم			
Atorva-20mg	atorvastatin20mg	Cardio Vascular System drugs	Modern Pharama	Oral only.: ADULTS: PO 10 to 80 mg/day.	
Tablets		Hyperlipidaemias	Yemen		
30 film coated tablet		زيادة الدهون في الدم			



Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
Atorvast 20	Atorvastatin Calcium	Cardio Vascular System drugs	JOSWE	Oral only.: ADULTS: PO 10 to 80 mg/day.	
Caplets		Hyperlipidaemias	Jordan		
30 caplets		زيادة الدهون في الدم			
atorvast-20mg	atorvastatin20mg	Cardio Vascular System drugs	JOSWE	Oral only.: ADULTS: PO 10 to 80 mg/day.	
caplet		Hyperlipidaemias	Jordan		
30film coated caplet		زيادة الدهون في الدم			
atorvex-20mg	atorvastatin20mg	Cardio Vascular System drugs	ASIA	Oral only.: ADULTS: PO 10 to 80 mg/day.	
tablet		Hyperlipidaemias	Syria		
30film coated tablet		زيادة الدهون في الدم			
Atorvist-10mg	Atorvastatin10 mg / tablet	Cardio Vascular System drugs	Shiba pharma	Oral only.: ADULTS: PO 10 to 80 mg/day.	
Tablets		Hyperlipidaemias	Yemen		
30 film coated tablet		زيادة الدهون في الدم			
Atorvist-20mg	Atorvastatin 20 mg / tablet	Cardio Vascular System drugs	Shiba pharma	Oral only.: ADULTS: PO 10 to 80 mg/day.	
Tablets		Hyperlipidaemias	Yemen		
30 film coated tablet		زيادة الدهون في الدم			
Atraprim DS	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	Antibacterial	Unknown	Tablet (800 sulfam/ 160 trimeth)mg & Tablet (400 sulfam / 80 trimeth)mg	
Tablets		Bacterial Infections	Unknown	Syrup (200 sulfam/40 trimeth)mg as twice daily	
10 Strip*10 Tablets		الاصابات البكتيرية			
Atropine sulphate	Atropine	Central Nervous system drugs	MISR	IV, IM, SC, oral, topical (ophthalmic). Adults: PO, 0.3–1.2 mg q 4–6 hr. Children 29.5–41 kg: PO 0.4 mg q4–6h. Children 3.2–7.3 kg: PO 0.1 mg q4–6h.	
Ampoules		Anaesthetics	Egypt		
1mg / ml(ampoule)		التخدير العام			


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Atrovist 10 mg	Atorvastatin 10 mg	Cardio Vascular System drugs	Shiba pharma	Oral only.: ADULTS: PO 10 to 80 mg/day.	
Tablets		Hyperlipidaemias	Yemen		
30 tablet		زيادة الدهون في الدم			
Atrovist 20 mg	Atorvastatin 20 mg / tablet	Cardio Vascular System drugs	Shiba pharma	Oral only.: ADULTS: PO 10 to 80 mg/day.	
Tablets		Hyperlipidaemias	Yemen		
30 tablet		زيادة الدهون في الدم			
Atrovist 40 mg	Atorvastatin 40 mg / tablet	Cardio Vascular System drugs	Shiba pharma	Oral only.: ADULTS: PO 10 to 80 mg/day.	
Tablets		Hyperlipidaemias	Yemen		
10 tablet		زيادة الدهون في الدم			
Augma 325 mg	Amoxicillin 200 mg + Clavulanate Potassium 125 mg = 325 mg / tablet	Antibiotics	YEDCO	The oral dose is 250 to 500 mg every 8 hours, or 500 to 875 mg every 12 hours.	
Tablets		الأمصابات الميكروبية	Yemen		
20 tablet		Microbial Infections			
Augma 625 mg	Amoxicillin 500 mg + Clavulanate Potassium 125 mg = 625 mg / tablet	Antibiotics	YEDCO	The oral dose is 250 to 500 mg every 8 hours, or 500 to 875 mg every 12 hours.	
Tablets		الأمصابات الميكروبية	Yemen		
20 tablet		Microbial Infections			
Augmaclav 1000	Amoxicillin 875 mg +Clavulanate Potassium 125mg	Antibiotics	Global Pharma	The oral dose is 250 to 500 mg every 8 hours, or 500 to 875 mg every 12 hours.	
Tablets		الأمصابات الميكروبية	Yemen		
15 tabs		Microbial Infections			
Augmaclav 156	Amoxicillin + Clavulanate Potassium 156 mg / 5 ml	Antibiotics	Global Pharma	125 to 250 mg every 8 hours	
Powder for Suspension		الأمصابات الميكروبية	Yemen		
100 ml		Microbial Infections			



Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Augmaclav 312	Amoxicillin + Clavulanate Potassium 312 mg / 5 ml	Antibiotics الأمراض الميكروبية Microbial Infections	Global Pharma Yemen	125 to 250 mg every 8 hours	
Powder for Suspension 100 ml					
Augmaclav 62.5	Amoxicillin + Clavulanate Potassium 62.5 mg / 5 ml	Antibiotics الأمراض الميكروبية Microbial Infections	Global Pharma Yemen	125 to 250 mg every 8 hours	
powder for infant drops 20 ml					
Augmaclav 625	Amoxicillin 500 mg +Clavulanate Potassium 125mg	Antibiotics الأمراض الميكروبية Microbial Infections	Global Pharma Yemen	The oral dose is 250 to 500 mg every 8 hours, or 500 to 875 mg every 12 hours.	
Tablets 20 tabs					
AUGMEN	(Amoxicillin + clavulanate acid 457 mg / 5 ml	Antibiotics الأمراض الميكروبية Microbial Infections	Modern Pharama Yemen	125 to 250 mg every 8 hours	
Dry Syrup 80 ml					
AUGMEN	Amoxicillin 125 mg +Clavulanate Potassium 31mg = 156 mg / 5 ml	Antibiotics الأمراض الميكروبية Microbial Infections	Modern Pharama Yemen	125 to 250 mg every 8 hours	
Dry Syrup 100 ml					
AUGMEN	Amoxycillin 50 mg + Clavulanic acid 12.5 mg = 62.5 mg / ml	Antibiotics الأمراض الميكروبية Microbial Infections	Modern Pharama Yemen	125 to 250 mg every 8 hours	
Infant Drops 20 ml					
Augmen 1000 mg	Amoxicillin 875 mg + Clavulanate Potassium 125 mg = 1000 mg / tablet	Antibiotics الأمراض الميكروبية Microbial Infections	Modern Pharama Yemen	250 - 1000 mg three times daily	
Tablets 3strip*5tablet					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms			Country		
Package		Disease			
Augmentin 1 gm	Amoxicillin 875 mg + Clavulanate Potassium 125 mg = 1000 mg / tablet	Antibiotics	gsk	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg &250mg	
Tablet		الأمراض الميكروبية Microbial Infections	glaxosmithkline		
2strip*7tablet			UK		
Augmentin 625 mg	Amoxicillin/Clavulanate Potassium	Antibiotics	gsk	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg &250mg	
Tablets		الأمراض الميكروبية Microbial Infections	glaxosmithkline		
2strip*10tablet			UK		
AUGMITOP	Amoxicillin 500 mg + Clavulanate Potassium 125 mg = 625 mg / tablet	Respiratory drugs	Global Pharma	125 to 250 mg every 8 hours	
drops		Common Cold نزلات البرد			
15 ml			Yemen		
AUGMITOP	Amoxicillin 500 mg + Clavulanate Potassium 125 mg = 625 mg / tablet	Antibiotics	Y.E.PHARMA	The oral dose is 250 to 500 mg every 8 hours, or 500 to 875 mg every 12 hours.	
Tablets		الأمراض الميكروبية Microbial Infections			
20 tablet			Yemen		
Augmoks	156 mg / 5 ml Amoxicillin 125 mg +Clavulanate Potassium 31.25mg	Antibiotics	Shaphaco	125 to 250 mg every 8 hours	
Powder for Suspension		الأمراض الميكروبية Microbial Infections			
100 ml			Yemen		
Augmoks	312 mg / 5 ml Amoxicillin 250 mg +Clavulanate Potassium 62.5 mg	Antibiotics	Shaphaco	125 to 250 mg every 8 hours	
Powder for Suspension		الأمراض الميكروبية Microbial Infections			
100 ml			Yemen		
Augmoks	62.5 mg / 1 ml Amoxicillin 50 mg +Clavulanate Potassium 12.5 mg	Antibiotics	Shaphaco	125 to 250 mg every 8 hours	
Oral /Drops		الأمراض الميكروبية Microbial Infections			
20 ml			Yemen		

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Augmoks 1 gm	Amoxicillin 875 mg +Clavulanate Potassium 125mg	Antibiotics	Shaphaco	The oral dose is 250 to 500 mg every 8 hours, or 500 to 875 mg every 12 hours.	
Tablets		الأمراض الميكروبية Microbial Infections	Yemen		
14 tabs					
Augmoks 625 mg	Amoxicillin 500 mg +Clavulanate Potassium 125mg	Antibiotics	Shaphaco	The oral dose is 250 to 500 mg every 8 hours, or 500 to 875 mg every 12 hours.	
Tablets		الأمراض الميكروبية Microbial Infections	Yemen		
20 tabs					
Augmorix	Amoxicillin 125 mg +Clavulanate Potassium 31mg = 156 mg / 5 ml	Antibiotics	Shiba pharma	Children up to 10 years 125 to 250 mg every 8 hours or Three times daily	
Suspension		الأمراض الميكروبية Microbial Infections	Yemen		
100 ml					
Augmorix	Amoxicillin 250 mg + Clavulanate Potassium 62 = 312 mg / 5 ml	Antibiotics	Shiba pharma	Children up to 10 years 125 to 250 mg every 8 hours or Three times daily	
Suspension		الأمراض الميكروبية Microbial Infections	Yemen		
100 ml					
Augmorix	Amoxicillin 500 mg + Clavulanate Potassium 125 mg = 625 mg / tablet	Antibiotics	Shiba pharma	The oral dose is 250 to 500 mg every 8 hours, or 500 to 875 mg every 12 hours.	
Tablets		الأمراض الميكروبية Microbial Infections	Yemen		
20 tablet					
Augmorix 1 gm	Amoxicillin 875 mg + Clavulanate Potassium 125 mg = 1000 mg / tablet	Antibiotics	Shiba pharma	The oral dose is 250 to 500 mg every 8 hours, or 500 to 875 mg every 12 hours.	
Tablets		الأمراض الميكروبية Microbial Infections	Yemen		
14 tablet					
Auropodox 200	Cefpodoxime Proxetil	Antibiotics	Aurobindo	The usual dose for adults is 100 to 200 mg every 12 hours for respiratory-tract and urinary-tract infections., children 5 mg/kg every 12 hours, up to a maximum of 200	
		الأمراض الميكروبية Microbial Infections	Unknown		

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
Auroxone	Ceftriaxone Sodium	Antibacterial	Aurobindo	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Ampoules		Bacterial Infections الأمراض البكتيرية	Unknown		
1vial					
Auxime	Cefotaxime Sodium	Antibacterial	Aurobindo	vial 1000mg & 500mg & 250mg	
Ampoules		Bacterial Infections الأمراض البكتيرية	Unknown		
1 ampoule					
Avalox	Moxifloxacin HCl	Antibacterial	BAYER	Oral tablets 400mg , I.V Infusion 400mg once daily, Or 0.5% eye drops	
Tablet		Bacterial Infections الأمراض البكتيرية	Unknown		
1strip*5tablet					
Avazir	Tobramycin 0.3%	Antibiotics	Orchidia Pharma	As directed	
Suspension		العين Eye	Egypt		
10 ml					
AVIFLOX 200	Ofloxacin 200 mg	Antibacterial	RFA	tab 400mg & 200mg	
Tablets		Bacterial Infections الأمراض البكتيرية	Yemen		
10 tabs					
AVIFLOX 400	Ofloxacin 400 mg	Antiprtozoal	RFA	500 mg twice daily by mouth for 5 to 10 days; children are given 25 mg/kg as a single daily dose for 5 to 10 days.	
Tablets		Amoebiasis , Gardiasis جارديا واميبيا	Yemen		
10 tab					
AVOCAINE DPRAY	lidocaine	Central Nervous system drugs	Avalon Pharma	The dose of lidocaine hydrochloride used for local anaesthesia depends on the site of injection and the procedure used.	
Spray		Anaesthetics التخدير الموضعي	Unknown		
bottle of 10% w/w in 50ml					


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
AXIN	Unknown	Central Nervous system drugs	unknown	As directed	
Tablets		NEUROTROPHIC	Unknown		
10 tab					
Axomax	Ceftriaxone Sodium	Antibacterial	Unknown	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
		Bacterial Infections	Unknown		
		الأمراض البكتيرية			
Azee	Azithromycin 200 mg / 5 ml	Antibiotics	CIPLA	Cap 500mg & 250mg Dry syrup 300mg & 200mg	
Suspension		الأمراض الميكروبية	India		
///		Microbial Infections			
Aziatop Control	Pantoprazole	Gastro Intestinal drugs	ELEA	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
Capsules		قرحة المعدة	Argentina		
14					
AZICIN 250	Azithromycin 250 mg	Antibiotics	RFA	500mg & 250mg	
Tablets		الأمراض الميكروبية	Yemen		
6 tabs		Microbial Infections			
AZICIN 500	Azithromycin 500 mg	Antibiotics	RFA	500mg & 250mg	
Tablets		الأمراض الميكروبية	Yemen		
3 tabs		Microbial Infections			
Azicure 500	Azithromycin 500 mg	Antibiotics	Shaphaco	500mg & 250mg	
Tablets		الأمراض الميكروبية	Yemen		
3 tabs		Microbial Infections			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Azifort	Azithromycin250 mgl	Antibiotics	YEDCO	500mg & 250mg	
Capsules		الأمراض الميكروبية Microbial Infections	Yemen		
6 caps					
Azilide	Azithromycin	Antibiotics	Unknown	Cap 500mg & 250mg Dry syrup 300mg & 200mg	
		الأمراض الميكروبية Microbial Infections	Unknown		
Azimax	Azithromycin	Antibiotics	CIPLA	Cap 500mg & 250mg Dry syrup 300mg & 200mg	
Capsules		الأمراض الميكروبية Microbial Infections	India		
1strip*6capsules					
Azithrex-500	Azithromycin 500 mg / cap	Antibiotics	LABORATE	Cap 500mg & 250mg Dry syrup 300mg & 200mg	
Capsules		الأمراض الميكروبية Microbial Infections	India		
1x 3 cap					
Azithrocine	Azithromycin	Antibiotics	Unknown	Cap 500mg & 250mg Dry syrup 300mg & 200mg	
Capsules		الأمراض الميكروبية Microbial Infections	Unknown		
6 cap					
Azithrokern	Azithromycin 200 mg / 5 ml	Antibiotics	KERN pharma	Cap 500mg & 250mg Dry syrup 300mg & 200mg	
Powder for Suspension		الأمراض الميكروبية Microbial Infections	Korea		
15 ml					
Azmavent	Salbutamol 2 mg / 5 ml	Respiratory drugs	Global Pharma	2 -4 mg / or 2 buffs *qid	
Solution		Bronchial Asthma الربو الشعبي	Yemen		
100 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Azmavent	Salbutamol l	Respiratory drugs	Global Pharma	2 -4 mg / or 2 buffs *qid	
Syrup		Bronchial Asthma الربو الشعبي	Yemen		
100 ml					
Azmex	Guaifenesin+Bro mohexine +Terbutaline	Respiratory drugs	ALPHA	Bromhexine is usually given by mouth in a dose of 8 to 16 mg of the hydrochloride three times daily.	
Syrup		Respiratory Disorders اضطرابات الجهاز التنفسي	Syria		
100 ml					
Azoflox	Ofloxacin	Antibacterial	Avenzor	Tablets	
in Chlamydia or Chlamydiae		Bacterial Infections	Syria		
10 c.t		الأصابات البكتيرية			
AZOL	Albendazole 100 mg / 5 ml	Anthelmintic	Modern Pharama	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
Suspension		Common Worms الديدان الشائعة	Yemen		
20 ml					
AZOL	Albendazole 200 mg / tab	Anthelmintic	Modern Pharama	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
Tablets		Common Worms الديدان الشائعة	Yemen		
2 tab					
Azonit-D	Isoconazole	Antifungals	Pharma International	600 mg or 300 mg daily for 3 days, or as a 1% vaginal cream daily for 7 days. For skin infections a 1% or 2% cream or other topical formulation has been used.	
Cream		Dermatitis الالتهابات الجلدية	Jordan		
20 gm					
Azro 500	Azithromycin	Antibiotics	Unknown	Cap 500mg & 250mg Dry syrup 300mg & 200mg	
		الأصابات الميكروبية Microbial Infections	Unknown		

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Azro Syrup	Azithromycin	Antibiotics	Zentiva	Cap 500mg & 250mg Dry syrup 300mg & 200mg	
Dry syrup		الأمراض الميكروبية Microbial Infections	Unknown		
1bottle*15ml					
Azro Tablets	Azithromycin	Antibiotics	Zentiva	Cap 500mg & 250mg Dry syrup 300mg & 200mg	
Tablet		الأمراض الميكروبية Microbial Infections	Unknown		
1strip*3tablet					
Azrolid	Azithromycin	Antibiotics	AMRIYA PHARMA	Cap 500mg & 250mg Dry syrup 300mg & 200mg	
Tablet		الأمراض الميكروبية Microbial Infections	Egypt		
1strip*3tablet					
Azromax	Azithromycin	Antibiotics	Y.E.PHARMA	500mg & 250mg	
Tablets		الأمراض الميكروبية Microbial Infections	Yemen		
3 tab					
Azrotek	Azithromycin 200 mg /5 ml	Antibiotics	Modern Pharama	Dry syrup 300mg & 200mg	
Dry Syrup		الأمراض الميكروبية Microbial Infections	Yemen		
15 ml					
Azrotek	Azithromycin 200 mg /cap	Antibiotics	Modern Pharama	500mg & 250mg	
Capsules		الأمراض الميكروبية Microbial Infections	Yemen		
3 cap					
Azrotek	Azithromycin 500 mg /cap	Antibiotics	Modern Pharama	500mg & 250mg	
Capsules		الأمراض الميكروبية Microbial Infections	Yemen		
3 cap					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Baby Cone	Simeticone (dimeticones)	Gastro Intestinal drugs	KANAWATI	tab = 40 -120 mg QID orall a.m * suspension = 10 ml QID *sachets = one sachet QID	
Emulsion		Indigestion سوء الهضم	Syria		
15 ml					
BABY RELEF	Diclofenac Sodium	Non-Steroidal Anti-	PHARCO	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Suppositoris		Analgesic مهدئات الأوجاع	Egypt		
5 sup					
Bactall 500	Ciprofloxacin*	Antibacterial	JPM	250 to 750 mg twice daily depending on the severity and nature of the infection	
tablet		Bacterial Infections	Jordan		
1strip*10tablet		الأمراض البكتيرية			
BACTOX 500 mg	Amoxicillin*	Antibiotics	INNOTECH	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Capsules		الأمراض الميكروبية Microbial Infections	France		
10 strip*10 capsules					
Bactrim	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	Antibacterial	ROCHE	Tablet (800 sulfam/ 160 trimeth)mg &Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	
Syrup		Bacterial Infections	Germany		
1bottel*100ml		الأمراض البكتيرية			
Bactrim	Sulfamethoxazole 200 +	Antibacterial	Unknown	Tablet (800 sulfam/ 160 trimeth)mg &Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	
		Bacterial Infections	Unknown		
		الأمراض البكتيرية			
Bactroban	Mupirocin	Antibiotics	gsk glaxosmithkline	As directed	
Cream		Dermatitis	UK		
15 gm		التهابات الجلدية			


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Baldol	Haloperidol tablet 5mg	Central Nervous system drugs	BALSAM	Minimum/Maximum Adult Daily Dose:10 - 100 mg (milligram) OR 1 - 10 Tablet	
Tablets		Mental Disorders الأمراض العقلية	Syria		
20 tablets					
Baldol Tablets	Haloperidol tablet 5mg	Central Nervous system drugs	BALSAM	Minimum/Maximum Adult Daily Dose:10 - 100 mg (milligram) OR 1 - 10 Tablet	
Tablets		Mental Disorders الأمراض العقلية	Syria		
20 tablets					
BALERGOT-C	Unknown	Cardio Vascular System drugs	BALSAM	As directed	
Tablets		Cardio Vascular الأوعية الدموية والقلب	Syria		
20 tablets					
Bali	Herbal extract	Skin Disorders	Unknown	As directed	
Mouth Wash		Dermatitis الألتهاابات الجلدية	Unknown		
Balsam	Herbal extract cough & common cold	Respiratory drugs	SIGMA	As directed	
Syrup		Common Cold نزلات البرد	Egypt		
120 ml					
BALSAMOL	Paracetamol 325 mg	Non-Steroidal Anti-	BALSAM	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Suppositoris		Antipyretic - مهدئات الأوجاع والحمى	Syria		
10 sup					
Balsoban	Hyoscine- N- Butylbromide	Gastro Intestinal drugs	Unknown	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Tablets		Abdominal Spasm آلام البطن	Unknown		
100 tabs					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Baltan-2	Benzhexol (Trihexyphenidyl) tablet 2mg	Central Nervous system drugs	BALSAM	1 mg daily is gradually increased at intervals of 3 to 5 days to 10 mg daily	
Tablets		Parkinson's disease مرض الرعاش	Syria		
100 Tablets					
Baltan-5	Benzhexol(Trihexyphenidyl) tablet 5mg	Central Nervous system drugs	BALSAM	1 mg daily is gradually increased at intervals of 3 to 5 days to 10 mg daily	
Tablets		Parkinson's disease مرض الرعاش	Syria		
100 tablets					
Banthoheal	Dexpanthenol 5 % w/w	Skin Disorders	Global Pharma	2 or 5% for the treatment of various minor skin disorders	
Ointment		Dermatitis الالتهابات الجلدية	Yemen		
30 gm					
Barkacine	Bromhexine	Respiratory drugs	BPI BARAKAT	Bromhexine is usually given by mouth in a dose of 8 to 16 mg of the hydrochloride three times daily	
Oral /Drops		Respiratory Disorders اضطرابات الجهاز التنفسي	Unknown		
30 ml					
BATRIM	Sulphamethoxazole 400 mg + Treimethoprim 80 mg	Antibacterial	Modern Pharama	Tablet (800 sulfam/ 160 trimeth)mg &Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	
Tablets		Bacterial Infections الأصابات البكتيرية	Yemen		
20 tab					
BATRIM	Sulphamethoxazole 200 mg + Treimethoprim40 mg / 5 ml	Antibacterial	Modern Pharama	Tablet (800 sulfam/ 160 trimeth)mg &Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	
Suspension		Bacterial Infections الأصابات البكتيرية	Yemen		
60 ml					
Batrim Forte	Sulphamethoxazole 800 mg + Treimethoprim160 mg / tablet	Antibacterial	Modern Pharama	Tablet (800 sulfam/ 160 trimeth)mg &Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	
Tablets		Bacterial Infections الأصابات البكتيرية	Yemen		
10*10 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
B-Cor 2.5	Bisoprolol Fumarate 2.5 mg	Cardio Vascular System drugs	JOSWE	bisoprolol fumarate is 5 to 10 mg by mouth as a single daily dose; the maximum recommended dose is 20 mg daily.	
Tablets		Hypertension	Jordan		
30 tab		ارتفاع ضغط الدم			
Be Sure	Combination	Antiseptic and Desinfectants	PURITY Pharma	As directed	
Solution		مطهرات	Unknown		
200 ml					
Beauty	Combination	Antiseptic and Desinfectants	Unknown	As directed	
Solution		المهبل	Unknown		
250 ml					
Beclate 150	Beclomethasone dipropionate 150 doses (50 mcg/dose)	Respiratory drugs	CIPLA	Aerosol, powder inhalers 400 mcg daily, in 2 to 4 divided doses for maintenance; 600 to 800 mcg daily.	
Nasal /Spray		Bronchial Asthma	India		
7.5 ml (150 metered doses)		الربو الشعبي			
Beclate 200	Beclomethasone dipropionate 150 metered doses (.....)	Respiratory drugs	CIPLA	Aerosol, powder inhalers 400 mcg daily, in 2 to 4 divided doses for maintenance; 600 to 800 mcg daily.	
Nasal /Spray		Bronchial Asthma	India		
200 meterd doses (50mcg/dose)		الربو الشعبي			
Beclate- 50	Beclometasone Dipropionate	Respiratory drugs	CIPLA	Aerosol, powder inhalers 400 mcg daily, in 2 to 4 divided doses for maintenance; 600 to 800 mcg daily.	
Inhaler		Bronchial Asthma	India		
200 metered dose		الربو الشعبي			
Becovit	Vit. B Complex	Vitamines and Menirals	YEDCO	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Capsules		Vitamins	Yemen		
30 caps		نقص فيتامينات			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Becovit	Vit. B Complex	Vitamines and Menirals	YEDCO	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Syrup		Vitamins	Yemen		
100 ml		Deficiency نقص فيتامينات			
Becozem forte	vitB1+vitB6+vitB12	Vitamines and Menirals	ASIA	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
tablet		Vitamins	Syria		
20coated tablet		Deficiency نقص فيتامينات			
becozyme forte	vitB1 15mg+vitB2 15mg+vitB12 10micro gram+calcium pantothenate	Vitamines and Menirals	BAYER	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Dragees		Vitamins	Germany		
20 Dragees		Deficiency نقص فيتامينات			
Becozyme forte	Vit. B Complex tablet.	Vitamines and Menirals	Bayer	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Tablets		Vitamins	Germany		
20 tablets		Deficiency نقص فيتامينات			
Belcid	Each 15 ml contain Al(OH) 918 +Mg(OH) 300 +Simethicone 60 mg	Gastro Intestinal drugs	Biolab	10 ml four times daily	
Suspension		Indigestion سوء الهضم	Unknown		
15 ml / 240 ml					
Belcid	A combination of aluminium and magnesium hydroxides and sulfates.	Gastro Intestinal drugs	Unknown	2 g by mouth	
		Indigestion سوء الهضم	Unknown		
BELHACID	Praziquantel 600 mg	Anthelmentic	Modern Pharama	Adults and children is given on one day as three doses of 20 mg/kg at intervals of 4 to 6 hours or it is given as a single dose of 40 to 60 mg/kg	
Tablets		Schistosomiasis (Bilharziasis)	Yemen		
4 tab		البهاارسيا			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Bendex suspension	Albendazole	Anthelmentic	CIPLA	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
Suspension		Common Worms	India		
10 ml		الديدان الشائعة			
Bendex suspension	Albendazole	Anthelmentic	CIPLA	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
Suspension		Common Worms	India		
10 ml		الديدان الشائعة			
Bendex-400	Albendazole	Anthelmentic	CIPLA	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
Tablets		Common Worms	India		
20 tab		الديدان الشائعة			
Bendoverm	Albendazole 100 mg / 5 ml	Anthelmentic	Unknown	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
Suspension		Common Worms	Unknown		
30 ml		الديدان الشائعة			
Bendoverm	Albendazole	Anthelmentic	SIGMA	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
Tablets		Common Worms	Egypt		
6 tab		الديدان الشائعة			
BENOX	Benoxinate Hydrochloride 0.4%	Central Nervous system drugs	EIPICO	One drop instilled into the conjunctival sac anaesthetises the surface of the eye sufficiently to allow tonometry after 60 seconds and a further drop after 90 seconds provides	
Solution		Anaesthetics	Egypt		
10 ml		التخدير الموضعي			
Ben-Oxide mild	Unknown	Skin Disorders	Domin pharma	As directed	
Gel		حب الشباب	Unknown		
30 gm					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Benuron-125	Paracetamol supp, 125mg.	Nonsteroidal Anti-	Bene-Arzneimittel	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Suppositoris		Antipyretic - مهدئات الأوجاع والحمى	Germany		
10 supp,					
Benuron-250	Paracetamol supp, 250mg.	Nonsteroidal Anti-	Bene-Arzneimittel	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Suppositoris		Antipyretic - مهدئات الأوجاع والحمى	Unknown		
10 supp					
Benzathine Penicillin	Penicillin G Benzathine 1,200,000 I.U	Antibiotics	Vitalis	Procaine benzylpenicillin 600 mg is equivalent to (600 000 units). By deep intramuscular injection in usual doses of 0.6 to 1.2 g daily.	
Vial		الأمراض الميكروبية Microbial Infections	USA		
1 vial					
Benzathine Penicillin	Benzathine Benzylpenicillin	Antibiotics	Vitalis	1.2 million units or more as directed	
Vial		الأمراض الميكروبية Microbial Infections	USA		
10 vial					
BENZOL	Albendazole	Anthelmentic	Global Pharma	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
Tablets		Common Worms الديدان الشائعة	Unknown		
2 tab					
BENZOL	Albendazole 100 mg / 5 ml	Anthelmentic	Global Pharma	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
Suspension		Common Worms الديدان الشائعة	Yemen		
20 ml					
Benzyl Benzoate	Benzyl Benzoate	Skin Disorders	Unknown	A 25% emulsion is applied to the whole body, usually from the neck down, three applications at 12-hour intervals, without bathing, may be made, followed by bathing	
		Scabies الجرب	Unknown		


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Bepanthen Plus	Dexpanthenol + Chlorhexidine Hydrochloride	Antiseptic and Desinfectants	BAYER	For pre-operative skin disinfection and hand-washing, chlorhexidine is used as a 0.5% solution of the acetate or gluconate in alcohol (70%) or as a 2 or 4% detergent solution	
Cream		مطهرات Antiseptic	Germany		
Beptra	Rabeprazole	Gastro Intestinal drugs	GLOBAL NAPI	*20 mg once daily 10 mg bid *	
tab		قرحة المعدة Peptic ulcer	Egypt		
14 tabs					
Beramol	Paracetamol syrup 120mg/5ml.	Nonsteroidal Anti-	BMP	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Syrup		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Thailand		
60 ml					
BERAMOL	Paracetamol drops .. / 1 ml.	Nonsteroidal Anti-	BMP	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Drops		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Thailand		
15 ml					
Betacin	Betamethasone 0.1 % w/w	Corticosteroid	Modern Pharama	For topical application 0.05% of betamethasone as the dipropionate, and 0.025 or 0.1% as the valerate	
Cream		Dermatitis الالتهابات الجلدية	Yemen		
15 gm					
Betacin-N	Betamethasone 0.1 % w/w + neomycin sulphate 0.5% w/w	Corticosteroid	Modern Pharama	For topical application 0.05% of betamethasone as the dipropionate, and 0.025 or 0.1% as the valerate	
Cream		Dermatitis الالتهابات الجلدية	Yemen		
15 gm					
Betacort	Betamethasone	Corticosteroid	YEDCO	For topical application 0.05% of betamethasone as the dipropionate, and 0.025 or 0.1% as the valerate	
Cream		Dermatitis الالتهابات الجلدية	Yemen		
15 g					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Betacort	Betamethasone	Corticosteroid	YEDCO	For topical application 0.05% of betamethasone as the dipropionate, and 0.025 or 0.1% as the valerate	
Ointment		Dermatitis التهابات الجلدية	Yemen		
15 g					
BETAGAN	Levobunolol Hydrochloride 0.5%	Cardio Vascular System drugs	ALLERGAN	0.5% ophthalmic solution instilled once or twice daily;	
		Eye العين	Denmark		
Betaloc 100	Metoprolol Fumarate	Cardio Vascular System drugs	ASTRAZENECA	100- 200 mg daily by mouth	
Tablets		Hypertension ارتفاع ضغط الدم	Sweden		
28 tab					
Betaloc 50 mg	Metoprolol	Cardio Vascular System drugs	ASTRAZENECA	100- 200 mg daily by mouth	
Tablets		Hypertension ارتفاع ضغط الدم	Sweden		
30 tab					
BETAMOX	Amoxicillin Trihydrate 250 mg / 5 ml	Antibiotics	Unknown	cap 1gm & 500mg & 250mg syrup 250mg & 125mg drop 100mg Vial 1gm & 500mg & 250mg	
Granules for syrups		الأمراض الميكروبية Microbial Infections	Unknown		
100 ml					
Betarose	Combination	Health Care	Panax pharma	As directed	
Solution		Feminine wash الغسولات الأنثوية	Egypt		
120 ml					
Betaserc 16 mg	Betahistine tablet 16mg	Antihistamines	ABBOTT	Betahistine 8mg (1-2 tablets three times daily) . And Betahistine 16mg (0.5-1 tablet three times daily)	
Tablets		الدوار أو الدوخة Vertigo	USA		
60 tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Betaserc 8 mg	Betahistine Hydrochloride 8 mg	Antihistamines	ABBOTT	Betahistine 8mg (1-2 tablets three times daily) . And Betahistine 16mg (0.5-1 tablet three times daily)	
Tablets		الوار أو الدوخة	USA		
100 tab					
Betasono oin	Betamethasone	Corticosteroid	Julphar	by mouth betamethasone from 0.5 to 5 mg daily., intravenously or infusion or intramuscularly 4 to 20 mg , For topical application 0.05% of betamethasone as the	
Ointment		Dermatitis الالتهابات الجلدية	UAE		
15 gm					
Betaval	Betamethasone	Corticosteroid	Unknown	by mouth betamethasone from 0.5 to 5 mg daily., intravenously or infusion or intramuscularly 4 to 20 mg , For topical application 0.05% of betamethasone as the	
		Dermatitis الالتهابات الجلدية	Unknown		
Betaval-N	Betamethasone 0.1% + Neomycin 0.5%	Corticosteroid	A.P.M	by mouth betamethasone from 0.5 to 5 mg daily., intravenously or infusion or intramuscularly 4 to 20 mg , For topical application 0.05% of betamethasone as the	
Ointment		Dermatitis الالتهابات الجلدية	Jordan		
15 gm					
Betnocin	Betamethasone 0.1 %	Corticosteroid	Global Pharma	For topical application 0.05% of betamethasone as the dipropionate, and 0.025 or 0.1% as the valerate	
Cream		Dermatitis الالتهابات الجلدية	Yemen		
15 gm					
Betnocin	Betamethasone	Corticosteroid	Global Pharma	by mouth betamethasone from 0.5 to 5 mg daily., intravenously or infusion or intramuscularly 4 to 20 mg , For topical application 0.05% of betamethasone as the	
Ointment		Dermatitis الالتهابات الجلدية	Unknown		
15gm					
Betnocin	Betamethasone 0.1%	Corticosteroid	Unknown	by mouth betamethasone from 0.5 to 5 mg daily., intravenously or infusion or intramuscularly 4 to 20 mg , For topical application 0.05% of betamethasone as the	
		Dermatitis الالتهابات الجلدية	Unknown		

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Betocin	Betamethasone 0.1 % w/w	Corticosteroid	Global Pharma	For topical application 0.05% of betamethasone as the dipropionate, and 0.025 or 0.1% as the valerate	
Ointment		Dermatitis الالتهابات الجلدية	Yemen		
15 gm					
Betocin-N	Betamethasone 0.1 % w/w + Neomycin sulphate 0.5 % w/w	Corticosteroid	Global Pharma	For topical application 0.05% of betamethasone as the dipropionate, and 0.025 or 0.1% as the valerate	
Ointment		Dermatitis الالتهابات الجلدية	Yemen		
15 gm					
Betocin-N	Betamethasone 0.1 % w/w + Neomycin sulphate 0.5 % w/w	Corticosteroid	Global Pharma	For topical application 0.05% of betamethasone as the dipropionate, and 0.025 or 0.1% as the valerate	
Cream		Dermatitis الالتهابات الجلدية	Yemen		
15 gm					
Betonate	Betamethasone 0.1 % + Neomycin sulphate 0.5 %	Corticosteroid	Shaphaco	For topical application 0.05% of betamethasone as the dipropionate, and 0.025 or 0.1% as the valerate	
Cream		Dermatitis الالتهابات الجلدية	Yemen		
15 gm					
Betonate	Betamethasone 0.1 %	Corticosteroid	Shaphaco	For topical application 0.05% of betamethasone as the dipropionate, and 0.025 or 0.1% as the valerate	
Ointment		Dermatitis الالتهابات الجلدية	Yemen		
15 gm					
Betonate	Betamethasone 0.1 %	Corticosteroid	Shaphaco	For topical application 0.05% of betamethasone as the dipropionate, and 0.025 or 0.1% as the valerate	
Cream		Dermatitis الالتهابات الجلدية	Yemen		
15 gm					
Betonate-N	Betamethasone 0.1% + Neomycin 0.5%	Corticosteroid	Shaphaco	For topical application 0.05% of betamethasone as the dipropionate, and 0.025 or 0.1% as the valerate	
Ointment		Dermatitis الالتهابات الجلدية	Yemen		
15 gm					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
Bezol	Albendazole 100 mg / 5 ml	Anthelmentic	Shaphaco	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
Suspension		Common Worms الديدان الشائعة	Yemen		
10 ml					
BEZOL 200	Albendazole 200 mg	Anthelmentic	Shaphaco	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
Tablets		Common Worms الديدان الشائعة	Yemen		
2 tablet					
BEZOL 400	Albendazole 400 mg / tablet	Anthelmentic	Shaphaco	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
Tablets		Common Worms الديدان الشائعة	Yemen		
1 tablet					
Bifed	Pseudoephedrine 30 mg + Triprolidine 1.25 mg / 5 ml	Respiratory drugs	Shiba pharma	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Syrup		Common Cold نزلات البرد	Yemen		
100 ml					
Bifed-D	Pseudoephedrine 30 mg + Triprolidine 1.25 mg + Dextromethorphan 10 mg / 5 ml	Respiratory drugs	Shiba pharma	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Syrup		Common Cold نزلات البرد	Yemen		
100 ml					
Bifed-E	Pseudoephedrine+ Triprolidine+Guai phenesin	Respiratory drugs	Shiba pharma	60 mg three or four times daily by mouth , oral doses for children 15-30 mg three or four times daily	
Syrup		Common Cold نزلات البرد	Yemen		
100 ml					
Bilichol cap	alaphinine +beta pinine +broneol+cineol	Gastro Intestinal drugs	PHARCO	3-5 drop of liquid 4-5 times daily	
Capsules		Indigestion سوء الهضم	Egypt		
24 cap					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Bio-Cal	Ca+ Vit D	Vitamines and Menirals	OSHINE	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Tablets		Osteoarthritis التهابات العظام	Unknown		
60 Chewable tab					
Bio-Cal	calcium 200mg , Aquamin 666.67 mg, vit D3 100 I.U/tab.	Vitamines and Menirals	Shine	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Tablets		Osteoarthritis التهابات العظام	unk		
60 chewable Tablets					
Biocide	Combination	Antiseptic and Desinfectants	BioHEALTH	As directed	
Solution		Vaginal المهبل	Unknown		
Biodal	Vit.D 5000 I.U, 50000 I.U	Vitamines and Menirals	Unknown	A dose of 10 micrograms (400 units) daily is generally sufficient in adults	
Tablets		Vitamins نقص فيتامينات	Unknown		
30 tab					
BIOFAR	Calcium + Vitamin D + Vitamin C	Vitamines and Menirals	SANS	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Tablets		Osteoarthritis التهابات العظام	Unknown		
Biofenid-100	Ketoprofen tablet 100mg .	NSAID	Biopharm	Minimum/Maximum Adult Daily Dose: 100 - 200 mg (milligram) OR 1 - 2 tablets.	
Tablets		Analgesic مهدئات الأوجاع	Yemen		
30 tablet					
Biofloxin	Ofloxacin*	Antibacterial	BIOPHARM	tab 400mg & 200mg	
Tablets		Bacterial Infections الاصابات البكتيرية	Yemen		
1strip*10tablet					


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms					
Package		Disease	Country		
Biofloxin	Ofloxacin 200 mg	Antibacterial	BIOPHARM	tab 400mg & 200mg	
Tablets		Bacterial Infections	Yemen		
2 Film Coated Tablets		الاصابات البكتيرية			
Biofreeze	Menthol	Respiratory drugs	BIOFREEZE	As directed	
Tube		Common Cold	Unknown		
55 gm		نزلات البرد			
Biofreeze	Menthol	Respiratory drugs	BIOFREEZE	As directed	
sachets gel		Common Cold	Unknown		
100 x 5 gm		نزلات البرد			
Biogent	Gentamicin Sulfate 80 mg / 2 ml	Antibiotics	YEDCO	intramuscularly every 8 hours to provide a total daily dose of 3 to 5 mg/kg , neonates and children 2 mg/kg every 8 hours.	
Ampoules		Serious M. Infections	Yemen		
5 amp		الاصابات الميكروبية الخطيرة			
BIOGRA	Sildenafil Citrate 50 mg/ tablet	Sex Stimulants	BIOPHARM	25 - 100 mg depending on response, about one hour before sexual intercourse	
Tablets		Sex Stimulants	Yemen		
4 tab		منشطات جنسية			
Biolid	Lidocaine 3%	Central Nervous system drugs	Unknown	The dose of lidocaine hydrochloride used for local anaesthesia depends on the site of injection and the procedure used.	
Gel		Anaesthetics	Unknown		
30 gm		التخدير الموضعي			
BIOLINC	Lincomycin 600 mg /2ml	Antibiotics	BIOLINC	Cap 500mg Vial 600mg & 300mg	
Vial		Anaerobic Infections	Unknown		
10 vials		الميكروبات اللاهوائية			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Biomol	Paracetamol tablet 125 mg / 5 ml	NSAID	Biopharm	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Suspension		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Yemen		
60 ml					
Biomol Amp	Paracetamol 150 mg/1ml	NSAID	Biopharm	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Ampoules		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Yemen		
5 ampules x 2 ml					
Biomol Tablets	Paracetamol tablet 500mg.	NSAID	Biopharm	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Yemen		
20 tablets					
Biomol-Extra	Paracetamol 500mg+caffeine 65mg per tablet.	NSAID	BIOPHARM	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Yemen		
20 tablets.					
Biomox 250 mg	Amoxicillin*	Antibiotics	SEDICO	cap 1gm & 500mg & 250mg syrup 250mg & 125mg drop 100mg Vial 1gm & 500mg & 250mg	
Suspension		الأمراض الميكروبية Microbial Infections	Egypt		
80ml					
BIOMYCINE	Tetracycline	Antibiotics	Unknown	Cap 500 mg & 250mg	
Ointment		العين Eye	Unknown		
5 gm					
Biophage	Metformin HCL 500mg	Antidiabetics	BIOPHARM	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
Tablets		Diabetes Mellitus أمراض السكري	Yemen		
20 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
bioramipril	Ramipril	Cardio Vascular System drugs	BIOME	1.25 - 5 mg once daily is given by mouth	
Capsules		Hypertension ارتفاع ضغط الدم	Unknown		
30 caps					
Biospan	Hyoscine-N-Butylbromide 10 mg	Gastro Intestinal drugs	BIOPHARM	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Tablets		Abdominal Spasm آلام البطن	Yemen		
20 tab					
biospn	Hyoscine-N-Butylbromide 20 mg / 1 ml	Gastro Intestinal drugs	BIOPHARM	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Ampoules		Abdominal Spasm آلام البطن	Yemen		
5 amps x 1 ml					
Biostan Forte	Mefenamic Acid tablet 500mg	NSAID	Biopharm	Minimum/Maximum Adult Daily Dose: 250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
Tablets		Analgesic مهدئات الأوجاع	Yemen		
20film coated tablets.					
Bio-tase	Enzyme digestion	Gastro Intestinal drugs	Y.S.P.	One tablet three times daily during or after meals.	
chewable tab		Indigestion سوء الهضم	Malaysia		
20 chewable tabs					
Bioxime	Cefuroxime 125 mg / 5 ml	Antibacterial	Pharmacare	Infants and children 10 mg/kg twice daily to a maximum of 250 mg daily.	
Dry syrup		Bacterial Infections الأمراض البكتيرية	Yemen		
1bottel*50ml					
Bioxime 250	Cefuroxime 250 mg / tab	Antibacterial	Pharmacare	Children 10-20 mg/kg twice daily to a maximum of 250 mg daily.	
Tablets		Bacterial Infections الأمراض البكتيرية	Yemen		
1strip*10tablet					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
Bioxime 500	Cefuroxime 500mg / tab	Antibacterial	Pharmacare	Oral doses for adults are 250 to 500 mg twice daily, children 10-20 mg/kg twice daily to a maximum of 250 mg daily	
Tablets		Bacterial Infections الأمراض البكتيرية	Yemen		
16 tab					
Bisacodyl	Bisacodyl	Gastro Intestinal Drugs	KarKa = Solvania	Oral =ADULTS: PO 10 to 15 mg as enteric-coated tablets . Suppository = ADULTS: 10 mg. CHILDREN > 2 YR 10 mg. CHILDREN < 2 YR: 5 mg.	
tab		Constipation الأمساك	Unknown		
30 tabs					
Bisacodyl	Bisacodyl	Gastro Intestinal drugs	KRKA	Oral =ADULTS: PO 10 to 15 mg as enteric-coated tablets . Suppository = ADULTS: 10 mg. CHILDREN > 2 YR 10 mg. CHILDREN < 2 YR: 5 mg.	
Tablets		Constipation الأمساك	India		
105 tab					
Bisacodyl	Bisacodyl	Gastro Intestinal drugs	KRKA	Oral =ADULTS: PO 10 to 15 mg as enteric-coated tablets . Suppository = ADULTS: 10 mg. CHILDREN > 2 YR 10 mg. CHILDREN < 2 YR: 5 mg.	
Tablets		Constipation الأمساك	India		
105 tab					
bislock	Bisoprolol Fumarate	Cardio Vascular System drugs	Unknown	bisoprolol fumarate is 5 to 10 mg by mouth as a single daily dose; the maximum recommended dose is 20 mg daily.	
Tablets		Hypertension ارتفاع ضغط الدم	Unknown		
30 tab					
Bisocard	Bisoprolol fumarate.	Cardio Vascular System drugs	GLOBAL NAPI	bisoprolol fumarate is 5 to 10 mg by mouth as a single daily dose; the maximum recommended dose is 20 mg daily.	
Tablets		Hypertension ارتفاع ضغط الدم	Egypt		
30 tab					
Bisocard Plus	Bisoprolol + Hydrochlorothiazide	Cardio Vascular System drugs	GLOBAL NAPI	bisoprolol fumarate is 5 to 10 mg by mouth as a single daily dose; the maximum recommended dose is 20 mg daily.	
Tablets		Hypertension ارتفاع ضغط الدم	Egypt		
30 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms					
Package		Disease	Country		
Bisodol Tablets	CaCo3+MgCO3+ NaHCO3	Gastro Intestinal drugs	Forest lab	one or two tab T I D	
Tablets		Indigestion سوء الهضم	UK		
100 tab					
Bisol	Bromhexine 8 mg / tab	Respiratory drugs	Shiba Pharma	Bromhexine is usually given by mouth in a dose of 8 to 16 mg of the hydrochloride three times daily.	
Tablets		Respiratory Disorders اضطرابات الجهاز التنفسي	Yemen		
20 tab					
Bisol	Bromhexine 4 mg	Respiratory drugs	Shiba Pharma	Bromhexine is usually given by mouth in a dose of 8 to 16 mg of the hydrochloride three times daily.	
Syrup		Respiratory Disorders اضطرابات الجهاز التنفسي	Yemen		
100 ml					
BISOLOL	Bisoprolol Fumarate	Cardio Vascular System drugs	Unknown	bisoprolol fumarate is 5 to 10 mg by mouth as a single daily dose; the maximum recommended dose is 20 mg daily.	
		Hypertension ارتفاع ضغط الدم	Unknown		
Bisolve	Bromhexine (2mg / ml)	Respiratory drugs	Shaphaco	Bromhexine is usually given by mouth in a dose of 8 to 16 mg of the hydrochloride three times daily	
Oral /Drops		Respiratory Disorders اضطرابات الجهاز التنفسي	Yemen		
15 ml					
Bisolvon	Bromhexine (8 mg /tablet)	Respiratory drugs	Boehringer Ingelhim	Bromhexine is usually given by mouth in a dose of 8 to 16 mg of the hydrochloride three times daily.	
Tablets		Respiratory Disorders اضطرابات الجهاز التنفسي	Germany		
20 Tablet					
Bisolvon	Bromhexine 8 mg	Respiratory drugs	Boehringer Ingelhim	Bromhexine is usually given by mouth in a dose of 8 to 16 mg of the hydrochloride three times daily.	
Ampoules		Respiratory Disorders اضطرابات الجهاز التنفسي	Germany		
5 amp of 2 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Bisolvon	Bromhexine 4 mg/5ml	Respiratory drugs	Boehringer Ingelhim	Bromhexine is usually given by mouth in a dose of 8 to 16 mg of the hydrochloride three times daily.	
Elixir		Respiratory Disorders	Germany		
115 ml		اضطرابات الجهاز التنفسي			
bistol	Bisoprolol Fumarate	Cardio Vascular System drugs	Unknown	bisoprolol fumarate is 5 to 10 mg by mouth as a single daily dose; the maximum recommended dose is 20 mg daily.	
		Hypertension	Unknown		
		ارتفاع ضغط الدم			
BIZOCOR	Bisoprolol Fumarate 5 mg and 10 mg	Cardio Vascular System drugs	ASIA	bisoprolol fumarate is 5 to 10 mg by mouth as a single daily dose; the maximum recommended dose is 20 mg daily.	
Tablets		Hypertension	Syria		
20 tab		ارتفاع ضغط الدم			
BIZOCOR	Bisoprolol Fumarate 10 mg	Cardio Vascular System drugs	ASIA	bisoprolol fumarate is 5 to 10 mg by mouth as a single daily dose; the maximum recommended dose is 20 mg daily.	
Tablets		Hypertension	Syria		
20 tab		ارتفاع ضغط الدم			
Bizocor plus	Bisoprolol Fumarate	Cardio Vascular System drugs	ASIA	bisoprolol fumarate is 5 to 10 mg by mouth as a single daily dose; the maximum recommended dose is 20 mg daily.	
Tablets		Hypertension	Syria		
20 tab		ارتفاع ضغط الدم			
Blokium Diu	Atenolol + Chlorthalidone	Cardio Vascular System drugs	ALMIROLL PRODESFA	Oral, IV.: Initial: PO 50 mg/d. Maximum: 100 mg/d. ., Acute MI:Initial: IV 5 mg over 5 min, followed by 5-mg dose 10 min later; then 50-mg tablet 10 min after last IV dose, then	
Tablets		Hypertension	Unknown		
15 TAB		ارتفاع ضغط الدم			
Blopress 8 mg	Candesartan Cilexetil	Cardio Vascular System drugs	A.P.M	8 mg once daily, but doses up to 32 mg daily, as a single dose or in 2 divided doses	
Tablets		Hypertension	Jordan		
28 tab		ارتفاع ضغط الدم			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Blox	Vit. B Complex compaination+D-Panthenol	Vitamines and Menirals	RFA	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Tablets	5mg+Nicotinamide 20mg/5ml.	Vitamins	Yemen		
100 ml		نقص فيتامينات			
BLOX-L	vit B1 2mg+vit B2 2.5mg+vit B6 0.75 mg+vit B 12 2mcg+Vit C 100mg+nicotinamide	Vitamines and Menirals	RFA	Adult : 5 ml three times a day , Children : 2.5 - 5 ml two times a day .	
100ml		Vitamins	Yemen		
		نقص فيتامينات			
B-M anticough	Chlorpheniramin ...	Antihistamines	BMP	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	
Syrup	mg+Ammonium chlorid ..	Common Cold	Thailand		
60 ml	mg+Sodium citrate .. Mg	نزلات البرد			
B-M-ANTICOUGH	Combination	Respiratory drugs	BMP	As directed	
Syrup		Common Cold	Thailand		
60 ml		نزلات البرد			
B-M baby Cough	Chlorpheniramin 2	Antihistamines	BMP	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	
Syrup	mg+Ammonium chlorid 88	Common Cold	Thailand		
60 ml	mg+Sodium citrate 36 mg	نزلات البرد			
B-M- BABY COUGH SYRUP	Chlorpheniramine 2 mg + Ammonium Chloride 88 mg + Sodium Citrate 36 mg	Respiratory drugs	Unknown	As directed	
Syrup		Common Cold	Unknown		
60 ml		نزلات البرد			
Bone-vit	calcium,,vitamin D3	Vitamines and Menirals	Global Pharma	Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
soflets		Osteoarthritis	Yemen		
24 soflets		التهابات العظام			


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Bonnisan	Herbal extract	Natural products	Himalaya Drug Co	As directed	
Solution		Health Care الصحة العامة	India		
120 ml					
Borgasone	Mometasone Furoate	Corticosteroid	BORG	Once daily	
Ointment		Dermatitis الالتهابات الجلدية	Egypt		
20 gm					
Borgasone	Mometasone Furoate	Corticosteroid	BORG	Once daily	
Lotion		Dermatitis الالتهابات الجلدية	Egypt		
20 ml					
Borgasone	Mometasone Furoate 0.1%	Corticosteroid	BORG	Once daily	
Cream		Dermatitis الالتهابات الجلدية	Egypt		
20 gm					
Bothil	Policresulen 90 mg	Antihemorrhagics	Global Pharma	As directed	
vaginal ovules		Vaginal المهبل	Yemen		
6 vaginal ovules					
Bralix	Combination	Gastro Intestinal drugs	unknown	As directed	
Tablets		Peptic ulcer قرحة المعدة	Unknown		
30 tab					
Brevibloc	Esmolol Hydrochloride	Cardio Vascular System drugs	Unknown	loading dose of 500 micrograms/kg given over 1 minute is followed by an initial maintenance infusion of 50 micrograms/kg per minute for 4 minutes.	
250 mg/ml		Hypertension ارتفاع ضغط الدم	Unknown		

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
Brexin	Piroxicam	Nonsteroidal Anti-	Unknown	Minimum/Maximum Adult Daily Dose:10 - 20 mg (milligram) OR 1 - 2 Capsules.	
		Antipyretic - مهدئات الأوجاع والحمى	Unknown		
BRISTAFLAM	Aceclofenac 100 mg	Non-Steroidal Anti-	Unknown	Adult: PO Ankylosing spondylitis; Osteoarthritis; Rheumatoid arthritis 100 mg twice daily.	
Tablets		Analgesic مهدئات الأوجاع	Unknown		
20 Coated Tablets					
BRODEX	Bromohexin 8 mg + Dextromethorphan 10 mg + Ammonium chloride 100 mg	Respiratory drugs	ALPHA	10 to 20 mg every 4 hours, or 30 mg every 6 to 8 hours, to a usual maximum of 120 mg in 24 hours, Children aged 6 to 12 years may be given 5 to 10 mg every 4 hours , 2 to 6 years 2.5	
Syrup		Common Cold نزلات البرد	Syria		
100 ml					
BROMAZ 3	Bromazepam tablets 3mg	Central Nervous system drugs	RFA	A usual initial dose for anxiety is 6 to 18 mg daily in divided doses by mouth. Higher doses up to 60 mg daily . For elderly should not exceed 3 mg daily in divided doses.	
Tablets		Anxiety, Insomnia الأرق والقلق	Yemen		
30 tablets					
Bromhexin	Bromhexine (.....)	Respiratory drugs	MEDICO LABS	Bromhexine is usually given by mouth in a dose of 8 to 16 mg of the hydrochloride three times daily.	
Syrup		Respiratory Disorders اضطرابات الجهاز التنفسي	Syria		
100 ml					
Broncare	Bromhexine (.....)	Respiratory drugs	BIOPHARM	Bromhexine is usually given by mouth in a dose of 8 to 16 mg of the hydrochloride three times daily.	
Syrup		Respiratory Disorders اضطرابات الجهاز التنفسي	Yemen		
120 ml					
Bronchen	Herbal extract	Respiratory drugs	YEDCO	As directed	
Syrup		Common Cold نزلات البرد	Yemen		
100 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Bronchicum	Thyme extract 5 g+ Primula root extract 2.5 g	Respiratory drugs	Sanofi Aventis	As directed	
Elixir		Common Cold نزلات البرد	France		
100 ml					
Bronchicum Elixir S	Thyme liquid extract 5 gm + Primula liquid extract 2.5 gm	Respiratory drugs	Sanofi Aventis	As directed	
Elixir		Common Cold نزلات البرد	France		
100 ml					
Broncho	herbal extract cough &common cold	Respiratory drugs	MEPACO	As directed	
Syrup		Common Cold نزلات البرد	Egypt		
120 ml					
Bronchofree	Guaiphenisin+ Diphendramin +benzonatete ??	Respiratory drugs	ADWIA	As directed	
Capsules		Common Cold نزلات البرد	Egypt		
20 cap					
Broncholar	Chlorphenamine Maleate	Antihistamines	Dar Al Dawa	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	
Syrup		Common Cold نزلات البرد	Jordan		
100 ml					
Bronchomed	Thyme liquid extract 250 mg + Primulae root dried extract 16.25 mg	Respiratory drugs	Global Pharma	As directed	
Syrup		Common Cold نزلات البرد	Yemen		
100 ml					
Bronchophane	Terbutaline+Guaifenesine	Respiratory drugs	EIPICO	10 - 15 ml orally tid	
Syrup		Common Cold نزلات البرد	Egypt		
125 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Broncho-Vaxom	Combination	Respiratory drugs	Unknown	As directed	
		Respiratory Disorders اضطرابات الجهاز التنفس	Unknown		
Bronex	Pseudoephedrine + Guaifenesin	Respiratory drugs	MUP	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Oral /Drops		Common Cold نزلات البرد	Egypt		
15 ml					
Bronkovent	Bromhexine	Respiratory drugs	ZYNOVA	Bromhexine is usually given by mouth in a dose of 8 to 16 mg of the hydrochloride three times daily.	
Syrup		Respiratory Disorders اضطرابات الجهاز التنفس	Unknown		
100 ml					
Brophalarg	Ketotifen Fumarate	Respiratory drugs	RAMEDA	Syrup	
Syrup		Bronchitis التهاب الشعب الهوائية	Egypt		
120 ml					
Brufemol	Ketotifen 100 mg/ 5 ml	Respiratory drugs	BIOPHARM	adult dose 1-2 mg/bid or pead. 1 mg /bid	
Syrup		Bronchitis التهاب الشعب الهوائية	Yemen		
100 ml					
Brufen	Ibuprofen syrup 20mg/ml	Nonsteroidal Anti-	ABBOTT	Oral doses of 400 mg to 1.2 g daily .	
Syrup		Analgesic مهدئات الأوجاع	USA		
100 ml					
BRUFEN 400	Ibuprofen	Non-Steroidal Anti-	ABBOTT	Oral doses of 400 mg to 1.2 g daily .	
Tablets		Analgesic مهدئات الأوجاع	USA		
24 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
Bruflam-200	Ibuprofen	Non-Steroidal Anti-	CIPLA	Oral doses of 400 mg to 1.2 g daily .	
Tablets		Analgesic مهدئات الأوجاع	India		
10x 10 tab					
Bruflam-400	Ibuprofen	Non-Steroidal Anti-	CIPLA	Oral doses of 400 mg to 1.2 g daily .	
Tablets		Analgesic مهدئات الأوجاع	India		
10 x 10 tab					
B-Tone	Each 5 ml contains :Vitamin B1 (thiamine) 1.5 mg +Vitamin B2 (riboflavin) 1.7 mg +Vitamin	Vitamines and Menirals	Pharmacare	½ - 2 teaspoonfuls daily.	
Syrup		Neuritis; vitamin B deficiency	Yemen		
100 ml					
Budecort -200	Budesonide 200 mcg	Respiratory drugs	CIPLA	200 - 300 mic g/BID	
ROTACAPS		Bronchial Asthma الربو الشعبي	India		
30 Capsules					
Budecort-400	Budesonide 400 mcg	Respiratory drugs	CIPLA	200 - 300 mic g/BID	
ROTACAPS		Bronchial Asthma الربو الشعبي	India		
30 Capsules					
Budenase AQ	Budesonide	Respiratory drugs	CIPLA	2 inh /bid or 200 - 300 mic g/BID	
Nasal/spray		Bronchial Asthma الربو الشعبي	India		
7.5 ml					
Buscocol	Hyoscine- N- Butylbromide	Gastro Intestinal drugs	Global Pharma	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Syrup		Abdominal Spasm آلام البطن	Yemen		
60 mg for bottle					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Buscocol	Hyoscine- N-Butylbromide	Gastro Intestinal drugs	Global Pharma	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Tablets		Abdominal Spasm آلام البطن	Yemen		
20 Tablets					
buscocin	Hyoscine- N-Butylbromide	Gastro Intestinal drugs	Y.E.PHARMA	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Tablets		Abdominal Spasm آلام البطن	Yemen		
20 Tablets					
Buscocolin	Hyoscine- N-Butylbromide	Gastro Intestinal drugs	Y.E.PHARMA	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Syrup		Abdominal Spasm آلام البطن	Yemen		
60 ml for bottle					
buscomol	Hyoscine- N-Butylbromide 10 mg + paracetamol 500 mg	Gastro Intestinal drugs	Delta pharma	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Tablets		Abdominal Spasm آلام البطن	Egypt		
20 Tablets					
Busconil	Hyoscyamine 0.125 mg / 1 ml	Gastro Intestinal drugs	Unknown	150 to 300 micrograms up to four times daily by mouth	
Oral /Drops		Abdominal Spasm آلام البطن	Unknown		
15 ml					
Buscopan	Hyoscine- N-Butylbromide 10 mg / tablet	Gastro Intestinal drugs	Boehringer Ingelhim	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Tablets		Abdominal Spasm آلام البطن	Germany		
20 tabs					
Buscopn	Hyoscine N-Butylbromide	Gastro Intestinal drugs	Boehringer Ingelhim	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Ampoules		Abdominal Spasm آلام البطن	Germany		
5 amp					


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Busiral	Buspirone tablet 10mg	Central Nervous system drugs	shiba pharma	Minimum/Maximum Adult Daily Dose:20 - 60 mg (milligram) OR 2 - 6 Tablet	
Tablets		Anxiety, الأرق والقلق	Yemen		
20 tablet					
Butacid	Hyoscine- N- Butylbromide	Gastro Intestinal drugs	CID	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Tablets		Abdominal Spasm آلام البطن	Egypt		
20 Tablets					
Butacid	Hyoscine- N-Butylbromide 10 mg	Gastro Intestinal drugs	CID	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Tablets		Abdominal Spasm آلام البطن	Egypt		
20 tab					
Butalen 4 mg	Salbutamol 4mg	Respiratory drugs	julphar	2 -4 mg / or 2 buffs *qid	
Tablets		Bronchial Asthma الربو الشعبي	UAE		
20 tab					
Butalin	Salbutamol 2 mg	Respiratory drugs	julphar	2 -4 mg / or 2 buffs *qid	
Tablets		Bronchial Asthma الربو الشعبي	UAE		
20 tab					
Butaxin	Butamirate citrate	Respiratory drugs	IBN Al Haytham	The usual dose is up to 30 mg daily in 3 or 4 divided doses by mouth	
Syrup		Common Cold نزلات البرد	Syria		
125 ml					
Butaxin	Butamirate citrate	Respiratory drugs	IBN Al Haytham	The usual dose is up to 30 mg daily in 3 or 4 divided doses by mouth	
Oral /Drops		Common Cold نزلات البرد	Syria		
25 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
BY-Cal	Ca+ Vit D	Vitamines and Menirals	By health	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Tablets		Osteoarthritis التهابات العظام	Unknown		
60 tab					
Byrofen	Ibuprofen 400 mg	NSAID	Shiba pharma	Oral doses of 400 mg to 1.2 g daily .	
Caplets		Analgesic مهدئات الأوجاع	Yemen		
20 cap					
Byrofen	Ibuprofen 40 mg / 1 ml	NSAID	Shiba pharma	Oral doses of 40 mg mg to 100 mg daily.	
Drops		Analgesic مهدئات الأوجاع	Yemen		
20 ml					
Byrofen	Ibuprofen 100 mg / 5 ml	NSAID	Shiba pharma	Oral doses of 100 mg mg to 300 mg daily.	
Suspension		Analgesic مهدئات الأوجاع	Yemen		
60 ml					
Cabri	Sugar, Glucose, Citric Acid, , menthol, Strawberry & Eucalyptus,	Antiseptic and Desinfectants	Friend Est.	As directed	
Lozenges		Common Cold نزلات البرد	Syria		
24 Lozenges					
Cabri	Sugar, Glucose, Citric Acid, , menthol, Orange & Eucalyptus,	Antiseptic and Desinfectants	Friend Est.	As directed	
Lozenges		Common Cold نزلات البرد	Syria	* Erosive Esophagitis= ADULTS: PO 75–150 mg qid.	
24 tab					
ca-c 1000 sandoz	calcium gluconate 1g+vitamin C 1000mg+calcium carbonte 0.327g	Vitamines and Menirals	NOVARTIS	Orally, usually in doses of 10 to 50 mmol (400 mg to 2 g) of calcium daily adjusted to the individual patient's requirements.	
Effe. /Tablets		Common Cold نزلات البرد	Switzerland		
10 effer,tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Ca-gluconat 10%	Calcium gluconat ampoule 1 gm/10ml .	Vitamines and Menirals	unknown	Orally, usually in doses of 10 to 50 mmol (400 mg to 2 g) of calcium daily adjusted to the individual patient's requirements.	
Ampoules		Osteoarthritis التهابات العظام	Unknown		
50 ampoules x 10 cc					
Cal Mag Zink+D	Cal Mag Zink+D	Vitamines and Menirals	CENTURY	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Tablets		Osteoarthritis التهابات العظام	USA		
90 tab					
Cal Vita C	Calcium	Vitamines and Menirals	Unknown	Orally, usually in doses of 10 to 50 mmol (400 mg to 2 g) of calcium daily adjusted to the individual patient's requirements.	
Ampoules		Osteoarthritis التهابات العظام	Unknown		
5 amp x 10 ml					
CALABEN	Zinc Oxide	Skin Disorders	MPL	Topically as once or twice daily ,	
Cream		Dermatitis الألتهايات الجلدية	Hong Kong		
25 gm					
CALAMINE	Calamine	Skin Disorders	Shiba pharma	topically as dusting powder, cream, lotion, or ointment	
Lotion		Allergy الحساسية	Yemen		
100 ml					
Cal-C-Care	Each efferv. tablet contains: Vitamin C 1000mg + Calcium (as Calcium	Vitamines and Menirals	Pharmacare	1- 2 tablets a day (dissolve the effervescent tablet in half glass of water before taking it)	
Tablets		Common Cold نزلات البرد	Yemen		
10 effer,tablets					
Cal-C-forte	Calcium 1000 mg+Vitamin C 1000 mg	Vitamines and Menirals	Global Pharma	Orally, usually in doses of 10 to 50 mmol (400 mg to 2 g) of calcium daily adjusted to the individual patient's requirements.	
Sachets		Common Cold نزلات البرد	Yemen		
10 sachets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
CALCI-CAL	calcium 500mg+vit.B12 10mg+vit.D3 1000mcg/5ml.	Vitamines and Menirals	Alhikmh-farma,Ejbt	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Syrup		Osteoarthritis التهابات العظام	Unknown		
120ml,srup					
CalciCare	Ca+ Vit D , Meg , Zinc	Vitamines and Menirals	VITAME	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Tablets		Osteoarthritis التهابات العظام	Unknown		
30 tab					
Calcicare	calcium 800mg,Magnesi m 200mg,zinc 8mg,vitamin D3 400IU/tab.	Vitamines and Menirals	Vitane pharma	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Tablets		Osteoarthritis التهابات العظام	Unknown		
30 tablets					
Calcicare ??	Calcium500 mg+Magnesium 150 mg+Zinc 4 mg+Vitamin D 400 IU/10ml	Vitamines and Menirals	Vitane pharma	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Syrup		Osteoarthritis التهابات العظام	Unknown		
200ml					
Calcid	Ca+ Vit D	Vitamines and Menirals	SIGMA	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Capsules		Osteoarthritis التهابات العظام	Egypt		
20 cap					
calcid	calcium glubionate 750mg, vitamin D350 I.U,vitamin B12 10 mg/tab.	Vitamines and Menirals	SIGMA	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Capsules		Osteoarthritis التهابات العظام	Egypt		
20 cap					
CALCID B12	calcium glubionate 750mg, vitamin D350 I.U,vitamin B12 10 mg/5ml(syrup)	Vitamines and Menirals	SIGMA	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Syrup		Osteoarthritis التهابات العظام	Egypt		
120 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
CalciD Denk	Calcium carbonate	Vitamines and Menirals	Denk pharma	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Solid	1000mg / Vitamin D3 effer, tab.	Osteoarthritis التهابات العظام	Germany		
Calciflavone	Calcium	Vitamines and Menirals	MEYER	Orally, usually in doses of 10 to 50 mmol (400 mg to 2 g) of calcium daily adjusted to the individual patient's requirements.	
Tablets		Osteoarthritis التهابات العظام	Unknown		
2 x 15 tab					
calcifor	Calcium 578mg+ Vit C 1000mg effer,tab	Vitamines and Menirals	Vifor	Orally, usually in doses of 10 to 50 mmol (400 mg to 2 g) of calcium daily adjusted to the individual patient's requirements.	
Tablets		Common Cold نزلات البرد	Unknown		
10 Effer,tab					
Calcimed D3	calcim,600-Vitamin D3 400 I.U/Compridos efevescente.	Vitamines and Menirals	Hermes arzeimittel	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Tablets		Osteoarthritis التهابات العظام	Unknown		
20 Compridos efevescentes					
Calcium	Calcium gluconat ampoule 1 gm/10ml .	Vitamines and Menirals	unknown	Orally, usually in doses of 10 to 50 mmol (400 mg to 2 g) of calcium daily adjusted to the individual patient's requirements.	
Ampoules		Osteoarthritis التهابات العظام	Unknown		
10 ampoules.					
Calcium	Calcium 600 mg + Vitamine D	Vitamines and Menirals	Sentinel	As directed	
Tablets		Vitamins نقص فيتامينات			
30 tab					
Calcium 1250 D	calcium carbonate 1250mg&vit D3 200 I.U/S.G.cap.	Vitamines and Menirals	ASIA	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Capsules		Osteoarthritis التهابات العظام	Syria		
20 soft glatin cap					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Calcium + Vitamin C	Calcium +Vitamin C	Vitamines and Menirals	Unknown	Orally, usually in doses of 10 to 50 mmol (400 mg to 2 g) of calcium daily adjusted to the individual patient's requirements.	
		Common Cold نزلات البرد	Unknown		
Calcium +Vitamin C	Calcium 300mg +Vitamin C	Vitamines and Menirals	SUNLife	Orally, usually in doses of 10 to 50 mmol (400 mg to 2 g) of calcium daily adjusted to the individual patient's requirements.	
Tablets	75mg effer,tablets.	Common Cold نزلات البرد	Unknown		
20 effer,tablets					
Calcium 1250 D	Ca+ Vit D	Vitamines and Menirals	ASIA	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Capsules		Osteoarthritis التهابات العظام	Syria		
20 soft gelatin cap					
Calcium complete	Ca+ Vit D with multivitamine , Iron	Vitamines and Menirals	Sona nutrition LTD. Ireland	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Tablets		Osteoarthritis التهابات العظام	Unknown		
30 tab					
Calcium complete	calcium,Biotin,vit.B12,folic Acid,Iron,vit.B3,vitB6,vitB2,vitb1,vitA,vitC,vitD,vitE	Vitamines and Menirals	Sona nutrition LTD. Ireland	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Tablets		Osteoarthritis التهابات العظام	Unknown		
30 Tabalets					
Calcium Magnesium	Calcium	Vitamines and Menirals	ADRIEN GAGNON	Orally, usually in doses of 10 to 50 mmol (400 mg to 2 g) of calcium daily adjusted to the individual patient's requirements.	
		Osteoarthritis التهابات العظام	Unknown		
CALCIUM Sachets	Calcium 500mg+vit.C 180mg+vit.D3 400I.U	Vitamines and Menirals	SEDICO	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Sachets		Osteoarthritis التهابات العظام	Egypt		
10 sachets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Calcium Tablets	Each film coated tablet contains Calcium Carbonate (BP) 1500 mg equivalent to	Vitamines and Menirals	RIYADH PHARMA	Two tablets daily (or one tablet twice daily) before or with meal, with water. Swallow without chewing.	
Tablets		Osteoarthritis التهابات العظام	Saudi Arabia		
Packs contain (60) film coated tablets					
Calcium-Sandoz	Calcium	Vitamines and Menirals	NOVARTIS	Orally, usually in doses of 10 to 50 mmol (400 mg to 2 g) of calcium daily adjusted to the individual patient's requirements.	
Tablets		Osteoarthritis التهابات العظام	Switzerland		
10 eff. Tab					
Calcivyte	Calcium +Vitamin D	Vitamines and Menirals	Vitane pharma	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Tablets		Osteoarthritis التهابات العظام	Germany		
30 tab					
Cal-C-Vita	Vit.C 1000mg+calcium 250mg+ Vit.D 300 I.U+Vit.B6 15mg	Vitamines and Menirals	BAYER	Orally, usually in doses of 10 to 50 mmol (400 mg to 2 g) of calcium daily adjusted to the individual patient's requirements.	
Capsules		Common Cold نزلات البرد	France		
10 effervescent tablets					
CAL-D	calcium 400mg + Vit.D3 100 I.U	Vitamines and Menirals	MEGA	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Capsules		Osteoarthritis التهابات العظام	Thailand		
30 SOFT					
Calm skin	Combination	Skin Disorders	Unknown	As directed	
Tube		Dermatitis الالتهابات الجلدية	Unknown		
20 gm					
Calmex	Diphenhydramine 12.5 mg + Ammonium chloride 100 mg + Sodium Citrate 75 mg + Menthol	Respiratory drugs	Razi Pharma	As directed	
Syrup		Common Cold نزلات البرد	Syria		
100 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Calpol	Paracetamol	Non-Steroidal Anti-	Unknown	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Oral /Drops		Antipyretic - مهدئات الأوجاع والحمى	Unknown		
CALTADON FORT	Calcium 250 mg + Dexpanthenol 25 mg + Vit B1 25 mg + vit. B6 1mg + vit. B12 1000 microgram	Vitamines and Menirals	ANB Laboratories CO. LTD	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Ampoules		Vitamins نقص فيتامينات	Thailand		
10 amp					
Cal-Vit-C	Calcium +Vitamin C	Vitamines and Menirals	Modern Pharama	Orally, usually in doses of 10 to 50 mmol (400 mg to 2 g) of calcium daily adjusted to the individual patient's requirements.	
Sachets		Osteoarthritis التهابات العظام	Yemen		
10 sachets					
Canartan	Candesartan Cilexetil 16 mg	Cardio Vascular System drugs	Global Pharma	8 mg once daily, but doses up to 32 mg daily, as a single dose or in 2 divided doses	
Tablets		Hypertension ارتفاع ضغط الدم	Yemen		
20 tab					
Candesar	Candesartan Cilexetil 16 mg	Cardio Vascular System drugs	ASIA	8 mg once daily, but doses up to 32 mg daily, as a single dose or in 2 divided doses	
Tablets		Hypertension ارتفاع ضغط الدم	Syria		
20 tab					
Candesartan	Candesartan Cilexetil 8 mg, 16 mg , 32 mg	Cardio Vascular System drugs	Unknown	8 mg once daily, but doses up to 32 mg daily, as a single dose or in 2 divided doses	
Tablets		Hypertension ارتفاع ضغط الدم	Unknown		
Candid	Clotrimazole 20g	Antifungals	Glenmark	Minimum/Maximum Adult Daily Dose:60 mg	
Cream		Dermatitis الالتهابات الجلدية	India		
1 tube 20 gm					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Candid	Clotrimazole	Antifungals	Glenmark	topically two or three times daily for 2 to 4 weeks as a 1% cream, lotion, spray, or solution, pessaries in dosage regimens of 100 mg for 6 days, 200 mg for 3 days, or a single	
Drops		Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	India		
15 ml					
Candid - V	Clotrimazole	Antifungals	Glenmark	topically two or three times daily for 2 to 4 weeks as a 1% cream, lotion, spray, or solution, pessaries in dosage regimens of 100 mg for 6 days, 200 mg for 3 days, or a single	
Gel		Vaginal المهبل	India		
30 gm					
Candid mouth	Clotrimazole	Antifungals	Glenmark	topically two or three times daily for 2 to 4 weeks as a 1% cream, lotion, spray, or solution, pessaries in dosage regimens of 100 mg for 6 days, 200 mg for 3 days, or a single	
Paint		Dermatitis الالتهابات الجلدية	India		
1 cont 15ml					
Candid V-1	Clotrimazole 500 mg	Antifungals	Glenmark	topically two or three times daily for 2 to 4 weeks as a 1% cream, lotion, spray, or solution, pessaries in dosage regimens of 100 mg for 6 days, 200 mg for 3 days, or a single	
		Vaginal المهبل	India		
Candiderm	Clotrimazole 15g	Antifungals	Glenmark	topically two or three times daily for 2 to 4 weeks as a 1% cream, lotion, spray, or solution, pessaries in dosage regimens of 100 mg for 6 days, 200 mg for 3 days, or a single	
Cream		Dermatitis الالتهابات الجلدية	India		
1 tube 15 gm					
Candid-v6	Clotrimazole 100mg	Antifungals	Glenmark	topically two or three times daily for 2 to 4 weeks as a 1% cream, lotion, spray, or solution, pessaries in dosage regimens of 100 mg for 6 days, 200 mg for 3 days, or a single	
		Vaginal المهبل	India		
Canestol	Clotrimazole 200mg	Antifungals	Alph	topically two or three times daily for 2 to 4 weeks as a 1% cream, lotion, spray, or solution, pessaries in dosage regimens of 100 mg for 6 days, 200 mg for 3 days, or a single	
Suppositoris		Dermatitis الالتهابات الجلدية	Unknown		
3 vaginal					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Canestal	Clotrimazole	Antifungals	Unknown	topically two or three times daily for 2 to 4 weeks as a 1% cream, lotion, spray, or solution, pessaries in dosage regimens of 100 mg for 6 days, 200 mg for 3 days, or a single	
		Dermatitis الالتهابات الجلدية	Unknown		
Canestal 2%	Clotrimazole	Antifungals	Unknown	topically two or three times daily for 2 to 4 weeks as a 1% cream, lotion, spray, or solution, pessaries in dosage regimens of 100 mg for 6 days, 200 mg for 3 days, or a single	
Cream		Dermatitis الالتهابات الجلدية	Unknown		
Canestal 3	Clotrimazole	Antifungals	Unknown	topically two or three times daily for 2 to 4 weeks as a 1% cream, lotion, spray, or solution, pessaries in dosage regimens of 100 mg for 6 days, 200 mg for 3 days, or a single	
		Dermatitis الالتهابات الجلدية	Unknown		
Capotal 50	Captopril	Cardio Vascular System drugs	Hikma	12.5 mg twice daily by mouth, increased gradually at intervals of 2 to 4 weeks according to the response	
Tablets		Hypertension ارتفاع ضغط الدم	Jordan		
20 Tablets					
Capotril	Captopril	Cardio Vascular System drugs	EIPICO	12.5 mg twice daily by mouth, increased gradually at intervals of 2 to 4 weeks according to the response	
Tablets		Hypertension ارتفاع ضغط الدم	Egypt		
20 Tablets					
Capotril	Captopril 50 mg / tab	Cardio Vascular System drugs	EIPICO	12.5 mg twice daily by mouth, increased gradually at intervals of 2 to 4 weeks according to the response	
Tablets		Hypertension ارتفاع ضغط الدم	Egypt		
20 Tablets					
Capozide	Captopril+ Hydrochlorothiazide	Cardio Vascular System drugs	SQUIBB	12.5 mg twice daily by mouth, increased gradually at intervals of 2 to 4 weeks according to the response	
Tablets		Hypertension ارتفاع ضغط الدم	Unknown		
30TAB					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
capozide ???	Captopril	Cardio Vascular System drugs	Unknown	12.5 mg twice daily by mouth, increased gradually at intervals of 2 to 4 weeks according to the response	
		Hypertension ارتفاع ضغط الدم	Unknown		
Captopril	Captopril 25 mg	Cardio Vascular System drugs	Shiba pharma	12.5 mg twice daily by mouth, increased gradually at intervals of 2 to 4 weeks according to the response	
Tablets		Hypertension ارتفاع ضغط الدم	Yemen		
20 tablet					
Captopril	Captopril	Cardio Vascular System drugs	Unknown	12.5 mg twice daily by mouth, increased gradually at intervals of 2 to 4 weeks according to the response	
		Hypertension ارتفاع ضغط الدم	Unknown		
captozid	Captopril	Cardio Vascular System drugs	Unknown	12.5 mg twice daily by mouth, increased gradually at intervals of 2 to 4 weeks according to the response	
		Hypertension ارتفاع ضغط الدم	Unknown		
card	Bisoprolol Fumarate	Cardio Vascular System drugs	Unknown	bisoprolol fumarate is 5 to 10 mg by mouth as a single daily dose; the maximum recommended dose is 20 mg daily.	
		Hypertension ارتفاع ضغط الدم	Unknown		
Cardiket	Isosorbide Dinitrate 20 mg OR 10 mg or 5mg	Cardio Vascular System drugs	MINA PHARMA	oral doses of 20 to 120 mg daily in divided doses according to the patient's needs.	
Tablets		Angina الذبحة الصدرية	Unknown		
20tab					
Cardioce	Multivitamin , L carnitine, Co Q10 folic acid, B6, B2 flaxseed oil, vit. D3, garlic	Vitamines and Menirals	VITABIOTICS	As directed	
Capsules		Vitamins نقص فيتامينات	Unknown		
30 capsules					


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
Cardioguard SR	Isosorbide Dinitrate 20 mg	Cardio Vascular System drugs	AMOUN	oral doses of 20 to 120 mg daily in divided doses according to the patient's needs.	
Capsules		Angina الذبحة الصدرية	Egypt		
10 CAPS					
Cardiomil SR	Valsartan	Cardio Vascular System drugs	SIGMA	Oral doses 80 - 160 mg once daily	
Capsules		Hypertension ارتفاع ضغط الدم	Egypt		
10 capsules.					
Care Drop	Different Lozenges Ingredients	Antiseptic and Desinfectants	medicated	As directed	
Lozenges		Common Cold نزلات البرد	Unknown		
12 Lozenges					
Carminex	caraway 0.03 mg + fennel oil 0.03 mg + cinnamon 0.02 mg	Gastro Intestinal drugs	MEPACO	One tablet three times daily during or after meals.	
Eff.salt		Indigestion سوء الهضم	Egypt		
6 sachets					
Carvidilol	Carvedilol	Cardio Vascular System drugs	Unknown	carvedilol is given in an initial dose of 12.5 mg once daily by mouth, increased after two days to 25 mg once daily.	
6.25-12.5-25 mg		Hypertension ارتفاع ضغط الدم	Unknown		
casprin	Acetylsalicylic acid	Cardio Vascular System drugs	UK	a daily dose of aspirin in the range of 75 to 150 mg should be effective	
tablet		Thrombosis الجلطات	Unknown		
30capsule					
Casprin	Acetylsalicylic Acid capsule 100mg.	Cardio Vascular System drugs	Shine	The usual oral dose of aspirin as an analgesic and antipyretic is 300 to 900 mg, repeated every 4 to 6 hours according to clinical needs, to a maximum of 4 g daily. The dose as	
Capsules		Thrombosis الجلطات	unk		
30 Enteric capsules					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Casprin	Acetylsalicylic acid	Cardio Vascular System drugs	Unknown	The usual oral dose of aspirin as an analgesic and antipyretic is 300 to 900 mg, repeated every 4 to 6 hours according to clinical needs, to a maximum of 4 g daily. The dose as	
		Thrombosis الجلطات	Unknown		
Caster Oil	Caster Oil	Gastro Intestinal drugs	Hariri	4 tablespoons (15ml to 60ml) in a single daily dose.	
solution		Constipation الأمساك	Syria		
60 ml for bottle					
Castom-Atheer	Castor oil	Gastro Intestinal drugs	Atheer	As directed	
Oil		Constipation الأمساك	Yemen		
60 ml					
CASTOR OIL	Castor oil	Gastro Intestinal drugs	Shiba pharma	As directed	
Oil		Constipation الأمساك	Yemen		
60 ml					
Cataflam	Diclofenac Potassium coated tablet 50 mg.	Non-Steroidal Anti-	NOVARTIS	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Tablets		Analgesic مهدئات الأوجاع	Switzerland		
10 coated tablets					
Cataflam-50	Diclofenac Potassium coated tablet 50 mg.	Non-Steroidal Anti-	NOVARTIS	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Tablets		Analgesic مهدئات الأوجاع	Switzerland		
10 coated tablets.					
Caventon	Vinpocetine	Cardio Vascular System drugs	Unknown	15 to 30 mg daily by mouth in divided doses.	
		Mental Disorders الأمراض العقلية	Unknown		

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
CAVERIL	VERAPAMIL	Cardio Vascular System drugs	REMEDICA	Oral doses 80 - 160 mg once daily	
Tablets		Hypertension ارتفاع ضغط الدم	Cyprus		
50 tab					
Cavestine	Vinpocetine 5 mg	Cardio Vascular System drugs	GLOBAL NAPI	15 to 30 mg daily by mouth in divided doses.	
Tablets		Mental Disorders الأمراض العقلية	Egypt		
20 Tablets					
CAVINTON	Vinpocetine	Cardio Vascular System drugs	GEDEON RICHTER	15 to 30 mg daily by mouth in divided doses.	
		Mental Disorders الأمراض العقلية	HUNGARY		
cavinton ???	Vinpocetine	Cardio Vascular System drugs	Unknown	15 to 30 mg daily by mouth in divided doses.	
		Mental Disorders الأمراض العقلية	Unknown		
Cavinton 5 mg	Vinpocetine 5 mg	Cardio Vascular System drugs	Unknown	15 to 30 mg daily by mouth in divided doses.	
		Mental Disorders الأمراض العقلية	Unknown		
CAVNTON FORTE	Vinpocetine 10 mg	Cardio Vascular System drugs	GEDEON RICHTER	15 to 30 mg daily by mouth in divided doses.	
		Mental Disorders الأمراض العقلية	HUNGARY		
Cebrotonin	Piracetam 800mg	Central Nervous system drugs	Walter Ritter	2.4 g daily by mouth in 2 or 3 divided doses. In severe disorders intramuscular or intravenous injection.	
Tablets		Mental Disorders الأمراض العقلية	Germany		
30 tablets /box					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
CECLO	Aceclofenac tablet 100mg.	Non-Steroidal Anti-	Huons	Adult: PO Ankylosing spondylitis; Osteoarthritis; Rheumatoid arthritis 100 mg twice daily.	
Tablets		مهدئات الأوجاع	Korea		
10 tablet					
Cedrox	Cefadroxil 500 mg / cap	Antibacterial	Pharmacare	1 to 2 g daily as a single dose or in two divided doses.	
Capsules		Bacterial Infections	Yemen		
1strip*10capsul		الأمراض البكتيرية			
Cedrox	Cefadroxil 250 mg /5 ml	Antibacterial	Pharmacare	Children 6 – 12 years : 5 ml -10 ml twice daily, Children 1 - 5 years : 2.5 ml - 5 ml twice daily.	
Syrup		Bacterial Infections	Yemen		
100 ml		الأمراض البكتيرية			
Cefacur	Cefadroxil	Antibacterial	Modern Pharama	1 to 2 g daily as a single dose or in two divided doses.	
Capsules		Bacterial Infections	Yemen		
1strip*10capsul		الأمراض البكتيرية			
Cefacur Syrup	Cefadroxil 250 mg / 5 ml	Antibacterial	Modern Pharama	Children 6 – 12 years : 5 ml -10 ml twice daily, Children 1 - 5 years : 2.5 ml - 5 ml twice daily.	
Dry syrup		Bacterial Infections	Yemen		
1bottel*60ml		الأمراض البكتيرية			
Cefacure 500	Cefadroxil 500 mg / cap	Antibacterial	Modern Pharama	1 to 2 g daily as a single dose or in two divided doses.	
Caplets		Bacterial Infections	Yemen		
16 cap		الأمراض البكتيرية			
Cefadroxil 500	Cefadroxil 500 mg / cap	Antibacterial	MEDICO LABS	1 to 2 g daily as a single dose or in two divided doses	
Capsules		Bacterial Infections	Syria		
10 cap		الأمراض البكتيرية			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
Cefalexin Capsules	Cephalexin	Antibacterial	Modern Pharama	The usual dose for adults is 1 to 2 g daily given in divided doses, Children may be given 25 to 100 mg/kg daily in divided doses to a maximum of 4 g daily.	
Capsules		Bacterial Infections	Yemen		
2strip*10capsules		الأمراض البكتيرية			
Cefalexin Syrup	Cephalexin	Antibacterial	Modern Pharama	Children may be given 25 to 100 mg/kg daily in divided doses to a maximum of 4 g daily.	
Dry syrup		Bacterial Infections	Yemen		
1bottel*100ml		الأمراض البكتيرية			
Cefamid	Cefadroxil 500 mg / cap	Antibacterial	CIPLA	1 to 2 g daily as a single dose or in two divided doses.	
Capsules		Bacterial Infections	India		
3strip* 4capsule		الأمراض البكتيرية			
Cefantral	Cefotaxime Sodium	Antibacterial	Unknown	2 to 6 g daily in 2 to 4 divided doses to adults. In severe infections up to 12 g may be given daily by the intravenous route in up to 6 divided doses, Children may be given	
		Bacterial Infections	Unknown		
		الأمراض البكتيرية			
CEFAROL 250	Cefadroxil 250 mg/5 ml	Antibacterial	Global Pharma	1 to 2 g daily as a single dose or in two divided doses.	
Powder for Suspension		Bacterial Infections	Yemen		
60 ml		الأمراض البكتيرية			
Cefarol 500	Cefadroxil 500 mg / cap	Antibacterial	Global Pharma	1 to 2 g daily as a single dose or in two divided doses.	
Capsules		Bacterial Infections	Yemen		
10 cap		الأمراض البكتيرية			
Cefasyn	Cefuroxime	Antibacterial	CIPLA	Oral doses for adults are 250 to 500 mg twice daily, for children 10 mg/kg twice daily to a maximum of 250 mg daily- By injection the usual adult dose is 750 mg of cefuroxime	
Tablets		Bacterial Infections	India		
1strip*10tablet		الأمراض البكتيرية			


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Cefasyn	Cefuroxime	Antibacterial	CIPLA	Oral doses for adults are 250 to 500 mg twice daily, for children 10 mg/kg twice daily to a maximum of 250 mg daily- By injection the usual adult dose is 750 mg of cefuroxime	
		Bacterial Infections الأمراض البكتيرية	India		
Cefax	Ceftriaxone Sodium	Antibacterial	Huons	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Ampoules		Bacterial Infections الأمراض البكتيرية	Korea		
1vial					
Cefazolin	Cefazolin	Antibacterial	Unknown	The usual maximum daily dose is 6 g, although up to 12 g has been used in severe life-threatening infections. Children over 1 month of age may be given 25 to 50 mg/kg	
		Bacterial Infections الأمراض البكتيرية	Unknown		
Cefepime	Cefepime Hydrochloride	Antibacterial	Unknown	The usual adult dose is 1 to 2 g daily in 2 divided doses for mild to moderate infections, increased to 4 g daily in 2 divided doses in severe infections, Children 50 mg/kg	
		Bacterial Infections الأمراض البكتيرية	Unknown		
Cefepime	Cefepime Hydrochloride	Antibacterial	CIPLA	The usual adult dose is 1 to 2 g daily in 2 divided doses for mild to moderate infections, increased to 4 g daily in 2 divided doses in severe infections, Children 50 mg/kg	
		Bacterial Infections الأمراض البكتيرية	India		
Cefim	Cefixime	Antibacterial	Unknown	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses. Children over 6 months and under 50 kg may be given 8 mg/kg daily as an oral	
		Bacterial Infections الأمراض البكتيرية	Unknown		
Cefix	Cefixime	Antibacterial	Pharma International	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses. Children over 6 months and under 50 kg may be given 8 mg/kg daily as an oral	
Capsules		Bacterial Infections الأمراض البكتيرية			
1strip*8capsule					


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Cefix	Cefixime 100 mg / 5 ml	Antibacterial	Pharma International	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses. Children over 6 months and under 50 kg may be given 8 mg/kg daily as an oral	
Suspension		Bacterial Infections الأمراض البكتيرية			
30 ml					
Cefix	Cefixime 100 mg / 5 ml	Antibacterial	Pharma International	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses. Children over 6 months and under 50 kg may be given 8 mg/kg daily as an oral	
Suspension		Bacterial Infections الأمراض البكتيرية			
60 ml					
Cefnet-250	Cefuroxime	Antibacterial	Unknown	Oral doses for adults are 250 to 500 mg twice daily, for children 10 mg/kg twice daily to a maximum of 250 mg daily- By injection the usual adult dose is 750 mg of cefuroxime	
		Bacterial Infections الأمراض البكتيرية	Unknown		
Cefnet-500	Cefuroxime	Antibacterial	Unknown	Oral doses for adults are 250 to 500 mg twice daily, for children 10 mg/kg twice daily to a maximum of 250 mg daily- By injection the usual adult dose is 750 mg of cefuroxime	
		Bacterial Infections الأمراض البكتيرية	Unknown		
Cefobid	Cefoperazone Sodium	Antibiotics	Pfizer	vial 500mg & 1000mg	
parental inj		الأمراض الميكروبية Microbial Infections	USA		
1vial					
Cefodox 100	Cefpodoxime Proxetil	Antibiotics	DIC	The usual dose for adults is 100 to 200 mg every 12 hours for respiratory-tract and urinary-tract infections., children 5 mg/kg every 12 hours, up to a maximum of 200	
Tablets		الأمراض الميكروبية Microbial Infections	Jordan		
1strip*10tablet					
Cefodox 200	Cefpodoxime Proxetil	Antibiotics	DIC	The usual dose for adults is 100 to 200 mg every 12 hours for respiratory-tract and urinary-tract infections., children 5 mg/kg every 12 hours, up to a maximum of 200	
tablet		الأمراض الميكروبية Microbial Infections	Jordan		
2strip*10tablet					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
Cefogram	Ceftriaxone Sodium	Antibacterial	Orchid	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Vial		Bacterial Infections الأمراض البكتيرية	Unknown		
1vial					
Cefogram	Ceftriaxone Sodium	Antibacterial	Unknown	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
		Bacterial Infections الأمراض البكتيرية	Unknown		
Cefolin	Cefotaxime Sodium	Antibacterial	OUBARY PHARMA	vial 1000mg & 500mg & 250mg	
Vial		Bacterial Infections الأمراض البكتيرية	Syria		
1vial					
Cefolin	Cefotaxime Sodium	Antibacterial	Unknown	2 to 6 g daily in 2 to 4 divided doses to adults. In severe infections up to 12 g may be given daily by the intravenous route in up to 6 divided doses, Children may be given	
		Bacterial Infections الأمراض البكتيرية	Unknown		
Cefolin	Cefotaxime Sodium	Antibacterial	Oubari	2 to 6 g daily in 2 to 4 divided doses to adults. In severe infections up to 12 g may be given daily by the intravenous route in up to 6 divided doses, Children may be given	
		Bacterial Infections الأمراض البكتيرية	Syria		
Ceforan	Cefotaxime Sodium	Antibacterial	PHARCO	2 to 6 g daily in 2 to 4 divided doses to adults. In severe infections up to 12 g may be given daily by the intravenous route in up to 6 divided doses, Children may be given	
Ampoules		Bacterial Infections الأمراض البكتيرية	Egypt		
1vial					
CEFOTAX	Cefotaxime Sodium	Antibacterial	EIPICO	2 to 6 g daily in 2 to 4 divided doses to adults. In severe infections up to 12 g may be given daily by the intravenous route in up to 6 divided doses, Children may be given	
Vial		Bacterial Infections الأمراض البكتيرية	Egypt		
1 vial + 1 amp solvent					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Cefovex	Cefuroxime	Antibacterial	Unknown	Oral doses for adults are 250 to 500 mg twice daily, for children 10 mg/kg twice daily to a maximum of 250 mg daily- By injection the usual adult dose is 750 mg of cefuroxime	
		Bacterial Infections الأمراض البكتيرية	Unknown		
Cefproz	Cefprozil	Antibacterial	Unknown	Adult :500- 1000 mg daily, Children up to 20 mg/kg once or twice daily	
		Bacterial Infections الأمراض البكتيرية	Unknown		
Ceftinex	Cefdinir	Antibacterial	Unknown	600 mg daily as a single dose or in two divided doses. Children may be given 14 mg/kg daily up to a maximum of 600 mg daily.	
		Bacterial Infections الأمراض البكتيرية	Unknown		
Ceftracef	Ceftriaxone Sodium	Antibacterial	OUBARY PHARMA	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Vial		Bacterial Infections الأمراض البكتيرية	Syria		
1vial					
Ceftracef	Ceftriaxone Sodium 500 mg	Antibacterial	Oubari	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
		Bacterial Infections الأمراض البكتيرية	Unknown		
CEFTRAME-5	Ceftriaxone Sodium 500 mg	Antibacterial		The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Ampoules		Bacterial Infections الأمراض البكتيرية	Unknown		
Ceftriaxone	Ceftriaxone Sodium	Antibacterial	Vitalis	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Vial		Bacterial Infections الأمراض البكتيرية	USA		
1vial					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
Ceftriaxon-Tabuk	Ceftriaxone Sodium	Antibacterial	Tabuk pharma	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Vial		Bacterial Infections الأمراض البكتيرية	Saudi Arabia		
1vial					
Cefutit	Cefuroxime	Antibacterial	DIC	Oral doses for adults are 250 to 500 mg twice daily, for children 10 mg/kg twice daily to a maximum of 250 mg daily- By injection the usual adult dose is 750 mg of cefuroxime	
Tablets		Bacterial Infections الأمراض البكتيرية	Jordan		
1strip*10tablet					
Cefutit 250 mg	Cefuroxime	Antibacterial	Unknown	Oral doses for adults are 250 to 500 mg twice daily, for children 10 mg/kg twice daily to a maximum of 250 mg daily- By injection the usual adult dose is 750 mg of cefuroxime	
		Bacterial Infections الأمراض البكتيرية	Unknown		
Cefutit 500 mg	Cefuroxime	Antibacterial	Unknown	Oral doses for adults are 250 to 500 mg twice daily, for children 10 mg/kg twice daily to a maximum of 250 mg daily- By injection the usual adult dose is 750 mg of cefuroxime	
		Bacterial Infections الأمراض البكتيرية	Unknown		
Cefuzime	Cefuroxime	Antibacterial	Julphar	Oral doses for adults are 250 to 500 mg twice daily, for children 10 mg/kg twice daily to a maximum of 250 mg daily- By injection the usual adult dose is 750 mg of cefuroxime	
Tablets		Bacterial Infections الأمراض البكتيرية	UAE		
1strip*10tablet					
CEHAN 200 mg	Cefixime	Antibacterial	Korea Pharma	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses. Children over 6 months and under 50 kg may be given 8 mg/kg daily as an oral	
		Bacterial Infections الأمراض البكتيرية	Korea		
Celebrex	Celecoxib capsule 200mg.	Nonsteroidal Anti-	Pfizer	Minimum/Maximum Adult Daily Dose:200 - 400 mg (milligram) OR 1 - 2 Capsules.	
Capsules		مهدئات الأوجاع	USA		
10 capsules					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Celebrex 200	Celecoxib	Non-Steroidal Anti-Analgesic مهدئات الأوجاع	Unknown Unknown	Minimum/Maximum Adult Daily Dose: 200 - 400 mg (milligram) OR 1 - 2 Capsules.	
CEPHALEXIN	Cephalexin 250 mg / 5 ml	Antibacterial Bacterial Infections الأمراض البكتيرية	Modern Pharama Yemen	Children may be given 25 to 100 mg/kg daily in divided doses to a maximum of 4 g daily.	
CEPHALEXIN 500	Cephalexin 500 mg	Antibacterial Bacterial Infections الأمراض البكتيرية	Modern Pharama Yemen	The usual dose for adults is 1 to 2 g daily given in divided doses, Children may be given 25 to 100 mg/kg daily in divided doses to a maximum of 4 g daily.	
CEPILEN	Cefepime Hydrochloride	Antibacterial Bacterial Infections الأمراض البكتيرية	Unknown Unknown	The usual adult dose is 1 to 2 g daily in 2 divided doses for mild to moderate infections, increased to 4 g daily in 2 divided doses in severe infections, Children 50 mg/kg	
Cepril H	Lisinopril+ Hydrochlorothiazide	Cardio Vascular System drugs Hypertension ارتفاع ضغط الدم	Unknown Unknown	usual oral dose is 5 -20 mg daily,	
CERAX	Cefuroxime 125 mg / 5 ml	Antibacterial Bacterial Infections الأمراض البكتيرية	RFA Yemen	Infants and children 10 mg/kg twice daily to a maximum of 250 mg daily.	
Cerebrolysin	Cerebrolysin	Central Nervous system drugs Mental Disorders الأمراض العقلية	Unknown Unknown	As directed	

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Cerizine	Cetirizine Hydrochloride 10 mg	Antihistamines	BIOPHARM	10 mg once daily or 5 mg twice daily. Children aged 2 to 5 years may be given cetirizine 5 mg once daily or 2.5 mg twice daily.	
Tablets		Allergy الحساسية	Yemen		
20 tab					
CERTEC tab	Cetirizine Hydrochloride	Antihistamines	Korea Pharma	Cetirizine hydrochloride is given by mouth in a dose of 10 mg once daily or 5 mg twice daily. Children aged 2 to 5 years may be given cetirizine 5 mg once daily or 2.5 mg twice	
Tablets		Allergy الحساسية	Korea		
10 tab					
CERVITAM	Piracetam- 400 + Vinkamine 20 mg / cap	Central Nervous system drugs	EGYPHAR	2.4 g daily by mouth in 2 or 3 divided doses. In severe disorders intramuscular or intravenous injection.	
Capsules		Mental Disorders الأمراض العقلية	Egypt		
20 capsule					
CETAL	Paracetamol supp, 120mg.	Nonsteroidal Anti-	EIPICO	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Suppositoris		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Egypt		
5 supp					
CETAL	Paracetamol	Nonsteroidal Anti-	EIPICO	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Syrup		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Egypt		
100 ml					
Cetal Me	Antiseptic	Antiseptic and Desinfectants	Middle East	As directed	
Solution		Dermatitis الالتهابات الجلدية	Unknown		
125 ml					
Cetrimide	Each 1 gm contains : Cetrimide 10 mg	Antiseptic and Desinfectants	PHARCO	0.1 to 1.0% aqueous solution, generally prepared by dilution of a more concentrated solution, or as a cream or spray containing 0.5%.	
Cream		مطهرات Antiseptic	Egypt		
20 gm					


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
CEVAMOL	Paracetamol 400mg+vitamin C	Nonsteroidal Anti-	CID	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets	250mg/effervescent tablet.	Antipyretic -	Egypt		
12 effervescent tablets.		مهدئات والأوجاع والحمى			
CEZAC-20	Fluoxetine capsule 20mg	Central Nervous system drugs	RFA	Minimum/Maximum Adult Daily Dose:10 - 80 mg (milligram) OR 1 - 8 Capsule	
Capsules		Mental Disorders	Yemen		
20 capsules		الأمراض العقلية			
Chitosan & calcium	Calcium	Vitamines and Menirals	Power Health		
Tablets		Food Supplement	Unknown		
30 tablet		مكملات غذائية			
Chlorasept	Phenol 1.4 %	Antiseptic and Desinfectants	Shiba pharma	Weak concentrations (up to 2%) have also been used topically for disinfection. A 5% solution has been used as a disinfectant for excreta.	
Solution		Ear Nose Throat (E.N.T)	Yemen		
120 ml		الأنف والأذن والحنجرة			
Chlorohistol	Chlorphenamine Maleate	Antihistamines	Julphar	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	
Tablets		Common Cold	UAE		
20 tab		نزلات البرد			
Chloroquine Phosphate	Chloroquine Phosphate	Antimalarial medicines	Unknown	Treatment :adult 600 mg followed after 6 to 8 hours by 300 mg, then 300 mg daily for the next 2 days, children as adult time but dose 10 mg/kg - prophylaxis one dose each	
Syrup		Malaria	Unknown		
60ml		المالاريا			
Chloroquine - Shiba	Chloroquine	Antimalarial medicines	Shiba pharma	Treatment :adult 600 mg followed after 6 to 8 hours by 300 mg, then 300 mg daily for the next 2 days, children as adult time but dose 10 mg/kg - prophylaxis one dose each	
Syrup		Malaria	Yemen		
60 ml		المالاريا			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Chloroquine-Shiba	Chloroquine	Antimalarial medicines	Shiba pharma	Treatment :adult 600 mg followed after 6 to 8 hours by 300 mg, then 300 mg daily for the next 2 days, children as adult time but dose 10 mg/kg - prophylaxis one dose each	
Tablets		Malaria الملاريا	Yemen		
10 tablets					
Chlorpromazine	Chlorpromazine	Central Nervous system drugs	Unknown	25 mg three times daily and increasing as necessary; daily doses of 75 mg may be given as a single dose at night, psychotic patients may require daily doses of up to 1 g or more.	
		Mental Disorders الأمراض العقلية	Unknown		
chlorpromazine ???	chlorpromazine tablet 50mg	Central Nervous system drugs	SUN	25 mg three times daily and increasing as necessary; daily doses of 75 mg may be given as a single dose at night, psychotic patients may require daily doses of up to 1 g or more.	
Tablets		Mental Disorders الأمراض العقلية	India		
100 tablet					
Chlorpromazine 100 mg	Chlorpromazine	Central Nervous system drugs	Unknown	25 mg three times daily and increasing as necessary; daily doses of 75 mg may be given as a single dose at night, psychotic patients may require daily doses of up to 1 g or more.	
		Mental Disorders الأمراض العقلية	Unknown		
chlorpromazine Tablets	chlorpromazine tablet 100mg	Central Nervous system drugs	SUN	25 mg three times daily and increasing as necessary; daily doses of 75 mg may be given as a single dose at night, psychotic patients may require daily doses of up to 1 g or more.	
Tablets		Mental Disorders الأمراض العقلية	India		
100 tablets					
Chymotrypsin	Chymotrypsin	Miscellaneous drugs	AMOUN	usually by mouth or topically	
Ampoules		Eye العين	Egypt		
3 amp					
Ciafil 20	Tadalafil 20 mg	Sex Stimulants	RFA	10 - 20 mg depending on response, about 30 minutes before sexual intercourse	
Tablets		Sex Stimulants منشطات جنسية	Yemen		
4 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
cid water	Semethicone	Gastro Intestinal drugs	CID	tab = 40 -120 mg QID orall a.m * suspension = 10 ml QID *sachets = one sachet QID	
Syrup		Indigestion سوء الهضم	Egypt		
120 ml					
cidodian-depot	Estradiol	Gynaecology drugs	SCHERING	one ampoule every three months or as directed	
Ampoules		Contraceptives موانع الحمل	Germany		
1 amp					
CILOXAN	Ciprofloxacin Hydrochloride	Antibacterial	Alcon	250 to 750 mg twice daily depending on the severity and nature of the infection	
Eye drops		العين Eye	Unknown		
5 ml					
CINCI	Unknown	Skin Disorders	Unknown	Topically as once or twice daily ,	
Cream		Dermatitis الألتهاابات الجلدية	Unknown		
Cini 25	Cinnarizine 25 mg	Antihistamines	RFA	For Vertigo and vestibular disorders is 30 mg three times daily by mouth - For motion sickness 30 mg is taken 2 hours before the start of the journey . Children aged 5 to 12	
Tablets		الدوار او الدوخة Vertigo	Yemen		
30 tab					
Cini 75	Cinnarizine 75 mg	Antihistamines	RFA	For Vertigo and vestibular disorders is 30 mg three times daily by mouth - For motion sickness 30 mg is taken 2 hours before the start of the journey . Children aged 5 to 12	
Capsules		الدوار او الدوخة Vertigo	Yemen		
20 caps					
CINOLONE.N	Combination	Skin Disorders	MEDICO LABS	As directed	
Cream		Dermatitis الألتهاابات الجلدية	Syria		
20 gm					


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
Cipazol Forte	Secnidazole 1000 mg	Antiprtozoal	CIPLA	Adult: 2 gm single dose , children: 30 mg /kg / day sigle dose ,	
Tablets		Amoebiasis ,	India		
2 tab		جارديا واميبيا			
CIPAZOL OORT	Secnidazole 1000 mg	Antiprtozoal	CIPLA	Adult: 2 gm single dose , children: 30 mg /kg / day sigle dose ,	
Tablets		Amoebiasis ,	India		
2 tab		جارديا واميبيا			
Ciperf	Ciprofloxacin	Antibacterial	OUBARY PHARMA	250 to 750 mg twice daily depending on the severity and nature of the infection	
Vial		Bacterial Infections	Syria		
1 vial		الأمصاباات البكتيرية			
Ciplacef	Ceftriaxone Sodium	Antibacterial	CIPLA	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Vial		Bacterial Infections	India		
1vial		الأمصاباات البكتيرية			
Cipla-Lamivudine	Lamivudine 300mg	Antivirals	CIPLA	chronic hepatitis B, the adult dose is 100 mg once daily by mouth. A dose for children aged over 2 years is 3 mg/kg once daily to a maximum daily dose of 100 mg.	
Tablets		Hepatic Disorders	India		
10 tab.		اضطرابات الكبد			
Cipla-Lamivudine susp	Lamivudine 50mg/5ml	Antivirals	CIPLA	chronic hepatitis B, the adult dose is 100 mg once daily by mouth. A dose for children aged over 2 years is 3 mg/kg once daily to a maximum daily dose of 100 mg.	
Suspension		Hepatic Disorders	India		
240ml		اضطرابات الكبد			
ciplar-la 40	Propranolol HCL	Cardio Vascular System drugs	CIPLA	Adult: 40 - 120 mg orally twice daily ,children 1- 4 mg/kg daily in divided doses by mouth	
Tablets		Hypertension	India		
10 *10 tab		ارتفاع ضغط الدم			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Cipla-Zidovudine	Zidovudine 50mg/5ml	Antivirals	CIPLA	Adults : 500 to 600 mg daily in divided doses , Children 360 to 480 mg/m2 daily in divided doses	
Solution		Viral Infections الأمراض الفيروسية	India		
200ml					
Cipla-Zidovudine	Zidovudine	Antivirals	CIPLA	Adults : 500 to 600 mg daily in divided doses , Children 360 to 480 mg/m2 daily in divided doses	
Tablets		Viral Infections الأمراض الفيروسية	India		
100 Cap.					
Ciplin	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	Antibacterial	CIPLA	Tablet (800 sulfam/ 160 trimeth)mg & Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	
Syrup		Bacterial Infections الأمراض البكتيرية	India		
1bottle*100ml					
Ciplin	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	Antibacterial	CIPLA	Tablet (800 sulfam/ 160 trimeth)mg & Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	
Tablets		Bacterial Infections الأمراض البكتيرية	India		
10 x 10 tab					
Ciplox	Ciprofloxacin*	Antibacterial	CIPLA	250 to 750 mg twice daily depending on the severity and nature of the infection	
Tablets		Bacterial Infections الأمراض البكتيرية	India		
2strip*4tablet					
Ciplox	Ciprofloxacin 2 mg/ml	Antibacterial	CIPLA	250 to 750 mg twice daily depending on the severity and nature of the infection	
Ampoules		Bacterial Infections الأمراض البكتيرية	India		
1bottle*100ml					
Ciplox	Ciprofloxacin Hydrochloride	Antibacterial	CIPLA	250 to 750 mg twice daily depending on the severity and nature of the infection	
Eye / Ear Drops		Eye العين	India		

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Ciplox 500	Ciprofloxacin*	Antibacterial	CIPLA	250 to 750 mg twice daily depending on the severity and nature of the infection	
Tablets		Bacterial Infections	India		
1strip*10tablet		الأمصابات البكتيرية			
Cipraxlex-10	Escitalopram tablet 10mg	Central Nervous system drugs	Lundbeck	Initial dose 10 mg/day orally single dose , maintenance dose 20 mg/day orally single dose only after a minimum of one week.	
Tablets		Mental Disorders	Denmark		
14 tablets		الأمراض العقلية			
Cipram	Citalopram tablet 20mg	Central Nervous system drugs	Lundbeck	Minimum/Maximum Adult Daily Dose:20 - 40 mg (milligram) OR 1 - 2 Tablet	
Tablets		Mental Disorders	Denmark		
14 tablets		الأمراض العقلية			
Cipril	Lisinopril 5 mg	Cardio Vascular System drugs	CIPLA	usual oral dose is 5 -20 mg daily,	
Tablets		Hypertension	India		
2 x 10 tab		ارتفاع ضغط الدم			
Cipril-2.5	Lisinopril	Cardio Vascular System drugs	Unknown	usual oral dose is 5 -20 mg daily,	
		Hypertension	Unknown		
		ارتفاع ضغط الدم			
Cipril-h	Lisinopril	Cardio Vascular System drugs	Unknown	usual oral dose is 5 -20 mg daily,	
		Hypertension	Unknown		
		ارتفاع ضغط الدم			
Ciprinol	Ciprofloxacin 200 mg /100 ml	Antibacterial	KRKA	250 to 750 mg twice daily depending on the severity and nature of the infection	
Infusion Bottle		Bacterial Infections	India		
1bottel*100ml		الأمصابات البكتيرية			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Ciprobay	Ciprofloxacin	Antibacterial	BAYER	250 to 750 mg twice daily depending on the severity and nature of the infection	
Tablet		Bacterial Infections	Germany		
1strip*10tablet		الأمراض البكتيرية			
Ciprobay 500	Ciprofloxacin Hydrochloride	Antibacterial	Unknown	250 to 750 mg twice daily depending on the severity and nature of the infection	
		Bacterial Infections	Unknown		
		الأمراض البكتيرية			
Ciprodar	Ciprofloxacin*	Antibacterial	Dar Aldawa	250 to 750 mg twice daily depending on the severity and nature of the infection	
Tablets		Bacterial Infections	Jordan		
1strip*10tablet		الأمراض البكتيرية			
Cipro-Denk	Ciprofloxacin*	Antibacterial	Denk pharma	250 to 750 mg twice daily depending on the severity and nature of the infection	
Tablets		Bacterial Infections	Germany		
1strip*10tablet		الأمراض البكتيرية			
Ciprof	Ciprofloxacin	Antibacterial	BIOPHARM	250 to 750 mg twice daily depending on the severity and nature of the infection	
Tablets		Bacterial Infections	Yemen		
1strip*10tablet		الأمراض البكتيرية			
CIPROFAST	Ciprofloxacin 500 mg	Antibacterial	Global Pharma	250 to 750 mg twice daily depending on the severity and nature of the infection	
Tablets		Bacterial Infections	Yemen		
10 tabs		الأمراض البكتيرية			
CIPROFIN 500	Ciprofloxacin 500 mg	Antibacterial	Modern Pharama	250 to 750 mg twice daily depending on the severity and nature of the infection	
Tablets		Bacterial Infections	Yemen		
10 tablet		الأمراض البكتيرية			


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
CIPROFIN 750	Ciprofloxacin 750 mg	Antibacterial	Modern Pharama	250 to 750 mg twice daily depending on the severity and nature of the infection	
Tablets		Bacterial Infections	Yemen		
10 tablet		الأمصابا t البكتيرية			
Ciproflex	Ciprofloxacin*	Antibacterial	Alpha	250 to 750 mg twice daily depending on the severity and nature of the infection	
Tablets		Bacterial Infections	Syria		
1strip*10tablet		الأمصابا t البكتيرية			
Ciprofloxacin	Ciprofloxacin 200 mg / 100 ml	Antibacterial	Unknown	250 to 750 mg twice daily depending on the severity and nature of the infection	
Vial		Bacterial Infections	Unknown		
1bottel*100ml		الأمصابا t البكتيرية			
Ciprolon	Ciprofloxacin	Antibacterial	HIKMA	250 to 750 mg twice daily depending on the severity and nature of the infection	
tablet		Bacterial Infections	Jordan		
1strip*10tablet		الأمصابا t البكتيرية			
Cipromax	Ciprofloxacin*	Antibacterial	SPIMACO	250 to 750 mg twice daily depending on the severity and nature of the infection	
tablet		Bacterial Infections	Saudi Arabia		
1strip*10tablet		الأمصابا t البكتيرية			
Ciprone	Ciprofloxacin*	Antibacterial	MUP	250 to 750 mg twice daily depending on the severity and nature of the infection	
tablet		Bacterial Infections	Egypt		
1strip*10tablet		الأمصابا t البكتيرية			
Ciproquin	Ciprofloxacin*	Antibacterial	Kopran	250 to 750 mg twice daily depending on the severity and nature of the infection	
tablet		Bacterial Infections	India		
10strip*10tablet		الأمصابا t البكتيرية			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Ciprosan- 500	Ciprofloxacin 500 mg	Antibacterial	Shiba pharma	250 to 750 mg twice daily depending on the severity and nature of the infection	
Tablets		Bacterial Infections	Yemen		
1strip*10tablet		الأمراض البكتيرية			
Ciprosan-750	Ciprofloxacin 750 mg	Antibacterial	Shiba pharma	250 to 750 mg twice daily depending on the severity and nature of the infection	
Caplets		Bacterial Infections	Yemen		
1strip*10 Caplets		الأمراض البكتيرية			
Ciprova	Ciprofloxacin	Antibacterial	Unknown	250 to 750 mg twice daily depending on the severity and nature of the infection	
tablet		Bacterial Infections	Unknown		
1strip*10tablet		الأمراض البكتيرية			
Ciproxe 500	Ciprofloxacin*	Antibacterial	Shaphaco	250 to 750 mg twice daily depending on the severity and nature of the infection	
tablet		Bacterial Infections	Yemen		
1strip*10tablet		الأمراض البكتيرية			
Ciproxe 750	Ciprofloxacin Hydrochloride 750 mg	Antibacterial	Shaphaco	250 to 750 mg twice daily depending on the severity and nature of the infection	
Tablets		Bacterial Infections	Yemen		
10 tabs		الأمراض البكتيرية			
Ciproxene 500	Ciprofloxacin*	Antibacterial	Medical Bahri	250 to 750 mg twice daily depending on the severity and nature of the infection	
parental infu		Bacterial Infections	Syria		
1bottel*100ml		الأمراض البكتيرية			
Ciproxene 750	Ciprofloxacin*	Antibacterial	Medical Bahri	250 to 750 mg twice daily depending on the severity and nature of the infection	
tablet		Bacterial Infections	Syria		
1strip*10tablet		الأمراض البكتيرية			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Citadep-20	Citalopram tablet 20mg	Central Nervous system drugs	CIPLA	Minimum/Maximum Adult Daily Dose:20 - 40 mg (milligram) OR 1 - 2 Tablet	
Tablets		Mental Disorders الأمراض العقلية	India		
10 tablets					
Citadep-20	Citalopram	Central Nervous system drugs	Unknown	Minimum/Maximum Adult Daily Dose:20 - 40 mg (milligram) OR 1 - 2 Tablet	
		Mental Disorders الأمراض العقلية	Unknown		
Citalop	Escitalopram tablet 10 mg	Central Nervous system drugs	Shiba pharma	Initial dose 10 mg/day orally single dose , maintenance dose 20 mg/day orally single dose only after a minimum of one week.	
Tablets		Mental Disorders الأمراض العقلية	Yemen		
30 tablets					
Citalop	Escitalopram tablet 20 mg	Central Nervous system drugs	Shiba pharma	Initial dose 10 mg/day orally single dose , maintenance dose 20 mg/day orally single dose only after a minimum of one week.	
Tablets		Mental Disorders الأمراض العقلية	Yemen		
30 tablets					
CITALOP 20	Escitalopram tablet 20 mg	Central Nervous system drugs	RFA	Initial dose 10 mg/day orally single dose , maintenance dose 20 mg/day orally single dose only after a minimum of one week.	
Tablets		Mental Disorders الأمراض العقلية	Yemen		
30 tablets					
citapram	Citalopram tablet 20mg	Central Nervous system drugs	Pharma International	Minimum/Maximum Adult Daily Dose:20 - 40 mg (milligram) OR 1 - 2 Tablet	
Tablets		Mental Disorders الأمراض العقلية	Jordan		
30 tablets					
Citex	Citalopram tablet 20 mg	Central Nervous system drugs	Shiba pharma	Minimum/Maximum Adult Daily Dose:20 - 40 mg (milligram) OR 1 - 2 Tablet	
Tablets		Mental Disorders الأمراض العقلية	Yemen		
20 tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Citol	Citalopram tablet 20mg	Central Nervous system drugs	ABDIbrahim	Minimum/Maximum Adult Daily Dose:20 - 40 mg (milligram) OR 1 - 2 Tablet	
Tablets		Mental Disorders الأمراض العقلية	Unknown		
28 tablets					
Citoles 10 mg	Escitalopram tablet 10mg	Central Nervous system drugs	ABDIbrahim	Initial dose 10 mg/day orally single dose , maintenance dose 20 mg/day orally single dose only after a minimum of one week.	
Tablets		Mental Disorders الأمراض العقلية	Unknown		
28 tablets					
Citoles 20 mg	Escitalopram tablet 20mg	Central Nervous system drugs	ABDIbrahim	Initial dose 10 mg/day orally single dose , maintenance dose 20 mg/day orally single dose only after a minimum of one week.	
Tablets		Mental Disorders الأمراض العقلية	Unknown		
28 tablets					
CLAMIDE	Glibenclamide 5 mg	Antidiabetics	Hovid	2.5 to 5 mg daily with breakfast, adjusted every 7 days by increments of 2.5 or 5 mg daily up to 15 mg daily.	
Tablets		Diabetes Mellitus أمراض السكري	Malaysia		
100 tab					
Clamycin Tablets	Clarithromycin	Antibiotics	Julphar	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
Tablets		Respiratory Disorders اضطرابات الجهاز التنفسي	UAE		
2strip*10tablet					
Clanza	Aceclofenac tablet 100mg.	Non-Steroidal Anti-	Korea United Pharma	Adult: PO Ankylosing spondylitis; Osteoarthritis; Rheumatoid arthritis 100 mg twice daily.	
Tablets		Analgesic المهدئات الأوجاع	Korea		
10 tablets					
Claphorama	Cefotaxime Sodium	Antibacterial	Alpha	2 to 6 g daily in 2 to 4 divided doses to adults. In severe infections up to 12 g may be given daily by the intravenous route in up to 6 divided doses, Children may be given	
parental inj		Bacterial Infections الاصابات البكتيرية	Syria		
1vial					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Claradone	Combination	Health Care	MEDPHARMA	As directed	
Solution		Mouth Wash الغسولات الفموية	UAE		
100 ml					
CLARADONE	Combination	Antiseptic and Desinfectants	MEDPHARMA	As directed	
Solution		Vaginal المهبل	UAE		
200 ml					
Claricide - 250	Clarithromycin	Antibiotics	Bilim	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
tablet		Respiratory Disorders اضطرابات الجهاز التنفسي	Turkey		
1strip*14tablet					
Claricide - 500	Clarithromycin	Antibiotics	Bilim	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
Tablets		Respiratory Disorders اضطرابات الجهاز التنفسي	Turkey		
2strip*7tablet					
Claricin	Each 5 ml contains Clarithromycin USP 125 mg.	Antibiotics	Pharmacare	Children 7.5 mg/kg twice daily for 5 to 10 days.	
Dry Syrup		Respiratory Disorders اضطرابات الجهاز التنفسي	Yemen		
100 ml					
Claricin	Each Tablet contains Clarithromycin USP 500mg	Antibiotics	Pharmacare	250-500 mg twice daily for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
Tablets		Respiratory Disorders اضطرابات الجهاز التنفسي	Yemen		
14 tablet					
Claricin	Each Tablet contains Clarithromycin USP 250 mg	Antibiotics	Pharmacare	250-500 mg twice daily for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
Tablets		Respiratory Disorders اضطرابات الجهاز التنفسي	Yemen		
14 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Claricure 500	Clarithromycin 500 mg	Antibiotics	Shaphaco	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
Tablets		Respiratory Disorders	Yemen		
15 tabs		اضطرابات الجهاز التنفسي			
Clarimax	Clarithromycin 250 mg	Antibiotics	Shiba pharma	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
Tablets		Respiratory Disorders	Yemen		
2strip*7tablet		اضطرابات الجهاز التنفسي			
Clarimax	Clarithromycin 500 mg	Antibiotics	Shiba pharma	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
Tablets		Respiratory Disorders	Yemen		
2strip * 7 tablet		اضطرابات الجهاز التنفسي			
Clarimycin	Clarithromycin 500 mg	Antibiotics	BIOPHARM	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
Tablets		Respiratory Disorders	Yemen		
14 tablets		اضطرابات الجهاز التنفسي			
CLARIN	Loratadine	Antihistamines	Shiba pharma	Orally in a dose of 10 mg once daily. Children 5-10 mg - once daily	
Syrup		Allergy الحساسية	Yemen		
100 ml					
CLARIN	Loratadine	Antihistamines	Shiba pharma	Orally in a dose of 10 mg once daily. Children 5-10 mg - once daily	
Tablets		Allergy الحساسية	Yemen		
10 tab					
CLARIN	Loratadine 10 mg	Antihistamines	Shiba pharma	Orally in a dose of 10 mg once daily. Children 5-10 mg - once daily	
Tablets		Allergy الحساسية	Yemen		
10 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
CLARINASE	Loratadine	Antihistamines	Schering-Plough	Orally in a dose of 10 mg once daily. Children 5-10 mg - once daily	
Tablets		Common Cold	Belgium		
14 tab		نزلات البرد			
Claritine	Loratadine	Antihistamines	Schering-Plough	Orally in a dose of 10 mg once daily. Children 5-10 mg - once daily	
Syrup		Allergy الحساسية	Belgium		
100 ml					
Claritop	Clarithromycin 125 mg / 5 ml	Antibiotics	RAM PHARMA	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
Suspension		Respiratory Disorders	Jordan		
60 ml		اضطرابات الجهاز التنفسي			
Claritop - 250	Clarithromycin	Antibiotics	RAM PHARMA	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
Tablets		Respiratory Disorders	Jordan		
2strip*7tablet		اضطرابات الجهاز التنفسي			
Claritop - 500	Clarithromycin	Antibiotics	RAM PHARMA	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
Tablets		Respiratory Disorders	Jordan		
2strip*10tablet		اضطرابات الجهاز التنفسي			
Clariva	Clarithromycin	Antibiotics	ZYNOVA	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
Tablets		Respiratory Disorders	Unknown		
14 tablets		اضطرابات الجهاز التنفسي			
CLAROMIN 250	Clarithromycin 250 mg	Antibiotics	Modern Pharama	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
Tablets		Respiratory Disorders	Yemen		
2strip*7tablet		اضطرابات الجهاز التنفسي			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
CLAROMIN 500	Clarithromycin 500 mg	Antibiotics	Modern Pharama	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
Tablets		Respiratory Disorders	Yemen		
2strip*7tablet		اضطرابات الجهاز التنفسي			
Clavimox	Amoxycillin 875 + Clavulanic acid 125 = 1000 mg / tablet.	Antibiotics	Pharmacare	250 - 1000 mg three times daily	
Tablets		الأمراض الميكروبية	Yemen		
2strip x 7 tablets		Microbial Infections			
Clavimox	Amoxycillin 50 mg + Clavulanic acid 12.5 mg = 62.5 mg / ml	Antibiotics	Pharmacare	125 to 250 mg every 8 hours	
Drops		الأمراض الميكروبية	Yemen		
20 ml		Microbial Infections			
Clavimox	Amoxycillin 500 mg + Clavulanic acid 125 mg = 625 mg / tablet	Antibiotics	Pharmacare	The oral dose is 250 to 500 mg every 8 hours, or 500 to 1000 mg every 12 hours.	
Tablets		الأمراض الميكروبية	Yemen		
2 strip x 10 tablets		Microbial Infections			
Clavotec	Amoxicillin + Clavulanic Acid	Antibiotics	Unknown	cap 1gm & 500mg & 250mg syrup 250mg & 125mg drop 100mg Vial 1gm & 500mg & 250mg	
		الأمراض الميكروبية	Unknown		
		Microbial Infections			
clemen	estradiol	Gynaecology drugs	BAYER	one tablte daily from the frist day of menstution for 21 day	
Tablets		Contraceptives	Germany		
21 tab		موانع الحمل			
Cleron 500	Clarithromycin	Antibiotics	DELORBIS	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
Tablets		Respiratory Disorders	Cyprus		
14 tab		اضطرابات الجهاز التنفسي			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
CLEXANE	Enoxaparin Sodium	Cardio Vascular System drugs	Sanofi Aventis	40 mg (4000 units) once daily for at least 6 days up to a maximum of 14 days, or 1 mg/kg (100 units/kg) every 12 hours, or 1.5 mg/kg (150 units/kg) once daily, for at least	
Vial		Thrombosis الجلطات	France		
CLEXANE 4000	enoxaparine sodique+enoxaparine sodium 4000U.anti-xa est equivalent with	Cardio Vascular System drugs	Sanofi Aventis	40 mg (4000 units) once daily for at least 6 days up to a maximum of 14 days, or 1 mg/kg (100 units/kg) every 12 hours, or 1.5 mg/kg (150 units/kg) once daily, for at least	
Ampoules		Thrombosis الجلطات	France		
4000 I.U/0.4ml					
Clinacin	Clindamycin	Antibiotics	Shiba pharma	Adult :150 to 300 mg of clindamycin, Children: 3 to 6 mg/kg of clindamycin for both every 6 hours	
capsules		Anaerobic Infections الميكروبات اللاهوائية	Yemen		
2strip*8capsules					
Clinaderm	Clindamycin	Antibiotics	phildelaphia	Adult :150 to 300 mg of clindamycin, Children: 3 to 6 mg/kg of clindamycin for both every 6 hours	
solution		Anaerobic Infections الميكروبات اللاهوائية	Unknown		
1bottel*30ml					
Clindacin	Clindamycin	Antibiotics	United	Adult :150 to 300 mg of clindamycin, Children: 3 to 6 mg/kg of clindamycin for both every 6 hours	
capsules		Anaerobic Infections الميكروبات اللاهوائية	Jordan		
2strip*8capsule					
Clmplx 75	Clopidogrel Bisulfate	Cardio Vascular System drugs	Unknown	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily.prophylaxis of thromboembolic events, 75 mg once daily	
Tablets		Thrombosis الجلطات	Unknown		
3 x 10 tab					
Clofast-P	Diclofenac Potassium	Non-Steroidal Anti-	ZYNOVA	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Tablets		مهدئات الأوجاع	Unknown		
20 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
CLOFEN	Diclofenac Sodium tablet 50mg.	Nonsteroidal Anti-	Julphar	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Tablets		مهدئات الأوجاع	UAE		
20 tablets					
CLOFEN	Diclofenac Sodium	Non-Steroidal Anti-	Julphar	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Tube		مهدئات الأوجاع	UAE		
20 gm					
Clofen	Diclofenac Sodium	Non-Steroidal Anti-	Julphar	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Tablets		مهدئات الأوجاع	UAE		
20 tab					
CLOFENAC 50	Diclofenac potassium	Non-Steroidal Anti-	Hovid	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Tablets		مهدئات الأوجاع	Malaysia		
100 tab					
Clomid 50 mg	clomifene citrate	Gynaecology drugs	Sanofi Aventis	50 mg of clomifene citrate daily for 5 days, starting on the 5th day of the menstrual cycle .or at any time if there is amenorrhoea.	
Tablets		العقم	France		
10 tablet					
CLOMIDAT	clomiphene citrate 50	Gynaecology drugs	AMRIYA PHARMA	50 mg of clomifene citrate daily for 5 days, starting on the 5th day of the menstrual cycle .or at any time if there is amenorrhoea.	
TABLET		العقم	Egypt		
10					
Clomidine	clomifine citrate	Gynaecology drugs	ASIA	50 mg of clomifene citrate daily for 5 days, starting on the 5th day of the menstrual cycle .or at any time if there is amenorrhoea.	
Tablets		العقم	Syria		
10 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
CLONAC	Diclofenac Sodium	Non-Steroidal Anti-	unknown	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Tablets		Analgesic مهدئات الأوجاع	Unknown		
30 tabs					
Clontab	Sulpiride capsule 25 mg + mebeverine HCL 100 mg	Central Nervous system drugs	Global Pharma	200–400 mg twice daily; max. 800 mg daily; ELDERLY, lower initial dose, increased gradually according to response	
Tablets		Mental Disorders الأمراض العقلية	Yemen		
20 tabs					
Clopilet	Clopidogrel Bisulfate 50 mg	Cardio Vascular System drugs	SUN Pharma	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily.prophylaxis of thromboembolic events, 75 mg once daily	
Tablets		Thrombosis الجلطات	India		
Clopivas	Clopidogrel Bisulfate	Cardio Vascular System drugs	CIPLA	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily.prophylaxis of thromboembolic events, 75 mg once daily	
Tablets		Thrombosis الجلطات	India		
3 x 10 tab					
clopix 75mg	clopidogrel 75mg	Cardio Vascular System drugs	Lupin	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily.prophylaxis of thromboembolic events, 75 mg once daily	
tablet		Thrombosis الجلطات	Unknown		
3*10 tablet					
ClopiXol Depot	Zuclopenthixol 200 mg / ml	Central Nervous system drugs	H.Lundbeck	20 to 30 mg of the base daily in divided doses	
Ampoules		Mental Disorders الأمراض العقلية	Denmark		
1 X 1 ml					
ClopiXol depto	Zuclopenthixol Acetate 100 mg/ amp	Central Nervous system drugs	H.Lundbeck	20 to 30 mg of the base daily in divided doses	
Ampoules		Mental Disorders الأمراض العقلية	Denmark		
1 amp					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Clopram	metoclopramide	Gastro Intestinal drugs	APM	mouth, intramuscularly, or by slow intravenous injection, is 10 mg three times daily.	
Tablets		Nausea and vomiting الغثيان والطرش	Jordan		
20 tabs					
CLORAMID	Metoclopramide 10 mg / 2 ml	Gastro Intestinal drugs	CSPC	mouth, intramuscularly, or by slow intravenous injection, is 10 mg three times daily.	
Ampoules		Nausea and vomiting الغثيان والطرش	China		
10 amp x 2 nl					
Closol	Clotrimazole	Antifungals	Unknown	topically two or three times daily for 2 to 4 weeks as a 1% cream, lotion, spray, or solution, pessaries in dosage regimens of 100 mg for 6 days, 200 mg for 3 days, or a single	
Spray		Dermatitis الالتهابات الجلدية	Unknown		
40 ml					
Closol Spray	Clotrimazole	Antifungals	Unknown	topically two or three times daily for 2 to 4 weeks as a 1% cream, lotion, spray, or solution, pessaries in dosage regimens of 100 mg for 6 days, 200 mg for 3 days, or a single	
Spray		Dermatitis الالتهابات الجلدية	Unknown		
1 Contenar Spray 40ml					
Clostat 10	atorvastatin-10 mg	Cardio Vascular System drugs	Shaphaco	Oral only.: ADULTS: PO 10 to 80 mg/day.	
tablet		Hyperlipidaemias زيادة الدهون في الدم	Yemen		
30 tablet					
Clostat 20	atorvastatin-20mg	Cardio Vascular System drugs	Shaphaco	Oral only.: ADULTS: PO 10 to 80 mg/day.	
tablet		Hyperlipidaemias زيادة الدهون في الدم	Yemen		
30 tablet					
Clotrisone	Clotrimazole + Betamethasone	Antifungals	Unknown	topically two or three times daily for 2 to 4 weeks as a 1% cream, lotion, spray, or solution, pessaries in dosage regimens of 100 mg for 6 days, 200 mg for 3 days, or a single	
Cream		Dermatitis الالتهابات الجلدية	Unknown		

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Cloval	Clopidogrel Bisulfate 75 mg	Cardio Vascular System drugs	Shaphaco	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily.prophylaxis of thromboembolic events, 75 mg once daily	
Tablets		Thrombosis الجلطات	Yemen		
28 tab					
Clovex 75	Clopidogrel Bisulfate 75 mg	Cardio Vascular System drugs	NCPI	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily.prophylaxis of thromboembolic events, 75 mg once daily	
Tablets		Thrombosis الجلطات	Syria		
20 tab					
CLOXAMIN	Ampicillin + Cloxacillin 90 mg/0.5 ml	Antibiotics	Modern Pharama	Children 2 – 10 years : 5 ml -10 ml four times daily. Children under 2 years : 2.5 ml - 5 ml four times daily.	
Neontal Drops		الأمراض الميكروبية Microbial Infections	Yemen		
20 Capsules					
CLOXAMIN	Ampicillin + Cloxacillin 250 mg/5 ml	Antibiotics	Modern Pharama	125 to 250 mg every 8 hours	
Dry syrup		الأمراض الميكروبية Microbial Infections	Yemen		
100 ml					
CLOXAMIN 500	Ampicillin	Antibiotics	Modern Pharama	Adults : 1 - 2 Capsule four times daily.	
Capsules		الأمراض الميكروبية Microbial Infections	Yemen		
20 Capsules					
Cloxide	Chlordiazepoxide +Clidinium Bromide	Gastro Intestinal drugs	Unknown	Chlordiazepoxide up to 30 mg daily in divided doses.	
cap		قرحة المعدة Peptic ulcer	Unknown		
30 caps					
Co-Avazir	Tobramycin 0.3% + Dexamethasone 0.1%	Ophthalmic drugs	Orchidia Pharma	As directed	
Suspension		العين Eye	Egypt		
10 ml					




Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
COBAL	Cyanocobalamin 500mcg tablets	Vitamines and Menirals	JPM	Adults: PO 2 mcg/day. Children: PO 0.3 to 2 mcg/day	
Solid		Anaemia فقر الدم	Jordan		
CobalvexB12	Methylcobalamin 500mcg	Vitamines and Menirals	SIGMA	Adults: PO 2 mcg/day. Children: PO 0.3 to 2 mcg/day	
Ampoules		Anaemia فقر الدم	Egypt		
2 ampoules					
Cod Liver Oil	Each capsule provides on average: 263mg Cod Liver Oil and 42mg Halibut Liver Oil	Vitamines and Menirals	Power Health	For lowering triglycerides: 20 mL of cod liver oil per day. For high cholesterol: 30 mL of cod liver oil per day. For lowering blood pressure: 20 mL of cod liver oil per day.	
Capsules		Food Supplement	Unknown		
30 capsules		مكملات غذائية			
Cod Liver Oil	Cod Liver Oil	Vitamines and Menirals	Vitane pharma	For lowering triglycerides: 20 mL of cod liver oil per day. For high cholesterol: 30 mL of cod liver oil per day. For lowering blood pressure: 20 mL of cod liver oil per day.	
Soft Gelatin Capsules		Vitamins Deficiency نقص فيتامينات	Germany		
cod liver oil 500mg	Pure cod liver oil 500mg+Vit. A 800 mcg+ Vit. D 5 mcg+ Vit. E 10 mg+EPA 58 mg+DHA 30	Vitamines and Menirals	LIFEPLAN	For lowering triglycerides: 20 mL of cod liver oil per day. For high cholesterol: 30 mL of cod liver oil per day. For lowering blood pressure: 20 mL of cod liver oil per day.	
Capsules		Vitamins Deficiency نقص فيتامينات	Unknown		
30 Capsules					
cod liver oil 1000mg	Vit. A 4000 I.U.+ Vit. D 400 I.U.+ Vit. E 3 IU+EPA 252 mg+DMA 224 mg+Vit. B6 0.7 mg/capsule	Vitamines and Menirals	seven seas	For lowering triglycerides: 20 mL of cod liver oil per day. For high cholesterol: 30 mL of cod liver oil per day. For lowering blood pressure: 20 mL of cod liver oil per day.	
Capsules		Vitamins Deficiency نقص فيتامينات	Unknown		
120 capsules					
cod liver oil mega	Each softgel : Cod Liver Oil 275 mg+Providing Vitamin A 580 IU+Vitamin D 58 IU	Vitamines and Menirals	MEGA	For lowering triglycerides: 20 mL of cod liver oil per day. For high cholesterol: 30 mL of cod liver oil per day. For lowering blood pressure: 20 mL of cod liver oil per day.	
Capsules		Vitamins Deficiency نقص فيتامينات	Thailand		
100 softgels					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
cod liver oil-1000mg ???	cod liver oil 1000mg, total fat 1g, vit. A 2664 I.U, vit D 200I.U	Vitamines and Menirals	Vitane pharma	For lowering triglycerides: 20 mL of cod liver oil per day. For high cholesterol: 30 mL of cod liver oil per day. For lowering blood pressure: 20 mL of cod liver oil per day.	
Capsules		Vitamins	Germany		
30 softgel		نقص فيتامينات			
Coda Cough	Ephedrine hydrochloride 2.5 mg + chlorphenamine maleate 1 mg + codeine	Respiratory drugs	Shiba pharma	As directed	
Syrup		Common Cold نزلات البرد	Yemen		
100 ml					
Codaphed	Guaiphenesin+Dextromethorphan+Chlorpheniramin +Ephedrin	Respiratory drugs	julphar	10 to 20 mg every 4 hours, or 30 mg every 6 to 8 hours, to a usual maximum of 120 mg in 24 hours, Children aged 6 to 12 years may be given 5 to 10 mg every 4 hours , 2 to 6 years 2.5	
Syrup		Common Cold نزلات البرد	UAE		
120 ml					
Codaphed	Ephedrine hydrochloride + chlorphenamine maleate + codeine phosphate	Respiratory drugs	Julphar	As directed	
		Common Cold نزلات البرد	UAE		
Codaphed Plus	Ephedrine hydrochloride + chlorphenamine maleate + codeine phosphate + ammonium	Respiratory drugs	Julphar	As directed	
		Common Cold نزلات البرد	UAE		
co-diovan	Valsartan	Cardio Vascular System drugs	Unknown	Oral doses 80 - 160 mg once daily	
		Hypertension ارتفاع ضغط الدم	Unknown		
Cofsed	Ephedrine+carbenoxamine+pholcodiene	Respiratory drugs	Thornton	Nasal drops or sprays containing ephedrine 0.5 or 1%, 0.25% for use in children aged 1 to 3 months.	
Linctus		Common Cold نزلات البرد	UK		
100 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
colchicine	colchicine	Miscellaneous drugs	IBN Al Haytham	1 mg initially, then 500 micrograms every 2 to 3 hours until pain relief is obtained or gastrointestinal adverse effects occur	
Tablets		القرس النقرس	Unknown		
20tablet					
Coldact	Paracetamol 500mg+psedoephe drine	NSAID	BIOPHARM	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Capsules	60mg+cetirizene 5mg per capsule.	Antipyretic - مهدئات الأوجاع والحمى	Yemen		
20 capsules.					
Coldact	Pseudoephedrine +paracetamol + chloraphiniramine	Respiratory drugs	BIOPHARM	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Caplets		Common Cold نزلات البرد	Yemen		
20 cap					
Coldex-D	Dextromethorphan +chlorophenirami n+pseudoephedrine	Respiratory drugs	A.P.M	10 to 20 mg every 4 hours, or 30 mg every 6 to 8 hours, to a usual maximum of 120 mg in 24 hours, Children aged 6 to 12 years may be given 5 to 10 mg every 4 hours , 2 to 6 years 2.5	
Syrup		Common Cold نزلات البرد	Unknown		
100 ml					
Colic EZ	Semethicone	Gastro Intestinal drugs	Unknown	tab = 40 -120 mg QID orall a.m	
Oral /Drops		Indigestion سوء الهضم	Unknown	* suspension = 10 ml QID *sachets = one sachet QID	
30 ml					
COLICAL	calcium 50mg. Vit.D3 1000mg, vit.B12 10mg/5ml(syrup).	Vitamines and Menirals	RAFA pharma	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Syrup		Osteoarthritis التهابات العظام	Unknown		
120 ml syrup					
Colircusi	Cyclopentolate Hydrochloride	Antimuscarinic	Cusi	As directed	
Drops		العين Eye	Spain		

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
Colircusi Antiedema	Sodium Chloride	Ophthalmic drugs	Cusi	sodium chloride solution 0.9%, being isotonic, is a useful fluid for sterile irrigations, for example, of the eye or bladder, and general skin or wound cleansing.	
suspension		العين Eye	Spain		
10 ml					
CoListax	Vegetable Extracts	Gastro Intestinal drugs	Unknown	As directed	
Tablets		Indigestion سوء الهضم	Unknown		
10 tab					
Collomak	Salicylic Acid + Lactic Acid + Lauromacrogol 400	Skin Disorders	Unknown	As directed	
		الثآليل أو النتوء الصغيرة Warts	Unknown		
COLOCOL	Paracetamol 500 mg + Caffeine 65 mg	Nonsteroidal Anti-		0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - مهدئات الأوجاع والحمى			
20 tab					
Colona	Mebeverine 100 mg +sulpiride 25 mg	Gastro Intestinal drugs	RAMEDA	Adult: Orally 135 mg 3 times/day. Extended release 200 mg twice daily. Children 25-100 mg	
Tablets		Abdominal Spasm آلام البطن	Egypt		
20 tabs					
Colona-Flex	Mebeverine 100 mg +sulpiride 25 mg	Gastro Intestinal drugs	Modern Pharama	Adult: Orally 135 mg 3 times/day. Extended release 200 mg twice daily. Children 25-100 mg	
Tablets		Abdominal Spasm آلام البطن	Yemen		
20 tabs					
COLOSPAMIN	Mebeverine HCL	Gastro Intestinal drugs	EIPICO	Adult: Orally 135 mg 3 times/day. Extended release 200 mg twice daily. Children 25-100 mg	
Tablets		Abdominal Spasm آلام البطن	Egypt		
20 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Coloverin A	mebeverine Hcl + chlorodizepoxide	Gastro Intestinal drugs	Chemipharm	Adult: Orally 135 mg 3 times/day. Extended release 200 mg twice daily. Children 25-100 mg	
tab		Abdominal Spasm آلام البطن	Unknown		
30 tabs					
Colpermin	187 mg PEPPERMINT OIL	Gastro Intestinal drugs	Tillotts Pharma	As directed	
Capsules		Abdominal Spasm آلام البطن	Switzerland		
20 cap					
Combivent	Salbutamol	Respiratory drugs	Boehringer Ingelheim	2 -4 mg / or 2 buffs *qid	
Vial		Bronchial Asthma الربو الشعبي	Germany		
20 unit dose vial					
Combizym	papain+protase+salzyme+pepsin +Cellulase +Lipase +	Gastro Intestinal drugs	Daiichi -Sankyo	1-2 tab during or after all meal	
tab		Indigestion سوء الهضم	Germany		
30 tab					
COMETHER	Artemether	Antimalarial medicines	RFA	6 doses , the first at diagnosis and repeated after 8, 24, 36, 48, and 60 hours. Each dose is: adults and children artemether 20- 80 mg with lumefantrine 120- 480 mg	
Ampoules		Malaria الملاريا	Yemen		
80 mg / ml					
Comuret ASIA	northisterone 10 mg + ethinylestradiol 0.02	Gynaecology drugs	ASIA	As directed	
Tablets		Contraceptives موانع الحمل	Syria		
2					
Concor	Bisoprolol Fumarate	Cardio Vascular System drugs	MERCK	bisoprolol fumarate is 5 to 10 mg by mouth as a single daily dose; the maximum recommended dose is 20 mg daily.	
Tablets		Hypertension ارتفاع ضغط الدم	Germany		
30 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Conjyclear Forte	Olopatadine Hydrochloride 0.2%	Ophthalmic drugs	Orchidia Pharma	It is used twice daily as eye drops containing the equivalent of 0.1% of olopatadine base in adults and children aged three years and over.	
Solution		Eye العين	Egypt		
5 ml					
Contramal	Tramadol Hydrochloride	Opioid analgesics	SIGMA	50 to 100 mg every 4 -6 hours by mouth , 50 to 100 mg every 4- 6 hours by intramuscular or intravenous injection over 2 to 3 minutes , Rectal doses by suppository are 100 mg up to 4	
Capsules		مهدئات الأوجاع	Unknown		
10 cap					
Conventin 400 mg	Unknown	Unknown	Unknown	As directed	
Capsules		Unknown	Unknown		
Convulex	Na valproate syrup 50mg/mL	Central Nervous system drugs	GEROT LANNACH	15 mg/kg/day in 2-3 divided doses initially, increasing at weekly intervals to an effective dosage, to a maximum of 60 mg/kg/day.	
Syrup		Epilepsy الصرع	Viena, Austria		
100 mL					
Convulex CR 500 mg	Valproic Acid prolonged-release tablet 500mg.	Central Nervous system drugs	GEROT LANNACH	15 mg/kg/day in 2-3 divided doses initially, increasing at weekly intervals to an effective dosage, to a maximum of 60 mg/kg/day.	
Tablets		Epilepsy الصرع	Viena, Austria		
50 tablets					
Convulex CR 300 mg	Valproic Acid prolonged-release tablet 300mg.	Central Nervous system drugs	GEROT LANNACH	15 mg/kg/day in 2-3 divided doses initially, increasing at weekly intervals to an effective dosage, to a maximum of 60 mg/kg/day.	
Tablets		Epilepsy الصرع	Viena, Austria		
50 tablets					
Convulex 150 mg	Valproic Acid	Antiepileptics	GEROT LANNACH	PO for epilepsy (valproic acid) 15 mg/kg/day in 2-3 divided doses initially, increasing in 5-10 mg/kg/day increments at weekly intervals to an effective dosage,	
		Epilepsy الصرع	Viena, Austria		

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Convulex 300 mh	Valproic Acid	Antiepileptics	Unknown	PO for epilepsy (valproic acid) 15 mg/kg/day in 2–3 divided doses initially, increasing in 5–10 mg/kg/day increments at weekly intervals to an effective dosage,	
		Epilepsy الصرع	Unknown		
Convulex 500 mg	Valproic Acid	Antiepileptics	Unknown	PO for epilepsy (valproic acid) 15 mg/kg/day in 2–3 divided doses initially, increasing in 5–10 mg/kg/day increments at weekly intervals to an effective dosage,	
		Epilepsy الصرع	Unknown		
Convulex CR	Sodium valproate	Antiepileptics	GEROT LANNACH	PO for epilepsy (valproic acid) 15 mg/kg/day in 2–3 divided doses initially, increasing in 5–10 mg/kg/day increments at weekly intervals to an effective dosage,	
		Epilepsy الصرع	Viena, Austria		
Convulex CR 500 mg	Sodium valproate	Antiepileptics	vienna	PO for epilepsy (valproic acid) 15 mg/kg/day in 2–3 divided doses initially, increasing in 5–10 mg/kg/day increments at weekly intervals to an effective dosage,	
		Epilepsy الصرع	Unknown		
Convulex-150	Valproic Acid capsule 150mg	Central Nervous system drugs	GEROT LANNACH	PO for epilepsy (valproic acid) 15 mg/kg/day in 2–3 divided doses initially, increasing in 5–10 mg/kg/day increments at weekly intervals to an effective dosage,	
Capsules		Epilepsy الصرع	Viena, Austria		
100 capsules					
Convulex-300	Valproic Acid capsule 300mg	Central Nervous system drugs	GEROT LANNACH	PO for epilepsy (valproic acid) 15 mg/kg/day in 2–3 divided doses initially, increasing in 5–10 mg/kg/day increments at weekly intervals to an effective dosage,	
Capsules		Epilepsy الصرع	Viena, Austria		
100 capsules					
Convulex-500	Valproic Acid capsule 500mg	Central Nervous system drugs	GEROT LANNACH	PO for epilepsy (valproic acid) 15 mg/kg/day in 2–3 divided doses initially, increasing in 5–10 mg/kg/day increments at weekly intervals to an effective dosage,	
Capsules		Epilepsy الصرع	Viena, Austria		
100 capsules					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Coolsa	Different Lozenges Ingredients	Antiseptic and Desinfectants	gmp	As directed	
Lozenges		Common Cold نزلات البرد	Unknown		
24 lozenges					
Cool-X	Menthol	Antiseptic and Desinfectants	pearl ph.	As directed	
Lozenges		Common Cold نزلات البرد	Unknown		
24 lozenges					
Coragen B6	Vitamin B Substances	Vitamines and Menirals	CSPC	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Ampoules		Vitamins Deficiency نقص فيتامينات	China		
6 amp					
Corasore	Each 1 ml oral drops (25 drops) or (7.5mg Heptaminol / ml)	Cardio Vascular System drugs	Alexendria	As directed	
Drops		Hypertension ارتفاع ضغط الدم	Egypt		
10 ml					
Corasore	Each tablet contains: 150 mg Heptaminol	Cardio Vascular System drugs	Alexendria	As directed	
Tablets		Hypertension ارتفاع ضغط الدم	Egypt		
20 tab					
Cordarone	Amiodarone	Cardio Vascular System drugs	Unknown	Oral, IV. : Adults: Loading dose: IV 5 mg/kg over 25–50 minutes. Maintenance: 10–15 mg/kg/d.	
		Arrhythmia عدم انتظام ضربات القلب	Unknown		
Cordipin	Nifedipine20 mg / tab	Cardio Vascular System drugs	KRKA	10 to 40 mg twice daily	
Tablets		Hypertension ارتفاع ضغط الدم	India		
30 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Cornetears	Vitamine A palimate 1000 i.u + Artificial tears & lubricant	Ophthalmic drugs	Orchidia Pharma	As directed	
Gel		العين Eye	Egypt		
10 gm					
Cornex	Each 1 gm contains : Lactic Acid 167 mg + Salicylic Acid 167 mg	Skin Disorders	Pella	As directed	
Gel		الثآليل او النتوء الصغيرة Warts	Jordan		
CORONIS	CARVEDILOL 6.25 mg	Cardio Vascular System drugs	bilim	carvedilol is given in an initial dose of 12.5 mg once daily by mouth, increased after two days to 25 mg once daily.	
Tablets		Hypertension ارتفاع ضغط الدم	Turkey		
28 tab					
CORTIGEN B6 adult	Suprarenal cortex + pyridoxine hydrochloride	Vitamines and Menirals	NILE CO.	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Ampoules		Nausea and vomiting الغثيان والطرش	Egypt		
3 amp x 1 ml for Adult					
CORTIGEN B6 Pediatric	Suprarenal cortex + pyridoxine hydrochloride	Vitamines and Menirals	NILE CO.	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Ampoules		Nausea and vomiting الغثيان والطرش	Egypt		
3 amp x 1 ml for Pediatric					
Cortina	Trimethoprim 40 mg/Sulfamethoxazole (Co-trimoxazole) 200 mg	Antibacterial	RFA	Tablet (800 sulfam/ 160 trimeth)mg & Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	
Syrup		Bacterial Infections الأصابات البكتيرية	Yemen		
1bottel*60ml					
Cortina	Trimethoprim 80 mg/Sulfamethoxazole (Co-trimoxazole) 400 mg	Antibacterial	RFA	Tablet (800 sulfam/ 160 trimeth)mg & Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	
Tablets		Bacterial Infections الأصابات البكتيرية	Yemen		
100 tabs					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
CORTINA FORTE	Trimethoprim 40 mg/Sulfamethoxazole (Co-trimoxazole) 200 mg	Antibacterial Bacterial Infections الأمراض البكتيرية	RFA Yemen	Tablet (800 sulfam/ 160 trimeth)mg &Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	
cortisal	Mometasone Furoate 0.1 %+ Salicylic acid 5 %	Corticosteroid Dermatitis التهابات الجلدية	Global Pharma Yemen	Once daily	
CORYOL	CARVEDILOL 12.5 mg / tab	Cardio Vascular System drugs Hypertension ارتفاع ضغط الدم	KRKA India	carvedilol is given in an initial dose of 12.5 mg once daily by mouth, increased after two days to 25 mg once daily.	
CORYOL	CARVEDILOL 25 mg / tab	Cardio Vascular System drugs Hypertension ارتفاع ضغط الدم	KRKA India	carvedilol is given in an initial dose of 12.5 mg once daily by mouth, increased after two days to 25 mg once daily.	
Co-trimoxazole	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	Antibacterial Bacterial Infections الأمراض البكتيرية	Pharmadex Unknown	Tablet (800 sulfam/ 160 trimeth)mg &Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	
Cotrix	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	Antibacterial Bacterial Infections الأمراض البكتيرية	Shiba pharma Yemen	Tablet (800 sulfam/ 160 trimeth)mg &Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	
Cotrix	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	Antibacterial Bacterial Infections الأمراض البكتيرية	Shiba pharma Yemen	Tablet (800 sulfam/ 160 trimeth)mg &Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Cotrix	Trimethoprim + Sulphamethoxazole	Antibacterial	Shiba pharma	Tablet (800 sulfam/ 160 trimeth)mg & Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	
Suspension		Bacterial Infections الأمراض البكتيرية	Yemen		
100 ml					
Cougo	Pseudoephedrine +paracetamol+chlorpheniramine	Respiratory drugs	BMP	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Tablets		Common Cold نزلات البرد	Thailand		
20 tab					
Cougo	Pseudoephedrine +paracetamol + diphenhydramine	Respiratory drugs	BMP	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Syrup		Common Cold نزلات البرد	Thailand		
60 ml					
Coxydil	Chlorhexidine Gluconate 0.2% W/V	Antiseptic and Desinfectants	Shaphaco	For pre-operative skin disinfection and hand-washing, chlorhexidine is used as a 0.5% solution of the acetate or gluconate in alcohol (70%) or as a 2 or 4% detergent solution	
Mouth Wash		Mouth Wash الغسولات الفموية	Yemen		
100 ml					
CPM	Chlorphenamine Maleate 2mg/5ml	Antihistamines	RFA	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	
Syrup		Common Cold نزلات البرد	Yemen		
60 ml					
CPM-4	Chlorphenamine Maleate 4 mg/tab	Antihistamines	RFA	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	
Tablets		Common Cold نزلات البرد	Yemen		
100 tab					
crestomed-20mg	20mg Rosuvastatin(as Rosuvastatin calcium)	Cardio Vascular System drugs	Biomed	10 - 20 mg once daily	
Tablets		Hyperlipidaemias زيادة الدهون في الدم	Unknown		
30coated tablet					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
CRESTOR 5mg	Rosuvastatin Calcium	Cardio Vascular System drugs	ASTRAZENECA	10 - 20 mg once daily	
Tablets		Hyperlipidaemias	Unknown		
28 tab		زيادة الدهون في الدم			
CRESTOR-20mg	Rosuvastatin 20mg	Cardio Vascular System drugs	ASTRAZENECA	10 - 20 mg once daily	
Tablets		Hyperlipidaemias	Unknown		
28 tablet		زيادة الدهون في الدم			
Crotaphil-H	Unknown	Skin Disorders	Unknown	Topically as once or twice daily ,	
Cream		Dermatitis	USA		
25 gm		الالتهابات الجلدية			
Curazole	Ketoconazole	Antifungals	Unknown	Topically as a 2% cream or shampoo ,once or twice daily , oral for treatment and prophylaxis 200- 400 mg once daily taken with food, Children 3 mg/kg daily.	
Cream		Dermatitis	Unknown		
		الالتهابات الجلدية			
Curcef 500 mg	Cefadroxil 500 mg / cap	Antibacterial	PHARCO	1 to 2 g daily as a single dose or in two divided doses.	
Capsules		Bacterial Infections	Egypt		
1strip*8capsul		الاصابات البكتيرية			
Curisafe 250 mg	Cefadroxil 250 mg / 5 ml	Antibacterial	PHARCO	Children 6 – 12 years : 5 ml -10 ml twice daily, Children 1 - 5 years : 2.5 ml - 5 ml twice daily.	
Powder for Suspension		Bacterial Infections	Egypt		
60 ml		الاصابات البكتيرية			
CUSICROM	Sodium Cromoglicate as Cromoglycic Acid 40 mg / ml	Ophthalmic drugs	Cusi	Drops of 2 or 4%, generally applied 4 to 6 times daily; a 4% eye ointment has been applied 2 to 3 times daily.	
Drops		العين	Spain		
10 ml Bottle					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
CUSIMOLOL	Timolol Maleate 0.5 %	Ophthalmic drugs	Cusi	instilled twice daily to reduce raised intra-ocular pressure	
Drops		العين Eye	Spain		
CUSIVIRAL EYE OINTMENT	Acyclovir 30g	Antivirals	Cusi	1 g t.i.d., 7 days.	
Tube		العين Eye	Spain		
4.5 gm / tube					
CUSIVIRAL EYE OINTMENT	Acyclovir	Antivirals	Cusi	1 g t.i.d., 7 days.	
Ointment		العين Eye	Spain		
Tube					
C-VITA	Vitamin c 1000 mg	Vitamines and Menirals	Modern Pharama	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Sachets		Vitamins	Yemen		
10 Sachets		نقص فيتامينات Deficiency			
Cyclofen	Paracetamol 500mg+ caffeine60 mg + pyrilamine maleate 15 mg	NSAID	Modern Pharama	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic -	Yemen		
20 tablets		مهدئات Analgesic			
Cypro-BC	cyproheptadine 4mg ,vit.A 1670 I.U,vit.D 167 I.U,vit.B1 0.60mg,vit.B2 0.75mg vit.B6	Vitamines and Menirals	ALGORITHM	As directed	
Syrup		Vitamins	Lebanon		
114ml		نقص فيتامينات Deficiency			
Cypro-vita	cyproheptadine 4mg ,vit.A 1670 I.U,vit.D 167 I.U,vit.B1 0.60mg,vit.B2 0.75mg vit.B6	Vitamines and Menirals	ALGORITHM	As directed	
Tablets		Vitamins	Lebanon		
30 film coated tablets		نقص فيتامينات Deficiency			


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Cystazole -200	Albendazole	Anthelmentic	JOSWE	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
Caplets		Common Worms الديدان الشائعة	Jordan		
2 Caplets					
Cystone	Unknown	Health Care	Himalaya Drug Co	As directed	
Tablets		Urinary Tract Infection اصابات الجهاز البولي	India		
100 tablet					
Cytasept	Clorhexidine + Hexamidine + Chlorocresol	Antiseptic and Desinfectants	Shiba pharma	As directed	
Solution		Vaginal المهبل	Yemen		
250 ml					
Cytochrome C	Cytochrome C	Cardio Vascular System drugs	SAMSON-MED	As directed	
Ampoules		Angina الذبحة الصدرية	Russia		
5 amp					
Cytodrox	Hydroxycarbamide	Antineoplastic	Unknown	single dose of 20 to 30 mg/kg daily or in a single dose of 80 mg/kg every third day.	
		Cancer (الأمراض الخبيثة) (السرطان)	Unknown		
Cytraz	Ceftriaxone Sodium	Antibacterial	Lupin	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Vial		Bacterial Infections الاصابات البكتيرية	Unknown		
1vial					
C-ZAR 100	Losartan Potassium 100 mg	Cardio Vascular System drugs	RFA	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
Tablets		Hypertension ارتفاع ضغط الدم	Yemen		
30 tabs					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
C-ZAR 25	Losartan Potassium 25 mg	Cardio Vascular System drugs	RFA	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
Tablets		Hypertension ارتفاع ضغط الدم	Yemen		
30 tabs					
C-ZAR 50	Losartan Potassium 50 mg	Cardio Vascular System drugs	RFA	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
Tablets		Hypertension ارتفاع ضغط الدم	Yemen		
30 tabs					
C-ZAR-H	Losartan Potassium 100 mg+hydrochlorothiazide 25 mg	Cardio Vascular System drugs	RFA	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
Tablets		Hypertension ارتفاع ضغط الدم	Yemen		
30 tabs					
D.V.IRON	ferrous fumarate 120mg+folic acid 400microgram+vitB1 1.5microgram+vitB6	Vitamines and Menirals	Unknown	by mouth in usual doses of up to 600 mg daily (equivalent to about 200 mg of iron daily);	
Tablets		Anaemia فقر الدم	Unknown		
20 film coated tablets					
D.V.Iron	Ferrus	Vitamines and Menirals	Unknown	Adult Daily Dose: 1 tablet once or twice a day or as directed by the physician.	
Tablets		Anaemia فقر الدم	Unknown		
20 F.C tablets					
D.VITA	Vitamin D 400 I.U	Vitamines and Menirals	Pharmetics	A dose of 10 micrograms (400 units) daily is generally sufficient in adults	
Drops		Vitamins Deficiency نقص فيتامينات	Canada		
50 ml					
DactaGel	Miconazole 2%	Antifungals	Shaphaco	Minimum/Maximum Adult Daily Dose: 100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Gel		Fungal Infections الأصابات الفطرية	Yemen		
15 gm					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Dacta-Vag	Miconazole Nitrate	Antifungals	Shaphaco	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Suppositoris		Vaginal المهبل	Yemen		
6 vaginal suppositories					
Dactonaz	Miconazole Nitrate 20 mg	Antifungals	Global Pharma	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Gel		Vaginal المهبل	Yemen		
20 g					
Daflon	Dio smin.. 90%	Antihæmorrhag es	Servier Egypt industries	hamorrhoidal crisis 1.2g to 1.8g -----or----- circulation disorders 600mg per day ----	
Tablets		Haemorrhoids البواسير	Unknown		
30tab					
Daflon 500	Flavonoid Compounds	Cardio Vascular System drugs	Unknown	As directed	
		Cardio Vascular الأوعية الدموية والقلب	Unknown		
Dafrex	Diosmin + Hesperidin	Antihæmorrhag es	EGYPHAR	hamorrhoidal crisis 1.2g to 1.8g -----or----- circulation disorders 600mg per day ----	
Tablets		Haemorrhoids البواسير	Egypt		
15 tab					
Daily one	Vitamin B Substances	Vitamines and Menirals	LIFEPLAN	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Tablets		Vitamins نقص فيتامينات	Unknown		
30 tab					
Daktacort	Miconazole Nitrate	Antifungals	Janssen-Cilag	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
		Vaginal المهبل	Switzerland		

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Daktarin oral gel	Miconazole	Antifungals	Janssen-Cilag	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
		Vaginal المهبل	Switzerland		
1 tube 40g					
Dalacin C	Clindamycin	Antibiotics	Pfizer	Adult :150 to 300 mg of clindamycin, Children: 3 to 6 mg/kg of clindamycin for both every 6 hours	
capsules		Anaerobic Infections	USA		
2strip*8capsule		الميكروبات اللاهوائية			
Daonil	Glibenclamide 5mg	Antidiabetics	Sanofi aventis	2.5 to 5 mg daily with breakfast, adjusted every 7 days by increments of 2.5 or 5 mg daily up to 15 mg daily.	
Tablets		Diabetes Mellitus	France		
20 tab		أمراض السكري			
Dastamol	Paracetamol	Nonsteroidal Anti-	Unknown	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
		Antipyretic -	Unknown		
		Analgesic مهدئات			
		الأوجاع والحمى			
DAWAGRA 25	Sildenafil Citrate 25 mg/ tablet	Sex Stimulants	Modern Pharama	25 - 100 mg depending on response, about one hour before sexual intercourse	
Tablets		Sex Stimulants	Yemen		
4 tab		منشطات جنسية			
DAWAGRA 50	Sildenafil Citrate 50 mg/ tablet	Sex Stimulants	Modern Pharama	25 - 100 mg depending on response, about one hour before sexual intercourse	
Tablets		Sex Stimulants	Yemen		
4 tab		منشطات جنسية			
Dazolic	Ornidazole 500 mg	Antiprtozoal	SUN Pharma	500 mg twice daily by mouth for 5 to 10 days; children are given 25 mg/kg as a single daily dose for 5 to 10 days.	
Tablets		Amoebiasis ,	India		
		Gardiasis جارديا			
		واميبيا			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Deanxit	flupentixol 0.5 tablet mg	Central Nervous system drugs	Lundbeck	3 to 9 mg of flupentixol twice daily or Adult 2 tab dily maximum 4 tab per day. And childran not use .	
Tablets		Mental Disorders الأمراض العقلية	Denmark		
100 Tablets					
Deanxit	Flupentixol Hydrochloride + Melitracen Hydrochloride	Central Nervous system drugs	H.Lundbeck	3 to 9 mg of flupentixol twice daily or Adult 2 tab dily maximum 4 tab per day. And childran not use .	
Tablets		Mental Disorders الأمراض العقلية	Denmark		
100 tablets					
DECADRALE	Dexamethasone	Corticosteroid	ALPHA	Orally of 0.5 to 10 mg daily. Intravenous 2 to 6 mg/kg of dexamethasone , intra-articular 4 to 16 mg of dexamethasone, Also 0.05 to 0.1% for eye or ear drops and	
Vial		Inflammations الالتهابات	Syria		
2 ml					
Decal B12	Each 5 ml syrup contains: Calcium laevulinate 50 mg+ Vitamin D3 1000IU+ Vitamin B12 10	Vitamines and Menirals	AMRIYA PHARMA	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Syrup		Osteoarthritis التهابات العظام	Egypt		
120ml					
Declarine	Desloratadine 0.5 mg	Antihistamines	Shiba pharma	5 mg once daily. Children 2.5 mg once daily	
Tablets		Allergy الحساسية	Yemen		
20 tablet					
Declarine	Desloratadine 2.5 mg / 5 ml	Antihistamines	Shiba pharma	Orally in a dose of 10 mg once daily. Children 5-10 mg - once daily	
Syrup		Dermatitis الالتهابات الجلدية	Yemen		
100 ml					
Declophen	Diclofenac Sodium tablet 25mg.	Nonsteroidal Anti-	PHARCO	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Tablets		Analgesic مهدئات الأوجاع	Egypt		
20Enteric Coated tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
DECLOPHEN	Diclofenac Sodium	Non-Steroidal Anti-	PHARCO	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Suppositoris		Analgesic مهدئات الأوجاع	Egypt		
5 sup					
Declophen S.R.	Diclofenac Sodium 100 mg	Non-Steroidal Anti-	PHARCO	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Capsules		Analgesic مهدئات الأوجاع	Egypt		
8 cap					
Decozal 0.05%	Xylometazoline Hydrochloride	Antihistamines	API	As directed	
Infant Nasal /drops		Allergy الحساسية	Jordan		
10 l					
Deflat	simethicone	Gastro Intestinal drugs	Hayet pharma	tab = 40 -120 mg QID orall a.m * suspension = 10 ml QID *sachets = one sachet QID	
drop		Indigestion سوء الهضم	Unknown		
30 ml					
DELROSA	Combination	Antiseptic and Desinfectants	Delta pharma	As directed	
Solution		Vaginal المهبل	Egypt		
100 ml					
Deltasone	Dexamethasone	Corticosteroid	NILE CO.	Orally of 0.5 to 10 mg daily.Intravenous 2 to 6 mg/kg of dexamethasone , intra-articular 4 to 16 mg of dexamethasone, Also 0.05 to 0.1% for eye or ear drops and	
Syrup		Inflammations الالتهابات	Egypt		
120 ml					
Deltasone Tablets	dexamethasone	Corticosteroid	NILE CO.	Orally of 0.5 to 10 mg daily.Intravenous 2 to 6 mg/kg of dexamethasone , intra-articular 4 to 16 mg of dexamethasone, Also 0.05 to 0.1% for eye or ear drops and	
Tablets		Inflammations الالتهابات	Egypt		
10 tab					


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms					
Package		Disease	Country		
Denavir cream	Penciclovir	Antivirals	Unknown	It is applied topically as a 1% cream every 2 hours during waking hours for 4 days in the treatment of herpes labialis	
		Viral Infections الآصابات الفيروسية	Unknown		
1 tup.					
De-nol	colloidal bismuth subcitrate	Gastro Intestinal drugs	Astellas pharma	* 2 tabs Qid . Do not take it for longer than 6 weeks (5-9)	
Tablets		Indigestion سوء الهضم	Unknown		
40 tabs					
DENTACARE	Spiramycin 750000 IU + Metronidazol 125 mg	antibacterial	BIOPHARM	Adult dose is 6 - 9 million units by mouth daily, in 2 or 3 divided doses. Doses of up to 15 million units	
Tablets		Dental الأسنان	Yemen		
20 tabs					
DENTACIN	Spiramycin 750000 IU + Metronidazol 125 mg	antibacterial	Global Pharma	Adult dose is 6 - 9 million units by mouth daily, in 2 or 3 divided doses. Doses of up to 15 million units	
tablet		Dental الأسنان	Yemen		
20 tablet					
DENTACIN forte	Spiramycin 1500000 IU + Metronidazol 250 mg	antibacterial	Global Pharma	Adult dose is 6 - 9 million units by mouth daily, in 2 or 3 divided doses. Doses of up to 15 million units	
Tablet		Dental الأسنان	Yemen		
10 tablet					
Dentazol	Spiramycin 750000 IU + Metronidazol 125 mg	antibacterial	Modern Pharama	Adult dose is 6 - 9 million units by mouth daily, in 2 or 3 divided doses. Doses of up to 15 million units	
Tablets		Dental الأسنان	Yemen		
2strip*10tablet					
DENTAZOL forte	Spiramycin 1500000 IU + Metronidazol 250 mg / tab	antibacterial	Modern Pharama	Adult dose is 6 - 9 million units by mouth daily, in 2 or 3 divided doses. Doses of up to 15 million units	
tablet		Dental الأسنان	Yemen		
10 tabs					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Dentoxil	Each bottle contains : Chlorhexidine Gluconate B. P. 0.1%	Antiseptic and Desinfectants	Pharmacare	For pre-operative skin disinfection and hand-washing, chlorhexidine is used as a 0.5% solution of the acetate or gluconate in alcohol (70%) or as a 2 or 4% detergent solution	
Solution		Mouth Wash الغسولات الفموية	Yemen		
100 ml					
Deolin	Drotaverine	Gastro Intestinal drugs	UNISON	120 to 240 mg daily by mouth in divided doses.	
Tablets		Abdominal Spasm آلام البطن	Thailand		
10 x 10 tab					
Depakine-200	Na valproate syrap 200mg/ml	Central Nervous system drugs	Sanofi Aventis	15 mg/kg/day in 2-3 divided doses initially, increasing at weekly intervals to an effective dosage, to a maximum of 60 mg/kg/day.	
Solution		Epilepsy الصرع	France		
40 ml					
DepakineCHRON O-500	Valproic Acid&Na valproate tablet 500mg	Central Nervous system drugs	Sanofi Aventis	PO for epilepsy (valproic acid) 15 mg/kg/day in 2-3 divided doses initially, increasing in 5-10 mg/kg/day increments at weekly intervals to an effective dosage,	
Tablets		Epilepsy الصرع	France		
30 tablets					
deplatt	Clopidogrel Bisulfate	Cardio Vascular System drugs	Torrent	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily.prophylaxis of thromboembolic events, 75 mg once daily	
Tablets		Thrombosis الجلطات	India		
30 tab					
Depofort B12	Vitamin B12 1000	Vitamines and Menirals	PHARCO	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Ampoules		Vitamins Deficiency نقص فيتامينات	Egypt		
2 amp of 1 ml					
Depo-Pred	Unknown	Corticosteroid	OUBARY PHARMA	As directed	
Ampoules		Common Cold نزلات البرد	Syria		
1 amp					


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Depo-provera	Progesterone 150 mg / ml	Gynaecology drugs	pharmacia	combination with oral contraceptive , Minimum/Maximum Adult Daily Dose:0.2 - 7.5 mg (milligram)	
Ampoules		Amenorrhea انقطاع الطمث	Unknown		
1 amp					
DEPOTVINC CAPSULES	Vincamine 30 mg	Cardio Vascular System drugs	OCTOBER PHARMA	one capsule twice daily	
Capsules		Mental Disorders الأمراض العقلية	Egypt		
20 cap					
Depovit B12-1000	Hyroxocobalamin 1000mcg	Vitamines and Menirals	AMRIYA PHARMA	Adults: PO 2 mcg/day. Children: PO 0.3 to 2 mcg/day	
Ampoules		Anaemia فقر الدم	Egypt		
2 Ampoules					
Dermlin	Unknown	Antibacterial	Unknown	As directed	
Paste		Dermatitis التهابات الجلدية	Unknown		
10 gm /tube					
Dermomax	Clobetasol Propionate 0.05%	Corticosteroid	Global Pharma	It is usually used as a cream, ointment, gel, scalp application, or foam containing 0.05%.	
Ointment		Dermatitis التهابات الجلدية	Yemen		
20 g					
Dermomax	Clobetasol Propionate 0.05% w/w	Corticosteroid	Global Pharma	It is usually used as a cream, ointment, gel, scalp application, or foam containing 0.05%.	
Cream		Dermatitis التهابات الجلدية	Yemen		
20 g					
Dermotan	Clobetasol Propionate	Corticosteroid	Unknown	It is usually used as a cream, ointment, gel, scalp application, or foam containing 0.05%.	
		Dermatitis التهابات الجلدية	Unknown		



Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Dermotan	Clobetasol Propionate	Corticosteroid	Unknown	It is usually used as a cream, ointment, gel, scalp application, or foam containing 0.05%.	
		Dermatitis التهابات الجلدية	Unknown		
Dermovate Cream	Clobetasol Propionate	Corticosteroid	gsk glaxosmithkline	It is usually used as a cream, ointment, gel, scalp application, or foam containing 0.05%.	
Cream		Dermatitis التهابات الجلدية	UK		
25 gm					
Desora 5 mg	Desloratadine	Antihistamines	OUBARY PHARMA	5 mg once daily. Children 2.5 mg once daily	
Tablets		Allergy الحساسية	Syria		
30 tab					
Despasm	Mebeverine 135 mg	Gastro Intestinal drugs	Shiba pharma	Adult: Orally 135 mg 3 times/day. Extended release 200 mg twice daily. Children 25-100 mg	
Tablets		Abdominal Spasm آلام البطن	Yemen		
20 tabs					
Despasm Retard	Mebeverine 200 mg	Gastro Intestinal drugs	Shiba pharma	Adult: Orally 135 mg 3 times/day. Extended release 200 mg twice daily. Children 25-100 mg	
Tablets		Abdominal Spasm آلام البطن	Yemen		
20 tabs					
Detamol	Paracetamol 300mg+Lignocain 20mg+Benzy alcohol 30mg/2mL.	Nonsteroidal Anti-	Thai	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Ampoules		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Thailand		
10 ampoules					
Devarol-S	Cholecalciferol (Vit. D.) 5 mg (equivalent to 600.000 I.U./ 2 ml) Excipients:	Vitamines and Menirals	Memphis	A dose of 10 micrograms (400 units) daily is generally sufficient in adults	
Ampoules		Vitamins Deficiency نقص فيتامينات	Egypt		
3 ampoules of 2 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
DEXALAB	Each ml contains Dexamethasone 4 mg	Corticosteroid	KD	Orally of 0.5 to 10 mg daily.Intravenous 2 to 6 mg/kg of dexamethasone , intra-articular 4 to 16 mg of dexamethasone, Also 0.05 to 0.1% for eye or ear drops and	
Ampoules		Inflammations	India		
2 ml		الالتهابات			
Dexamecortin	Dexamethasone 0.5 mg	Corticosteroid	LABATEC pharma	Orally of 0.5 to 10 mg daily.Intravenous 2 to 6 mg/kg of dexamethasone , intra-articular 4 to 16 mg of dexamethasone, Also 0.05 to 0.1% for eye or ear drops and	
Tablets		Inflammations	Switzerland		
24 tab		الالتهابات			
DEXAMED	Dexamethasone	Corticosteroid	Unknown	Orally of 0.5 to 10 mg daily.Intravenous 2 to 6 mg/kg of dexamethasone , intra-articular 4 to 16 mg of dexamethasone, Also 0.05 to 0.1% for eye or ear drops and	
Eye / Ear Drops		Eye العين	Unknown		
10 ml					
DEXAMED	Dexamethasone	Corticosteroid	MEDICO LABS	Orally of 0.5 to 10 mg daily.Intravenous 2 to 6 mg/kg of dexamethasone , intra-articular 4 to 16 mg of dexamethasone, Also 0.05 to 0.1% for eye or ear drops and	
Tablets		Inflammations	Syria		
20 tab		الالتهابات			
Dexamed	Dexamethasone	Corticosteroid	Unknown	Orally of 0.5 to 10 mg daily.Intravenous 2 to 6 mg/kg of dexamethasone , intra-articular 4 to 16 mg of dexamethasone, Also 0.05 to 0.1% for eye or ear drops and	
		Inflammations	Unknown		
		الالتهابات			
Dexamethasone	Each ml contains Dexamethasone 4 mg	Corticosteroid	Huazhong	Orally of 0.5 to 10 mg daily.Intravenous 2 to 6 mg/kg of dexamethasone , intra-articular 4 to 16 mg of dexamethasone, Also 0.05 to 0.1% for eye or ear drops and	
Ampoules		Inflammations	China		
10 amp x 2 ml		الالتهابات			
Dexamethasone	Dexamethasone 8 mg / 2 ml	Corticosteroid	WODEX	Orally of 0.5 to 10 mg daily.Intravenous 2 to 6 mg/kg of dexamethasone , intra-articular 4 to 16 mg of dexamethasone, Also 0.05 to 0.1% for eye or ear drops and	
Vial		Inflammations			
1 vial = 2 ml		الالتهابات			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Dexamethasone	Dexamethasone 4 mg /1 ml	Corticosteroid		Orally of 0.5 to 10 mg daily. Intravenous 2 to 6 mg/kg of dexamethasone , intra-articular 4 to 16 mg of dexamethasone, Also 0.05 to 0.1% for eye or ear drops and	
Ampoules		Inflammations الالتهابات			
25 amp x 1 ml					
Dexamethasone 4 mg	Dexamethasone	Corticosteroid	ROTEXMEDI CA	Orally of 0.5 to 10 mg daily. Intravenous 2 to 6 mg/kg of dexamethasone , intra-articular 4 to 16 mg of dexamethasone, Also 0.05 to 0.1% for eye or ear drops and	
Ampoules		Inflammations الالتهابات	Germany		
10 amp x 1 ml					
DEXAVIN	Dexamethasone 4 mg / 1 ml	Corticosteroid	VINDAS	Orally of 0.5 to 10 mg daily. Intravenous 2 to 6 mg/kg of dexamethasone , intra-articular 4 to 16 mg of dexamethasone, Also 0.05 to 0.1% for eye or ear drops and	
Vial		Inflammations الالتهابات	India		
2 ml/ vial					
DEXAWIN	Dexamethasone 4 mg / 1 ml	Corticosteroid	CSPC	Orally of 0.5 to 10 mg daily. Intravenous 2 to 6 mg/kg of dexamethasone , intra-articular 4 to 16 mg of dexamethasone, Also 0.05 to 0.1% for eye or ear drops and	
Ampoules		Inflammations الالتهابات	China		
2 ml/ 10 amp					
Dexipan	Dexpanthenol	Skin Disorders	Julphar	2 or 5% for the treatment of various minor skin disorders	
Cream		Dermatitis الالتهابات الجلدية	UAE		
20 gm					
Dexamethasone	Dexamethasone	Corticosteroid	unknown	Orally of 0.5 to 10 mg daily. Intravenous 2 to 6 mg/kg of dexamethasone , intra-articular 4 to 16 mg of dexamethasone, Also 0.05 to 0.1% for eye or ear drops and	
Ampoules		Inflammations الالتهابات	Unknown		
10 ampoule/2ml					
DEXO	Each ml contains Dexamethasone 4 mg	Corticosteroid		Orally of 0.5 to 10 mg daily. Intravenous 2 to 6 mg/kg of dexamethasone , intra-articular 4 to 16 mg of dexamethasone, Also 0.05 to 0.1% for eye or ear drops and	
Ampoules		Inflammations الالتهابات			
1 amp x 2 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
Dexomine	Each 5ml contains:	Respiratory drugs	Pharmacare	Adults 60 mg three or four times daily, Children 2.5 to 5 mg every 4 hours	
Syrup	Dextromethorphan 15 mg +	Common Cold	Yemen		
100 ml	Pseudoephedrine 60 mg +	نزلات البرد			
Dexona	Each ml contains Dexamethasone 4 mg	Corticosteroid	CADILA	Orally of 0.5 to 10 mg daily. Intravenous 2 to 6 mg/kg of dexamethasone , intra-articular 4 to 16 mg of dexamethasone, Also 0.05 to 0.1% for eye or ear drops and	
Ampoules		Inflammations	India		
1 ml		الالتهابات			
Dextro-M	Dextromethorphan 15 mg	Respiratory drugs	Shiba pharma	Adults 60 mg three or four times daily, Children 2.5 to 5 mg every 4 hours	
Syrup		Common Cold	Yemen		
100 ml		نزلات البرد			
DH-Gel	Diphenhydramine	Respiratory drugs	Unknown	by mouth in usual doses of 25 to 50 mg three or four times daily. The dose for children is 6.25 to 25 mg three or four times daily, or a total daily dose of 5 mg/kg may be given in	
		Common Cold	Unknown		
		نزلات البرد			
DIABEN	Glibenclamide	Antidiabetics	PHARCO	2.5 to 5 mg daily with breakfast, adjusted every 7 days by increments of 2.5 or 5 mg daily up to 15 mg daily.	
Tablets		Diabetes Mellitus	Egypt		
		أمراض السكري			
Diabetone	L-Carnitine+Vit.A +	Vitamines and Menirals	VITABIOTICS	As directed	
Capsules	Vit.D3+Vit.E+Vit.C+Vit.B1+Vit.B2	Vitamins	Unknown		
30 capsules	Vit.B3+Vit.B6+Folacin	نقص فيتامينات			
Diabinil	Glibenclamide	Antidiabetics	BIOPHARM	2.5 to 5 mg daily with breakfast, adjusted every 7 days by increments of 2.5 or 5 mg daily up to 15 mg daily.	
Tablets		Diabetes Mellitus	Yemen		
20 tab		أمراض السكري			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Dia-Furyl	Nifuroxazide	Gastro Intestinal drugs	Unknown	* tabs = q I d syrup = less two months 5 ml bid 2-12 months tid more 1 years = q I d	
Suspension		Diarrhea الأسهال	Unknown		
60 ml					
Diamecron 30 MR	Gliclazide	Antidiabetics	Unknown	initial dose is 40 to 80 mg daily, gradually increased, if necessary, up to 320 mg daily. Doses of more than 160 mg daily are given in 2 divided doses.	
Tablets		Diabetes Mellitus أمراض السكري	Unknown		
30 tab					
Diamicron 60 MR	Gliclazide	Antidiabetics	Unknown	initial dose is 40 to 80 mg daily, gradually increased, if necessary, up to 320 mg daily. Doses of more than 160 mg daily are given in 2 divided doses.	
Tablets		Diabetes Mellitus أمراض السكري	Unknown		
30 tab					
Diane 35	ethinylestradiol - cyproterone	Skin Disorders	BAYER	The usual doses are 2 mg of cyproterone acetate with 35 micrograms of ethinylestradiol given daily for 21 days of each menstrual cycle	
Tablets		Acne حب الشباب	Germany		
21					
Dianormal	Gliclazide	Antidiabetics	RAMEDA	initial dose is 40 to 80 mg daily, gradually increased, if necessary, up to 320 mg daily. Doses of more than 160 mg daily are given in 2 divided doses.	
Tablets		Diabetes Mellitus أمراض السكري	Egypt		
20 tab					
Diarrimide	loperamide Hydrochloride	Gastro Intestinal drugs	BIOPHARM	In acute diarrhoea the usual initial dose for adults is loperamide hydrochloride 4 mg followed by 2 mg after each loose stool to a maximum of 16 mg daily; the usual daily dose	
Tablets		Diarrhea الأسهال	Yemen		
20 tabs					
Diarrimide	Loperamide Hydrochloride	Gastro Intestinal drugs	Unknown	In acute diarrhoea the usual initial dose for adults is loperamide hydrochloride 4 mg followed by 2 mg after each loose stool to a maximum of 16 mg daily; the usual daily dose	
Tablets		Diarrhea الأسهال	Unknown		
20 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Diatab	Metformin 500mg	Antidiabetics	Al doawieha	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
Tablets		Diabetes Mellitus	Unknown		
5 tab		أمراض السكري			
Diazepam	Diazepam	Central Nervous system drugs	KRKA	Severe anxiety in oral doses of 2 mg three times daily to a maximum of 30 mg daily, in seizures Adults :Diazepam 10 to 20 mg (I.V 5 mg/minute) or infusion every 15 min for up	
Ampoules		Anxiety, Insomnia الأرق والقلق	India		
Box of 25 ampoules of					
Diazepam	Diazepam	Central Nervous system drugs	BIOPHARM	Severe anxiety : 2 mg three times daily to a maximum of 30 mg daily, in seizures Adults : Diazepam 10 to 20 mg (I.V 5 mg/minute) or infusion every 15 min for up to 1 hr may .	
Ampoules		Anxiety, Insomnia الأرق والقلق	Yemen		
5 amp X 2 ml					
Diazepam 5	Diazepam 4 mg	Central Nervous system drugs	BIOPHARM	Severe anxiety : 2 mg three times daily to a maximum of 30 mg daily, in seizures Adults : Diazepam 10 to 20 mg (I.V 5 mg/minute) or infusion every 15 min for up to 1 hr may .	
Tablets		Anxiety, Insomnia الأرق والقلق	Yemen		
20 tabs					
dicin fort 500mg	etamsylate 500mg	Antihemorrhagics	Y.E.PHARMA	500 mg by mouth four times daily during menstruation, intramuscular or intravenous injection in a dose of 250 to 500 mg; this dose may be repeated every 4 to 6 hours as	
Tablets		Haemorrhage النزيف	Yemen		
20tablet					
Dicloban 12.5 mg	Diclofenac Sodium 12.5 mg	NSAID	Global Pharma	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Suppositories		Analgesic مهدئات الأوجاع	Yemen		
5 sup					
Dicloban 25 mg	Diclofenac Sodium 25 mg	NSAID	Global Pharma	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Suppositories		Analgesic مهدئات الأوجاع	Yemen		
5 sup					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms			Country		صورة الدواء
Package		Disease			
Dicloban 50	Diclofenac Sodium 50 mg	NSAID	Global Pharma	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Tablets		مهدئات الأوجاع	Yemen		
20 tabs					
Dicloban gel	Diclofenac Sodium 40 g	NSAID	Global Pharma	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Gel		مهدئات الأوجاع	Yemen		
40 g					
Dicloban s.r 100	Diclofenac Sodium 100 mg	NSAID	Global Pharma	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Capsules		مهدئات الأوجاع	Yemen		
10 caps					
Diclocare SR	Diclofenac Sodium 100mgas sustained release pellets/ capsule	NSAID	Pharmacare	Acute, mild, to moderate pain ::One capsule once a day Maximum Adult Daily Dose:100 - 200 mg	
Capsules		مهدئات الأوجاع	Yemen		
20 capsules					
Diclocare SR	Diclofenac Sodium	Non-Steroidal Anti-	Unknown	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Capsules		مهدئات الأوجاع	Unknown		
20 cap					
Diclo-Denk 50 mg	Diclofenac Sodium	Non-Steroidal Anti-	Unknown	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
		مهدئات الأوجاع	Unknown		
Diclo-Denk-100 Retard	Diclofenac Sodium tablet 100mg	Nonsteroidal Anti-	Denk Pharma	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Tablets		مهدئات الأوجاع	Germany		
100 tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms			Country		صورة الدواء
Package		Disease			
Diclo-Denk-75	Diclofenac Sodium ampoule 75mg/3ml.	Nonsteroidal Anti-	Denk pharma	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Ampoules		مهدئات الأوجاع	Germany		
5 ampoules					
Diclof 25	Diclofenac Sodium capsule 25 mg	NSAID	Modern Pharama	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Suppositoris		مهدئات الأوجاع	Yemen		
5 supp					
Diclof 50	Diclofenac Sodium capsule 50 mg	NSAID	Modern Pharama	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Tablets		مهدئات الأوجاع	Yemen		
20 tabs					
Diclof gel	Diclofenac Sodium capsule 40mg	NSAID	Modern Pharama	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Gel		مهدئات الأوجاع	Yemen		
40 g					
Diclof S.R. 100	Diclofenac Sodium capsule 100mg	NSAID	Modern Pharama	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Capsules		مهدئات الأوجاع	Yemen		
10 capsules					
DICLOFEN retard-100	Diclofenac Sodium tablet 100mg	Nonsteroidal Anti-	United	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Tablets		مهدئات الأوجاع	Jordan		
10 tablets					
DICLOFEN-50	Diclofenac Sodium tablet 50mg	Nonsteroidal Anti-	United	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Tablets		مهدئات الأوجاع	Jordan		
20 Enteric Coated tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Diclofenac drops	Diclofenac Potassium	Non-Steroidal Anti-	Unknown	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
		مهدئات الأوجاع	Unknown		
Diclofenac sodium	Diclofenac Sodium	Nonsteroidal Anti-	Kalfen	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Ampoules	25mg+Benzyl alcohol 4%+Water	مهدئات الأوجاع	Unknown		
5 ampoules					
DICLOFENAC SODIUM	Each 1 ml contains Diclofenac Sodium 25 mg	Non-Steroidal Anti-	ROTEXMEDI CA	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Ampoules		مهدئات الأوجاع	Germany		
10 amp x 3 ml					
Diclofenac-Hameln	Diclofenac Sodium 25 mg / ml	Non-Steroidal Anti-	hameln	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Ampoules		مهدئات الأوجاع	Germany		
5 amp x 3 ml					
Diclogesic	Diclofenac Sodium	Non-Steroidal Anti-	Dar Al Dawa	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Suppositoris		مهدئات الأوجاع	Jordan		
Diclogesic 50	Diclofenac Sodium	Non-Steroidal Anti-	Dar Al Dawa	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Tablets		مهدئات الأوجاع	Jordan		
20 tab					
Diclogesic-25	Diclofenac Sodium tablet 25mg.	Nonsteroidal Anti-	Dar Al Dawa	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Tablets		مهدئات الأوجاع	Jordan		
20Enteric coated tablets					


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Diclojin	Diclofenac Sodium 75 mg / 3 ml	NSAID	BIOPHARM	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Ampoules		مهدئات الأوجاع	Yemen		
5 amp x 3 ml					
DICLO-K	Diclofenac Sodium capsule 50 mg	NSAID	Modern Pharama	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Sachets		مهدئات الأوجاع	Yemen		
10 sachets					
Diclomax	Diclofenac Potassium	Non-Steroidal Anti-	Unknown	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Emulgel		مهدئات الأوجاع	Unknown		
Diclomax-50	Diclofenac Sodium tablet 50mg.	Nonsteroidal Anti-	JPI	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Tablets		مهدئات الأوجاع	Saudi Arabia		
20 tablets					
Diclomec-Gel	Diclofenac Sodium gel 1.16%	Nonsteroidal Anti-	ABDI Ibrahim	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Tube		مهدئات الأوجاع	Unknown		
50 gm gel					
DICLON	Diclofenac Potassium	Non-Steroidal Anti-	Unknown	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Emulgel		مهدئات الأوجاع	Unknown		
45 gm					
Diclom-75	Diclofenac Sodium ampoule 75mg/3ml.	Nonsteroidal Anti-	IBN-HYYANpharm	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Ampoules		مهدئات الأوجاع	Syria		
5 ampoules					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms			Country		صورة الدواء
Package		Disease			
Dicloneuron	Diclofenac Sodium	NSAID	Biopharm	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Capsules	25mg+vit.B1	مهدئات الأوجاع	Yemen		
30 capsules	50mg+vit.B6 50mg+vit.B12 0.25mg/capsule				
Diclopan	vit.B1	NSAID	Global Pharma	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Suppositoris	50mg+vit.B6	مهدئات الأوجاع	Yemen		
5 sup	50mg+vit.B12 0.25mg and diclofenac sodium 25mg				
DICLOREN 75	Diclofenac Sodium 75 mg	Nonsteroidal Anti-	EXIR	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Ampoules		مهدئات الأوجاع	IRAN		
5 amp x 3 ml					
Dicloretard	Diclofenac Sodium	Non-Steroidal Anti-	Unknown	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
		مهدئات الأوجاع	Unknown		
Diclosan DRS	Diclofenac Sodium capsule 100 mg	NSAID	Shiba pharma	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Capsules		مهدئات الأوجاع	Yemen		
10 cap					
Diclosan DRS	Diclofenac Potassium 50 mg	NSAID	Shiba pharma	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Sachets		مهدئات الأوجاع	Yemen		
30 Sachets					
Diclotab	Diclofenac Sodium	Non-Steroidal Anti-	JOSWE	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Tablets		مهدئات الأوجاع	Jordan		
20 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
DICLOWAL 50	Diclofenac Sodium tablet 50mg.	Nonsteroidal Anti-	Walter Ritter	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Tablets		Analgesic مهدئات الأوجاع	Germany		
20 tablets					
DICLOWAL retard-100	Diclofenac Sodium tablet 100mg	Nonsteroidal Anti-	Walter Ritter	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Tablets		Analgesic مهدئات الأوجاع	Germany		
10 tablets					
Diclowal-75	Diclofenac Sodium ampoule 75mg/3ml.	Nonsteroidal Anti-	Walter Ritter	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Ampoules		Analgesic مهدئات الأوجاع	Germany		
5 ampoules					
Diclozaf	Diclofenac Sodium 75 mg /3 ml	Non-Steroidal Anti-	ZAFA	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Ampoules		Analgesic مهدئات الأوجاع	Pakistan		
5 amp x 3 ml					
DICOLON INJ	Diclofenac Sodium ampoule 75mg/3ml.	Nonsteroidal Anti-	Huons	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Ampoules		Analgesic مهدئات الأوجاع	Korea		
5 ampoules					
Dicynone 500 mg	Etamsylate 500 mg	Antihemorrhag es	OM pharma	500 mg by mouth four times daily during menstruation, intramuscular or intravenous injection in a dose of 250 to 500 mg; this dose may be repeated every 4 to 6 hours as	
Tablets		Haemorrhage النزيف	Switzerland		
20 tab					
Dicynone-250	etamsylate 250mg	Antihemorrhag es	meth pharma	500 mg by mouth four times daily during menstruation, intramuscular or intravenous injection in a dose of 250 to 500 mg; this dose may be repeated every 4 to 6 hours as	
Ampoules		Haemorrhage النزيف	Egypt		
4 amp of 250mg / 2ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Diens	Vitamin B Substances	Vitamines and Menirals	unknown	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Soft Gelatin Capsules		Hepatic Disorders	Unknown		
12 cap		اضطرابات الكبد			
Diens soft	Nicotinamide + cardus +vit b6,12	Gastro Intestinal drugs	hanbul	2 tab /day or 10 ml /day	
Capsules		Hepatic Disorders	Unknown		
60 cap		اضطرابات الكبد			
Diflucan	Fluconazole	Antifungals	Pfizer	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	
Vial		Dermatitis	USA		
100ml		الالتهابات الجلدية			
Diflucan	Fluconazole 100mg	Antifungals	Pfizer	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	
Capsules		Dermatitis	USA		
1 cap		الالتهابات الجلدية			
Difluzol	Fluconazole 150 mh / cap	Antifungals	Stada	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	
Capsules		Dermatitis	Unknown		
1 cap		الالتهابات الجلدية			
Diformin	Metformin 500mg+glimepiride 2mg	Antidiabetics	Modern Pharama	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
Tablets		Diabetes Mellitus	Yemen		
30 tab		أمراض السكري			
Digestin	papain80 mg+sanzme10mg 5 ml+pepsin 40 mg	Gastro Intestinal drugs	PHARCO	= 5ml tid during or after meal = tab 1 * 3 during or after meal	
Syrup		Indigestion سوء الهضم	Egypt		
120 ml for bottle					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
Digestin Tablets	papain80 mg+sanzme10mg 5 ml	Gastro Intestinal drugs	PHARCO	= 5ml tid during or after meal = tab 1 * 3 during or after meal	
Tablets		Indigestion سوء الهضم	Egypt		
20 tabs					
Digetix	Combination	Gastro Intestinal drugs	Unknown	As directed	
Soft Gelatin Capsules		Nutrition supplementation تغذية تكميلية	Unknown		
10 cap					
Digisty fort	Enzyme digestion	Gastro Intestinal drugs	Germany lab	One tablet three times daily during or after meals.	
Capsules		Indigestion سوء الهضم	Germany		
12 caps					
Digoxin	Digoxin	Cardio Vascular System drugs	Unknown	If rapid digitalisation is required loading dose of 750 to 1500 micrograms of digoxin by mouth during the initial 24-hour period, maintenance is 125 to 250 micrograms by	
tab, amp, drops		Congstive Heart Failure	Unknown		
Diklofen	Diclofenac 75 mg / 3 ml	Non-Steroidal Anti-	GALENICA	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Ampoules		Analgesic مهدئات الأوجاع	Republic of Serbia		
5 amp x 3 ml					
dilatrend	Carvedilol	Cardio Vascular System drugs	ROCHE	carvedilol is given in an initial dose of 12.5 mg once daily by mouth, increased after two days to 25 mg once daily.	
Tablets		Hypertension ارتفاع ضغط الدم	Germany		
30tab					
Dilefenac 50	Diclofenac Sodium	Non-Steroidal Anti-	unknown	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Tablets		Analgesic مهدئات الأوجاع	Unknown		
20 tabs					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
dilox	Clopidogrel Bisulfate	Cardio Vascular System drugs	bilim	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily.prophylaxis of thromboembolic events, 75 mg once daily	
Tablets		Thrombosis الجلطات	Turkey		
28tab					
Diltiazem	Diltiazem Hydrochloride	Cardio Vascular System drugs	Unknown	initial dose is 60 to 120 mg twice daily, increased as required to a maximum of 360 mg daily.	
30-60-140-240 mg		Hypertension ارتفاع ضغط الدم	Unknown		
Diltiazem	Diltiazem Hydrochloride 60 mg	Cardio Vascular System drugs	EIPICO	initial dose is 60 to 120 mg twice daily, increased as required to a maximum of 360 mg daily.	
Tablets		Hypertension ارتفاع ضغط الدم	Egypt		
20 tab					
Dimet-500	Metformin 500mg	Antidiabetics	ZYNOVA	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
Tablets		Diabetes Mellitus أمراض السكري	Unknown		
50 tab					
Diopril 5	Enalapril 5 mg / tab	Cardio Vascular System drugs	Pharmacare	Initial dose of 5 mg daily , maintenance dose is 10 to 20 mg given once daily	
Tablets		Hypertension ارتفاع ضغط الدم	Yemen		
10 tablet					
Diosed - C	Diosmin 450 mg + Ascorbic Acid 100 mg + Hesperidin 50 mg	Antihemorrhagics	PHARCO	hemorrhoidal crisis 1.2g to 1.8g -----or----- circulation disorders 600mg per day ----	
Tablets		Haemorrhoids البواسير	Egypt		
20 tab					
diovan	Valsartan	Cardio Vascular System drugs	Unknown	Oral doses 80 - 160 mg once daily	
		Hypertension ارتفاع ضغط الدم	Unknown		

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Diphelin adults	Dextromethorphan	Respiratory drugs	med pharma	10 to 20 mg every 4 hours, or 30 mg every 6 to 8 hours, to a usual maximum of 120 mg in 24 hours, Children aged 6 to 12 years may be given 5 to 10 mg every 4 hours , 2 to 6 years 2.5	
Syrup		Common Cold	Unknown		
100 ml		نزلات البرد			
Diphelin Pediatric	Dextromethorphan	Respiratory drugs	med pharma	10 to 20 mg every 4 hours, or 30 mg every 6 to 8 hours, to a usual maximum of 120 mg in 24 hours, Children aged 6 to 12 years may be given 5 to 10 mg every 4 hours , 2 to 6 years 2.5	
Syrup		Common Cold	Unknown		
100 ml		نزلات البرد			
Diprosalic	Betamethasone	Corticosteroid	schering-ploughg	by mouth betamethasone from 0.5 to 5 mg daily., intravenously or infusion or intramuscularly 4 to 20 mg , For topical application 0.05% of betamethasone as the	
Ointment		Dermatitis	Belgium		
30 gm		الالتهابات الجلدية			
Disflatyl	simethicone	Gastro Intestinal drugs	VALEANT	tab = 40 -120 mg QID orall a.m * suspension = 10 ml QID *sachets = one sachet QID	
drop		Indigestion سوء الهضم	Unknown		
30 ml					
Disflatyl	Semethicone	Gastro Intestinal drugs	MEDA	tab = 40 -120 mg QID orall a.m * suspension = 10 ml QID *sachets = one sachet QID	
Drops		Indigestion سوء الهضم	Unknown		
30 ml					
Disflatyl	Semethicone	Gastro Intestinal drugs	VALEANT	tab = 40 -120 mg QID orall a.m * suspension = 10 ml QID *sachets = one sachet QID	
Tablets		Indigestion سوء الهضم	Unknown		
30 tab					
Disflatyl tab meda	Semethicone	Gastro Intestinal drugs	MEDA	tab = 40 -120 mg QID orall a.m * suspension = 10 ml QID *sachets = one sachet QID	
Tablets		Indigestion سوء الهضم	Unknown		
100 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Dispercarn	Piroxicam 20mg/1ml	Nonsteroidal Anti-	MUP	Minimum/Maximum Adult Daily Dose:10 - 20 mg (milligram) OR 1 - 2 Capsules.	
Ampoules		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Egypt		
3 ampoules					
Dispercarn	Piroxicam dispersible tablets 20mg.	Nonsteroidal Anti-	MUP	Minimum/Maximum Adult Daily Dose:10 - 20 mg (milligram) OR 1 - 2 Capsules.	
Tablets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Egypt		
10 dispersible tablets					
Dispercarn	Piroxicam	Nonsteroidal Anti-	Unknown	Minimum/Maximum Adult Daily Dose:10 - 20 mg (milligram) OR 1 - 2 Capsules.	
		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Unknown		
Dispercarn	Piroxicam	Nonsteroidal Anti-	Unknown	Minimum/Maximum Adult Daily Dose:10 - 20 mg (milligram) OR 1 - 2 Capsules.	
		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Unknown		
Dispercarn	Piroxicam	Nonsteroidal Anti-	Unknown	Minimum/Maximum Adult Daily Dose:10 - 20 mg (milligram) OR 1 - 2 Capsules.	
		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Unknown		
Distocid	Praziquantel 600 mg	Anthelmintic	EIPICO	Adults and children is given on one day as three doses of 20 mg/kg at intervals of 4 to 6 hours or it is given as a single dose of 40 to 60 mg/kg	
Tablets		Schistosomiasis (Bilharziasis) البلهارسيا	Egypt		
4 Film Coated Tablets					
Ditrospam	Oxybutynin Hydrochloride 5 mg	Urinary tract drugs	Avenzor	5 mg two or three times daily by mouth, increased to 5 mg four times daily if required	
Tablets		Urinary Tract Infection اصابات الجهاز البولي	Syria		
20 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
DiVance	Metformin 500 mg + Metoclopramide 5 mg	Antidiabetics	Y.E.PHARMA	Metformin: 500 mg , Glibenclamide: 2.5- 15 mg (All two or three times daily)	
Tablets		Diabetes Mellitus أمراض السكري	Yemen		
30 tab					
DiVance	Metformin 500 mg + Metoclopramide 2.5 mg	Antidiabetics	Y.E.PHARMA	Metformin: 500 mg , Glibenclamide: 2.5- 15 mg (All two or three times daily)	
Tablets		Diabetes Mellitus أمراض السكري	Yemen		
30 tab					
Dizinil	di	Gastro Intestinal drugs	Julphar	* Motion Sickness= ADULTS: PO 25–50 mg 1 hr before travel; children 6.25 - 12.5 mg once daily *Vertigo =ADULTS: PO 25–100 mg/day in divided doses	
Tablets		Nausea and vomiting الغثيان والطرش	UAE		
20 tabs					
Dizinil	Dimenhydrinate	Antihistamines	Julphar	by mouth is 50 to 100 mg, given 3 or 4 times daily	
Tablets		Nausea and vomiting الغثيان والطرش	UAE		
20 tab					
Dizirest B7	Meclozine + Pyridoxine	Gastro Intestinal drugs	SIGMACO	* Motion Sickness= ADULTS: PO 25–50 mg 1 hr before travel; children 6.25 - 12.5 mg once daily *Vertigo =ADULTS: PO 25–100 mg/day in divided doses	
Tablets		Nausea and vomiting الغثيان والطرش	Saudi Arabia		
20 tabs					
Dizirest B6	Meclozine 25 mg +Pyridoxin 50 mg	Gastro Intestinal drugs	SIGMA	* Motion Sickness= ADULTS: PO 25–50 mg 1 hr before travel; children 6.25 - 12.5 mg once daily *Vertigo =ADULTS: PO 25–100 mg/day in divided doses	
Tablets		Nausea and vomiting الغثيان والطرش	Egypt		
20 tab					
DODEPAR	Multi Vitamines	Vitamines and Menirals	Unknown	As directed	
		Vitamins نقص فيتامينات	Unknown		

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms					صورة الدواء
Package		Disease	Country		
Dodex	Mebendazole 100 mg	Anthelmentic	Shiba Pharma	For adult and children: Threadworms 100 mg single dose - Roundworms and hookworms : 100 mg BID for 3 days.	
Tablets		Common Worms الديدان الشائعة	Yemen		
6 Chewable tab					
Dogmatil	sulpiride	Central Nervous system drugs	Sanofi Aventis	ADULT and CHILD over 14 years, 200–400 mg twice daily; max. 800 mg daily in predominantly negative symptoms, and 2.4 g daily in mainly positive symptoms;	
Capsules		Mental Disorders الأمراض العقلية	France		
30 caps					
Dogmatil fort	sulpiride	Central Nervous system drugs	Sanofi Aventis	ADULT and CHILD over 14 years, 200–400 mg twice daily; max. 800 mg daily in predominantly negative symptoms, and 2.4 g daily in mainly positive symptoms;	
Tablets		Mental Disorders الأمراض العقلية	France		
10 tabs					
Dogmatil-50	Sulpiride capsule 50mg	Central Nervous system drugs	Sanofi Aventis	ADULT and CHILD over 14 years, 200–400 mg twice daily; max. 800 mg daily in predominantly negative symptoms, and 2.4 g daily in mainly positive symptoms;	
Capsules		Mental Disorders الأمراض العقلية	France		
30 capsules					
Dolic	Each one ml contains methyl Hyoscine nitrate 0.1mg.	Gastro Intestinal drugs	Pharmacare	Birth - 1 year: three drops/ kg , 1 - 6 years: 1/2 to 1 teaspoonful 3 - 4 times a day -Dose is taken before meals,	
Drop		Abdominal Spasm آلام البطن	Yemen		
30 ml					
Dolo-D	Each 5 ml contains: Pseudoephedrine 15 mg + Ibuprofen 100 mg	Respiratory drugs	BORG	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Suspension		Common Cold نزلات البرد	Egypt		
115 ml					
Dolo-D	Pseudoephedrine +ibuprofen	Respiratory drugs	BORG	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Tablets		Common Cold نزلات البرد	Egypt		
20 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Dolo-d Syrup	ibuprofen	Respiratory drugs	BORG	60 mg three or four times daily by mouth , oral doses for children 15-30 mg three or four times daily	
Suspension		Common Cold نزلات البرد	Egypt		
bottle of 60ml of 15mg					
Dolo-d Tablets	ibuprofen	Respiratory drugs	BORG	60 mg three or four times daily by mouth , oral doses for children 15-30 mg three or four times daily	
Tablets		Common Cold نزلات البرد	Egypt		
box of 20 tablet of 30mg/tablet					
Dolofen	Ibuprofen 100 mg / 5 ml	NSAID	Pharmacare	Oral doses of 100 mg to 300 mg daily.	
Suspension		Analgesic مهدئات الأوجاع	Yemen		
100 ml					
Dolonev	-vit.B1 50 mg - vit.B6 100mg -vit.B12 0.5mg	Vitamines and Menirals	GEROT LANNACH	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Tablets		Vitamins نقص فيتامينات	Viena, Austria		
20 film tablets					
DOLORAZ 400	Ibuprofen 200mg + Pseudoephedrine 30 mg.	Nonsteroidal Anti-	JPM	Oral doses of 400 mg to 1.2 g daily .	
Soft Gelatin Capsules		Analgesic مهدئات الأوجاع	Jordan		
20 cap					
DOLOREX	Diclofenac Potassium dragee 50 mg.	Non-Steroidal Anti-	ABDI Ibrahim	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Dragees		Analgesic مهدئات الأوجاع	Unknown		
20 dragee					
Dolphin 12.5 mg	Diclofenac Sodium	Non-Steroidal Anti-	Delta pharma	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Suppositoris		Analgesic مهدئات الأوجاع	Egypt		
3 sup					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Dolphin 25 mg	Diclofenac Sodium	Non-Steroidal Anti-	Delta pharma	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Suppositoris		مهدئات الأوجاع	Egypt		
5 sup					
Domi	Domperidone 10 mg	Gastro Intestinal drugs	RFA	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily.In children, 250 to 500 micrograms/kg by mouth	
Tablets		Nausea and vomiting الغثيان والطرش	Yemen		
30 tabs					
Domolin	Domperidone 1 mg	Gastro Intestinal drugs	Modern Pharama	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily.In children, 250 to 500 micrograms/kg by mouth	
drops		Nausea and vomiting الغثيان والطرش	Yemen		
30 ml					
Domolin	Domperidone 5 mg	Gastro Intestinal drugs	Modern Pharama	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily.In children, 250 to 500 micrograms/kg by mouth	
Suspension		Nausea and vomiting الغثيان والطرش	Yemen		
100 ml					
Domolin 10 mg	Domperidone	Gastro Intestinal drugs	Modern Pharama	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily.In children, 250 to 500 micrograms/kg by mouth	
Tablets		Nausea and vomiting الغثيان والطرش	Yemen		
10 tab					
Domotil	Domperidone	Gastro Intestinal drugs	Y.E.PHARMA	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily.In children, 250 to 500 micrograms/kg by mouth	
Suspension		Nausea and vomiting الغثيان والطرش	Yemen		
60 ml for bottle					
Domotil drops	Domperidone	Gastro Intestinal drugs	Y.E.PHARMA	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily.In children, 250 to 500 micrograms/kg by mouth	
Drops		Nausea and vomiting الغثيان والطرش	Yemen		
30 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms					
Package		Disease	Country		
Domotil suspension	Domperidone	Gastro Intestinal drugs	Y.E.PHARMA	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily. In children, 250 to 500 micrograms/kg by mouth	
Suspension		Nausea and vomiting الغثيان والطرش	Yemen		
60 ml					
Domotil Tablets	Domperidone	Gastro Intestinal drugs	Y.E.PHARMA	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily. In children, 250 to 500 micrograms/kg by mouth	
Tablets		Nausea and vomiting الغثيان والطرش	Yemen		
20 tab					
Domperidone	Domperidone	Gastro Intestinal drugs	WOCKHADT	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily. In children, 250 to 500 micrograms/kg by mouth	
tab		Nausea and vomiting الغثيان والطرش	UK		
30 tabs					
Domstal	Domperidone	Gastro Intestinal drugs	Torrent	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily. In children, 250 to 500 micrograms/kg by mouth	
Tablets		Nausea and vomiting الغثيان والطرش	India		
30 tab					
Dopamine	Dopamine	Cardio Vascular System drugs	Unknown	infusion rates (about 2 micrograms/kg per minute, By intravenous infusion as a dilute solution (usually 1.6 or 3.2 mg/mL (dilute solutions glucose 5%, sodium chloride	
Ampoules		Acute Heart Failure فشل القلب الحاد	Unknown		
Doremol	Paracetamol syrup 120mg/5ml.	Nonsteroidal Anti-	Unknown	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
		Antipyretic - مهدئات الأوجاع والحمى	Unknown		
120ml					
Dormicum	Midazolam	Central Nervous system drugs	ROCHE	insomnia; midazolam 7.5 to 15 mg at night. Intramuscularly as a premedicant 5 mg; Children may be premedicated with oral midazolam	
Ampoules		Anaesthetics التخدير العام	Germany		
box 5 ampoules of 3ml IM IV &					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Dormicum	Midazolam 7.5 mg	Central Nervous system drugs	ROCHE	insomnia; midazolam 7.5 to 15 mg at night. Intramuscularly as a premedicant 5 mg; Children may be premedicated with oral midazolam	
Tablets		Anaesthetics	Germany		
10 tab		التخدير العام			
DORMIVAL	Unknown	Central Nervous system drugs	MEPACO	As directed	
Capsules		Anxiety,	Egypt		
20 cap		Insunnea الأرق والقلق			
Do-Spacure	Drotaverine	Gastro Intestinal drugs	Alexendria	Usua dose is 40-80mg three daily.	
Tablets		Abdominal	Egypt		
20 tabs		Spasm آلام البطن			
Dotil	Domperidone	Gastro Intestinal drugs	Unknown	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily.In children, 250 to 500 micrograms/kg by mouth	
		Nausea and vomiting الغثيان والطرش	Unknown		
Doucheal	Unknown	Health Care	Unknown	As directed	
Solution		Dermatitis	Unknown		
250 ml		الالتهابات الجلدية			
Doxef- 200	Cefpodoxime Proxetil	Antibiotics	Lupin	The usual dose for adults is 100 to 200 mg every 12 hours for respiratory-tract and urinary-tract infections., children 5 mg/kg every 12 hours, up to a maximum of 200	
Tablet		الأمصابات الميكروبية	Unknown		
1strip*10tablet		Microbial Infections			
Doxin	Doxycycline	Antibiotics	Shiba pharma	The usual dose is 200 mg of doxycycline on the first day (as a single dose or in divided doses), followed by 100 mg daily.	
Capsules		الأمصابات الميكروبية	Yemen		
10 cap		Microbial Infections			




Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms			Country		
Package		Disease			
DOXINIL 100	Doxycycline 100 mg	Antibiotics	Global Pharma	The usual dose is 200 mg of doxycycline on the first day (as a single dose or in divided doses), followed by 100 mg daily.	
Tablets		الأمراض الميكروبية Microbial Infections	Yemen		
10 tablet					
Doxiproct plus	Dexamethasone = Lidocaine +	Corticosteroid	Unknown	Orally of 0.5 to 10 mg daily. Intravenous 2 to 6 mg/kg of dexamethasone , intra-articular 4 to 16 mg of dexamethasone, Also 0.05 to 0.1% for eye or ear drops and	
		Inflammations التهابات	Unknown		
Doxium-500	Calcium dobesilate tablet 500 mg.	Vitamines and Menirals	OM Pharma	Orally, usually in doses of 10 to 50 mmol (400 mg to 2 g) of calcium daily adjusted to the individual patient's requirements.	
Solid		Osteoarthritis التهابات العظام	Unknown		
Doxycaps	Doxycycline	Antibiotics	Wolf	The usual dose is 200 mg of doxycycline on the first day (as a single dose or in divided doses), followed by 100 mg daily.	
Capsule		الأمراض الميكروبية Microbial Infections	Unknown		
1strip*101capsules					
Doxy-Denk	Doxycycline	Unknown	Denk Pharma	The usual dose is 200 mg of doxycycline on the first day (as a single dose or in divided doses), followed by 100 mg daily.	
		Antibiotics المضادات الحيوية	Germany		
Doxy-Denk	Doxycycline	Antibiotics	Denk Pharma	The usual dose is 200 mg of doxycycline on the first day (as a single dose or in divided doses), followed by 100 mg daily.	
capsules		الأمراض الميكروبية Microbial Infections	Germany		
2strip*10capsules					
Doxylin	Doxycycline	Antibiotics	Modern Pharama	The usual dose is 200 mg of doxycycline on the first day (as a single dose or in divided doses), followed by 100 mg daily.	
Capsules		الأمراض الميكروبية Microbial Infections	Yemen		
1strip*10capsules					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
DOXYLIN	Doxycycline100 mg	Antibiotics	Modern Pharama	The usual dose is 200 mg of doxycycline on the first day (as a single dose or in divided doses), followed by 100 mg daily.	
Capsules		الأمصابااaااaاا			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
DUOCLAV	Amoxicillin 250 mg + Clavulanate Potassium 62 = 312 mg / 5 ml	Antibiotics	LABORATE	Children up to 10 years 125 to 250 mg every 8 hours or Three times daily	
Suspension		الأمراض الميكروبية Microbial Infections	India		
100 ml					
DUOCLAV-1000	Amoxicillin 875 mg / Clavulanate Potassium 125 mg = 1000 mg	Antibiotics	LABORATE	The oral dose is 250 to 500 mg every 8 hours, or 500 to 875 mg every 12 hours.	
Tablets		الأمراض الميكروبية Microbial Infections	India		
2 x 7 tab					
Duolin Capsules	Ipratropium + Salbutamol	Respiratory drugs	CIPLA	2 -4 mg / or 2 buffs *qid	
Capsules/inh		Bronchial Asthma الربو الشعبي	India		
4x5 x 2.5 ml					
Duolin Respules	Ipratropium + Salbutamol	Respiratory drugs	CIPLA	2 -4 mg / or 2 buffs *qid	
Respules/inh		Bronchial Asthma الربو الشعبي	India		
30 capsules					
Duovir	Lamivudine and Zidovudine	Antivirals	CIPLA	Zidovudine orally to adults in doses of 500 to 600 mg daily in divided doses. intravenous infusion of 2 to 4 mg/mL over 1 hour -- The oral dose for children is 360 to 480 mg/m2	
Tablets		AIDS الأيدز	India		
10 tab.					
Duovir-N	Lamivudine, Zidovudine and Nevirapine	Antivirals	CIPLA	Nevirapine is given by mouth in an adult dose of 200 mg once daily for the first 14 days, Children 4 mg/kg once daily for 14 days and then, if no rash is present, 7 mg/kg	
Tablets		AIDS الأيدز	India		
30 tab.					
Duphalac	Lactulose 6.67 g+ Galactose 1 mg	Gastro Intestinal drugs	ABBOTT	10 to 20 g (15 to 30 mL) given daily by mouth in a single dose or in 2 divided doses	
Syrup		Constipation الأمساك	USA		
300 ml for bottle					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Duphalac	Lactulose	Gastro Intestinal drugs	Unknown	10 to 20 g (15 to 30 mL) given daily by mouth in a single dose or in 2 divided doses	
		Constipation الأمساك	Unknown		
Duphaston	dydrogesterone	Gynaecology drugs	ABBOTT	10 mg two or three times daily cyclically or continuously	
Tablets		Menorrhagia زيادة الطمث	USA		
20 tablet					
Duptamine	Dobutamine	Cardio Vascular System drugs	Unknown	2.5 to 10 micrograms/kg per minute,	
		Acute Heart Failure فشل القلب الحاد	Unknown		
Duspamen	Mebeverine	Gastro Intestinal drugs	JPI	Adult: Orally 135 mg 3 times/day. Extended release 200 mg twice daily. Children 25-100 mg	
tab		Abdominal Spasm آلام البطن	Saudi Arabia		
30 tabs					
DUSPAPHEN	Mebeverine HCL	Gastro Intestinal drugs	IBN-HYYANpharm	Adult: Orally 135 mg 3 times/day. Extended release 200 mg twice daily. Children 25-100 mg	
Tablets		Abdominal Spasm آلام البطن	Syria		
30 tab					
duspatalin	Mebeverine	Gastro Intestinal drugs	SOLVAY	Adult: Orally 135 mg 3 times/day. Extended release 200 mg twice daily. Children 25-100 mg	
tab		Abdominal Spasm آلام البطن	France		
50 tabs					
Duspatalin retard	Mebeverine	Gastro Intestinal drugs	SOLVAY	Adult: Orally 135 mg 3 times/day. Extended release 200 mg twice daily. Children 25-100 mg	
Capsules		Abdominal Spasm آلام البطن	France		
30 caps					



Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Duspaverine 135 mg	Mebeverine	Gastro Intestinal drugs	Sothema	Adult: Orally 135 mg 3 times/day. Extended release 200 mg twice daily. Children 25-100 mg	
Tablets		Abdominal Spasm آلام البطن	Morocco		
30 tabs					
Duxil	Almitrine bismesylate.....30 mg + Raubasine.....	Cardio Vascular System drugs	SERVIER	As directed	
Tablets		Mental Disorders الأمراض العقلية	Unknown		
30 Tablets					
DWABETIC	Glibenclamide 5mg	Antidiabetics	Modern Pharama	2.5 to 5 mg daily with breakfast, adjusted every 7 days by increments of 2.5 or 5 mg daily up to 15 mg daily.	
Tablets		Diabetes Mellitus أمراض السكري	Yemen		
20 tab					
Dwafil 10	Tadalafil 10 mg	Sex Stimulants	Modern Pharama	10 - 20 mg depending on response, about 30 minutes before sexual intercourse	
Tablets		Sex Stimulants منشطات جنسية	Yemen		
4 tab					
Dwafil 20	Tadalafil 20 mg	Sex Stimulants	Modern Pharama	10 - 20 mg depending on response, about 30 minutes before sexual intercourse	
Tablets		Sex Stimulants منشطات جنسية	Yemen		
4 tab					
DWAPRIL	Captopril 25 mg	Cardio Vascular System drugs	Modern Pharama	12.5 mg twice daily by mouth, increased gradually at intervals of 2 to 4 weeks according to the response	
Tablets		Hypertension ارتفاع ضغط الدم	Yemen		
20 tablet					
Dwaspasm	Hyoscine N-Butylbromide	Gastro Intestinal drugs	Modern Pharama	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Syrup		Abdominal Spasm آلام البطن	Yemen		
60 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms					
Package		Disease	Country		
Dwaspasm plus	Hyoscine-N-Butylbromide 10 mg + paracetamol 500 mg	Gastro Intestinal drugs	Modern Pharama	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Tablets		Abdominal Spasm	Yemen		
20 f.c tabs		آلام البطن			
Dwaspasm- plus	Hyoscine-N-Butylbromide 10 mg + paracetamol 500 mg	Gastro Intestinal drugs	Modern Pharama	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Tablets		Abdominal Spasm	Yemen		
20 tabs		آلام البطن			
Dwaspsm	Hyoscine- N-Butylbromide	Gastro Intestinal drugs	Modern Pharama	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Syrup		Abdominal Spasm	Yemen		
60 ml for bottle		آلام البطن			
Dwaspsm	Hyoscine- N-Butylbromide 10 mg	Gastro Intestinal drugs	Modern Pharama	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Tablets		Abdominal Spasm	Yemen		
20 tabs		آلام البطن			
Dyrade_M	Metronidazole 200mg+ diloxnide 250mg	Antiprtozoal	CIPLA	Metronidazole dose + Diloxanide furoate ; 500 mg tid for adults and 20 mg/kg/day for children in 3 doses for 7-10 days	
Tablets		Amoebiasis , Gardiasis	India		
30 tab		جارديا واميبييا			
Dyrade-M	Metronidazole 100mg+diloxnide	Antiprtozoal	CIPLA	Metronidazole dose + Diloxanide furoate ; 500 mg tid for adults and 20 mg/kg/day for children in 3 doses for 7-10 days	
Suspension		Amoebiasis , Gardiasis	India		
100 ml		جارديا واميبييا			
Ebixa 10 mg	Memantine Hydrochloride 10 mg	Central Nervous system drugs	H.Lundbeck	5 mg daily in the morning for the first week; increased in weekly by 5 mg to a maximum dose of 20 mg daily	
Tablets		Mental Disorders	Denmark		
20 tab		الأمراض العقلية			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
E-CITALOP 10	Escitalopram tablet 10 mg	Central Nervous system drugs	RFA	Initial dose 10 mg/day orally single dose , maintenance dose 20 mg/day orally single dose only after a minimum of one week.	
Tablets		Mental Disorders الأمراض العقلية	Yemen		
30 tablets					
Ecitam	Escitalopram Oxalate 10 mg	Central Nervous system drugs	Y.E.PHARMA	Initial dose 10 mg/day orally single dose , maintenance dose 20 mg/day orally single dose only after a minimum of one week.	
Tablets		Mental Disorders الأمراض العقلية	Yemen		
30 tab					
Ecitam	Escitalopram Oxalate 20 mg	Central Nervous system drugs	Y.E.PHARMA	Initial dose 10 mg/day orally single dose , maintenance dose 20 mg/day orally single dose only after a minimum of one week.	
Tablets		Mental Disorders الأمراض العقلية	Yemen		
30 tab					
E-COD	Vitamin E + cod liver oil	Vitamines and Menirals	Unknown	40 to 50 mg	
Soft Gelatin Capsules		Vitamins نقص فيتامينات	Unknown		
30 cap					
Econazole Nitrate	Econazole Nitrate 150 mg	Antifungals	Unknown	Vaginal candidiasis as pessaries of 150 mg once daily at bedtime for 3 consecutive nights, topically up to 3 times daily as a 1% cream, lotion, powder, or solution.	
Suppositoris		Vaginal المهبل	Unknown		
3 sup					
ednyt 5	Enalapril	Cardio Vascular System drugs	GEDEON RICHTER	Initial dose of 5 mg of enalapril maleate daily by mouth, maintenance dose is 10 to 20 mg given once daily	
Tablets		Hypertension ارتفاع ضغط الدم	HUNGARY		
30 tab					
Efemyo	Fluorometholone 0.1% + Tetrahydrozoline 0.025%	Ophthalmic drugs	Orchidia Pharma	As directed	
Solution		Eye العين	Egypt		
10 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Effexin	Ofloxacin*	Antibacterial	ILDONG	tab 400mg & 200mg	
tablet		Bacterial Infections	Korea		
1strip*10tablet		الأمراض البكتيرية			
EFFOREX-XR 75 mg	Venlafaxine 75 mg	Central Nervous system drugs	Shiba pharma	75 mg daily. The dose may be increased, if necessary, after several weeks to 150 mg daily.	
Capsules		Mental Disorders	Yemen		
20 ERC		الأمراض العقلية			
Efforti	Etilefrine Hydrochloride 7.5mg /ml	Cardio Vascular System drugs	Boehringer Ingelhim	by mouth in usual doses of 5 or 10 mg three times daily; modified-release dosage forms may be given in doses of 25 mg once or twice daily.	
drops		Hypotension	Unknown		
10 ml		انخفاض ضغط الدم			
Effortil	Etilefrine Hydrochloride	Cardio Vascular System drugs	Boehringer Ingelhim	by mouth in usual doses of 5 or 10 mg three times daily; modified-release dosage forms may be given in doses of 25 mg once or twice daily.	
Tablets		Hypotension	Unknown		
20 tab		انخفاض ضغط الدم			
Eflaron	Metronidazole 500 mg / 100 ml	Antiprtozoal	KRKA	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Infusion		Amoebiasis ,	India		
100 ml		جارديا واميبييا			
EGYVIT	Multi vitamins&minerals. Food supplement	Vitamines and Menirals	EGYPHAR	As directed	
Tablets		Vitamins	Egypt		
15 tab		نقص فيتامينات			
Eleptin	carbamazepine tablet 200 mg	Central Nervous system drugs	Daewon	Initial oral dose is 100 to 200 mg once or twice daily gradually increased by increments of 100 to 200 mg every 2 weeks to a usual maintenance dose of 0.8 to 1.2	
Tablets		Epilepsy	Korea		
30 Tablet		الصرع			


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Elevit	Multi Vitamines	Vitamines and Menirals	BAYER	As directed	
Tablets		Vitamins	Germany		
30 Tablets		نقص فيتامينات			
Elica	Mometasone Furoate	Unknown	Jamjoom Pharma	Once daily	
Cream		Dermatitis	Saudi Arabia		
30 gm		الالتهابات الجلدية			
Elica	Mometasone furoate 0.1% w/w	Corticosteroid	Jamjoom Pharma	Once daily	
Cream		Dermatitis	Saudi Arabia		
30 gm /tube		الالتهابات الجلدية			
Elicasal	Mometasone furoate 0.1% w/w + Salicylic acid 5% w/w	Corticosteroid	Jamjoom Pharma	Once daily or as directed	
Ointment		Dermatitis	Saudi Arabia		
30 gm /tube		الالتهابات الجلدية			
elipa	Ketorolac Trometamol	Nonsteroidal Anti-	Unknown	Oral Adult Daily Dose:10 - 40 mg for 7 days . Single intramuscular 60 mg or intravenous 30 mg - children 0.5 mg/kg up to a maximum of 15 mg.	
		Analgesic	Unknown		
		مهدئات الأوجاع			
Elkof	Terbutaline+bromhexine+guaifenesine ??	Respiratory drugs	RFA	10 - 15 ml orally tid	
Syrup		Common Cold	Yemen		
100 ml		نزلات البرد			
Elkof-D	Terbutaline+bromhexine+guaifenesine ??	Respiratory drugs	RFA	10 - 15 ml orally tid	
Syrup		Common Cold	Yemen		
100 ml		نزلات البرد			


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Elkof-T	Terbutaline+bromhexine+guaifenesine ??	Respiratory drugs	RFA	10 - 15 ml orally tid	
Syrup		Common Cold نزلات البرد	Yemen		
100 ml					
Elkophed	Dextromethorphan	Respiratory drugs	RFA	Adults 60 mg three or four times daily, Children 2.5 to 5 mg every 4 hours	
Syrup		Common Cold نزلات البرد	Yemen		
120 ml					
ELTROXIN 100	levothyroxine sodium	Hormones	ASPEN	Minimum/Maximum Adult Daily Dose:25 - 200 mcg	
TABLTE		Thyroid hormone الغدة الدرقية	Ireland		
100					
ELTROXIN 50	LEVOTYROXINE SODIUM 50	Hormones	ASPANE	Minimum/Maximum Adult Daily Dose:25 - 200 mcg	
TABLTE		Thyroid hormone الغدة الدرقية	Unknown		
100					
Eludril	Antiseptic	Antiseptic and Desinfectants	Unknown	As directed	
Solution		Mouth Wash الغسولات الفموية	Unknown		
EMEDROP	Metoclopramide 1 mg/ 1 ml	Gastro Intestinal drugs	Pharmacare	Infants &Children : 5 -20 drop taken 2 – 3 times daily .Adults : One teaspoonful once or twice daily .	
Drops		Nausea and vomiting الغثيان والطرش	Yemen		
30 ml					
EMERAL	Unknown	Gastro Intestinal drugs	EIPICO	As directed	
Tablets		Nausea and vomiting الغثيان والطرش	Egypt		
20 tab					


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Emeset	Ondansetron Hydrochloride 2mg /ml	Gastro Intestinal drugs	CIPLA	4-8 mg of ondansetron base	
Ampoules		Nausea and vomiting الغثيان والطرش	India		
5 x 2					
Emeset - 8	ondansetron	Gastro Intestinal drugs	CIPLA	IV for chemotherapy-induced nausea or vomiting 0.15 mg/kg for 3 doses (30 min before chemotherapy and then 4 and 8 hr after) or 0.45 mg/kg, to a	
Tablets		Nausea and vomiting الغثيان والطرش	India		
20 tabs					
Emeset-4	Ondansetron Hydrochloride	Gastro Intestinal drugs	CIPLA	4-8 mg of ondansetron base	
Tablets		Nausea and vomiting الغثيان والطرش	India		
6 tab					
Emeset-4	Ondansetron	Gastro Intestinal drugs	CIPLA	IV for chemotherapy-induced nausea or vomiting 0.15 mg/kg for 3 doses (30 min before chemotherapy and then 4 and 8 hr after) or 0.45 mg/kg, to a	
Tablets		Nausea and vomiting الغثيان والطرش	India		
10 x 6 tabs					
Emetac 150	Ranitidine	Gastro Intestinal drugs	Unknown	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Tablets		Peptic ulcer قرحة المعدة	Unknown		
100 tab					
Emidol	Paracetamol tablet 500mg.	Nonsteroidal Anti-	Global Pharma	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Unknown		
24 tablets					
Emidol	Paracetamol suspension 120mg/5ml.	Nonsteroidal Anti-	Global Pharma	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Suspension		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Unknown		
100 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Emidol	Paracetamol	Nonsteroidal Anti-	Unknown	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - مهدئات الأوجاع والحمى	Unknown		
Emifen	Ibuprofen suspension 20mg/ml	Nonsteroidal Anti-	global pharma	Oral doses of 400 mg to 1.2 g daily .	
		Analgesic مهدئات الأوجاع	Unknown		
100 ml					
Emifen	Ibuprofen	Non-Steroidal Anti-	Unknown	Oral doses of 400 mg to 1.2 g daily .	
		Analgesic مهدئات الأوجاع	Unknown		
Emifenac-50 DT	Diclofenac dispersible tablets 50mg	Nonsteroidal Anti-	Global Pharma	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Tablets		Analgesic مهدئات الأوجاع	UAE		
20 tablets					
Emilora	Loratadine	Antihistamines	Global Pharma	Orally in a dose of 10 mg once daily. Children 5-10 mg - once daily	
Syrup		Allergy الحساسية	Unknown		
100 ml					
EMOFLUOR	Antiseptic	Antiseptic and Disinfectants	Unknown	As directed	
Solution		Mouth Wash الغسولات الفموية	Unknown		
E-Mox	Amoxicillin 250 mg / 5 ml	Antibiotics	EIPICO	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Powder for Suspension		الأمصابات الميكروبية Microbial Infections	Egypt		
100 ml					


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
E-Mox	Amoxicillin 125mg / 5 ml	Antibiotics	EIPICO	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Powder for Suspension		الأمراض الميكروبية Microbial Infections	Egypt		
100 ml					
Emugesic	Unknown	Muscle relaxations	Unknown	As directed	
Cream		Muscle relaxation مرخيات العضلات	Unknown		
70 gm					
E-MYCIN 400	Erythromycin 400 mg	Antibiotics	RFA	tablet 500mg &250mg &400mg Dry syrup 400mg &250mg & 200mg &125mg Topical sul 4% &2%	
Tablets		الأمراض الميكروبية Microbial Infections	Yemen		
100 tabs					
E-MYCIN 400	Erythromycin 200 mg/5 ml	Antibiotics	RFA	tablet 500mg &250mg &400mg Dry syrup 400mg &250mg & 200mg &125mg Topical sul 4% &2%	
Powder for Suspension		الأمراض الميكروبية Microbial Infections	Yemen		
100 ml					
Enap	Enalapril 10 mg / tab	Cardio Vascular System drugs	KRKA	Initial dose of 5 mg of enalapril maleate daily by mouth, maintenance dose is 10 to 20 mg given once daily	
Tablets		Hypertension ارتفاع ضغط الدم	India		
20 TAB					
Enap-HL	Enalapril 10 mg + Hydrochlorothiazide 12.5 mg / tab	Cardio Vascular System drugs	KRKA	Initial dose of 5 mg of enalapril maleate daily by mouth, maintenance dose is 10 to 20 mg given once daily	
Tablets		Hypertension ارتفاع ضغط الدم	India		
20 TAB					
Enap-HL	Enalapril 20 mg + Hydrochlorothiazide 12.5 mg / tab	Cardio Vascular System drugs	KRKA	Initial dose of 5 mg of enalapril maleate daily by mouth, maintenance dose is 10 to 20 mg given once daily	
Tablets		Hypertension ارتفاع ضغط الدم	India		
20 TAB					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
ENAT	Vit.E 400 I.U	Vitamines and Menirals	MEGA	40 to 50 mg	
Cream		Vitamins	Thailand		
50gm		نقص فيتامينات			
ENAT 400	Vit.E 400 mcg	Vitamines and Menirals	MEGA	40 to 50 mg	
Capsules		Vitamins	Thailand		
30 S.G Capsules.		نقص فيتامينات			
Encephabol	Pyritinol Hydrochloride	Cardio Vascular System drugs	MERCK	600 mg daily in 3 divided doses	
		Cardio Vascular	France		
		الأوعية الدموية والقلب			
Enclex-40	Enoxaparin Sodium	Cardio Vascular System drugs	Unknown	40 mg (4000 units) once daily for at least 6 days up to a maximum of 14 days, or 1 mg/kg (100 units/kg) every 12 hours, or 1.5 mg/kg (150 units/kg) once daily, for at least	
		Thrombosis	Unknown		
		الجلطات			
Enclex-40.	Enoxaparin sodium	Cardio Vascular System drugs	CIPLA	40 mg (4000 units) once daily for at least 6 days up to a maximum of 14 days, or 1 mg/kg (100 units/kg) every 12 hours, or 1.5 mg/kg (150 units/kg) once daily, for at least	
Ampoules		Thrombosis	India		
enoxaparin sodium injection 40mg/0.4ml		الجلطات			
Enclex-60	Enoxaparin Sodium 60 mg / 0.6 ml or Enoxaparin Sodium 6000 i.u / 0.6 ml	Cardio Vascular System drugs	CIPLA	40 mg (4000 units) once daily for at least 6 days up to a maximum of 14 days, or 1 mg/kg (100 units/kg) every 12 hours, or 1.5 mg/kg (150 units/kg) once daily, for at least	
Ampoules		Thrombosis	India		
2 amp		الجلطات			
Encorate	Na valproate tablet 200mg	Central Nervous system drugs	SUN	15 mg/kg/day in 2-3 divided doses initially, increasing at weekly intervals to an effective dosage, to a maximum of 60 mg/kg/day.	
Tablets		Epilepsy	India		
tablet		الصرع			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Encorate Chrono-200	Valproic Acid&Na valproate tablet 200mg	Central Nervous system drugs	SUN	PO for epilepsy (valproic acid) 15 mg/kg/day in 2-3 divided doses initially, increasing in 5-10 mg/kg/day increments at weekly intervals to an effective dosage,	
Tablets		Epilepsy الصرع	India		
30 tablets					
Encorate Chrono-500	Valproic Acid&Na valproate tablet 500mg	Central Nervous system drugs	SUN	PO for epilepsy (valproic acid) 15 mg/kg/day in 2-3 divided doses initially, increasing in 5-10 mg/kg/day increments at weekly intervals to an effective dosage,	
Tablets		Epilepsy الصرع	India		
30 tablets					
Enfexia 250 mg	Cefuroxime	Antibacterial	Bilim	Oral doses for adults are 250 to 500 mg twice daily, for children 10 mg/kg twice daily to a maximum of 250 mg daily- By injection the usual adult dose is 750 mg of cefuroxime	
tablet		Bacterial Infections	Turkey		
2strip*5tablet		الأمراض البكتيرية			
Enfexia 500 mg	Cefuroxime	Antibacterial	Bilim	Oral doses for adults are 250 to 500 mg twice daily, for children 10 mg/kg twice daily to a maximum of 250 mg daily- By injection the usual adult dose is 750 mg of cefuroxime	
Tablets		Bacterial Infections	Turkey		
1vial		الأمراض البكتيرية			
Enfexia 750 mg	Cefuroxime	Antibacterial	Bilim	Oral doses for adults are 250 to 500 mg twice daily, for children 10 mg/kg twice daily to a maximum of 250 mg daily- By injection the usual adult dose is 750 mg of cefuroxime	
Vial		Bacterial Infections	Turkey		
1 vial		الأمراض البكتيرية			
ENTOPHAR	Metronidazole	Antiprtozoal	PHARCO	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Suspension		Amoebiasis , Giardiasis جارديا واميبييا	Egypt		
120 ml					
ENZYME PLUS	Combination	Gastro Intestinal drugs	LIFEPLAN	As directed	
		Indigestion سوء الهضم	Unknown		

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Epanutin	Phenytoin capsule 100mg	Central Nervous system drugs	Pfizer	Minimum/Maximum Adult Daily Dose:300 - 600 mg (milligram) OR 3 - 6 Capsules.	
Capsules		Epilepsy الصرع	USA		
100 capsules					
Ephedrine Hcl	Ephedrine+carben oxamine+ pholcodiene	Respiratory drugs	Unknown	Nasal drops or sprays containing ephedrine 0.5 or 1%, 0.25% for use in children aged 1 to 3 months.	
Ampoules		Common Cold نزلات البرد	Unknown		
EPICEPHIN	Ceftriaxone Sodium 1 gm	Antibacterial	EIPICO	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Vial		Bacterial Infections الأمراض البكتيرية	Egypt		
1 vial + 2 amp solvent					
EPICOCILLIN	Ampicillin 1 gm / vial	Antibiotics	EIPICO	Adults : 1 - 2 Capsule four times daily.	
Vial		الأمراض الميكروبية Microbial Infections	Egypt		
1 vial					
Epicogel	Each 15 ml contain Al(OH)918 + Mg(OH) 300 + Simethicone 60	Gastro Intestinal drugs	EIPICO	*tab = 40 -120 mg QID orall a.m * susp = 10 ml QID * sachets = one sachet QID	
Suspension		سوء الهضم	Egypt		
120 ml / Bottle					
Epicophylline	Acefylline + Aminophylline	Respiratory drugs	EIPICO	16 mg/kg/daily	
Syrup		Bronchial Asthma الربو الشعبي	Egypt		
125 ml					
Epicozym	Vitamin B1 5mg -Vitamin B2 2mg -Vitamin B6 2mg - Ncotinamide 20mg -panthenol	Vitamines and Menirals	EIPICO	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Syrup		Vitamins Deficiency نقص فيتامينات	Egypt		
125ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
EPIFENAC	Diclofenac Sodium 75 mg/ 3 ml	NSAID	EIPICO	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Ampoules		Analgesic مهدئات الأوجاع	Egypt		
3 amp x 3 ml					
EPILAT	Nifedipine 10 mg /cap	Cardio Vascular System drugs	EIPICO	10 to 40 mg twice daily	
Capsules		Hypertension ارتفاع ضغط الدم	Egypt		
30 cap					
EPILAT Retard	Nifedipine 20 mg / tab	Cardio Vascular System drugs	EIPICO	10 to 40 mg twice daily	
Tablets		Hypertension ارتفاع ضغط الدم	Egypt		
20 S.R F. C. T					
EPIMAG	Magnesium Citrate+	Urinary tract drugs	EIPICO	ADULTS: PO 1 glassful (approximately 240 ml) prn. CHILDREN 2-6 YR: PO 4-12 ml. CHILDREN 6-12 YR: PO 50-100 ml. Repeat if necessary.	
Sachets		Urinary Tract Infection اصابات الجهاز البولي	Egypt		
10 Sachets					
Epinephrine	Adrenaline	Cardio Vascular System drugs	NDCO	Adrenaline is usually given by intramuscular injection, subcutaneously;1 in 10 000 or 1 in 100 000) by very slow intravenous injection or by slow intravenous infusion.	
Ampoules		Anaphylactic Shock الصدمة الأغمائية	Unknown		
25 AMP					
EPINOR	Norfloxacin 400/ tab	Antibacterial	EIPICO	Tab 400mg	
Tablets		Bacterial Infections الاصابات البكتيرية	Egypt		
14 tab					
EPINOSINE-B	.Adenosine 10 mg+cocaboxylase 50mg+Vit.B12 . 500 mcg+nicotinamide 20mg	Cardio Vascular System drugs	EIPICO	1 ampoule I.M (only) daily or as directed by the physician.	
Ampoules		Arrhythmia عدم انتظام ضربات القلب	Egypt		
3 lyophilized ampoules+3ampoul					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Epiran	Ranitidine	Gastro Intestinal drugs	unknown	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Tablets		Peptic ulcer قرحة المعدة	Egypt		
20 tabs					
Epirax	Chlordiazepoxide + Clidinium bromide tablet (5/2.5)mg	Gastro Intestinal drugs	EIPICO	Minimum/Maximum Adult Daily Dose: 1 - 8 Capsule	
Tablets		Peptic ulcer قرحة المعدة	Egypt		
30 tablets					
EPIRAZOLE	Omeprazole 20 mg / cap	Gastro Intestinal drugs	EIPICO	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
Capsules		Peptic ulcer قرحة المعدة	Egypt		
14 caps					
EPISTAT-500	levetiracetam tablet 500mg	Central Nervous system drugs	CIPLA	1-3 gm increased gradually, children 50 kg is 20 mg/kg daily	
Tablets		Epilepsy الصرع	India		
30 tablets					
Epitoin	Each 5 ml contains phenytoin U.S.P. 30 mg.	Central Nervous system drugs	Pharmacare	Adults & children (over 6 yrs): Three teaspoonfuls (15ml) three times daily. Subsequent dosage should be adjusted according to the therapeutic response.	
Suspension		Epilepsy الصرع	Yemen		
120 ml					
Epival-500	Na valproate tablet 500mg	Central Nervous system drugs	United	15 mg/kg/day in 2-3 divided doses initially, increasing at weekly intervals to an effective dosage, to a maximum of 60 mg/kg/day.	
Tablets		Epilepsy الصرع	Jordan		
50 tablets					
EPIZOLONE-DEPOT	Methylprednisolone 40 mg / 1 ml	Corticosteroid	EIPICO	10 to 500 mg of methylprednisolone daily	
Ampoules		Inflammations الالتهابات	Egypt		
1 amp					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
EPRAZOLE	Omeprazole 20 mg	Gastro Intestinal drugs	LABORATE	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
Capsules		Peptic ulcer قرحة المعدة	India		
10x 10 cap					
EPSOM SALTS	Magnesium Sulphate 25 g / sachet	Gastro Intestinal drugs	Shiba pharma	5-15 gm	
Sachets		Constipation الإمساك	Yemen		
25 gm					
Eracid	Clarithromycin	Antibiotics	JPM	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
tablet		Respiratory Disorders اضطرابات الجهاز التنفسي	Jordan		
2strip*7tablet					
Ercefuryl 200 mg	Nifuroxazide	Gastro Intestinal drugs	Unknown	* tabs = q I d syrup = less two months 5 ml bid 2-12 months tid more 1 years = q I d	
		Diarrhea الاسهال	Unknown		
Eromed	Erythromycin	Antibiotics	Global Pharma	tablet 500mg &250mg &400mg Dry syrup 400mg &250mg & 200mg &125mg Topical sul 4% &2%	
Suspension		الأمصابات الميكروبية Microbial Infections	Yemen		
100ml					
Eromycin	Erythromycin	Antibiotics	Julphar	tablet 500mg &250mg &400mg Dry syrup 400mg &250mg & 200mg &125mg Topical sul 4% &2%	
Dry syrup		الأمصابات الميكروبية Microbial Infections	UAE		
1bottel*100ml					
Eros	lidocaine	Central Nervous system drugs	Abingdon	The dose of lidocaine hydrochloride used for local anaesthesia depends on the site of injection and the procedure used.	
Cream		Anaesthetics التخدير الموضعي	Unknown		
bottle of 5% in 15g					



Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Erotab	Erythromycin	Antibiotics	Hayat pharma	tablet 500mg &250mg &400mg Dry syrup 400mg &250mg & 200mg &125mg Topical sul 4% &2%	
Tablet		الأمراض الميكروبية Microbial Infections	Unknown		
10strip*10tablet					
Erothin	Erythromycin 200 mg / 5 ml	Antibiotics	Modern Pharama	Dry syrup 400mg &250mg & 200mg &125mg Topical sul 4% &2%	
Dry syrup		الأمراض الميكروبية Microbial Infections	Yemen		
100 ml					
Erythrodar	Erythromycin	Antibiotics	Dar Aldawa	tablet 500mg &250mg &400mg Dry syrup 400mg &250mg & 200mg &125mg Topical sul 4% &2%	
Dry syrup		الأمراض الميكروبية Microbial Infections	Jordan		
1bottel*100ml					
Erythromycin	Erythromycin 125 mg / 5 ml	Antibiotics	FULTON	tablet 500mg &250mg &400mg Dry syrup 400mg &250mg & 200mg &125mg Topical sul 4% &2%	
Suspension		الأمراض الميكروبية Microbial Infections	Italy		
100 ml					
Erythromycin Stearate	Erythromycin	Antibiotics	Unknown	tablet 500mg &250mg &400mg Dry syrup 400mg &250mg & 200mg &125mg Topical sul 4% &2%	
		الأمراض الميكروبية Microbial Infections	Unknown		
Erythrosan	Erythromycin 250 mg	Antibiotics	Shiba pharma	tablet 500mg &250mg &400mg Dry syrup 400mg &250mg & 200mg &125mg Topical sul 4% &2%	
Tablet		الأمراض الميكروبية Microbial Infections	Yemen		
2strip *10tablet					
Erythrosan	Erythromycin 125 mg / 5 ml	Antibiotics	Shiba pharma	tablet 500mg &250mg &400mg Dry syrup 400mg &250mg & 200mg &125mg Topical sul 4% &2%	
Suspension		الأمراض الميكروبية Microbial Infections	Yemen		
100 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Erythrosan	Erythromycin 200 mg / 5 ml	Antibiotics	Shiba pharma	tablet 500mg &250mg &400mg Dry syrup 400mg &250mg & 200mg &125mg Topical sul 4% &2%	
Suspension		الأمراض الميكروبية Microbial Infections	Yemen		
100 ml					
Erythrosan	Erythromycin 250 mg / 5 ml	Antibiotics	Shiba pharma	tablet 500mg &250mg &400mg Dry syrup 400mg &250mg & 200mg &125mg Topical sul 4% &2%	
Suspension		الأمراض الميكروبية Microbial Infections	Yemen		
100 ml					
Escodyne	vitamins + minerals +trace elements	Vitamines and Menirals	Sothema	As directed	
Tablets		Vitamins نقص فيتامينات	Morocco		
10 effervescent tablets					
Esi-Pram-10	Escitalopram tablet 10mg	Central Nervous system drugs	MEDICO LABS	Initial dose 10 mg/day orally single dose , maintenance dose 20 mg/day orally single dose only after a minimum of one week.	
Tablets		Mental Disorders الأمراض العقلية	Syria		
20 tablets					
Esomac 20	Esomeprazole	Gastro Intestinal drugs	CIPLA	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
Tablets		قرحة المعدة Peptic ulcer	India		
10 tabs					
Esomac 40	Esomeprazole	Gastro Intestinal drugs	CIPLA	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
Tablets		قرحة المعدة Peptic ulcer	India		
10 tab					
Esomac 40	Esomeprazole	Gastro Intestinal drugs	CIPLA	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
Powder for Solution Injection		قرحة المعدة Peptic ulcer	India		
vial					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Esomac 40	Esomeprazole	Gastro Intestinal drugs	CIPLA	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
Tablets		Peptic ulcer قرحة المعدة	India		
10x10 tab					
Es-omepral 20	Esomeprazole	Gastro Intestinal drugs	ASIA	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
cap		Peptic ulcer قرحة المعدة	Syria		
20 caps					
Es-omepral 40	Esomeprazole	Gastro Intestinal drugs	ASIA	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
Capsules		Peptic ulcer قرحة المعدة	Syria		
20 caps					
Esoprax	Esomeprazole 20 mg / cap	Gastro Intestinal drugs	Shiba pharma	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
Capsules		Peptic ulcer قرحة المعدة	Yemen		
10 x 10 cap					
Esoprax 20	Esomeprazole 20 mg / cap	Gastro Intestinal drugs	Shiba pharma	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
Capsules		Peptic ulcer قرحة المعدة	Yemen		
14 Capsules					
Esoprax 40	Esomeprazole	Gastro Intestinal drugs	Shiba pharma	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
Capsules		Peptic ulcer قرحة المعدة	Yemen		
14 Capsules					
Esoprax 40	Esomeprazole	Gastro Intestinal drugs	Shiba pharma	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
Capsules		Peptic ulcer قرحة المعدة	Yemen		
10 x 10 capsules					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
ESOprazol	Esomeprazole	Gastro Intestinal drugs	Shaphaco	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
Tablets		Peptic ulcer قرحة المعدة	Yemen		
20 tabs					
Esoprazol 40	Esomeprazole	Gastro Intestinal drugs	Shaphaco	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
tab		Peptic ulcer قرحة المعدة	Unknown		
20 tabs					
ESOREST 20	Esomeprazole 20 mg	Gastro Intestinal drugs	RFA	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
Tablets		Peptic ulcer قرحة المعدة	Yemen		
100 tabs					
ESOREST 40	Esomeprazole 40 mg	Gastro Intestinal drugs	RFA	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
Tablets		Peptic ulcer قرحة المعدة	Yemen		
100 tabs					
Esoxium ???	Esomeprazole	Gastro Intestinal drugs	BIOPHARM	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
Capsules		Peptic ulcer قرحة المعدة	Yemen		
14 caps					
Esoxium 40	Esomeprazole	Gastro Intestinal drugs	BIOPHARM	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
Capsules		Peptic ulcer قرحة المعدة	Yemen		
14 caps					
Esoz	Esomeprazole	Gastro Intestinal drugs	Glenmark	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
tab		Peptic ulcer قرحة المعدة	India		
10 tabs					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Essential forte	Phospholipids from soya-beas Hard capsule 300mg.	Vitamines and Menirals	Sanofi aventis	Adluts : 1800mg/daily(divaded into 3 doses) childran mor than 12 years(about 43 kg) 600mg/daily(divaded into 3 doses).	
Capsules		Hepatic Disorders اضطرابات الكبد	France		
50 Hard capsules					
Essentiale Forte 300 mg	essential phospholipids+vit b1,b2,b12,E	Gastro Intestinal drugs	Sanofi Aventis	Adluts : 1800mg/daily(divaded into 3 doses) childran mor than 12 years(about 43 kg) 600mg/daily(divaded into 3 doses).	
Capsules		Hepatic Disorders اضطرابات الكبد	France		
50 cap					
Essentiale forte N	essential phospholipids 300 mg+vit b1,b2,b12,E	Gastro Intestinal drugs	Sanofi Aventis	Adluts : 1800mg/daily(divaded into 3 doses) childran mor than 12 years(about 43 kg) 600mg/daily(divaded into 3 doses).	
Capsules		Hepatic Disorders اضطرابات الكبد	France		
30 cap					
essentials folic acid	folic acid 400mcg	Vitamines and Menirals	Unknown	Adults : Initial therapy : 5- 15 mg daily according to the case , Maintenance Dose : 2 -5 mg daily. Children dose 1 - 10 daily according to the case.	
tablet		Anaemia فقر الدم	Unknown		
90tablet					
Estecina	Ciprofloxacin Hydrochloride	Antibacterial	LABORATORI ES NORMON, S.A	250 to 750 mg twice daily depending on the severity and nature of the infection	
		Bacterial Infections الاصابات البكتيرية	Unknown		
Estecina 100 ml	Ciprofloxacin*	Antibacterial	Normon	250 to 750 mg twice daily depending on the severity and nature of the infection	
Infusion Bottle		Bacterial Infections الاصابات البكتيرية	Spain		
100 ml / bottle					
Estecina Tablets	Ciprofloxacin*	Antibacterial	Normon	250 to 750 mg twice daily depending on the severity and nature of the infection	
Tablets		Bacterial Infections الاصابات البكتيرية	Spain		
20 Coated Tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
ETODINE-300	Etodolac capsule 300mg.	Nonsteroidal Anti-	PHARCO	Minimum/Maximum Adult Daily Dose:500 - 1000 mg (milligram) OR 1 - 2 Tablet	
Capsules		مهدئات الأوجاع	Egypt		
10 S.G capsules					
Eucarbon	charcoal	Gastro Intestinal drugs	F. Tranka	A usual adult dose for reduction of absorption is 50 g, but higher doses have been used. Children 1 to 12 years old may be given 25 to 50 g and infants under 1 year 1 g/kg.	
tab		التسمم	Unknown		
100 tab					
Euphyllin	Theophyllin 200 mg/10 ml	Respiratory drugs	Nycomed	by mouth in doses ranging from 300 to 1000 mg daily in divided doses	
Ampoules		Bronchial Asthma الربو الشعبي	Viena, Austria		
5 amp x 10 ml					
Eurax	Benzyl Benzoate	Skin Disorders	Unknown	A 25% emulsion is applied to the whole body, usually from the neck down, three applications at 12-hour intervals, without bathing, may be made, followed by bathing	
		Scabies الجرب	Unknown		
Eurozole 500 mg	Secnidazole 500 mg	Antiprtozoal	European Egyptian	Adult: 2 gm single dose , children: 30 mg /kg / day sigle dose ,	
Tablets		Amoebiasis , Gardiasis جارديا واميبييا	Egypt		
4 tab					
EUTHROX	levothyroxine sodium 150	Hormones	MERCK	Minimum/Maximum Adult Daily Dose:25 - 200 mcg	
Solid		Thyroid hormone الغدة الدرقية	France		
100					
euthyrox	levothyroxine sodium 25	Hormones	MERCK	Minimum/Maximum Adult Daily Dose:25 - 200 mcg	
Solid		Thyroid hormone الغدة الدرقية	France		
100					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
EUTHYROX ???	levothyroxine sodium 100	Hormones	MERCK	Minimum/Maximum Adult Daily Dose:25 - 200 mcg	
Solid		Thyroid hormone الغدة الدرقية	France		
100					
EVA PHARMA	Salicylic Acid	Skin Disorders	OCTOBER PHARMA	As directed	
Ointment		Warts أو النمو الصغيرة	Egypt		
20 gm					
EVIT 400	Vit.E (tocopherols) 400 mg	Vitamines and Menirals	Square Pharma Logo	40 to 50 mg	
Capsules		Vitamins نقص فيتامينات	Unknown		
30 cap					
Exolvane	Bromhexine	Respiratory drugs	Razi Pharma	Bromhexine is usually given by mouth in a dose of 8 to 16 mg of the hydrochloride three times daily	
Syrup		Respiratory Disorders اضطرابات الجهاز التنفسي	Syria		
100 ml					
Exolvane	Bromhexine	Respiratory drugs	Unknown	Bromhexine is usually given by mouth in a dose of 8 to 16 mg of the hydrochloride three times daily	
		Respiratory Disorders اضطرابات الجهاز التنفسي	Unknown		
eX-pylori	Pantoprazole 40 mg+Clarithromycin 500 mg+ Amoxicillin 1000 (dose=one kit for 7 days)	Gastro Intestinal drugs	Pharmacare	One dose morning and one dose evening for 7 days eradication regimen.	
kits		H-Pylori جرثومة المعدة	Yemen		
7 kits each contains 4 tablets and 2					
Extra Strength	Ibuprofen 400 mg	Nonsteroidal Anti-	WOCKHADT	Oral doses of 400 mg to 1.2 g daily .	
Tablets		Analgesic المهدئات الأوجاع	UK		
84 tablets					


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Ezilax	Lactulose	Gastro Intestinal drugs	Tabuk pharma	10 to 20 g (15 to 30 mL) given daily by mouth in a single dose or in 2 divided doses	
Syrup		Constipation الأمساك	Saudi Arabia		
300 ml for bottle					
Ezivac	Glycerin + Sodium Chloride	Gastro Intestinal drugs	Unknown	Rectally as suppositories or a solution in single doses, The usual initial dose of glycerol is 1 to 1.8 g/kg given as a 50% solution,	
Enema		Constipation الأمساك	Unknown		
30 ml					
EZTOR EZ	atorvastatin 10mg+ezetimibe 10mg	Cardio Vascular System drugs	SUN Pharma	Oral only.: ADULTS: PO 10 to 80 mg/day.	
tablet		Hyperlipidaemias زيادة الدهون في الدم	India		
tablet					
Fadine 20	Famotidine 20 mg	Gastro Intestinal drugs	Shaphaco	*40 mg once time daily . * 20 mg bid	
Tablets		Peptic ulcer قرحة المعدة	Yemen		
20 tab					
Fadine 40	Famotidine 40 mg	Gastro Intestinal drugs	Shaphaco	*40 mg once time daily . * 20 mg bid	
Tablets		Peptic ulcer قرحة المعدة	Yemen		
10 tab					
Famciclovir	Famciclovir 250mg	Antivirals	Unknown	250 mg three times daily, or 750 mg once daily, for 7 days	
		Viral Infections الأمراض الفيروسية	Unknown		
Famciclovir stada	Famciclovir 500mg / tab	Antivirals	STADA	250 mg three times daily, or 750 mg once daily, for 7 days	
Tablets		Viral Infections الأمراض الفيروسية	Unknown		
21 film-coated tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Famciclovir Teva	Famciclovir 125mg	Antivirals	TEVN	250 mg three times daily, or 750 mg once daily, for 7 days	
		Viral Infections الأمراض الفيروسية	Unknown		
Famid 40 mg	Famotidine 40 mg	Gastro Intestinal drugs	Modern Pharama	*40 mg once time daily . * 20 mg bid	
Tablets		Peptic ulcer قرحة المعدة	Yemen		
20 tab					
Famodar	famotidine	Gastro Intestinal drugs	Dar Aldawa	*40 mg once time daily . * 20 mg bid	
tab		Peptic ulcer قرحة المعدة	Unknown		
30 tabs					
Famotak 20 mg	Famotidine	Gastro Intestinal drugs	SEDICO	*40 mg once time daily . * 20 mg bid	
Tablets		Peptic ulcer قرحة المعدة	Egypt		
20 Tablets					
Famotak 40 mg	Famotidine	Gastro Intestinal drugs	SEDICO	*40 mg once time daily . * 20 mg bid	
Tablets		Peptic ulcer قرحة المعدة	Egypt		
20 tab					
Famvir 250 mg	Famciclovir	Antivirals	NOVARTIS	250 mg three times daily, or 750 mg once daily, for 7 days	
Tablets		Viral Infections الأمراض الفيروسية	Switzerland		
21 tap.					
Famvir 500 mg	Famciclovir	Antivirals	NOVARTIS	250 mg three times daily, or 750 mg once daily, for 7 days	
Tablets		Viral Infections الأمراض الفيروسية	Switzerland		
3 tap.					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Fansitab	Sulfadoxine 500 mg + Pyrimethamine 25 mg	Antimalarial medicines	Shaphaco	the usual dose by mouth is 1.5 g of sulfadoxine with 75 mg of pyrimethamine as a single dose	
Tablets		Malaria الملاريا	Yemen		
250 tab					
Farcolin Syrup	Each 5 ml contains: Salbutamol 2mg+ Ammonium chloride 100 mg	Respiratory drugs	PHARCO	2 -4 mg / or 2 buffs *qid	
Syrup		Bronchial Asthma الربو الشعبي	Egypt		
120 ml					
Farcolin Tablets	Salbutamol 2 mg	Respiratory drugs	PHARCO	2 -4 mg / or 2 buffs *qid	
Tablets		Bronchial Asthma الربو الشعبي	Egypt		
20 tab					
Farconcil	Amoxicillin*	Antibiotics	PHARCO	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Dry syrup		الأمصابات الميكروبية Microbial Infections	Egypt		
80ml					
FARCONCIL	Amoxicillin	Antibiotics	PHARCO	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
		الأمصابات الميكروبية Microbial Infections	Egypt		
farco pril	Captopril	Cardio Vascular System drugs	Unknown	12.5 mg twice daily by mouth, increased gradually at intervals of 2 to 4 weeks according to the response	
		Hypertension ارتفاع ضغط الدم	Unknown		
Farcosolvin	Ambroxol+Guaiphenesin	Respiratory drugs	PHARCO	5 ml by mouth, in 2 or 3 divided doses.	
Syrup		Respiratory Disorders اضطرابات الجهاز التنفسي	Egypt		
120 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
FARCOSOLVIN	Combination	Respiratory drugs	PHARCO	As directed	
Syrup		Respiratory Disorders اضطرابات الجهاز التنفسي	Egypt		
120 ml					
Farcotilium	Domperidone	Gastro Intestinal drugs	PHARCO	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily. In children, 250 to 500 micrograms/kg by mouth	
Suspension		Nausea and vomiting الغثيان والطرش	Egypt		
120 ml for bottle					
Farcotilium	Domperidone	Gastro Intestinal drugs	PHARCO	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily. In children, 250 to 500 micrograms/kg by mouth	
Capsules		Nausea and vomiting الغثيان والطرش	Egypt		
24 caps					
Farcotilium	Domperidone	Gastro Intestinal drugs	PHARCO	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily. In children, 250 to 500 micrograms/kg by mouth	
Suspension		Nausea and vomiting الغثيان والطرش	Egypt		
120 ml					
Farcotrim	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	Antibacterial	PHARCO	Tablet (800 sulfam/ 160 trimeth)mg & Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	
Tablets		Bacterial Infections الأمراض البكتيرية	Egypt		
2strip*10tablet					
Farcovit B12	essential phosphate 10mg+vitB1 2mg+vitB2 1mg+vitB6 2mg+vitB12	Vitamines and Menirals	PHARCO	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Capsules		Vitamins نقص فيتامينات	Egypt		
24 capsule					
FARCOZEPAM	Diazepam	Central Nervous system drugs	PHARCO	Severe anxiety in oral doses of 2 mg three times daily to a maximum of 30 mg daily, in seizures Adults :Diazepam 10 to 20 mg (I.V 5 mg/minute) or infusion every 15 min for up	
Ampoules		Anxiety, Insunnea الأرق والقلق	Egypt		
5 amp x 2 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
FARCOZOL	metronidazole	Antiprtozoal	PHARCO	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , جارديا واميبيا	Egypt		
20 tab					
Farin 5 mg	warfarin 5 mg / tab	Cardio Vascular System drugs	GALENICA	3 - 10 mg daily	
Tablets		Thrombosis الجلطات	Republic of Serbia		
30 Tablets					
Farolax	sodium picosulfate	Gastro Intestinal drugs	Pharo pharma	adult = one bottle 120 ml delivered dose) once dairy = child 60 ml once dairy	
drop oral		Constipation الأمساك	Egypt		
15 ml					
FAROSTAN FORTE	Unknown	Non-Steroidal Anti-	PHARCO	As directed	
Tablets		Antipyretic - مهدئات الأوجاع والحمى	Egypt		
20 tab					
Fasigyn	Tinidazole	Antiprtozoal	Pfizer	Amoebiasis: 2 gm is for 3 days: hepatic amoebiasis, 2 gm for 3 - 6 days , Children 50 to 60 mg/kg for 3- 5 days : Giardiasis, Trichomoniasis 2 gm by mouth: Anaerobic	
Tablets		Amoebiasis , جارديا واميبيا	USA		
4 tab					
Fasonat 10	Alendronate 10 mg	Osteoarthritis drugs	Modern Pharama	Adults: 10 mg/d. Elderly: 10 mg/d. Children: Safety and effectiveness not established in children <18 years.	
Tablets		Osteoarthritis التهابات العظام	Yemen		
10 tabs					
Fasonat 70	Alendronate 70 mg	Osteoarthritis drugs	Modern Pharama	Adults: 10 mg/d. Elderly: 10 mg/d. Children: Safety and effectiveness not established in children <18 years.	
Tablets		Osteoarthritis التهابات العظام	Yemen		
tabs					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Fast	herbal extract	Respiratory drugs	pharaonia	As directed	
Syrup		Common Cold	Unknown		
120 ml		نزلات البرد			
Fastum gel	Ketoprofen	Nonsteroidal Anti-	Unknown	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
		Analgic مهدئات الأوجاع	Unknown		
Fastum-gel	Ketoprofen gel 2.5%.	Nonsteroidal Anti-	MENARINI	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 tablets.	
		Analgic مهدئات الأوجاع	Italy		
50 g					
Faverin 100 mg	Fluvoxamine Maleate tablet 100mg	Central Nervous system drugs	ABBOTT	Minimum/Maximum Adult Daily Dose:100 - 300 mg (milligram) OR 1 - 3 Tablet	
Tablets		Mental Disorders	USA		
30 tablet		الأمراض العقلية			
Faverin 50 mg	Fluvoxamine Maleate tablet 50mg	Central Nervous system drugs	ABBOTT	Minimum/Maximum Adult Daily Dose:100 - 300 mg (milligram) OR 1 - 3 Tablet	
Tablets		Mental Disorders	USA		
60 tablet		الأمراض العقلية			
Faverin 50 mg	Fluvoxamine Maleate 50 mg	Central Nervous system drugs	SOLVAY	Minimum/Maximum Adult Daily Dose:100 - 300 mg (milligram) OR 1 - 3 Tablet	
Tablets		Mental Disorders	France		
60 tab		الأمراض العقلية			
Fawakeh Fawar	NaHCO 2.80 g + Citric acid 0.82 gm+Tartraic acid 1.33 gm	Gastro Intestinal drugs	Shiba pharma	One tablet three times daily during or after meals.	
Sachets		Indigestion سوء الهضم	Yemen		
6 sachets					


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
FAWAR FRUIT	NaHCO 2.80 g + citric acid	Gastro Intestinal drugs	PHARCO	One tablet three times daily during or after meals.	
Eff .salt	1.33g+titraic acid	Indigestion سوء الهضم	Egypt		
6 sachets	0.82 g				
Fawarcid	NaHCO+citric acid +titraic acid	Gastro Intestinal drugs	Global Pharma	One tablet three times daily during or after meals.	
Eff .salt		Indigestion سوء الهضم	Yemen		
6 sachets					
FAXART Amp	Each 1 ml contains 80 mg Artemether	Antimalarial medicines	Unknown	6 doses , the first at diagnosis and repeated after 8, 24, 36, 48, and 60 hours. Each dose is: adults and children weighing over 34 kg, artemether 80 mg with lumefantrine 480 mg-	
Ampoules		Malaria الملاريا	Unknown		
6 amp X 1 ml					
Febilex SR	Each capsule contains : Iron (as ferrous sulphate .) 150 mg+ Thiamine nitrate 2 mg+	Vitamines and Menirals	Pharmacare	1-2 capsules daily according to the severity of needs.	
Capsules		Anaemia فقر الدم	Yemen		
30 cap					
Fedecol	Ambroxol (15 mg/5ml)	Respiratory drugs	Pharma International	5 ml by mouth, in 2 or 3 divided doses.	
Syrup		Respiratory Disorders اضطرابات الجهاز التنفسي	Jordan		
100 ml					
Feelfresh	Combination	Antiseptic and Desinfectants	INFINITY	As directed	
Solution		Feminine wash الغسولات الأنثوية	Unknown		
Fefadol-Plus	Paracetamol 500mg+codeine 8mg+caffeine 30mg per tablet.	Nonsteroidal Anti-	SPIMACO	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - مهدئات	Saudi Arabia		
20 tablets		الأوجاع والحمى			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
Fefol	Ferrous sulphate 47mg & folic acid 500mcg/capsule	Vitamines and Menirals	ICN	Adult Daily Dose:1 tablet once or twice aday or as directed by the physicion.	
Capsules		فقر الدم Anaemia	USA		
30 capsules.					
Fefosan	Ferrous Sulfate150 mg+ Folic Acid 0.5mg	Vitamines and Menirals	Shiba pharma	Adult Daily Dose:1 tablet once or twice aday or as directed by the physicion.	
Capsules		فقر الدم Anaemia	Yemen		
20 capsule					
FefosanZ	Ferrous Sulfate150 mg+ Folic Acid 0.5mg+Zinc /cap.	Vitamines and Menirals	Shiba pharma	Adult Daily Dose:1 tablet once or twice aday or as directed by the physicion.	
Capsules		فقر الدم Anaemia	Yemen		
20 capsule					
FELDENE	Piroxicam capsule 20mg.	Nonsteroidal Anti-	Pfizer	Minimum/Maximum Adult Daily Dose:10 - 20 mg (milligram) OR 1 - 2 Capsules.	
Capsules		Antipyretic - Analgesic مهدئات الأوجاع والحمى	USA		
10 capsules.					
Feldene	Piroxicam	Nonsteroidal Anti-	Unknown	Minimum/Maximum Adult Daily Dose:10 - 20 mg (milligram) OR 1 - 2 Capsules.	
		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Unknown		
Felic SR	Each capsule contains : Ferrous sulphate 150 mg + Folic acid. 0.5 mg	Vitamines and Menirals	Pharmacare	One capsule a day during pregnancy & lactation.	
Capsules		فقر الدم Anaemia	Yemen		
30 capsule					
Femigiene	Combination	Antiseptic and Desinfectants	Unknown	As directed	
		Dermatitis الألتهايات الجلدية	Unknown		

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Femigin	Combination	Antiseptic and Desinfectants	PHARCO	As directed	
Sachets		Vaginal المهبل	Egypt		
10 Sachets					
Fenalerg 10 mg	Cetirizine Hydrochloride	Antihistamines	Unknown	Cetirizine hydrochloride is given by mouth in a dose of 10 mg once daily or 5 mg twice daily. Children aged 2 to 5 years may be given cetirizine 5 mg once daily or 2.5 mg twice	
Tablets		Allergy الحساسية	Unknown		
20 tab					
Fenam	Mefenamic Acid syrup 50mg/5ml.	Nonsteroidal Anti-	JPI	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
Syrup		Analgesic مهنئات الأوجاع	Saudi Arabia		
120 ml					
Fenam	Mefenamic Acid	Nonsteroidal Anti-	Unknown	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
		Analgesic مهنئات الأوجاع	Unknown		
Fenam Forte	Mefenamic Acid tablet 500mg	Nonsteroidal Anti-	JPI	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
Tablets		Analgesic مهنئات الأوجاع	Saudi Arabia		
20 caoted tablets.					
Fenamic 500	Each one tablet contains Mefenamic acid BP 500mg.	NSAID	Pharmacare	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
Tablets		Analgesic مهنئات الأوجاع	Yemen		
20 tablet					
Fenamol	Mefenamic Acid suspension 50 mg/5ml.	NSAID	Shiba pharma	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
Suspension		Analgesic مهنئات الأوجاع	Yemen		
60 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms					
Package		Disease	Country		
Fenamol	Mefenamic Acid suspension 50mg/5ml.	NSAID	shiba pharma	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
Suspension		مهدئات الأوجاع	Yemen		
100 ml					
Fenamol-250	Mefenamic Acid capsule 250mg	NSAID	Shiba pharma	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
Capsules		مهدئات الأوجاع	Yemen		
20 capsules					
Fenamol-500	Mefenamic Acid tablet 500mg	NSAID	Shiba pharma	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
Caplets		مهدئات الأوجاع	Yemen		
10 f.coated cablets					
Fenazine	promethazine Hydrochloride 5mg / 5 ml	Antihistamines	Shiba pharma	Minimum/Maximum Adult Daily Dose:12.5 - 150 mg (milligram) OR 1 - 12 tablet.	
Syrup		الحساسية Allergy	Yemen		
100 ml for bottle					
Fenistil	Dimetindene Maleate	Antihistamines	unknown	By mouth in a dose of 1 to 2 mg three times daily , applied topically as a 0.1% gel or lotion	
Tablets		الحساسية Allergy	Unknown		
20 tab					
Fenostal	Dimetindene Maleate 0.5 mg/5ml	Antihistamines	Modern Pharama	By mouth in a dose of 1 to 2 mg three times daily , applied topically as a 0.1% gel or lotion	
Oral / Solution		الحساسية Allergy	Yemen		
100 ml					
Fenostal	Dimetindene Maleate 1 mg/1ml	Antihistamines	Modern Pharama	By mouth in a dose of 1 to 2 mg three times daily , applied topically as a 0.1% gel or lotion	
Oral /Drops		الحساسية Allergy	Yemen		
20 ml					



Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
Feratonic-Vit	Iron + Vitamins + Folic acid	Vitamines and Menirals	HANSEL	Adult Daily Dose:1 tablet once or twice aday or as directed by the physicion.	
Capsules		فقر الدم Anaemia	Unknown		
30 cap					
ferfol	ferrous sulphate150mg+folic acid500mcg	Vitamines and Menirals	BIOPHARM	Usual doses of dried ferrous sulfate are up to 600 mg daily (equivalent to 180 to 195 mg of iron daily	
Capsules		فقر الدم Anaemia	Yemen		
30capsule					
FERFOLIC Z	Ferrous Sulfate+ Folic Acid+Zinc capsule S.R .	Vitamines and Menirals	Alpha	Adult Daily Dose:1 tablet once or twice aday or as directed by the physicion.	
Capsules		فقر الدم Anaemia	Syria		
20 capsules S.R					
feridex	ferrous fumarate200mg+folic acid200mg	Vitamines and Menirals	ACI	by mouth in usual doses of up to 600 mg daily (equivalent to about 200 mg of iron daily);	
Capsules		فقر الدم Anaemia	Bangladesh		
50 cap					
FERIMAX	Ferrous Sulfate	Vitamines and Menirals	Bilim	Usual doses of dried ferrous sulfate are up to 600 mg daily (equivalent to 180 to 195 mg of iron daily	
Solution		فقر الدم Anaemia	Turkey		
10 x 5 ml					
Feroglobin	Ferrous Sulfate	Vitamines and Menirals	VITABIOTICS	Usual doses of dried ferrous sulfate are up to 600 mg daily (equivalent to 180 to 195 mg of iron daily	
Syrup		فقر الدم Anaemia	England		
200 ml					
Feroglobin	Iron	Vitamines and Menirals	VITABIOTICS	treatment of iron-deficiency anaemia is 100 to 200 mg of iron daily in divided doses. The usual adult prophylactic dose is about 60 to 120 mg of iron daily.	
Capsules		فقر الدم Anaemia	Unknown		
30 cap					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
feroglobin	Zinc + Vit Bcomplex - Vit B12 5microgram	Vitamines and Menirals	VITABIOTICS	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Solution		Neuritis; vitamin B deficiency	Unknown		
240 ml					
Feroglobin ??	Iron 24 mg , zinc 12mg ,copper 2000mcg , folic acid 500mcg , vit.B12 10mcg , vit.B6 5mg/15 ml.	Vitamines and Menirals	VITABIOTICS	Adult Daily Dose:1 tablet once or twice aday or as directed by the physicion.	
Syrup		فقر الدم Anaemia	Unknown		
200ml					
feroglobin B12	iron(as fumarate)24mg+ zinc12mg+copper 2000micro gram+folacin(asfo	Vitamines and Menirals	VITABIOTICS	by mouth in usual doses of up to 600 mg daily (equivalent to about 200 mg of iron daily);	
capsule		فقر الدم Anaemia	Unknown		
30capsule					
Feroglobin Caps	Iron 24 mg , zinc 12mg ,copper 2000mcg , folic acid 500mcg , vit.B12 10mcg , vit.B6 5mg/cap.	Vitamines and Menirals	VITABIOTICS	Adult Daily Dose:1 tablet once or twice aday or as directed by the physicion.	
Capsules		فقر الدم Anaemia	Unknown		
30 capsules					
Feromin	Ferrous Sulfate 25 mg / 1 ml	Vitamines and Menirals	RIYADH PHARMA	Usual doses of dried ferrous sulfate are up to 600 mg daily (equivalent to 180 to 195 mg of iron daily	
Oral /Drops		فقر الدم Anaemia	Saudi Arabia		
30 ml					
ferro cal Capsules	vitC 60mg+calcium carbonate 500mg+vitD3 400U.I+iron 10mg+folic	Vitamines and Menirals	alabor city	Adults : Initial therapy : 5- 15 mg daily according to the case , Maintenance Dose : 2 -5 mg daily. Children dose 1 - 10 daily according to the case.	
Capsules		فقر الدم Anaemia	Egypt		
14capsule					
Ferro Sanol-duodenal	Ferrous Sulfate Capsules.	Vitamines and Menirals	Schwarz pharma	Usual doses of dried ferrous sulfate are up to 600 mg daily (equivalent to 180 to 195 mg of iron daily	
Capsules		فقر الدم Anaemia	Unknown		
20 capsules					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
FerroCAL	Calcium500mg+vit,C 60mg+vit,D 400IU+Ferrous Sulfate 10mg+folic acid 0.5 mg+zinc	Vitamines and Menirals فقر الدم Anaemia	EGYPHAR Egypt	Unless otherwise prescribed by the physician, the usual dose is: One Capsule daily, preferable after meale.	
Capsules					
14 capsules.					
FERRO-FOL	ferrous sulphate150mg + folic acid 0.5mg	Vitamines and Menirals فقر الدم Anaemia	EIPICO Egypt	Usual doses of dried ferrous sulfate are up to 600 mg daily (equivalent to 180 to 195 mg of iron daily	
Capsules					
3strip*10capsul					
FERRO-FOL	Ferrous sulphate 47mg & folic acid 500mcg/capsule.	Vitamines and Menirals فقر الدم Anaemia	EIPICO Egypt	Adult Daily Dose:1 tablet once or twice aday or as directed by the physicion.	
Capsules					
30 capsules.					
ferrotone	ferrous fumarate162.00mg +folic acid0.75mg+vitamineB127.50mcg	Vitamines and Menirals فقر الدم Anaemia	mega we care Unknown	by mouth in usual doses of up to 600 mg daily (equivalent to about 200 mg of iron daily);	
capsules					
3*10softgel capsules					
FERROTONE	Ferrous furmate 162mg+ folic acid 0.75mg+vit.B12 7.50mcg/softgel cap.	Vitamines and Menirals فقر الدم Anaemia	MEGA We Care Unknown	Adult Daily Dose:1 tablet once or twice aday or as directed by the physicion.	
Capsules					
30 capsules.					
Ferrum	iron	Vitamines and Menirals فقر الدم Anaemia	Unknown Unknown	treatment of iron-deficiency anaemia is 100 to 200 mg of iron daily in divided doses. The usual adult prophylactic dose is about 60 to 120 mg of iron daily.	
Ampoules					
5 X 2 ml					
FERTAB	clomifen 50	Gynaecology drugs العقم Infertility	ZYNOVA Unknown	50 mg of clomifene citrate daily for 5 days, starting on the 5th day of the menstrual cycle .or at any time if there is amenorrhoea.	
Solid					
10					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
FERTILAN	clomifene citrate 2	Gynaecology drugs	CODAL-SYNTO	50 mg of clomifene citrate daily for 5 days, starting on the 5th day of the menstrual cycle .or at any time if there is amenorrhoea.	
Solid		Infertility العقم	Cyprus		
10					
Festamin	Dimetindene Maleate 1 mg / 1 ml	Antihistamines	Global Pharma	By mouth in a dose of 1 to 2 mg three times daily , applied topically as a 0.1% gel or lotion	
Drops		Common Cold نزلات البرد	Yemen		
20 ml					
Festamin	Dimetindene Maleate 0.5 mg / 5 ml	Antihistamines	Global Pharma	By mouth in a dose of 1 to 2 mg three times daily , applied topically as a 0.1% gel or lotion	
Oral / Solution		Common Cold نزلات البرد	Yemen		
100 ml					
Fetax	Cefotaxime Sodium	Antibacterial	Youcare	2 to 6 g daily in 2 to 4 divided doses to adults. In severe infections up to 12 g may be given daily by the intravenous route in up to 6 divided doses, Children may be given	
parental inj		Bacterial Infections الأصابات البكتيرية	Unknown		
1Vial					
Fevadol	Paracetamol syrup 160mg/5ml.	Nonsteroidal Anti-	SEDICO	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Syrup		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Egypt		
145 ml					
Favorit	triprolidine HCL+paracetamol	Vitamines and Menirals	unknown	Usual doses of dried ferrous sulfate are up to 600 mg daily (equivalent to 180 to 195 mg of iron daily	
Drops		Anaemia فقر الدم	Unknown		
15 ml					
Fexon	Fexofenadine Hydrochloride	Antihistamines	HIKMA	by mouth in a dose of 120 mg daily either as a single dose or in two divided doses, Children 30 mg twice daily	
Tablets		Allergy الحساسية	Jordan		
10 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Fexon	Fexofenadine Hydrochloride 30 mg / 5 ml	Antihistamines	HIKMA	by mouth in a dose of 120 mg daily either as a single dose or in two divided doses, Children 30 mg twice daily	
Suspension		Allergy الحساسية	Jordan		
100 ml					
Fibrolax	Bran	Gastro Intestinal drugs	Unknown	20 to 35 g daily ; children 5 g daily	
Powder		Constipation الأمساك	Unknown		
200 gm					
Fikxime	Cefixime 400 mg / capsule and cefixime, 100 mg / 5ml	Antibacterial	Pharmacare	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses.	
Capsules		Bacterial Infections الأمساك البكتيرية	Yemen		
10 capsules					
Finallerg	Cetirizine Hydrochloride 10 mg	Antihistamines	Pharma International	Cetirizine hydrochloride is given by mouth in a dose of 10 mg once daily or 5 mg twice daily. Children aged 2 to 5 years may be given cetirizine 5 mg once daily or 2.5 mg twice	
Tablets		Allergy الحساسية	Jordan		
20 tab					
Fiocazole 150	Fiocazole 150	Antifungals	aldaweah	Minimum/Maximum Adult Daily Dose: 100 - 400 mg (milligram) OR 1 - 4 Tablet	
Capsules		Dermatitis التهابات الجلدية	Unknown		
1 capsules					
Fixoral	Cefixime	Antibacterial	Alpha	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses. Children over 6 months and under 50 kg may be given 8 mg/kg daily as an oral	
capsule		Bacterial Infections الأمساك البكتيرية	Syria		
1strip*6capsule					
Fixoral	Cefixime	Antibacterial	Unknown	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses. Children over 6 months and under 50 kg may be given 8 mg/kg daily as an oral	
		Bacterial Infections الأمساك البكتيرية	Unknown		

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Flagena 500	Secnidazole 500 mg	Antiprtozoal	Bahry medical	Adult: 2 gm single dose , children: 30 mg /kg / day sigle dose ,	
Tablets		Amoebiasis , Gardiasis جارديا واميبييا	Syria		
4 tab					
Flagicure Forte	Metronidazole	Antiprtozoal	KAHIRA PHARM	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , Gardiasis جارديا واميبييا	Egypt		
20 tab					
Flaginol	Secnidazole	Antiprtozoal	DOMINA	Adult: 2 gm single dose , children: 30 mg /kg / day sigle dose ,	
Tablets		Amoebiasis , Gardiasis جارديا واميبييا	Unknown		
4tab					
Flagydil	Metronidazole 200mg + diloxnide 250mg	Antiprtozoal	shaphaco	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , Gardiasis جارديا واميبييا	Yemen		
20 tab					
Flagyl 250	Metronidazole	Antiprtozoal	Aventis	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , Gardiasis جارديا واميبييا	Unknown		
Flagyl 500 mg	Metronidazole	Antiprtozoal	Sanofi Aventis	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , Gardiasis جارديا واميبييا	France		
14 tab					
Flagyzol	Metronidazole	Antiprtozoal	YEDCO	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , Gardiasis جارديا واميبييا	Yemen		
20 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Flaticol	Simethicone 30 ml	Gastro Intestinal drugs	Global Pharma	tab = 40 -120 mg QID orall a.m * suspension = 10 ml QID *sachets = one sachet QID	
oral drops		سوء الهضم	Yemen		
30 ml					
Flaton	Enzyme digestion	Gastro Intestinal drugs	Bilim	One tablet three times daily during or after meals.	
tab		سوء الهضم	Turkey		
30 tab					
Flazol	Metronidazole 250 mg	Antiprtozoal	Shiba pharma	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , Giardiasis جارديا واميبييا	Yemen		
20 tablets					
Flazol	Metronidazole 125 mg / 5 ml	Antiprtozoal	Shiba pharma	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Suspension		Amoebiasis , Giardiasis جارديا واميبييا	Yemen		
100 ml					
Flazol 500	Metronidazole	Antiprtozoal	shiba pharma	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , Giardiasis جارديا واميبييا	Yemen		
20 tab					
Flazol Plus	Metronidazole 100 mg + Diloxanide 125 mg	Antiprtozoal	Shiba pharma	Metronidazole dose + Diloxanide furoate ; 500 mg tid for adults and 20 mg/kg/day for children in 3 doses for 7-10 days	
Suspension		Amoebiasis , Giardiasis جارديا واميبييا	Yemen		
100 ml					
Flazol Plus	Metronidazole +Diloxanide	Antiprtozoal	Shiba pharma	Metronidazole dose + Diloxanide furoate ; 500 mg tid for adults and 20 mg/kg/day for children in 3 doses for 7-10 days	
Tablets		Amoebiasis , Giardiasis جارديا واميبييا	Yemen		
30 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Flecoxine	Bromhexine 8 mg +herbal	Respiratory drugs	REMEDICA	Bromhexine is usually given by mouth in a dose of 8 to 16 mg of the hydrochloride three times daily.	
?????		Respiratory Disorders اضطرابات الجهاز التنفسي	Unknown		
20 tab					
Fleming 1200	Amoxicillin + Clavulanic Acid	Antibiotics	medrich ph.	cap 1gm & 500mg & 250mg syrup 250mg & 125mg drop 100mg Vial 1gm & 500mg & 250mg	
Vial		الأمراض الميكروبية Microbial Infections	Unknown		
5 vial					
Flexen gel	Ketoprofen	Nonsteroidal Anti-	Unknown	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days. topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
		مهدئات الأوجاع	Unknown		
Flixonase	Fluticasone propionate	Respiratory drugs	gsk glaxosmithkline	100 to 250 micrograms twice daily in mild asthma up to 1 mg twice daily in severe asthma	
Nasal/Spray		Common Cold نزلات البرد	UK		
120 dose x 50 mcg					
FLOGOFENAC	Diclofenac Sodium 100 mg	Non-Steroidal Anti-	ECOB	To pain (acute, mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose: 100 - 200 mg	
Suppositoris		مهدئات الأوجاع	Italy		
10 sup					
Flomist	Fluticasone propionate	Respiratory drugs	CIPLA	100 to 250 micrograms twice daily in mild asthma up to 1 mg twice daily in severe asthma	
Nasal/Spray		Common Cold نزلات البرد	India		
100 dose (10 ml)					
Flomist	Fluticasone Propionate	Respiratory drugs	Unknown	100 to 250 micrograms twice daily in mild asthma up to 1 mg twice daily in severe asthma	
Nasal / Spray		Common Cold نزلات البرد	Unknown		

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
FLORALIN	Domperidone	Gastro Intestinal drugs	CODAL-SYNTO	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily.In children, 250 to 500 micrograms/kg by mouth	
Tablets		Nausea and vomiting الغثيان والطرش	Cyprus		
30 tabs					
Floumizin	Unknown	Skin Disorders	Domin pharma	As directed	
Cream		Burns الحروق	Unknown		
30 gm					
Floxadex	Ciprofloxacin Hydrochloride	Antibacterial	Liqvor	250 to 750 mg twice daily depending on the severity and nature of the infection	
Suspension		Eye العين	Armenia		
10 ml					
FLOXAMED	Norfloxacin 300 mg	Antibacterial	Unimed	Tab 400mg	
		Bacterial Infections الأمراض البكتيرية	Tunisia		
FLOXAMED	Norfloxacin	Antibacterial	Laboratories Unimed	Tab 400mg	
		Bacterial Infections الأمراض البكتيرية	Thailand		
Floximax	Moxifloxacin Hydrochloride 400 mg	Antibacterial	Shiba pharma	Oral tablets 400mg , I.V Infusion 400mg once daily, Or 0.5% eye drops	
Caplets		Bacterial Infections الأمراض البكتيرية	Yemen		
5 F/C caplets					
Flozak 20 mg	Fluoxetine capsule 20mg	Central Nervous system drugs	RIYADH PHARMA	Minimum/Maximum Adult Daily Dose:10 - 80 mg (milligram) OR 1 - 8 Capsule	
Capsules		Mental Disorders الأمراض العقلية	Saudi Arabia		
30 capsule					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms					صورة الدواء
Package		Disease	Country		
FLU OFF	Pseudoephedrine 15 mg + Paracetamol 120 mg + Chloraphiniramine 2 mg	Respiratory drugs	Shiba pharma	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Syrup		Common Cold نزلات البرد	Yemen		
60 ml					
FLU OFF	Pseudoephedrine 15 mg + Paracetamol 150 mg + Chloraphiniramine 1 mg +	Respiratory drugs	Shiba pharma	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Syrup		Common Cold نزلات البرد	Yemen		
60 ml					
Fluanxol	flupentixol tablet 1mg	Central Nervous system drugs	Lundbeck	adult 2 tab dially maximum 4 tab per day. And childran not use .	
Tablets		Mental Disorders الأمراض العقلية	Denmark		
50 tablets					
Fluanxol-Depot 20	flupentixol ampule 20mg/ml	Central Nervous system drugs	Lundbeck	adult 2 tab dially maximum 4 tab per day. And childran not use .	
Ampoules		Mental Disorders الأمراض العقلية	Denmark		
1 ampoule					
Fluanxol-Depot 40	flupentixol ampule 40mg/2ml	Central Nervous system drugs	Lundbeck	adult 2 tab dially maximum 4 tab per day. And childran not use .	
Ampoules		Mental Disorders الأمراض العقلية	Denmark		
1 ampoule					
FLUB	flubendazole	Anthelmentic	Unknown	Adults and children: 100mgas a single dose repeated if necessary after 2-3 weeks. For ascariasis, hook worm, and Trichuriasis: 100mg twice daily for 3 days	
Tablets		Common Worms الديدان الشائعة	Unknown		
6 tab					
Fluca	Sodium chromoglycate	Antihistamines	Jamjoum Pharma	As directed	
Eye suspemsion		Allergy الحساسية	Saudi Arabia		
5 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Flucan	Fluconazole 150mg	Antifungals	Pfizer	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	
Capsules		Dermatitis التهابات الجلدية	USA		
2 capsules					
Flucan-150	Fluconazole capsule 150mg	Antifungals	Shiba pharma	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	
Capsules		Dermatitis التهابات الجلدية	Yemen		
2 capsule					
Flucand	Fluconazole	Antifungals	Unknown	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	
Capsules		Dermatitis التهابات الجلدية	Unknown		
Fluconazole	Fluconazole 150mg	Antifungals	Bsistol	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	
Capsules		Dermatitis التهابات الجلدية	Unknown		
1 cpsules					
Fluconazole	Fluconazole 400mg	Antifungals	TEVN	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	
Vial		Dermatitis التهابات الجلدية	Unknown		
200ml single dose vial					
Fluconazole	Fluconazole capsule 150mg	Antifungals	BIOPHARM	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	
Capsules		Dermatitis التهابات الجلدية	Yemen		
2 capsule					
Fluconazole 150mg	Fluconazole 150mg	Antifungals	WOCKHADT	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	
Capsules		Dermatitis التهابات الجلدية	UK		
1 hard capsules					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Flucoral	Fluconazole 150mg	Antifungals	SEDICO	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	
Capsules		Dermatitis التهابات الجدلية	Egypt		
2 capsules					
Flucosel	Fluconazole	Antifungals	HANSEL	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	
Capsules		Dermatitis التهابات الجدلية	Unknown		
1 cap					
Flucotal	Fluconazole 200 mg / 100 ml	Antifungals	Vitalis	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	
Solution for I.V Injection		Dermatitis التهابات الجدلية	USA		
100 ml					
Flucozal 150 mg	Each capsule contains 150 mg Fluconazole	Antifungals	DELORBIS	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	
Capsules		Dermatitis التهابات الجدلية	Cyprus		
1 cap					
Flucozal 150 mg	Each capsule contains 150 mg Fluconazole	Antifungals	EIPICO	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	
Capsules		Dermatitis التهابات الجدلية	Egypt		
1 cap					
Fludac	Fluoxetine capsule 20mg	Central Nervous system drugs	CADILA	Minimum/Maximum Adult Daily Dose:10 - 80 mg (milligram) OR 1 - 8 Capsule	
Capsules		Mental Disorders الأمراض العقلية	India		
20 capsules					
Fludinium	Trifluoperazine 1 mg +Clidinium bromaid capsule 2.5mg	Central Nervous system drugs	Medipharma	Minimum/Maximum Adult Daily Dose:10 - 40 mg (milligram) OR 1 - 4 Tablets.	
Capsules		Mental Disorders الأمراض العقلية	Unknown		
30 capsules					


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
FLUDITEC	Carbocisteine 2%	Respiratory drugs	INNOTECH	Children from 2 up to 5 years may be given 62.5 to 125 mg four times daily and those aged 5 to 12 years 250 mg three times daily	
Syrup		Common Cold نزلات البرد	France		
125 ml					
Fludrin	Carbocisteine 2%	Respiratory drugs	Global Pharma	Children from 2 up to 5 years may be given 62.5 to 125 mg four times daily and those aged 5 to 12 years 250 mg three times daily	
Suspension		Common Cold نزلات البرد	Yemen		
60 ml					
Fluimucil	N-acetylcysteine 600 mg	Respiratory drugs	Zambon	100- 200 mg two times daily	
Effe. /Tablets		Respiratory Disorders اضطرابات الجهاز التنفسي	Unknown		
10 tab					
Fluka-150	Fluconazole 150mg	Antifungals	CIPLA	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	
Tablets		Dermatitis الالتهابات الجلدية	India		
1 tablet					
Flukit	pseudoephedrine +paracetamol+chl oraphiniramine	Respiratory drugs	julphar	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Tablets		Common Cold نزلات البرد	UAE		
20 tablet					
Flukit	Pseudoephedrine 15 mg + Paracetamol 120 mg + Chloraphiniramine 2 mg	Respiratory drugs	julphar	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Syrup		Common Cold نزلات البرد	UAE		
60 ml					
FLUMOX	Amoxicillin and Flucloxacilline 250 mg / 5 ml	Antibiotics	EIPICO	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Suspension		الأمراض الميكروبية Microbial Infections	Egypt		
100 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
FLUMOX	Amoxicillin and Flucloxacillin 500 mg / cap	Antibiotics	EIPICO	cap 1gm & 500mg & 250mg syrup 250mg & 125mg drop 100mg Vial 1gm & 500mg & 250mg	
Capsules		الأمراض الميكروبية Microbial Infections	Egypt		
2 x 8 cap					
Flunil -N SR	Each capsule contains : Cetirizine HCl 5 mg + Pseudoephedrine 120 mg As	Respiratory drugs	Pharmacare	One capsule twice daily. (Not recommended for children under 12 years.)	
Capsules		Common Cold نزلات البرد	Yemen		
20 cap					
Fluoxet-20	Fluoxetine capsule 20mg	Central Nervous system drugs	Sothema	Minimum/Maximum Adult Daily Dose: 10 - 80 mg (milligram) OR 1 - 8 Capsule	
Capsules		Mental Disorders الأمراض العقلية	Morocco		
30 capsules					
Flutab	Paracetamol 500mg+pseudoephedrine 30mg+diphenhydramine 25mg/tablet	Nonsteroidal Anti-	SPIMACO	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Saudi Arabia		
20 tablets					
Flutab	pseudoephedrine+triprolidin+paracetamol	Respiratory drugs	SPIMACO	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Tablets		Common Cold نزلات البرد	Saudi Arabia		
20 tab					
Fluvoxin-50	Fluvoxamine tablet 50mg	Central Nervous system drugs	SUN	Minimum/Maximum Adult Daily Dose: 100 - 300 mg (milligram) OR 1 - 3 Tablet	
Tablets		Mental Disorders الأمراض العقلية	India		
50 tablets					
Folatine	Folic Acid tablet 400mcg.	Vitamines and Menirals	LIFEPLAN	Adults : Initial therapy : 5- 15 mg daily according to the case , Maintenance Dose : 2 -5 mg daily. Children dose 1 - 10 daily according to the case.	
Tablets		Anaemia فقر الدم	Unknown		
60 tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
Folic Acid	Folic Acid tablet 400mcg.	Vitamines and Menirals	CENTURY	Adults : Initial therapy : 5- 15 mg daily according to the case , Maintenance Dose : 2 -5 mg daily. Children dose 1 - 10 daily according to the case.	
Tablets		فقر الدم Anaemia	USA		
100 tablets.					
Folic Acid	Folic Acid tablet 400mcg.	Vitamines and Menirals	Appeton	Adults : Initial therapy : 5- 15 mg daily according to the case , Maintenance Dose : 2 -5 mg daily. Children dose 1 - 10 daily according to the case.	
Tablets		فقر الدم Anaemia	Unknown		
90 tablets					
Folic Acid	Folic Acid tablet 400mcg.	Vitamines and Menirals	Vitarenew	Adults : Initial therapy : 5- 15 mg daily according to the case , Maintenance Dose : 2 -5 mg daily. Children dose 1 - 10 daily according to the case.	
Tablets		فقر الدم Anaemia	Unknown		
90 tablets,					
Folic Acid	Folic Acid	Vitamines and Menirals	NILE CO.	Adults : Initial therapy : 5- 15 mg daily according to the case , Maintenance Dose : 2 -5 mg daily. Children dose 1 - 10 daily according to the case.	
Tablets		فقر الدم Anaemia	Egypt		
5 x 10 tab					
Folic Acid	Folic Acid	Vitamines and Menirals	Unknown	Adults : Initial therapy : 5- 15 mg daily according to the case , Maintenance Dose : 2 -5 mg daily. Children dose 1 - 10 daily according to the case.	
Tablets		فقر الدم Anaemia	Unknown		
50 tab					
Folic Acid	Folic Acid 5mg	Vitamines and Menirals	Global Pharma	Adults : Initial therapy : 5- 15 mg daily according to the case , Maintenance Dose : 2 -5 mg daily. Children dose 1 - 10 daily according to the case.	
Tablets		فقر الدم Anaemia	Yemen		
30 tablets					
Folic Acid 5 mg	Folic Acid tablet 5mg.	Vitamines and Menirals	WOCKHADT	Adults : Initial therapy : 5- 15 mg daily according to the case , Maintenance Dose : 2 -5 mg daily. Children dose 1 - 10 daily according to the case.	
Tablets		فقر الدم Anaemia	UK		
28 tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
Folic Acid Tablets	Folic Acid tablet 400mcg.	Vitamines and Menirals	Jamieson	Adults : Initial therapy : 5- 15 mg daily according to the case , Maintenance Dose : 2 -5 mg daily. Children dose 1 - 10 daily according to the case.	
Tablets		Anaemia فقر الدم	Canada		
200 tablets					
Folin-B6	Vitamin B6 5 mg + folic acid 50 mg	Vitamines and Menirals	Modern Pharama	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Tablets		Vitamins نقص فيتامينات	Yemen		
30 tab					
FOLIRON	Ferrous Sulfate150 mg+ Folic Acid 0.5mg/cap.	Vitamines and Menirals	Medreich Limited	Adult Daily Dose:1 tablet once or twice aday or as directed by the physicion.	
Solid		Anaemia فقر الدم	Unknown		
Folmid	Folic Acid tablet 5mg.	Vitamines and Menirals	Medeco Lab.	Adults : Initial therapy : 5- 15 mg daily according to the case , Maintenance Dose : 2 -5 mg daily. Children dose 1 - 10 daily according to the case.	
Tablets		Anaemia فقر الدم	Unknown		
50 tablets.					
Folvit-12	Hydroxocobalamin 1000mcg+ folic acid 1000mcg + vit.B6 20mg	Vitamines and Menirals	MUP	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Ampoules		Vitamins نقص فيتامينات	Egypt		
2 Ampoules of 2ml					
Foracort 100	budesonide +formoterol	Respiratory drugs	CIPLA	2 inh /bid or 200 - 300 mic g/BID	
Inhaler		Bronchial Asthma الربو الشعبي	India		
120 dose					
Foracort- 200	Budesonide +formoterol	Respiratory drugs	CIPLA	2 inh /bid or 200 - 300 mic g/BID	
Inhaler		Bronchial Asthma الربو الشعبي	India		
120 dose					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Foracort-100	budesonide +formoterol	Respiratory drugs	CIPLA	2 inh /bid or 200 - 300 mic g/BID	
Capsules		Bronchial Asthma الربو الشعبي	India		
30 cap					
Forasef	Ceftriaxone Sodium	Antibacterial	Bilim	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Vial		Bacterial Infections	Turkey		
1vial		الأمصاباا البكأأرأأ			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Forsef 0.5 gm	Ceftriaxone Sodium	Antibacterial	Bilim	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Vial		Bacterial Infections	Turkey		
1vial		الأمراض البكتيرية			
Fortazaar	HCTZ + Losartan	Cardio Vascular System drugs	MSD	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
Tablets		Hypertension	USA		
28 tab		ارتفاع ضغط الدم			
Forticef	Unknown	Antibiotics	Unknown	As directed	
Suspension		الأمراض الميكروبية	Unknown		
75 ml		Microbial Infections			
Fortymox	Moxifloxacin Hydrochloride 0.5%	Ophthalmic drugs	Orchidia Pharma	As directed	
Solution		العين	Egypt		
10 ml					
Forus	Unknown	Unknown	Unknown	As directed	
Suspension		العين	Unknown		
10 ml					
Forus	Polymexin + Neomycin + Dexamethasone	Antibacterial	Unknown	As directed	
Suspension / Drops		العين	Unknown		
10 ml					
Fosamax	Alendronate sodium + Vitamine D3	Osteoarthritis drugs	EGYPHAR	Adults: 10 mg/d. Elderly: 10 mg/d. Children: Safety and effectiveness not established in children <18 years.	
Tablets		Osteoarthritis	Egypt		
2 tab		التهابات العظام			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Fricks	lozenges	Respiratory drugs	Lozen Pharma	As directed	
24 Lozenges		Common Cold نزلات البرد	India		
Fricks	Different Lozenges Ingredients	Antiseptic and Desinfectants	Lozen Pharma	As directed	
Lozenges		Common Cold نزلات البرد	India		
24 Lozenges					
Fromilid	Clarithromycin 250 mg/ tab	Antibiotics	KRKA	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
Tablets		Respiratory Disorders اضطرابات الجهاز التنفسي	India		
14 tabs					
Fromilid Uno	Clarithromycin 500 mg/ tab	Antibiotics	KRKA	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
Tablets		Respiratory Disorders اضطرابات الجهاز التنفسي	India		
7 tabs					
FRUTAMIN	NaHCO 2.80 g + citric acid 1.33g+titaic acid 0.82 g	Gastro Intestinal drugs	Modern Pharama	One tablet three times daily during or after meals.	
EFF.salt		Indigestion سوء الهضم	Yemen		
6 sachets					
Fucicort	Fusidic Acid	Antibacterial	Unknown	As directed	
		Dermatitis الالتهابات الجلدية	Unknown		
Fucidal	Fusidic Acid 2 %	Antibacterial	YEDCO	As directed	
Cream		Dermatitis الالتهابات الجلدية	Yemen		
15 g					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Fucide	Sodium Fusidate	Antibacterial	Shaphaco	Orally 500 mg every 8 hours, Topically as directed	
Cream		Dermatitis الالتهابات الجلدية	Yemen		
15 gm					
Fucidol	Fusidic Acid 2%	Antibacterial	Global Pharma	As directed	
Cream		Dermatitis الالتهابات الجلدية	Yemen		
15 g					
Fucidol-B	Fusidic Acid 2% + Betamethasone 0.1%	Antibacterial	Unknown	As directed	
		Dermatitis الالتهابات الجلدية	Unknown		
Fucithalmic	Fusidic Acid	Antibacterial	LEO	As directed	
Eye drops		Eye العين	Denmark		
5 gm					
Fucithalmic	Fusidic Acid	Antibacterial	LEO	As directed	
Ointment		Eye العين	Denmark		
5 gm					
FUKOLE	Fluconazole 150 mg	Antifungals	Y.S.P.	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	
Capsules		Dermatitis الالتهابات الجلدية	Malaysia		
1 cap					
Fungidal Cream	Miconazole Nitrate 200mg	Antifungals	SQUARE	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Cream		Dermatitis الالتهابات الجلدية	Unknown		
10 grams					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Fungimid 150	Fluconazole	Antifungals	MID Pharma	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	
		Dermatitis التهابات الجلدية	Jordan		
Fungistatin	Nystatin 100000i.u.	Antifungals	Delta pharma	Three to four times daily	
Suspension		Dermatitis التهابات الجلدية	Egypt		
30 ml					
Furamebe	Metronidazole	Antiprtozoal	Unknown	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
		Amoebiasis , جارديا واميبييا	Unknown		
FURAMET	Metronidazole 200mg+Diloxnide 250mg	Antiprtozoal	BIOPHARM	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , جارديا واميبييا	Yemen		
30 tab					
Furazina	Nitrofurazone	Antibacterial	Unknown	As directed	
Ointment		Dermatitis التهابات الجلدية	Unknown		
30 gm					
FURAZOL Suspension	Metronidazole	Antiprtozoal	EIPICO	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Suspension		Amoebiasis , جارديا واميبييا	Egypt		
100 ml					
FURAZOL Tablets	Metronidazole 200mg+diloxnide 250mg	Antiprtozoal	EIPICO	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , جارديا واميبييا	Egypt		
30 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Furopine	Unknown	Gastro Intestinal drugs	B.M Pharma	As directed	
Suspension		Diarrhea الاسهال	Thailand		
60 ml					
Fusi	Unknown	Antibacterial	PHARCO	As directed	
Cream		Dermatitis الالتهابات الجلدية	Egypt		
15 gm					
Fusidate	Fusidic Acid	Antibacterial	BALSAM	As directed	
Ointment		Dermatitis الالتهابات الجلدية	Syria		
20 gm					
Fusidate	Sodium Fusidate	Antibacterial	Unknown	Orally 500 mg every 8 hours, Topically as directed	
		Dermatitis الالتهابات الجلدية	Unknown		
fusimide 40	Furosemide 40 mg / tablet	Cardio Vascular System drugs	BIOPHARM	40 to 80 mg daily by mouth, For children, the usual dose by mouth is 1 to 3 mg/kg daily up to a maximum of 40 mg daily	
Tablets		Hypertension ارتفاع ضغط الدم	Yemen		
20 tab					
Fusl	Unknown	Antibacterial	PHARCO	As directed	
Cream		Dermatitis الالتهابات الجلدية	Egypt		
15 gm					
Fybogel	Ispaghula husk eff	Gastro Intestinal drugs	Reckett Benckiser =UK	20 to 35 g daily ; children 5 g daily	
granule		Constipation الامساك	Unknown		
10 Sachets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Fybogel	Natural Fibre	Gastro Intestinal drugs	Unknown	20 to 35 g daily ; children 5 g daily	
		Constipation الأمساك	Unknown		
Fybogel	Natural Fibre	Gastro Intestinal drugs	Unknown	20 to 35 g daily ; children 5 g daily	
Sachets		Constipation الأمساك	Unknown		
10 Sachets					
Gabakern 300 mg	Gabapentin tablet 300 mg	Central Nervous system drugs	KERN pharma	Minimum/Maximum Adult Daily Dose:900 - 3600 mg (milligram) OR 9 - 36 Capsule	
Hard Gelatin Capsules		Epilepsy الصرع	Korea		
30 tablets					
Gabantin 300	Gabapentin tablet 300 mg	Central Nervous system drugs	SUN	Minimum/Maximum Adult Daily Dose:900 - 3600 mg (milligram) OR 9 - 36 Capsule	
Tablets		Epilepsy الصرع	India		
30 tablets					
Gabapentin-100	Gabapentin capsule 100 mg	Central Nervous system drugs	NCPI	Minimum/Maximum Adult Daily Dose:900 - 3600 mg (milligram) OR 9 - 36 Capsule	
Capsules		Epilepsy الصرع	Syria		
20 capsules					
Gabatrex	Gabapentin capsule 400mg	Central Nervous system drugs	Hikma	Minimum/Maximum Adult Daily Dose:900 - 3600 mg (milligram) OR 9 - 36 Capsule	
Capsules		Epilepsy الصرع	Jordan		
50 capsules					
GABATREX	Gabapentin	Central Nervous system drugs	HIKMA	Minimum/Maximum Adult Daily Dose:900 - 3600 mg (milligram) OR 9 - 36 Capsule	
Capsules		Epilepsy الصرع	Jordan		
50 cap					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Galfer	Ferrous fumarate 140 mg/ 5 ml	Vitamines and Menirals	Unknown	by mouth in usual doses of up to 600 mg daily (equivalent to about 200 mg of iron daily);	
Suspension		فقر الدم Anaemia	Unknown		
100 ml					
Galfer fa	Ferrous fumarate 305 mg + 0.35 mg folic acid	Vitamines and Menirals	Unknown	by mouth in usual doses of up to 600 mg daily (equivalent to about 200 mg of iron daily);	
Capsules		فقر الدم Anaemia	Unknown		
28 cap					
Galvus	Vildagliptin 50mg	Antidiabetics	Novartis	Vildagliptin 50 mg once daily by mouth	
Tablets		Diabetes Mellitus أمراض السكري	Switzerland		
28 tab.					
Ganvir	Ganciclovir 0.15%	Ophthalmic drugs	Orchidia Pharma	As directed	
Gel		العين Eye	Egypt		
10 gm					
Gasec	Omeprazol	Gastro Intestinal drugs	Mephe	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
cap		قرحة المعدة Peptic ulcer	Unknown		
14 caps					
Gasex	Herbal extract	Gastro Intestinal drugs	Himalaya Drug Co	As directed	
		سوء الهضم Indigestion	India		
Gastrazole	Omeprazole	Gastro Intestinal drugs	European Egyptian Pharma	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
Capsules		قرحة المعدة Peptic ulcer	Egypt		
14 caps					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Gast-Reg	Trimebutine 100 mg	Gastro Intestinal drugs	AMOUN	100 mg three times up to 600 mg daily by mouth in divided doses	
Tablets		Abdominal Spasm آلام البطن	Egypt		
20 tabs					
Gast-Reg	Trimebutine maleate 200 mg	Gastro Intestinal drugs	AMOUN	100 mg three times up to 600 mg daily by mouth in divided doses	
Tablets		Abdominal Spasm آلام البطن	Egypt		
20 tab					
Gastrimut	Omeprazole	Gastro Intestinal drugs	Normon	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
cap		Peptic ulcer قرحة المعدة	Spain		
14 caps					
GASTROFAIT	Sucralfate 1 gm	Gastro Intestinal drugs	EIPICO	The usual dose is 1 g four times daily or 2 g twice daily for 4 to 8 weeks	
Tablets		Peptic ulcer قرحة المعدة	Egypt		
20 tab					
Gastrosec	Pantoprazole	Gastro Intestinal drugs	HANSEL	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
Tablets		Peptic ulcer قرحة المعدة	Unknown		
2 x 7 tab					
Gatistar	Gatifloxacin 0.5%	Antibacterial	Orchidia Pharma	by mouth, or by intravenous infusion as a 2 mg/mL solution over 60 minutes, The usual adult dose is 400 mg once daily, 0.3% eye drops for the treatment of bacterial	
Solution		Eye العين	Egypt		
5 ml					
Gatistar	Gatifloxacin 0.3%	Antibacterial	Orchidia Pharma	by mouth, or by intravenous infusion as a 2 mg/mL solution over 60 minutes, The usual adult dose is 400 mg once daily, 0.3% eye drops for the treatment of bacterial	
Solution		Eye العين	Egypt		
5 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Gaviscon	Sodium Alginate + Sodium Bicarbonate while Gaviscon extra strenght contain	Gastro Intestinal drugs	Unknown	As directed	
Tablets		Indigestion سوء الهضم	Unknown		
24 tab					
Gaviscone	Na.Aligenate 500 mg + Na.bicarbonate 267 mg+Ca.carbonate 160 mg	Gastro Intestinal drugs	Reckett Benckiser =UK	bid after meal	
tab		Indigestion سوء الهضم	Unknown		
24 tabs					
Gaviscone	Na.Aligenate 500 mg + Na.bicarbonate 267 mg+Ca.carbonate 160 mg	Gastro Intestinal drugs	Reckett Benckiser =UK	bid after meal	
SUSP		Indigestion سوء الهضم	Unknown		
200 ml					
Gelo Cough	Dextromethorphan	Respiratory drugs	Unknown	10 to 20 mg every 4 hours, or 30 mg every 6 to 8 hours, to a usual maximum of 120 mg in 24 hours, Children aged 6 to 12 years may be given 5 to 10 mg every 4 hours , 2 to 6 years 2.5	
		Common Cold نزلات البرد	Unknown		
Gelofen	Ibuprofen	Non-Steroidal Anti-	Unknown	Oral doses of 400 mg to 1.2 g daily .	
		Analgesic مهدئات الأوجاع	Unknown		
Gelofen compound	Acetaminophen 325 mg + Caffine 40 mg + Ibuprofen 200 mg	Non-Steroidal Anti-	Daana Pharma	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Capsules		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Unknown		
30 cap					
Gelofen- Sinus	Ibuprofen	Non-Steroidal Anti-	Unknown	Oral doses of 400 mg to 1.2 g daily .	
Capsules		Analgesic مهدئات الأوجاع	Unknown		
40 cap					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Gencet	Cetirizine Hydrochloride 10 mg	Antihistamines	Neopharma	Cetirizine hydrochloride is given by mouth in a dose of 10 mg once daily or 5 mg twice daily. Children aged 2 to 5 years may be given cetirizine 5 mg once daily or 2.5 mg twice	
Tablets		Allergy الحساسية	UAE		
20 tablets					
GENTALAB	Gentamicin Sulfate 80 mg / 2 ml	Antibiotics	LABORATE	intramuscularly every 8 hours to provide a total daily dose of 3 to 5 mg/kg , neonates and children 2 mg/kg every 8 hours.	
Vial		Serious M. Infections	India		
2 ml / vial		الأمراض الميكروبية الخطيرة			
Gentamicin	Gentamicin Sulfate	Antibiotics	MEDICO LABS	intramuscularly every 8 hours to provide a total daily dose of 3 to 5 mg/kg , neonates and children 2 mg/kg every 8 hours.	
Ointment		Dermatitis	Syria		
30 gm		التهابات الجلدية			
Gentamicin	Gentamicin Sulfate	Antibiotics	EIPICO	intramuscularly every 8 hours to provide a total daily dose of 3 to 5 mg/kg , neonates and children 2 mg/kg every 8 hours.	
Eye drops		العين	Egypt		
10 ml					
Gentamicin	Gentamicin Sulfate	Antibiotics	Unknown	intramuscularly every 8 hours to provide a total daily dose of 3 to 5 mg/kg , neonates and children 2 mg/kg every 8 hours.	
		Serious M. Infections	Unknown		
		الأمراض الميكروبية الخطيرة			
Gentamicin	Gentamicin Sulfate 40 mg / 1 ml	Antibiotics		intramuscularly every 8 hours to provide a total daily dose of 3 to 5 mg/kg , neonates and children 2 mg/kg every 8 hours.	
Ampoules		Serious M. Infections			
50 amp / 2 ml		الأمراض الميكروبية الخطيرة			
Gentamicin 40	Gentamicin Sulfate 40 mg / 1 ml	Antibiotics	KRKA	intramuscularly every 8 hours to provide a total daily dose of 3 to 5 mg/kg , neonates and children 2 mg/kg every 8 hours.	
Ampoules		Serious M. Infections	India		
10 amp x 1 ml		الأمراض الميكروبية الخطيرة			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Gentamicin 80	Gentamicin Sulfate 80 mg / 2 ml	Antibiotics	KRKA	intramuscularly every 8 hours to provide a total daily dose of 3 to 5 mg/kg , neonates and children 2 mg/kg every 8 hours.	
Ampoules		Serious M. Infections الأمراض الميكروبية الخطيرة	India		
10 amp x 2 ml					
gentamicina solfato	Gentamicin Sulfate 80 / 2 ml	Antibiotics	LFM	intramuscularly every 8 hours to provide a total daily dose of 3 to 5 mg/kg , neonates and children 2 mg/kg every 8 hours.	
Ampoules		Serious M. Infections الأمراض الميكروبية الخطيرة	Italy		
Gentamicine	Gentamicin Sulfate 80 / 2 ml	Antibiotics	NPC	intramuscularly every 8 hours to provide a total daily dose of 3 to 5 mg/kg , neonates and children 2 mg/kg every 8 hours.	
Ampoules		Serious M. Infections الأمراض الميكروبية الخطيرة	China		
Gentamycin	Gentamicin Sulfate 80 mg	Antibiotics	Shanghai pharmaceutical	intramuscularly every 8 hours to provide a total daily dose of 3 to 5 mg/kg , neonates and children 2 mg/kg every 8 hours.	
Ampoules		Serious M. Infections الأمراض الميكروبية الخطيرة	China		
10 amp x 2 ml					
Gentamycin	Gentamicin Sulfate 80 mg	Antibiotics	HUAYANG	intramuscularly every 8 hours to provide a total daily dose of 3 to 5 mg/kg , neonates and children 2 mg/kg every 8 hours.	
Ampoules		Serious M. Infections الأمراض الميكروبية الخطيرة	China		
10 amp x 2 ml					
Gentamycin	Gentamicin Sulfate 80 mg / 2 ml = 40 mg / ml	Antibiotics	KWALITY	intramuscularly every 8 hours to provide a total daily dose of 3 to 5 mg/kg , neonates and children 2 mg/kg every 8 hours.	
Ampoules		Serious M. Infections الأمراض الميكروبية الخطيرة	India		
2 ml / amp					
Gentamycin	Gentamicin Sulfate 80 mg / 2 ml = 40 mg / 1 ml	Antibiotics	SHIN POONG	intramuscularly every 8 hours to provide a total daily dose of 3 to 5 mg/kg , neonates and children 2 mg/kg every 8 hours.	
Ampoules		Serious M. Infections الأمراض الميكروبية الخطيرة	Korea		
2 ml / amp					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
GENTAMYCIN EYE OIN	Gentamicin Sulfate	Antibiotics	MEDICO LABS	intramuscularly every 8 hours to provide a total daily dose of 3 to 5 mg/kg , neonates and children 2 mg/kg every 8 hours.	
Ointment		العين Eye	Syria		
5 gm / tube					
GENTO	Gentamicin Sulfate 40 mg / 1 ml	Antibiotics	WOCKHADT	intramuscularly every 8 hours to provide a total daily dose of 3 to 5 mg/kg , neonates and children 2 mg/kg every 8 hours.	
Ampoules		Serious M. Infections			
2 ml / amp		الأمراض الميكروبية الخطيرة			
GERVIZINE	vit,A 400I.U+vit.E 25 I.U+vit.C 200mg+vit.B1 2.5mg+vit.B2 5mg+vit.B6	Vitamines and Menirals	RAMEDA	As directed	
Capsules		Vitamins	Egypt		
20 capsules		نقص فيتامينات			
GESAL Cream	Diethylamine Salicylate 0.1 gm	NSAID	Shaphaco	As directed	
Cream		مهدئات الأوجاع	Yemen		
40 gm					
GESTAL	progesteron	Gynaecology drugs	ALFURQAN PHARMA	It is important to take each dose as directed. If you miss a dose, take it as soon as remembered. Do not "double-up" the dose to catch up. If more than one dose is missed, contact your doctor	
Tablets		Amenorrhea	Unknown		
20 tab		انقطاع الطمث			
GESTAMRIT	Allylestrenol	Gynaecology drugs	AMRIYA PHARMA	directet by ;dectore or phrmacist	
Tablets		الأجهاض Abortion	Egypt		
20 Tablets					
Ginsana	Multi vit +Ginseng	Vitamines and Menirals	Ginsana	As directed	
Capsules		Vitamins	Unknown		
30 cap		نقص فيتامينات			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
GINSAVIT	vitamin, amino acids, mineral, ginseng	Vitamines and Menirals	Huons	As directed	
Capsules		Vitamins	Korea		
30 cap		نقص فيتامينات			
GINSING TON	Multi vit +Ginseng	Vitamines and Menirals	Huons	As directed	
		Vitamins	Korea		
		نقص فيتامينات			
Gioryl-M	Metformin 500mg+glimepiride 2mg	Antidiabetics	Global Pharma	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
Tablets		Diabetes Mellitus	Yemen		
30 tab		أمراض السكري			
Glafer	Ferrous Fumarate oral suspension 140mg/5ml.	Vitamines and Menirals	Thornton&ross ltd(UK)	Usual doses of dried ferrous sulfate are up to 600 mg daily (equivalent to 180 to 195 mg of iron daily	
Syrup		Anaemia فقر الدم	UK		
100 ml.					
Glafer-Fa	Ferrous Sulfate 305mg+ Folic Acid 0.36mg/capsule.	Vitamines and Menirals	Thornton&ross ltd(UK)	Adult Daily Dose:1 tablet once or twice aday or as directed by the physician.	
Capsules		Anaemia فقر الدم	UK		
28 capsules					
Glaveral	Omeprazole	Gastro Intestinal drugs	Help pharmaceutical	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
Tablets		قرحة المعدة	Unknown		
14 tab					
Glecomin	Metformin HCL 850mg	Antidiabetics	Modern Pharama	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
Tablets		Diabetes Mellitus	Yemen		
30 coated tab		أمراض السكري			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Glemax 2	Glimepiride 2mg	Antidiabetics	JOSWE	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Caplets		Diabetes Mellitus	Jordan		
30 cap		أمراض السكري			
Glemax 3	Glimepiride 3mg	Antidiabetics	JOSWE	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Caplets		Diabetes Mellitus	Jordan		
30 cap		أمراض السكري			
Glemax 4	Glimepiride 4mg	Antidiabetics	JOSWE	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Caplets		Diabetes Mellitus	Jordan		
30 cap		أمراض السكري			
Glibenase	Glibenclamide 5mg	Antidiabetics	ADCO	2.5 to 5 mg daily with breakfast, adjusted every 7 days by increments of 2.5 or 5 mg daily up to 15 mg daily.	
Tablets		Diabetes Mellitus	Egypt		
20 tab		أمراض السكري			
glibevance	Metformin 500 mg + Metclopromide 5 mg	Antidiabetics	BIOPHARM	Metformin: 500 mg , Glibenclamide: 2.5- 15 mg (All two or three times daily)	
Tablets		Diabetes Mellitus	Yemen		
30 tab		أمراض السكري			
GLIBIL 5mg	Glibenclamide 5mg	Antidiabetics	HIKMA	2.5 to 5 mg daily with breakfast, adjusted every 7 days by increments of 2.5 or 5 mg daily up to 15 mg daily.	
Tablets		Diabetes Mellitus	Jordan		
30 tab		أمراض السكري			
GLIBONIL	Glibenclamide 5 mg	Antidiabetics	Shiba pharma	2.5 to 5 mg daily with breakfast, adjusted every 7 days by increments of 2.5 or 5 mg daily up to 15 mg daily.	
Tablets		Diabetes Mellitus	Yemen		
20 tab		أمراض السكري			


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Gliclazide	Gliclazide 5mg	Antidiabetics	Unknown	initial dose is 40 to 80 mg daily, gradually increased, if necessary, up to 320 mg daily. Doses of more than 160 mg daily are given in 2 divided doses.	
Tablets		Diabetes Mellitus أمراض السكري	Unknown		
60 tab					
GLICOMIN 500	Metformin HCL 500mg	Antidiabetics	Modern Pharama	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
Tablets		Diabetes Mellitus أمراض السكري	Yemen		
30 tab					
GLICOMIN 850	Metformin HCL 850 mg	Antidiabetics	Modern Pharama	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
Tablets		Diabetes Mellitus أمراض السكري	Yemen		
30 tab					
Glifix 300 mg	Pioglitazone Hydrochloride	Antidiabetics	Bilim	Minimum/Maximum Adult Daily Dose:30 mg (milligram) OR 1 Tablet	
Tablets		Diabetes Mellitus أمراض السكري	Turkey		
30 tab					
Glifor 1000 mg	Metformin 1000mg	Antidiabetics	Bilim	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
Tablets		Diabetes Mellitus أمراض السكري	Turkey		
100 film tab.					
Glifor 850 mg	Metformin 850mg	Antidiabetics	Bilim	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
Tablets		Diabetes Mellitus أمراض السكري	Turkey		
100 Film coated tab					
Glimadel 1	Glimepiride 1mg	Antidiabetics	dp pharma	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Tablets		Diabetes Mellitus أمراض السكري	Unknown		
10 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Glimadel 2	Glimepiride 2mg	Antidiabetics	dp	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Tablets		Diabetes Mellitus أمراض السكري	Unknown		
10 tab					
GLIMARYL	Glimepiride 3mg	Antidiabetics	Y.E.PHARMA	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Tablets		Diabetes Mellitus أمراض السكري	Yemen		
30 tab					
GLIMARYL 2	Glimepiride 2mg	Antidiabetics	Y.E.PHARMA	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Tablets		Diabetes Mellitus أمراض السكري	Yemen		
30 tab					
GLIMARYL 2mg	Glimepiride 2mg	Antidiabetics	Y.E.PHARMA	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Tablets		Diabetes Mellitus أمراض السكري	Yemen		
30 tab					
GLIMARYL 3	Glimepiride 3 mg	Antidiabetics	Y.E.PHARMA	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Tablets		Diabetes Mellitus أمراض السكري	Yemen		
30 tab					
Glimcip 2	Glimepiride 2mg	Antidiabetics	CIPLA	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Tablets		Diabetes Mellitus أمراض السكري	India		
10 tab					
Glimepirid Denk 2	Glimepiride 2mg	Antidiabetics	Denk pharma	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Tablets		Diabetes Mellitus أمراض السكري	Germany		
30 tab					


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Glimepirid Denk 3	Glimepiride 3mg	Antidiabetics	Denk pharma	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Tablets		Diabetes Mellitus أمراض السكري	Germany		
30 tab					
Glipicrone	Glipicrone	Antidiabetics	Unknown	initial dose is 40 to 80 mg daily, gradually increased, if necessary, up to 320 mg daily. Doses of more than 160 mg daily are given in 2 divided doses.	
Tablets		Diabetes Mellitus أمراض السكري	Unknown		
20 tab					
GLIPRYL ??	Glimepiride 2mg	Antidiabetics	RFA	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Tablets		Diabetes Mellitus أمراض السكري	Yemen		
20 tab					
GLIPRYL ???	Glimepiride 4mg	Antidiabetics	RFA	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Tablets		Diabetes Mellitus أمراض السكري	Yemen		
20 tab					
Glipryl 1	Glimepiride 1mg	Antidiabetics	RAF pharma	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Tablets		Diabetes Mellitus أمراض السكري	Unknown		
30 tab					
GLIPRYL M	Glimepiride 2 mg+Metformin 500 mg	Antidiabetics	RFA	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Tablets		Diabetes Mellitus أمراض السكري	Yemen		
30 tab					
GLIPRYL Tablets	Glimepiride 3mg	Antidiabetics	RFA	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Tablets		Diabetes Mellitus أمراض السكري	Yemen		
20 tab					


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Glired 2	Glimepiride 2mg	Antidiabetics	Modern Pharama	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Tablets		Diabetes Mellitus	Yemen		
30 tab		أمراض السكري			
Glired 3	Glimepiride 3mg	Antidiabetics	Modern Pharama	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Tablets		Diabetes Mellitus	Yemen		
30 tab		أمراض السكري			
GLITRA 3	Glimepiride 3mg	Antidiabetics	JPM	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Tablets		Diabetes Mellitus	Jordan		
30 tab		أمراض السكري			
GLITRA 4	Glimepiride 4mg	Antidiabetics	JPM	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Tablets		Diabetes Mellitus	Jordan		
30 tab		أمراض السكري			
Glivance	Metformin + Glibenclamide	Antidiabetics	Unknown	Metformin: 500 mg , Glibenclamide: 2.5- 15 mg (All two or three times daily)	
Tablets		Diabetes Mellitus	Unknown		
30 tab		أمراض السكري			
Glivance Tablets	Metformin 400mg + glibenclamide 2.5mg	Antidiabetics	Matcytl	Metformin: 500 mg , Glibenclamide: 2.5- 15 mg (All two or three times daily)	
Tablets		Diabetes Mellitus	Unknown		
30 tab		أمراض السكري			
Globacin	Pefloxacin	Central Nervous system drugs	GNP	Minimum/Maximum Adult Daily Dose:20 - 60 mg (milligram) OR 2 - 6 Tablet	
Tablet		Mental Disorders	Egypt		
1strip*10Tablet		الأمراض العقلية			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Gloclav	Amoxicillin/Clavulanate Potassium	Antibiotics	Global pharma	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Tablets		الأمراض الميكروبية Microbial Infections	Unknown		
2strip*7tablet					
Gloclav 1 g	Amoxicillin 875 mg + Clavulanate Potassium 125 mg = 1000 mg / tablet	Antibiotics	Global Pharma	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
		الأمراض الميكروبية Microbial Infections	Unknown		
Glomox 1000	Amoxicillin	Antibiotics	Unknown	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
		الأمراض الميكروبية Microbial Infections	Unknown		
Glomox 500	Amoxicillin 500 mg	Antibiotics	Global Pharma	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Capsules		الأمراض الميكروبية Microbial Infections	Unknown		
100 cap					
Glomox Capsules	Amoxicillin*	Antibiotics	Global pharma	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
capsules		الأمراض الميكروبية Microbial Infections	Unknown		
10strip*10capsules					
Glomox Tablets	Amoxicillin*	Antibiotics	Global pharma	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Tablets		الأمراض الميكروبية Microbial Infections	Unknown		
1strip*14tablet					
Glopidon	Unknown	Antihistamines	Global Pharma	As directed	
Solution		الحساسية Allergy	Yemen		
100 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
GLORION	Glimepiride 4mg	Antidiabetics	HIKMA	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Tablets		Diabetes Mellitus	Jordan		
30 tab		أمراض السكري			
GLORION 2	Glimepiride 2mg	Antidiabetics	HIKMA	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Tablets		Diabetes Mellitus	Jordan		
30 tab		أمراض السكري			
GLORION 3	Glimepiride 3mg	Antidiabetics	HIKMA	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Tablets		Diabetes Mellitus	Jordan		
30 tab		أمراض السكري			
Glorixone	Ceftriaxone Sodium	Antibacterial	Unknown	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
		Bacterial Infections	Unknown		
		الأمصاباات البكتيريرة			
Glormin 50	Atenolol 50 mg	Cardio Vascular System drugs	Global Pharma	Oral, IV.: Initial: PO 50 mg/d. Maximum: 100 mg/d. , Acute MI:Initial: IV 5 mg over 5 min, followed by 5-mg dose 10 min later; then 50-mg tablet 10 min after last IV dose, then	
Tablets		Hypertension	Unknown		
28 tab		ارتقااع ضنعاظ الدم			
Glota 150 mg	Ranitidine	Gastro Intestinal drugs	Global Pharma	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Tablets		Peptic ulcer قرحة المعدة	Unknown		
20 tab					
Glotrim	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	Antibacterial	Global pharma	Tablet (800 sulfam/ 160 trimeth)mg &Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	
Syrup Dry		Bacterial Infections	Unknown		
1bottle*60ml		الأمصاباات البكتيريرة			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Glotrim	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	Antibacterial	Global Pharma	Tablet (800 sulfam/ 160 trimeth)mg & Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	
Syrup Dry		Bacterial Infections الأمراض البكتيرية	Yemen		
1bottle*100 ml					
Glotrizine	Cetirizine Hydrochloride 10 mg	Antihistamines	Global Pharma	Cetirizine hydrochloride is given by mouth in a dose of 10 mg once daily or 5 mg twice daily. Children aged 2 to 5 years may be given cetirizine 5 mg once daily or 2.5 mg twice	
Tablets		Allergy الحساسية	Unknown		
20 tab					
Glotrizine	Unknown	Unknown	global pharma	As directed	
		Unknown	Unknown		
Glovit 4 Lady	Evening primrose oil 250mg, Ca	Vitamines and Menirals	Global pharma	As directed	
Capsules		Vitamins Deficiency نقص فيتامينات	Unknown		
30 Capsules					
Glovit A C & E	vit(A,E,C) Copper, Selenum, Chromium picoliate, Excipients	Vitamines and Menirals	Global pharma	As directed	
Capsules		Vitamins Deficiency نقص فيتامينات	Unknown		
30 Capsules					
Glovit cap	Vit, A 5000I.U+vit.E 25mg+vit.C 100mg+copper 1.0mg+manganese sulphate	Vitamines and Menirals	Global Pharma	As directed	
Capsules		Vitamins Deficiency نقص فيتامينات	Unknown		
30 capsules					
Glovit-CAL	Calcium, Vit-D3-Minerals	Vitamines and Menirals	Global Pharma	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Capsules		Osteoarthritis التهابات العظام	Unknown		
30 Caplets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
Glovit-H	ferrous fumarate 350mg + folic acid 0.5mg + copper 2.5mg + manganese 2.5mg + cyanocobalamin 2.5mg	Vitamines and Menirals فقر الدم	Global Pharma UAE	by mouth in usual doses of up to 600 mg daily (equivalent to about 200 mg of iron daily);	
capsules					
30 capsule					
GLRMIN-M	Glibenclamide 2.5 mg + metformin 500 mg	Antidiabetics Diabetes Mellitus أمراض السكري	RFA Yemen	2.5 to 5 mg daily with breakfast, adjusted every 7 days by increments of 2.5 or 5 mg daily up to 15 mg daily.	
Tablets					
30 tab					
GLRMIN-M	Glibenclamide 5 mg + metformin 500 mg	Antidiabetics Diabetes Mellitus أمراض السكري	RFA Yemen	2.5 to 5 mg daily with breakfast, adjusted every 7 days by increments of 2.5 or 5 mg daily up to 15 mg daily.	
Tablets					
30 tab					
Glucofer	Ferrous Gluconate 300 mg	Vitamines and Menirals فقر الدم	CID Egypt	by mouth in doses of up to 1.8 g daily (equivalent to up to 210 mg of iron daily).	
Tablets					
60 tablets					
Glucoless	Metformin 500mg + glibenclamide 2.5mg	Antidiabetics Diabetes Mellitus أمراض السكري	Shiba pharma Yemen	Metformin: 500 mg , Glibenclamide: 2.5- 15 mg (All two or three times daily)	
Caplets					
30 caplets					
Glucoless	Metformin 500mg + glibenclamide 5mg	Antidiabetics Diabetes Mellitus أمراض السكري	Shiba pharma Yemen	Metformin: 500 mg , Glibenclamide: 2.5- 15 mg (All two or three times daily)	
Caplets					
30 caplets					
Glucolow	Metformin 500mg	Antidiabetics Diabetes Mellitus أمراض السكري	Shiba pharma Yemen	Metformin: 500 mg , Glibenclamide: 2.5- 15 mg (All two or three times daily)	
Tablets					
30 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Glucolow	Metformin 500mg Prolonged Release	Antidiabetics	Shiba pharma	Metformin: 500 mg , Glibenclamide: 2.5- 15 mg (All two or three times daily)	
Caplets		Diabetes Mellitus أمراض السكري	Yemen		
30 Caplets					
Glucolow 850 mg	Metformin 850 mg	Antidiabetics	Shiba pharma	Metformin: 500 mg , Glibenclamide: 2.5- 15 mg (All two or three times daily)	
Caplets		Diabetes Mellitus أمراض السكري	Yemen		
30 Caplets					
Glucolow XR 750 mg	Metformin 500 mg Prolonged Release	Antidiabetics	Shiba pharma	Metformin: 500 mg , Glibenclamide: 2.5- 15 mg (All two or three times daily)	
Caplets		Diabetes Mellitus أمراض السكري	Yemen		
30 Caplets					
Glucophage 500mg	Metformin 500mg	Antidiabetics	MERCK	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
Tablets		Diabetes Mellitus أمراض السكري	France		
50 tab					
Glucophage 1000 mg	Metformin 1000 mg	Antidiabetics	Merck	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
Tablets		Diabetes Mellitus أمراض السكري	France		
2 strips/box					
glucophage 500mg	Metformin 500mg	Antidiabetics	MERCK	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
Tablets		Diabetes Mellitus أمراض السكري	France		
50 tablet					
Glucophage 850mg	Metformin 850mg	Antidiabetics	MERCK	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
Tablets		Diabetes Mellitus أمراض السكري	France		
30 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Glucophage XR	Metformin 500mg HCL/chlorohydrate	Antidiabetics	MERCK	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
Tablets		Diabetes Mellitus أمراض السكري	France		
30 tab					
Glucophage XR 750	Metformin HCL/chlorohydrate	Antidiabetics	MERCK	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
Tablets		Diabetes Mellitus أمراض السكري	France		
30 tab					
Glucoplus	Glucosamine + Chondrotin	Osteoarthritis drugs	SPN pharma	As directed	
Capsules		Osteoarthritis التهابات العظام	Unknown		
60 capsules					
GLUCORED FORTE	Metformin 500mg+ glibenclamide 5mg	Antidiabetics	SUN pharma	Metformin: 500 mg , Glibenclamide: 2.5- 15 mg (All two or three times daily)	
Tablets		Diabetes Mellitus أمراض السكري	India		
Glucosamin compound	Glucosamine + Chondrotin	Osteoarthritis drugs	Unknown	As directed	
Tablets		Osteoarthritis التهابات العظام	Unknown		
Glucosamin plus	Glucosamine HCL 1500mg + Chondrotin S 1200mg	Osteoarthritis drugs	HZM	As directed	
Tablets		Osteoarthritis التهابات العظام	Syria		
30 film coated tap					
Glucosamine	Glucosamine 500mg	Osteoarthritis drugs	Unknown	As directed	
Tablets		Osteoarthritis التهابات العظام	Unknown		
30 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
GLUCOSAMINE PLUS	Glucosamine + Chondroitin	Osteoarthritis drugs	SUN	As directed	
Capsules		Osteoarthritis التهابات العظام	India		
30 cap					
Glucosamine T.S	Glucosamine 500mg + Chondroitin 200mg + SMS 300mg	Osteoarthritis drugs	HZM	As directed	
Tablets		Osteoarthritis التهابات العظام	Syria		
30 tab					
glucoseamine plus	glucoseamine 1500mg + condroitin 1200mg	Osteoarthritis drugs	HZM	As directed	
Tablets		Osteoarthritis التهابات العظام	Syria		
30 film coated					
Glucovance 500mg/2.5mg	Metformin 500mg + glibenclamide 2.5mg	Antidiabetics	Merck	Metformin: 500 mg , Glibenclamide: 2.5- 15 mg (All two or three times daily)	
Tablets		Diabetes Mellitus أمراض السكري	France		
30 Film coated tap.					
Glucovance 500mg/5mg	Glucovance 500mg/5mg	Antidiabetics	Merck	Metformin: 500 mg , Glibenclamide: 2.5- 15 mg (All two or three times daily)	
Tablets		Diabetes Mellitus أمراض السكري	France		
30 tab.					
Glucox	Glucosamine + Chondroitin	Osteoarthritis drugs	Unknown	As directed	
Capsules		Osteoarthritis التهابات العظام	Unknown		
30 cap					
Glufer	ferrous gluconate 300mg + (equivalent to 37.5mg iron)	Vitamines and Menirals	IBN Al Haytham	by mouth in doses of up to 1.8 g daily (equivalent to up to 210 mg of iron daily).	
Vial		Anaemia فقر الدم	Syria		
10ml oral vial					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Glycerin	Glycerin	Skin Disorders	Shiba pharma	Rectally as suppositories or a solution in single doses, The usual initial dose of glycerol is 1 to 1.8 g/kg given as a 50% solution,	
Solution		Health Care الصحة العامة	Yemen		
100 ml					
Glycerin Adult rectal	Glycerin	Gastro Intestinal drugs	PHARCO	Rectally as suppositories or a solution in single doses, The usual initial dose of glycerol is 1 to 1.8 g/kg given as a 50% solution,	
Suppositoris		Constipation الأمساك	Egypt		
5 supps					
Glycerin 1800	Glycerin 1800 mg	Skin Disorders	Global Pharma	Rectally as suppositories or a solution in single doses, The usual initial dose of glycerol is 1 to 1.8 g/kg given as a 50% solution,	
Suppositoris		Health Care الصحة العامة	Yemen		
10 supp					
Glycerin 900	Glycerin 900 mg	Skin Disorders	Global Pharma	Rectally as suppositories or a solution in single doses, The usual initial dose of glycerol is 1 to 1.8 g/kg given as a 50% solution,	
Suppositoris		Health Care الصحة العامة	Yemen		
10 supp					
Glycerin infant	Glycerin	Gastro Intestinal drugs	PHARCO	Rectally as suppositories or a solution in single doses, The usual initial dose of glycerol is 1 to 1.8 g/kg given as a 50% solution,	
Suppositoris		Constipation الأمساك	Egypt		
5 supp					
GLYCERIN Infants	Glycerin + Gelatin	Gastro Intestinal drugs	PHARCO	Rectally as suppositories or a solution in single doses, The usual initial dose of glycerol is 1 to 1.8 g/kg given as a 50% solution,	
supp		Constipation الأمساك	Egypt		
5 supps					
Glyzide	Gliclazide 80mg	Antidiabetics	Julphar	initial dose is 40 to 80 mg daily, gradually increased, if necessary, up to 320 mg daily. Doses of more than 160 mg daily are given in 2 divided doses.	
Tablets		Diabetes Mellitus أمراض السكري	UAE		
60 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
G-Mox	Amoxicillin 125 mg / 5 ml	Antibiotics	Global Pharma	125 to 250 mg every 8 hours	
Suspension		الأمراض الميكروبية Microbial Infections	Yemen		
100 ml					
G-Mox	Amoxicillin 100mg / 1 ml	Antibiotics	Global Pharma	cap 1gm & 500mg & 250mg syrup 250mg & 125mg drop 100mg Vial 1gm & 500mg & 250mg	
Powder for Suspension		الأمراض الميكروبية Microbial Infections	Unknown		
10 ml					
G-Mox	Amoxicillin 250 mg / 5 ml	Antibiotics	Global Pharma	125 to 250 mg every 8 hours	
Powder for Suspension		الأمراض الميكروبية Microbial Infections	Yemen		
100 ml					
G-Mox 1000	Amoxicillin 1000 mg	Antibiotics	Global Pharma	250 - 1000 mg three times daily	
Tablets		الأمراض الميكروبية Microbial Infections	Yemen		
10 tabs					
G-Mox 500	Amoxicillin 500 mg / cap	Antibiotics	Global Pharma	cap 1gm & 500mg & 250mg syrup 250mg & 125mg drop 100mg Vial 1gm & 500mg & 250mg	
Capsules		الأمراض الميكروبية Microbial Infections	Unknown		
10 x 10 cap					
G-Mox 500	Amoxicillin 500 mg / cap	Antibiotics	Global Pharma	250 - 1000 mg three times daily	
Capsules		الأمراض الميكروبية Microbial Infections	Yemen		
10 x 10 cap					
GOFEN	Ibuprofen sofetgel capsule 400mg.	Nonsteroidal Anti-	MEGA	Oral doses of 400 mg to 1.2 g daily .	
Capsules		مهدئات الأوجاع	Thailand		
10 sofetgel capsules					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Golden tab	Tadalafil 20 mg	Sex Stimulants	Shiba pharma	10 - 20 mg depending on response, about 30 minutes before sexual intercourse	
Tablets		Sex Stimulants منشطات جنسية	Yemen		
4 tab					
GOLDn Green	Fresh Natural Wheat Germ	Gastro Intestinal drugs	unknown	As directed	
Powder		Nutrition supplementation تغذية تكميلية	Unknown		
Goldvite	Multivitamins-minerals	Vitamines and Menirals	Shine	As directed	
Capsules		Vitamins نقص فيتامينات	unk		
30 cap					
Goovit-COD	Cod Liver Oil	Vitamines and Menirals	Global Pharma	For lowering triglycerides: 20 mL of cod liver oil per day. For high cholesterol: 30 mL of cod liver oil per day. For lowering blood pressure: 20 mL of cod liver oil per day.	
Capsules		Vitamins نقص فيتامينات	Unknown		
100 cap					
Gordius 300 mg	Gabapentin 300 mg	Central Nervous system drugs	GEDEON RICHTER	Minimum/Maximum Adult Daily Dose:900 - 3600 mg (milligram) OR 9 - 36 Capsule	
Capsules		Epilepsy الصرع	HUNGARY		
50 cap					
Gordius-300	Gabapentin capsule 300mg	Central Nervous system drugs	GEDEON RICHTER	Minimum/Maximum Adult Daily Dose:900 - 3600 mg (milligram) OR 9 - 36 Capsule	
Capsules		Epilepsy الصرع	HUNGARY		
50 capsules					
GRAND-VIT with calcium	Multi vitamin with hany	Vitamines and Menirals	SIGMA	As directed	
Syrup		Vitamins نقص فيتامينات	Egypt		
120 ml syrup					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
GRAND-VIT with iron	Multi vitamin with Iron.	Vitamines and Menirals	SIGMA	As directed	
Syrup		Vitamins	Egypt		
120ml		Deficiency نقص فيتامينات			
Gripe Water	Terpeneless Seed Oil 2.3 mg + Sodium Bicarbonate 52.5 mg	Gastro Intestinal drugs	Shiba pharma	150 to 300 micrograms up to four times daily by mouth	
Solution		Abdominal Spasm آلام البطن	Yemen		
100 ml					
Gripe water	Each 5 ml contains : Oleum Anisi 0.0006 ml + Oleum Anethi .0.005 ml + Natrii Bicarbonas	Gastro Intestinal drugs	Pharmacare	Newborn: 2.5mL or ½ teaspoonful , 1-6 months: 5 ml or 1 teaspoonful , 6-12 months: 10 ml or 2 teaspoonfuls 1 year and above: 10-15 ml or 2-3 teaspoonfuls, The dose can	
Solution		Abdominal Spasm آلام البطن	Yemen		
100 ml					
Griseofulvin	Griseofulvin 125mg/5ml	Antifungals	ACTAVIS	0.5 to 1 g daily in single or divided doses; children have been given 10 mg/kg daily	
Suspension		Fungal Infections الأصابات الفطرية	Unknown		
120ml					
Griseofulvin tap	Griseofulvin 500mg	Antifungals	Unknown	0.5 to 1 g daily in single or divided doses; children have been given 10 mg/kg daily	
Tablets		Fungal Infections الأصابات الفطرية	Unknown		
10 tap					
Griseovin	Griseofulvin	Antifungals	Delta pharma	0.5 to 1 g daily in single or divided doses; children have been given 10 mg/kg daily	
Suspension		Fungal Infections الأصابات الفطرية	Egypt		
120ml					
Grison-250	Griseofulvin 250mg	Antifungals	VIP	0.5 to 1 g daily in single or divided doses; children have been given 10 mg/kg daily	
Tablets		Fungal Infections الأصابات الفطرية	Unknown		
200 tap.					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Guafacin	guava leaves extract	Respiratory drugs	Global Pharma	As directed	
Oral /Drops		Common Cold نزلات البرد	Yemen		
15 ml					
Guafacin	guava leaves extract	Respiratory drugs	Modern Pharama	As directed	
Oral /Drops		Common Cold نزلات البرد	Yemen		
15 ml					
Guaflex	herbal extract	Respiratory drugs	MEPACO	As directed	
Syrup		Common Cold نزلات البرد	Egypt		
120 ml					
Guava	herbal extract	Respiratory drugs	Pharo pharma	As directed	
Syrup		Common Cold نزلات البرد	Egypt		
120 ml					
Guava	Unknown	Unknown	PHARCO	As directed	
Syrup		Common Cold نزلات البرد	Egypt		
120 ml					
Guava leaf	Herbal extract	Respiratory drugs	Unknown	As directed	
Syrup		Common Cold نزلات البرد	Unknown		
120 ml					
Gupisone	Prednisolone Acetate	Corticosteroid	Julphar	By mouth 2.5 to 60 mg daily in divided doses, For parenteral use 4 to 60 mg daily	
Tablets		Inflammations الالتهابات	UAE		
20 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
GUPISONE 20	Prednisolone Acetate	Corticosteroid	Julphar	By mouth 2.5 to 60 mg daily in divided doses, For parenteral use 4 to 60 mg daily	
Tablets		Inflammations الالتهابات	UAE		
20 tab					
Gynera	ethinylestradiol 0.03 mg + Gestodene 0.07 mg	Gynaecology drugs	BAYER	one tablte daily from the frist day of menstution for 21 day	
Tablets		Contraceptives موانع الحمل	Germany		
21 tab					
Gynera	ethinylestradiol 0.03 mg + Gestodene 0.07 mg	Gynaecology drugs	SCHERING	one tablte daily from the frist day of menstution for 21 day	
Tablets		Contraceptives موانع الحمل	Germany		
21 tab					
Gyno-candizol	Miconazole Nitrate 400mg	Antifungals	United	Minimum/Maximum Adult Daily Dose: 100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Suppositoris		Dermatitis الالتهابات الجلدية	Jordan		
3 Vaginal ovules					
Gyno-Mikozal	Miconazole Nitarate 400mg	Antifungals	Julphar	Minimum/Maximum Adult Daily Dose: 100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Vaginal Ovules		Vaginal المهبل	UAE		
3 Ovules					
Gynotrim	Clotrimazole	Antifungals	HANSEL	topically two or three times daily for 2 to 4 weeks as a 1% cream, lotion, spray, or solution, pessaries in dosage regimens of 100 mg for 6 days, 200 mg for 3 days, or a single	
Tablets		Vaginal المهبل	Pakistan		
Gynozol	Miconazole Nitrate 400mg	Antifungals	PHARCO	Minimum/Maximum Adult Daily Dose: 100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Suppositoris		Vaginal المهبل	Egypt		
3 Vaginal soft gelatin capsules					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
GYNOZOL	Miconazole Nitrate	Antifungals	PHARCO	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Suppositoris		Vaginal المهبل	Egypt		
6 vag. Supp					
Gyzol 1200	Miconazole Nitrate 1200mg	Antifungals	Global Pharma	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Suppositoris		Vaginal المهبل	Yemen		
1supp					
Gyzol 200	Miconazole Nitrate 200mg	Antifungals	Global Pharma	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Suppositoris		Vaginal المهبل	Yemen		
7 supp					
Gyzol 400	Miconazole Nitrate 400mg	Antifungals	Global Pharma	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Suppositoris		Vaginal المهبل	Yemen		
3supp					
Gyzol M	Miconazole Nitrate150 mg+Metronidazole 500 mg	Antifungals	Global Pharma	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Suppositoris		Vaginal المهبل	Yemen		
10 supp					
Haem plus	ferrous fumarate45mg+folic acid500mg+vita minB1 1.5mg+vitamineB	Vitamines and Menirals	Unknown	by mouth in usual doses of up to 600 mg daily (equivalent to about 200 mg of iron daily);	
soft gel capsule		Anaemia فقر الدم	Unknown		
30soft gel capsule					
Haem Plus	Ferrous Sulfate150 mg+ Folic Acid 0.5mg+Zinc+ other vitamin and meniral /cap.	Vitamines and Menirals	Unknown	Adult Daily Dose:1 tablet once or twice aday or as directed by the physician.	
Capsules		Anaemia فقر الدم	Unknown		
15 Softgels					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
Haema-caps	ASCORBICACID ,BIOPTERIN,BIO	Vitamines and Menirals	Amoun Pharmaceutical	Adult Daily Dose:1 tablet once or twice aday or as directed by the physicion.	
Capsules	TIN,COBALT,C	فقر الدم Anaemia	Unknown		
14 cpsules	OPPER,CYANO COBALAMIN,FO LIC				
haemasave	carbony iron+foli acid+adenosyl cobalamine+zinc	Vitamines and Menirals	Y.E.PHARMA	Adults : Initial therapy : 5- 15 mg daily according to the case , Maintenance Dose : 2 -5 mg daily. Children dose 1 - 10 daily according to the case.	
Capsules		فقر الدم Anaemia	Yemen		
30soft gelatin capsule					
Haemavit	Multi Vitamines	Vitamines and Menirals	BIOPHARM	As directed	
		Vitamins Deficiency نقص فيتامينات	Yemen		
Haemorich	Multi Vitamines	Vitamines and Menirals	Global Pharma	As directed	
Soft Gelatin Capsules		Vitamins Deficiency نقص فيتامينات	Unknown		
30 cap					
Haemovit gold	iron 14mg+foli acid	Vitamines and Menirals	Unknown	Adults : Initial therapy : 5- 15 mg daily according to the case , Maintenance Dose : 2 -5 mg daily. Children dose 1 - 10 daily according to the case.	
syrup	400microgram+vit B12	فقر الدم Anaemia	Unknown		
200ml	2microgram+vitB 6(pyridoxime)2mg				
Haemovit Plus	Ferrous Sulfate150 mg+ Folic Acid 0.5mg+vit B12+vit B6 /cap.	Vitamines and Menirals	Health Aid	Adult Daily Dose:1 tablet once or twice aday or as directed by the physicion.	
Capsules		فقر الدم Anaemia	Thailand		
30 capsules					
HAEMUP	Citrate ferrique 160mg+Acide folique	Vitamines and Menirals	CADILA	Adult Daily Dose:1 tablet once or twice aday or as directed by the physicion.	
Capsules	0.5mg+cyanocoba lamin	فقر الدم Anaemia	India		
30 cap	7.5mcg+Sulfate				

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
HAEMUP	Citrate ferrique 160mg+Acide folique	Vitamines and Menirals	CADILA	Adult Daily Dose:1 tablet once or twice aday or as directed by the physicion.	
Syrup	0.5mg+cyanocobalamin	Anaemia فقر الدم	India		
200 ml	7.5mcg+Sulfate				
HAEMUP	Ferrus Fumarate 200 mg + Folic Acid 1.5 mg + Cupper sulphate 2.5 mg + Manganese 2.5 mg	Vitamines and Menirals	CADILA	As directed	
Syrup		Vitamins	India		
200 ml		Deficiency نقص فيتامينات			
Haldol	Haloperidol oral drop 2mg/ml	Central Nervous system drugs	Janssen cilag	Minimum/Maximum Adult Daily Dose:10 - 100 mg (milligram) OR 1 - 10 Tablet	
Solution		Mental Disorders	Unknown		
15 ml		الأمراض العقلية			
haldol Amp	Haloperidol ampole 2mg/ml	Central Nervous system drugs	Janssen cilag	Minimum/Maximum Adult Daily Dose:10 - 100 mg (milligram) OR 1 - 10 Tablet	
Ampoules		Mental Disorders	Unknown		
1Ampoule		الأمراض العقلية			
Halfan	Halofantrine Hydrochloride	Antimalarial medicines	Unknown	by mouth as 3 doses of 500 mg at intervals of 6 hours, children is based on 24 mg/kg divided into 3 doses.	
All dosage forms		Malaria الملاريا	Unknown		
Halfan	Halofantrine Hydrochloride	Antimalarial medicines	Unknown	by mouth as 3 doses of 500 mg at intervals of 6 hours, children is based on 24 mg/kg divided into 3 doses.	
Liquid_ susp		Malaria الملاريا	Unknown		
30ml					
Halothane-phabco	Halothane	Central Nervous system drugs	Pharco	2 to 4% v/v of halothane in oxygen or mixtures of nitrous oxide and oxygen	
Inhaler		Anaesthetics	Egypt		
bottleof 250 ml		التخدير العام			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Hanmi Taxime	Cefotaxime Sodium	Antibacterial	Unknown	2 to 6 g daily in 2 to 4 divided doses to adults. In severe infections up to 12 g may be given daily by the intravenous route in up to 6 divided doses, Children may be given	
		Bacterial Infections الأمراض البكتيرية	Unknown		
Hansprazole	Esomeprazole 20 mg	Gastro Intestinal drugs	HANSEL	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
Capsules		Peptic ulcer قرحة المعدة	Unknown		
14 capsules					
Hantox	Ceftriaxone Sodium 500 mg	Antibacterial	Unknown	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
		Bacterial Infections الأمراض البكتيرية	Unknown		
HAR-AMOXYL 250 mg	Amoxicillin 250 mg	Antibiotics	HARBIN	cap 1gm & 500mg & 250mg syrup 250mg & 125mg drop 100mg Vial 1gm & 500mg & 250mg	
Capsules		الأمراض الميكروبية Microbial Infections	China		
5 blisters x 10 cap					
HAWKBEN	Mebendazole 100 mg	Anthelmentic	L.B.S	For adult and children: Threadworms 100 mg single dose - Roundworms and hookworms : 100 mg BID for 3 days.	
Tablets		Common Worms الديدان الشائعة	Thailand		
6 tab					
Hayadol-1.5	Haloperidol tablets 1.5mg	Central Nervous system drugs	IBN-HYYANpharm	Minimum/Maximum Adult Daily Dose: 10 - 100 mg (milligram) OR 1 - 10 Tablet	
Tablets		Mental Disorders الأمراض العقلية	Syria		
30 tablets					
HAZI Ca ViD	Calcium, Vit-D3	Vitamines and Menirals	Ben Al Haytham .syria	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Tablets		Osteoarthritis التهابات العظام	Unknown		
50 Tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
Hb Plus	Ferrous Sulfate+ Folic Acid	Vitamines and Menirals	Unknown	Adult Daily Dose:1 tablet once or twice aday or as directed by the physicion.	
Capsules		Anaemia فقر الدم	Unknown		
30 cap					
HCQ 200	Hydroxychloroquine sulfate 200 mg	Antimalarial medicines	Getz pharma	prophylaxis o 400 mg every 7 days, children a weekly prophylactic dose of 6.5 mg/kg - Treatment 800 mg followed after 6 to 8 hours by 400 mg and a further 400 mg on each of	
Tablets		Malaria الملاريا	USA		
30 tab					
Healar	Herbal extract	Antihaemorrhages	APM	As directed	
		Haemorrhoids البواسير	Unknown		
Heamovit	vit.C 75mg, vit.B6 5mg,folic acid 500mcg,vit.B12 100mcg,Iron 47mg,zinc 4mg,	Vitamines and Menirals	HealthAid	As directed	
Syrup		Vitamins Deficiency نقص فيتامينات	England		
120ml					
Heamovit plus	vit.C 75mg, vit.B6 5mg,folic acid 500mcg,vit.B12 100mcg,Iron 47mg,zinc 4mg,	Vitamines and Menirals	HealthAid	As directed	
Capsules		Vitamins Deficiency نقص فيتامينات	England		
30 capsules					
Heel forte	Unknown	Skin Disorders	Unknown	As directed	
		Dermatitis الالتهابات الجلدية	Unknown		
Heel Forte	Salicylic Acid	Skin Disorders	OCTOBER PHARMA	As directed	
Ointment		Warts الثآليل او الفتوء الصغيرة	Egypt		
20 gm					


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Heli-cure	Omeprazole 20 mg+Tinidazole 500 mg+ Clarithromycin 250 mg	Gastro Intestinal drugs	EGYPHAR	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
Tablets		H-Pylori جرثومة المعدة	Egypt		
14 tabs					
Hema-care	300 mg// folic acid 1 mg + vit B12- 7.5 mg + vit B6 -1.2 mg zinc 66 mg	Vitamines and Menirals	Modern Pharama	Adults : Initial therapy : 5- 15 mg daily according to the case , Maintenance Dose : 2 -5 mg daily. Children dose 1 - 10 daily according to the case.	
Capsules		Anaemia فقر الدم	Yemen		
30 cap					
heme	Iron	Vitamines and Menirals	STADA	As directed	
Ampoules		Anaemia فقر الدم			
10 ml x 20 amp					
hemsyl-250mg	Etamsylate-250mg	Antihemorrhages	indoco	500 mg by mouth four times daily during menstruation, intramuscular or intravenous injection in a dose of 250 to 500 mg; this dose may be repeated every 4 to 6 hours as	
Tablets		Haemorrhage النزيف	Unknown		
1*10tablet					
hemsyl-inj	Etamsylate-injection	Antihemorrhages	indoco	500 mg by mouth four times daily during menstruation, intramuscular or intravenous injection in a dose of 250 to 500 mg; this dose may be repeated every 4 to 6 hours as	
injection		Haemorrhage النزيف	Unknown		
5*2ml ampoules					
Hepa-max plus	silymarin +vit b complex+zink	Gastro Intestinal drugs	marcyral	Dry extract capsules are administered at 200 to 400 mg/day or 12 to 15 g of dried seed per day.	
Soft Gelatin Capsules		Hepatic Disorders اضطرابات الكبد	Unknown		
20 cap					
Hepa-Merz	One 5mg sachets contains L-ornithin-aspartate 3mg	Natural products	MERZ	1-2 sachets of L-ornithin-L-aspartate three times daily.	
Sachets		Hepatic Disorders اضطرابات الكبد	Unknown		
10 sachets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Hepa-merz amp	L-Ornithine +L-Aspartate	Gastro Intestinal drugs	MERZ	As directed	
Ampoules		Hepatic Disorders اضطرابات الكبد	Unknown		
5 amp					
Hepa-merz sach	L-ornithine-L-aspartate	Gastro Intestinal drugs	MERZ	As directed	
Granules		Hepatic Disorders اضطرابات الكبد	Unknown		
10 sachets					
Heparin	Heparin Sodium 25000 I.U/ 5 ml or 5000 I.U / 1 ml	Cardio Vascular System drugs	PANPHARMA	intravenous of 5000 to 10 000 units every 4 to 6 hours , Children and small adults continuous intravenous infusion of 15 to 25 units/kg per hour or subcutaneous of 250 units/kg	
Vial		Thrombosis الجلطات	Unknown		
10 vial					
Heparin Vial	heparine	Cardio Vascular System drugs	PANPHARMA	intravenous of 5000 to 10 000 units every 4 to 6 hours , Children and small adults continuous intravenous infusion of 15 to 25 units/kg per hour or subcutaneous of 250 units/kg	
Vial		Thrombosis الجلطات	Unknown		
15ml					
Hepatic Forte	Silymarin + Essential phospholipids	Gastro Intestinal drugs	ADWIA	200 mg/BID	
Capsules		Hepatic Disorders اضطرابات الكبد	Egypt		
30 cap					
Hepatic Forte	Silymarin 70mg+essential phospholipids 300mg+Orotic acid 10 mg/capsule.	Gastro Intestinal drugs	Adwia	Adult 1-2 capsule three times daily after meals.	
Capsules		Hepatic Disorders اضطرابات الكبد	Egypt		
30 capsules					
Hepato-forte	essential phospholipids+vit b1,b2,b12,E	Gastro Intestinal drugs	AMOUN	Adults : 1800mg/daily(divided into 3 doses) children more than 12 years(about 43 kg) 600mg/daily(divided into 3 doses).	
Capsules		Hepatic Disorders اضطرابات الكبد	Egypt		
20 cap					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Hepaton	cynarin+ dandelion	Gastro Intestinal drugs	SEDICO	200 mg/BID	
Tablets		Hepatic Disorders	Egypt		
20 tab		اضطرابات الكبد			
Hepavite cap	silymarin +vit b complex	Gastro Intestinal drugs	Shine	200 mg/BID	
Capsules		Hepatic Disorders	Unknown		
100 CAP		اضطرابات الكبد			
Herbolax	Combination	Unknown	Himalaya drug co	As directed	
Capsules		Unknown	India		
10x 10 cap					
Herborist	Combination	Skin Disorders	Unknown	As directed	
Solution		Dermatitis	Indonesia		
		الالتهابات الجلدية			
Herborist	Combination	Antiseptic and Desinfectants	Unknown	As directed	
Solution		Feminine wash	Unknown		
200 ml		الغسولات الأنثوية			
HERMES Multivit	Vit. A - Vit B1 - Vit. B2 - Vit. B3 - Vit. B5 - Vit. B6 - Vit. B12 - Vit. C - Vit. E - Vit. D3 - Biotine	Vitamines and Menirals	HERMES Arzneimittel GmbH	As directed	
Tablets		Vitamins	Unknown		
20 effervecent		نقص فيتامينات			
Hexadyl	Chlorhexidine Gluconate 0.2% W/V	Antiseptic and Desinfectants	Shiba pharma	As directed	
Mouth Wash		Mouth Wash	Yemen		
100 ml		الغسولات الفموية			


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Hexadyl	Chlorhexidine Gluconate 0.2% W/V	Antiseptic and Desinfectants	Shiba pharma	For pre-operative skin disinfection and hand-washing, chlorhexidine is used as a 0.5% solution of the acetate or gluconate in alcohol (70%) or as a 2 or 4% detergent solution	
Mouth Wash		Mouth Wash	Yemen		
100 ml		الغسولات الفموية			
Hexadyl	Chlorhexidine Gluconate 0.2% W/V	Antiseptic and Desinfectants	Shiba pharma	For pre-operative skin disinfection and hand-washing, chlorhexidine is used as a 0.5% solution of the acetate or gluconate in alcohol (70%) or as a 2 or 4% detergent solution	
Mouth Wash		Mouth Wash	Yemen		
100 ml		الغسولات الفموية			
HICAND 16	Candesartan Cilexetil 16 mg	Cardio Vascular System drugs	Y.E.PHARMA	8 mg once daily, but doses up to 32 mg daily, as a single dose or in 2 divided doses	
Tablets		Hypertension	Yemen		
30 tab		ارتفاع ضغط الدم			
HICAND 8	Candesartan Cilexetil 8 mg	Cardio Vascular System drugs	Y.E.PHARMA	8 mg once daily, but doses up to 32 mg daily, as a single dose or in 2 divided doses	
Tablets		Hypertension	Yemen		
30 tab		ارتفاع ضغط الدم			
Hicipro	Ciprofloxacin Hydrochloride	Antibacterial	Unknown	250 to 750 mg twice daily depending on the severity and nature of the infection	
		Bacterial Infections	Unknown		
		الأمراض البكتيرية			
Hicipro	Ciprofloxacin Hydrochloride	Antibacterial	Unknown	250 to 750 mg twice daily depending on the severity and nature of the infection	
		Bacterial Infections	Unknown		
		الأمراض البكتيرية			
Hijuven	Vit.E (tocopherols) 200 mg /capsule.	Vitamines and Menirals	Eisai	40 to 50 mg	
Soft Gelatin Capsules		Vitamins	JAPAN		
100 caps		نقص فيتامينات			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Hipres-50	Atenolol	Cardio Vascular System drugs	CIPLA	Oral, IV.: Initial: PO 50 mg/d. Maximum: 100 mg/d. , Acute MI:Initial: IV 5 mg over 5 min, followed by 5-mg dose 10 min later; then 50-mg tablet 10 min after last IV dose, then	
Tablets		Hypertension ارتفاع ضغط الدم	India		
14 tab					
hiprogin	250 mg hydroxyprogesterone caporate	Gynaecology drugs	Duopharma	doses of 250 to 500 mg weekly by intramuscular injection have been given during the first half of pregnancy.	
Ampoules		Amenorrhea انقطاع الطمث	Malaysia		
1 Ampoule					
Hirudoid	Heparinoids	Unknown	Daiichi -Sankyo	applied topically	
Cream		Haemorrhoids البواسير	Germany		
40 gm					
Histaphen	Chlorphenamine Maleate	Antihistamines	Global Pharma	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	
Syrup		Common Cold نزلات البرد	Unknown		
100 ml					
Histat	Chlorphenamine Maleate 2.5 mg / 5 ml	Antihistamines	Shiba pharma	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	
Syrup		Common Cold نزلات البرد	Yemen		
100 ml					
Histat	Chlorphenamine Maleate	Antihistamines	Shiba pharma	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	
Tablets		Common Cold نزلات البرد	Yemen		
20 tablet					
Histavil	Chlorphenamine Maleate 4 mg	Antihistamines	Shaphaco	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	
Tablets		Common Cold نزلات البرد	Yemen		
20 Tablet					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
Histavil	Chlorphenamine Maleate 2 mg	Antihistamines	Shaphaco	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	
Syrup		Common Cold	Yemen		
100 ml		نزلات البرد			
Histazin	promethazine Hydrochloride	Antihistamines	United	Minimum/Maximum Adult Daily Dose:12.5 - 150 mg (milligram) OR 1 - 12 tablet.	
Syrup		Allergy الحساسية	Jordan		
125 ml for bottle					
Histazin	promethazine Hydrochloride	Antihistamines	United	Minimum/Maximum Adult Daily Dose:12.5 - 150 mg (milligram) OR 1 - 12 tablet.	
Tablets		Allergy الحساسية	Jordan		
20 tabs					
HISTAZIN	Promethazine	Antihistamines	United	Minimum/Maximum Adult Daily Dose:12.5 - 150 mg (milligram) OR 1 - 12 tablet.	
Tablets		Allergy الحساسية	Jordan		
20 tab					
Histin	Chlorphenamine Maleate	Antihistamines	YEDCO	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	
Syrup		Common Cold	Yemen		
100 ml		نزلات البرد			
Homtamin Ginseng	Multi vitamine +Ginseng	Vitamines and Menirals	Korea united	As directed	
Capsules		Vitamins	Korea		
30 S.G capsules		نقص فيتامينات			
Honey Cure	Honey	Skin Disorders	RAZA	2- 4 times daily topically	
Ointment		Burns الحروق	Unknown		
30 gm					


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Hostacortin H	Prednisolone 5 mg	Corticosteroid	Aventis	By mouth 2.5 to 60 mg daily in divided doses, For parenteral use 4 to 60 mg daily	
Tablets		Inflammations الالتهابات	Germany		
20 tab					
hovid OMEPRAZOLE	Omeprazole	Gastro Intestinal drugs	Hovid	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
Capsules		Peptic ulcer قرحة المعدة	Malaysia		
28 caps					
HYCIP-500	Ciprofloxacin*	Antibacterial	Omega	250 to 750 mg twice daily depending on the severity and nature of the infection	
Tablets		Bacterial Infections الاصابات البكتيرية	Italy		
1strip*10tablet					
hydikal	Amlodipine	Cardio Vascular System drugs	Unknown	Oral only : Hypertension Adults: Individualize: 2.5–5 mg/d. Maximum: 10 mg/d. Angina: Adults: 5–10 mg. Elderly: 5 mg.	
		Hypertension ارتفاع ضغط الدم	Unknown		
Hydralazin	Hydralazin	Cardio Vascular System drugs	Unknown	40 to 50 mg daily by mouth in divided doses	
10 ,20, 50 mg, amp		Hypertension ارتفاع ضغط الدم	Unknown		
Hydro-Atheer	Combination	Health Care	Atheer	As directed	
Drops		Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	Yemen		
10 ml					
Hydrocortisone	Hydrocortisone	Corticosteroid	MISR	Concentrations usually used have ranged from 0.1 to 2.5%	
0.5%-1%-2.5%		Dermatitis الالتهابات الجلدية	Egypt		
20gm					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Hydrocortisone	Hydrocortisone	Corticosteroid	Unknown	Concentrations usually used have ranged from 0.1 to 2.5%	
Ointment		Dermatitis التهابات الجلدية	Unknown		
Hydrocortisone Acetate	Each 100 gm contains : Hydrocortisone Acetate 1 gm	Corticosteroid	PHARCO	Concentrations usually used have ranged from 0.1 to 2.5%	
Ointment		Dermatitis التهابات الجلدية	Egypt		
15 gm					
Hydrogen	Hydrogen Peroxide	Antiseptic and Desinfectants	Unknown	As directed	
Ear Drops		Antiseptic مطهرات	Unknown		
Hydrogen	Hydrogen Peroxide	Antiseptic and Desinfectants	Unknown	As directed	
Ear Drops		Antiseptic مطهرات	Unknown		
Hydrogen Peroxid	Hydrogen peroxide 6%	Antiseptic and Desinfectants	Pharmacare	Apply Hydrogen peroxide solution on the affected area using clean cotton	
Solution		Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	Yemen		
60 ml					
Hyfresh	Unknown	Unknown	Unknown	As directed	
Solution		Eye العين	Unknown		
Hygiene	chamomile + Aloe vera + Goldenseal + Propolis	Antiseptic and Desinfectants	Unknown	As directed	
Solution		Vaginal المهبل	Unknown		


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
HYLO COMOD	Unknown	Unknown	Unknown	As directed	
Eye drops		العين Eye	Unknown		
10 ml					
Hymox	Amoxicillin*	Antibiotics	SPIMACO	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Capsules		الأمراض الميكروبية Microbial Infections	Saudi Arabia		
2strip*10capsules					
Hymox	Amoxicillin*	Antibiotics	SPIMACO	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Capsules		الأمراض الميكروبية Microbial Infections	Saudi Arabia		
2strip*10capsules					
Hymox	Amoxicillin*	Antibiotics	SPIMACO	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Dry syrup		الأمراض الميكروبية Microbial Infections	Saudi Arabia		
1bottel*100ml					
HYOBROMID	Hyoscine- N-Butylbromide 10 mg	Gastro Intestinal drugs	unknown	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Tablets		Abdominal Spasm آلام البطن	Unknown		
30 tabs					
Hyoscine-Butylbromide	Hyoscine- N-Butylbromide	Gastro Intestinal drugs	ROTEXMEDI CA	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Ampoules		Abdominal Spasm آلام البطن	Germany		
10 amps					
Hyosed Tablets	Hyoscine- N-Butylbromide 10 mg	Gastro Intestinal drugs	SEDICO	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Tablets		Abdominal Spasm آلام البطن	Egypt		
20 tabs					



Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Hyper oil	Herbal extract	Unknown	Ri.MOS. Srl	As directed	
Oil		Wounds Healing التئام الجروح	Italy		
100 ml					
hypopresor	metoprolol	Cardio Vascular System drugs	Unknown	100- 200 mg daily by mouth	
		Hypertension ارتفاع ضغط الدم	Unknown		
Hyposec	Omeprazole	Gastro Intestinal drugs	RAM PHARMA	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
Capsules		Peptic ulcer قرحة المعدة	Jordan		
14 caps					
Hyzaar	HCTZ + Losartan	Cardio Vascular System drugs	MERCK SHARP	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
Tablets		Hypertension ارتفاع ضغط الدم	Unknown		
differ					
Hyzaar ???	Hydrochlorothiazide + Losartan	Cardio Vascular System drugs	Unknown	Hydrochlorothiazide :12.5 up to 50 mg daily, Losartan : 50-100 mg once daily	
		Hypertension ارتفاع ضغط الدم	Unknown		
Ibidroxil Capsules	Cefadroxil 500 mg / cap	Antibacterial	gsk glaxosmithkline	1 to 2 g daily as a single dose or in two divided doses.	
Capsules		Bacterial Infections الأمراض البكتيرية	UK		
1strip*8capsule					
Ibidroxil Syrup	Cefadroxil 250 mg / 5 ml	Antibacterial	gsk glaxosmithkline	Children 6 – 12 years : 5 ml -10 ml twice daily, Children 1 - 5 years : 2.5 ml - 5 ml twice daily.	
Dry syrup		Bacterial Infections الأمراض البكتيرية	UK		
1bottel*60ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
IBOFEN	Ibuprofen 400mg/ cap.	NSAID	Modern Pharama	Oral doses of 400 mg to 1.2 g daily .	
Capsules		مهدئات الأوجاع	Yemen		
10 cap					
IBOFEN	Ibuprofen 400mg/ tablet.	NSAID	Modern Pharama	Oral doses of 400 mg to 1.2 g daily .	
Tablets		مهدئات الأوجاع	Yemen		
10 x 10 tab					
IBOFEN	Ibuprofen 600mg/ tablet.	NSAID	Modern Pharama	Oral doses of 400 mg to 1.2 g daily .	
Tablets		مهدئات الأوجاع	Yemen		
10 x 10 tab					
IBOFEN	Ibuprofen 100mg/ 5 ml	NSAID	Modern Pharama	Oral doses of 400 mg to 1.2 g daily .	
Suspension		مهدئات الأوجاع	Yemen		
100 ml					
IBUBID	Ibuprofen 100mg	NSAID	RFA	Oral doses of 400 mg to 1.2 g daily .	
Suspension		مهدئات الأوجاع	Yemen		
60 ml					
IBUBID 200	Ibuprofen tablet 200mg.	NSAID	RFA	Oral doses of 400 mg to 1.2 g daily .	
Tablets		مهدئات الأوجاع	Yemen		
100 tablets.					
IBUBID plus Susp	Ibuprofen 100mg+paracetamol 125mg suspension/5mg.	NSAID	RFA	Oral doses of 400 mg to 1.2 g daily .	
Suspension		مهدئات الأوجاع	Yemen		
60 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
IBUBID400	Ibuprofen tablet 400mg.	NSAID	RFA	Oral doses of 400 mg to 1.2 g daily .	
Tablets		مهدئات الأوجاع	Yemen		
100 tablets					
IBUBID600	Ibuprofen tablet 600mg.	NSAID	RFA	Oral doses of 400 mg to 1.2 g daily .	
Tablets		مهدئات الأوجاع	Yemen		
20 tablets					
IBUBID-plus	Ibuprofen+paracetamol tablet 400mg/325mg	Nonsteroidal Anti-	RFA	Oral doses of 400 mg to 1.2 g daily .	
Tablets		مهدئات الأوجاع	Yemen		
20 tablets					
Ibufinal	Ibuprofen 100 mg	NSAID	Global Pharma	Oral doses of mg to 1.2 g daily .	
Suspension		مهدئات الأوجاع	Yemen		
60 ml					
Ibufinal	Ibuprofen 100 mg	NSAID	Global Pharma	Oral doses of mg to 1.2 g daily .	
Suspension		مهدئات الأوجاع	Yemen		
100 ml					
Ibuflam	Ibuprofen 100 mg	NSAID	Shaphaco	Oral doses of mg to 1.2 g daily .	
Suspension		مهدئات الأوجاع	Yemen		
100 ml					
Ibuflam	Ibuprofen 100 mg	NSAID	Shaphaco	Oral doses of mg to 1.2 g daily .	
Suspension		مهدئات الأوجاع	Yemen		
50 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Ibukern 600 mg	Ibuprofen	Non-Steroidal Anti-	KERN pharma	Oral doses of 400 mg to 1.2 g daily .	
Tablets		Analgesic مهدئات الأوجاع	Korea		
Ibuphil	Ibuprofen	Non-Steroidal Anti-	Unknown	Oral doses of 400 mg to 1.2 g daily .	
Syrup		Analgesic مهدئات الأوجاع	Unknown		
100 ml					
Ibuprofen	Ibuprofen tablet 400mg.	Nonsteroidal Anti-	SHAPHAR	Oral doses of 400 mg to 1.2 g daily .	
Tablets		Analgesic مهدئات الأوجاع	China		
100 tablets					
Ibuprofen 400	Ibuprofen	Non-Steroidal Anti-	Unknown	Oral doses of 400 mg to 1.2 g daily .	
		Analgesic مهدئات الأوجاع	Unknown		
Ibuprofen 800	Ibuprofen	Non-Steroidal Anti-	Unknown	Oral doses of 400 mg to 1.2 g daily .	
		Analgesic مهدئات الأوجاع	Unknown		
Ibuprofen Denk 400	Ibuprofen	Non-Steroidal Anti-	Denk Pharma	Oral doses of 400 mg to 1.2 g daily .	
		Analgesic مهدئات الأوجاع	Germany		
Ibuprofen-Denk	Ibuprofen tablet 400mg.	Nonsteroidal Anti-	Denk Pharma	Oral doses of 400 mg to 1.2 g daily .	
Tablets		Analgesic مهدئات الأوجاع	Germany		
100 tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms					
Package		Disease	Country		
Idex	Dexamethasone	Corticosteroid	Unknown	Orally of 0.5 to 10 mg daily. Intravenous 2 to 6 mg/kg of dexamethasone , intra-articular 4 to 16 mg of dexamethasone, Also 0.05 to 0.1% for eye or ear drops and	
		Inflammations الالتهابات	Unknown		
Ifenec	Econazole Nitrate	Antifungals	LIFEPHARMA	Vaginal candidiasis as pessaries of 150 mg once daily at bedtime for 3 consecutive nights, topically up to 3 times daily as a 1% cream, lotion, powder, or solution.	
Suppositoris		Vaginal المهبل	Italy		
3 sup					
Imodium	loperamide Hydrochloride	Gastro Intestinal drugs	Janseen	In acute diarrhoea the usual initial dose for adults is loperamide hydrochloride 4 mg followed by 2 mg after each loose stool to a maximum of 16 mg daily; the usual daily dose	
cap		Diarrhea الأسهال	Switzerland		
6 caps in Strip					
Imodium	Loperamide Hydrochloride 2 mg	Gastro Intestinal drugs	aspen	In acute diarrhoea the usual initial dose for adults is loperamide hydrochloride 4 mg followed by 2 mg after each loose stool to a maximum of 16 mg daily; the usual daily dose	
Capsules		Diarrhea الأسهال	Pakistan		
10x 6 cap					
Improfen	Ibuprofen	NSAID	Y.E.PHARMA	Oral doses of 400 mg to 1.2 g daily .	
Suspension		Analgesic مهدئات الأوجاع	Yemen		
60 ml					
Imuran	Azathioprine 50 mg / tab	Immunosuppressive	aspen	1 to 5 mg/kg daily	
Tablets		Immunosuppressive تثبيط المناعة	Ireland		
100 tab					
Indacin	Indometacin	Non-Steroidal Anti-	Memphis	Oral adult: 25-50 mg two or three times daily , children: an oral dose of 0.5 to 1 mg/kg twice daily, - premature infants indometacin sodium as 100-200 micrograms/kg i.v.	
Suppositoris		Analgesic مهدئات الأوجاع	Egypt		
10					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Inderal 10	Propranolol Hydrochloride 10 mg , 40 mg	Cardio Vascular System drugs	ASTRAZENECA	Adult: 40 - 120 mg orally twice daily ,children 1- 4 mg/kg daily in divided doses by mouth	
Tablets		Hypertension ارتفاع ضغط الدم	Unknown		
50 tab					
INDERAL 40 mg	Propranolol Hydrochloride	Cardio Vascular System drugs	ASTRAZENECA	Adult: 40 - 120 mg orally twice daily ,children 1- 4 mg/kg daily in divided doses by mouth	
Tablets		Hypertension ارتفاع ضغط الدم	Unknown		
50 tab					
INDO-250	Erythromycin	Antibiotics	Indoco	tablet 500mg &250mg &400mg Dry syrup 400mg &250mg & 200mg &125mg Topical sul 4% &2%	
tablet		الأمراض الميكروبية Microbial Infections	Unknown		
10strip*10tablet					
INDO-500	Erythromycin	Antibiotics	Indoco	tablet 500mg &250mg &400mg Dry syrup 400mg &250mg & 200mg &125mg Topical sul 4% &2%	
Tablet		الأمراض الميكروبية Microbial Infections	Unknown		
10strip*10tablet					
Indocid	Indometacin	Non-Steroidal Anti-	ALGORITHM	Oral adult: dose 25-50 mg two or three times daily , children: an oral dose of 0.5 to 1 mg/kg twice daily , - premature infants indometacin sodium as 100-200 micrograms/kg i.v.	
Suppositoris		Analgesic المهدئات الأوجاع	Lebanon		
10 sup					
Indocine	Indometacin	Non-Steroidal Anti-	Razi Pharma	Oral adult: dose 25-50 mg two or three times daily , children: an oral dose of 0.5 to 1 mg/kg twice daily , - premature infants indometacin sodium as 100-200 micrograms/kg i.v.	
Suppositoris		Analgesic المهدئات الأوجاع	Syria		
10 sup					
Indomethacin	Indomethacin entric coated tablet 50mg.	Nonsteroidal Anti-	PHARCO	Oral adult: dose 25-50 mg two or three times daily , children: an oral dose of 0.5 to 1 mg/kg twice daily , - premature infants indometacin sodium as 100-200 micrograms/kg i.v.	
Capsules		Analgesic المهدئات الأوجاع	Egypt		
24 capsule .					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Indomethacin	Indomethacin enteric coated tablet 25mg.	Nonsteroidal Anti-	PHARCO	Oral adult: 25-50 mg two or three times daily, children: an oral dose of 0.5 to 1 mg/kg twice daily, - premature infants indometacin sodium as 100-200 micrograms/kg i.v.	
Tablets		مهدئات الأوجاع	Egypt		
24 tablet .					
Indomethacin E.C.	Indometacin	Non-Steroidal Anti-	Unknown	Oral adult: 25-50 mg two or three times daily, children: an oral dose of 0.5 to 1 mg/kg twice daily, - premature infants indometacin sodium as 100-200 micrograms/kg i.v.	
		مهدئات الأوجاع	Unknown		
Indomethacine	Indomethacin supp, 100mg.	Nonsteroidal Anti-	MEDICO LABS	Oral adult: 25-50 mg two or three times daily, children: an oral dose of 0.5 to 1 mg/kg twice daily, - premature infants indometacin sodium as 100-200 micrograms/kg i.v.	
Suppositoris		مهدئات الأوجاع	Syria		
10 supp					
Indosan 25	Indometacin	NSAID	Shiba pharma	Oral adult: 25-50 mg two or three times daily, children: an oral dose of 0.5 to 1 mg/kg twice daily, - premature infants indometacin sodium as 100-200 micrograms/kg i.v.	
Capsules		مهدئات الأوجاع	Yemen		
20 cap					
Infacol	simethicone	Gastro Intestinal drugs	Forest lab	tab = 40 -120 mg QID orall a.m * suspension = 10 ml QID *sachets = one sachet QID	
Drop		سوء الهضم	UK		
30 ml					
INFLA-BAN 50	Diclofenac Sodium tablet 50mg	Nonsteroidal Anti-	APM	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Tablets		مهدئات الأوجاع	Jordan		
20 tablets					
INFLA-BAN 75	Diclofenac Sodium 75 mg	Non-Steroidal Anti-	APM	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Ampoules		مهدئات الأوجاع	Jordan		
5 amp x 3 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
مع 100 Inflamac تغيير الصورة	Unknown	Non-Steroidal Anti-Analgesic مهدئات الأوجاع	Unknown	As directed	
			Unknown		
Ingredient Facts	glylatin + glycerin + soybean oil	Gastro Intestinal drugs	SUN Naturals	As directed	
Soft Gelatin Capsules		Nutrition supplementation تغذية تكميلية	Unknown		
cap					
Innohep	Tinzaparin Sodium Syringe	Cardio Vascular System drugs	LEO	3500 units of tinzaparin sodium are given by subcutaneous injection 2 hours before the procedure, followed by 3500 units once daily for 7 to 10 days.	
		Thrombosis الجلطات	Denmark		
2ml					
Inosert-50	Sertraline tablet 50mg	Central Nervous system drugs	Ipca	Minimum/Maximum Adult Daily Dose: 50 - 200 mg (milligram) OR 0.5 - 2 Tablet.	
Tablets		Mental Disorders الأمراض العقلية	Unknown		
30 tablets					
INSAAR	Losartan Potassium	Cardio Vascular System drugs	Unknown	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
		Hypertension ارتفاع ضغط الدم	Unknown		
Insaar	losartan potassium	Cardio Vascular System drugs	Interbat	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
Tablets		Hypertension ارتفاع ضغط الدم	Egypt		
30tab					
Insulatard	insulin human 100 i.u / ml	Antidiabetics	Novo Nordisk	0.5 - 0.7 u/kg , in sever cases or gestational D.M 1 u/ kg	
Vial		Diabetes Mellitus أمراض السكري	Denmark		
10 ml / vial					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Insulated pinfill	insulin human 100 i.u / ml	Antidiabetics	Novo Nordisk	0.5 - 0.7 u/kg , in sever cases or gestational D.M 1 u/ kg	
Vial		Diabetes Mellitus أمراض السكري	Denmark		
5 * 3 ml					
insulet rapide	insulin	Antidiabetics	Sothema	0.5 - 0.7 u/kg , in sever cases or gestational D.M 1 u/ kg	
Vial		Diabetes Mellitus أمراض السكري	Morocco		
1					
Insulin h mix	insulin human 100 i.u / ml	Antidiabetics	SEDICO	0.5 - 0.7 u/kg , in sever cases or gestational D.M 1 u/ kg	
Vial		Diabetes Mellitus أمراض السكري	Egypt		
10 ml vial					
insulin H mix 100 iu	insulin	Antidiabetics	SEDICO	0.5 - 0.7 u/kg , in sever cases or gestational D.M 1 u/ kg	
Vial		Diabetes Mellitus أمراض السكري	Egypt		
1					
Insulin h r 100iu	insulin human 100 i.u / ml	Antidiabetics	SEDICO	0.5 - 0.7 u/kg , in sever cases or gestational D.M 1 u/ kg	
Vial		Diabetes Mellitus أمراض السكري	Egypt		
10 ml vial					
Insulin h r 40iu	insulin human 40 i.u / ml	Antidiabetics	SEDICO	0.5 - 0.7 u/kg , in sever cases or gestational D.M 1 u/ kg	
Vial		Diabetes Mellitus أمراض السكري	Egypt		
10 ml vial					
INTARD	Diphenoxylate Hydrochloride	Gastro Intestinal drugs	Julphar	10 mg by mouth followed by 5 mg every six hours	
Tablets		Diarrhea الأسهال	UAE		
20 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Interpril	Lisinopril	Cardio Vascular System drugs	Unknown	usual oral dose is 5 -20 mg daily,	
		Hypertension ارتفاع ضغط الدم	Unknown		
Intrataxime	Unknown	Antibiotics	Unknown	As directed	
Ampoules		الأمراض الميكروبية Microbial Infections	Unknown		
1 amp					
Intrataxime TTT	Cefotaxime Sodium	Antibacterial	LDP	2 to 6 g daily in 2 to 4 divided doses to adults. In severe infections up to 12 g may be given daily by the intravenous route in up to 6 divided doses,Children may be given	
Vial		Bacterial Infections الأمراض البكتيرية	Unknown		
1vial					
Intrataxime Vial	Cefotaxime Sodium	Antibacterial	LDP	2 to 6 g daily in 2 to 4 divided doses to adults. In severe infections up to 12 g may be given daily by the intravenous route in up to 6 divided doses,Children may be given	
Vial		Bacterial Infections الأمراض البكتيرية	Unknown		
1vial					
Intratiaxone	Ceftriaxone Sodium	Antibacterial	LDP	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Parentral inj		Bacterial Infections الأمراض البكتيرية	Unknown		
1vial					
Intratiaxone	Ceftriaxone Sodium	Antibacterial	Unknown	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
		Bacterial Infections الأمراض البكتيرية	Unknown		
Iproid	Hydrocortisone	Corticosteroid	Unknown	Concentrations usually used have ranged from 0.1 to 2.5%	
Suppositoris		Dermatitis التهابات الجلدية	Unknown		

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Iproid	Hydrocortisone	Corticosteroid	Unknown	Concentrations usually used have ranged from 0.1 to 2.5%	
		Dermatitis التهابات الجلدية	Unknown		
Irfen-400	Ibuprofen	Non-Steroidal Anti-	Mepha	Oral doses of 400 mg to 1.2 g daily .	
Tablets		مهدئات الأوجاع	Unknown		
20 tab					
IRON+C	Iron 14mg&vitamin C 134mg	Vitamines and Menirals	hansal	treatment of iron-deficiency anaemia is 100 to 200 mg of iron daily in divided doses. The usual adult prophylactic dose is about 60 to 120 mg of iron daily.	
Tablets		فقر الدم	Unknown		
20					
IroVit	Ferrous Sulfate	Vitamines and Menirals	Vitane pharma	Usual doses of dried ferrous sulfate are up to 600 mg daily (equivalent to 180 to 195 mg of iron daily)	
Oral /Drops		فقر الدم	Germany		
30 ml					
Isilin	Pseudoephedrine + guaifenesin	Respiratory drugs	NILE CO.	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Syrup		Common Cold نزلات البرد	Egypt		
120 ml					
Isocort	Isoconazole 1 % + diflucortolone 0.1 %	Antifungals	Global Pharma	600 mg or 300 mg daily for 3 days, or as a 1% vaginal cream daily for 7 days. For skin infections a 1% or 2% cream or other topical formulation has been used.	
Cream		Dermatitis التهابات الجلدية	Yemen		
20 gm					
Isofen	Paracetamol	Non-Steroidal Anti-	Unknown	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Suspension		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Palestine		
100 ml					


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Isoket	Isosorbide dinitrate 60 mg	Cardio Vascular System drugs	Unknown	oral doses of 20 to 120 mg daily in divided doses according to the patient's needs.	
Tablets		Angina الذبحة الصدرية	Unknown		
Isoniazid	Isoniazid 300mg	Antibiotics	TEVN	300 mg daily by mouth on an empty stomach. Children's doses vary from 5 mg/kg daily, as combination with other T.B drugs or as prophylaxis	
Tablets		Tuberculosis (T.B) الدرن	Unknown		
100 tap					
Isoniazid Tab.	Isoniazid 300mg	Antibiotics	Tevn	300 mg daily by mouth on an empty stomach. Children's doses vary from 5 mg/kg daily, as combination with other T.B drugs or as prophylaxis	
Capsules		Tuberculosis (T.B) الدرن	Unknown		
100 capsules					
ISOPTIN 120 mg	Verapamil	Cardio Vascular System drugs	ABBOTT	Oral dose 120 to 480 mg daily in 3 or 4 divided doses	
Tablets		Hypertension ارتفاع ضغط الدم	USA		
100 tab					
Isoptin 240 mg	Verapamil	Cardio Vascular System drugs	ABBOTT	Oral dose 120 to 480 mg daily in 3 or 4 divided doses	
Tablets		Hypertension ارتفاع ضغط الدم	USA		
30 tab					
Isoptin 40 mg	Verapamil	Cardio Vascular System drugs	ABBOTT	Oral dose 120 to 480 mg daily in 3 or 4 divided doses	
Tablets		Hypertension ارتفاع ضغط الدم	USA		
50 tab					
ISOSORBIDE	Isosorbide Dinitrate 10 mg	Cardio Vascular System drugs	EIPICO	oral doses of 20 to 120 mg daily in divided doses according to the patient's needs.	
Tablets		Angina الذبحة الصدرية	Egypt		
5 x 20 tablet					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
ISOSORBIDE	Isosorbide Dinitrate 4 mg	Cardio Vascular System drugs	EIPICO	oral doses of 20 to 120 mg daily in divided doses according to the patient's needs.	
Tablets		Angina الذبحة الصدرية	Egypt		
30 tablet					
Isuprel	Isoprenalin	Cardio Vascular System drugs	Unknown	200 micrograms (as 1 mL of a 0.02% solution) and by slow intravenous injection in initial doses of 20 to 60 micrograms (as 1 to 3 mL of a 0.002% solution);	
		Hypertension ارتفاع ضغط الدم	Unknown		
Itracon	Itraconazole INE 100mg	Antifungals	Navana pharma	100 - 200 mg daily as the type of fungi	
Capsules		Dermatitis الألتهايات الجلدية	Bangladesh		
12 capsules					
Itracon	Itraconazole 100mg	Antifungals	REKO	100 - 200 mg daily as the type of fungi	
Capsules		Dermatitis الألتهايات الجلدية	Unknown		
4 capsules					
Itracon	Itraconazole	Antifungals	Cipharma	100 - 200 mg daily as the type of fungi	
		Dermatitis الألتهايات الجلدية	Unknown		
Itracon Capsules	Itraconazole 100mg	Antifungals	GNP	100 - 200 mg daily as the type of fungi	
Capsules		Dermatitis الألتهايات الجلدية	Egypt		
4 capsules					
Itranox	Itraconazole 100mg	Antifungals	ADWIA	100 - 200 mg daily as the type of fungi	
Capsules		Dermatitis الألتهايات الجلدية	Egypt		
4 Capsules					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Itronazole-s	Itraconazole 100mg	Antifungals	BALSAM	100 - 200 mg daily as the type of fungi	
Capsules		Dermatitis التهابات الجلدية	Syria		
4 Capsules					
IVEMETRO	Metronidazole	Antiprtozoal	Torrent	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250mg tid for 5 days orally.	
Liquid_inj. I.P		Amoebiasis , جارديا واميبييا	India		
100ml					
Ivex	Dried IVY leaf extract 35 mg	Respiratory drugs	Shiba pharma	As directed	
Syrup		Bronchitis التهاب الشعب الهوائية	Yemen		
100 ml					
Ivex	Dried IVY leaf extract 20 mg	Respiratory drugs	Shiba pharma	As directed	
Syrup		Bronchitis التهاب الشعب الهوائية	Yemen		
20 ml					
IVY	Dried IVY leaf extract	Respiratory drugs	Deep	As directed	
Syrup		Bronchitis التهاب الشعب الهوائية	Saudi Arabia		
100 ml					
Ivy	herbal extract cough & common cold	Respiratory drugs	JOSWE	As directed	
Syrup		Common Cold نزلات البرد	Jordan		
100 ml					
Ivytus	Dried Ivy Leaf extract	Respiratory drugs	neopharma	As directed	
Syrup		Common Cold نزلات البرد	UAE		
100 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Ixime	Cefixime	Antibacterial	Lupin	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses. Children over 6 months and under 50 kg may be given 8 mg/kg daily as an oral	
tablet		Bacterial Infections	Unknown		
1strip*6tablet		الأمراض البكتيرية			
Jamieson	Glucosamine + Chondroitin	Osteoarthritis drugs	Arthrimin	As directed	
Capsules		Osteoarthritis	Unknown		
60 cap		التهابات العظام			
Janucare M	Sitagliptine 50 mg + Metformin 500 mg	Antidiabetics	Y.E.PHARMA	As directed	
Tablets		Diabetes Mellitus	Yemen		
30 tabs		أمراض السكري			
Janucare M	Sitagliptine 50 mg + Metformin 500 mg	Antidiabetics	Y.E.PHARMA	As directed	
Tablets		Diabetes Mellitus	Yemen		
30 tabs		أمراض السكري			
Janumte 50/500	Sitagliptine 50mg - Metformin 500mg	Antidiabetics	MSD	As directed	
Tablets		Diabetes Mellitus	USA		
56 tab		أمراض السكري			
Januvia 100mg	Sitagliptine 100mg	Antidiabetics	MSD	As directed	
Tablets		Diabetes Mellitus	USA		
28 film coated		أمراض السكري			
JOFLEX	Glucosamine sulphate 500mg	Osteoarthritis drugs	EMA	As directed	
Capsules		Osteoarthritis	Unknown		
30 cap		التهابات العظام			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
JOINT ACTION	Glucosamine + Chondrotin	Osteoarthritis drugs	LIFEPLAN	As directed	
Tablets		Osteoarthritis التهابات العظام	Unknown		
30 tab					
Jointace Omega 3	Glucosamine + Chondrotin + Omega 3	Osteoarthritis drugs	Unknown	As directed	
		Osteoarthritis التهابات العظام	Unknown		
JointFlex	Glucosamine	Osteoarthritis drugs	Unknown	As directed	
Cream		Osteoarthritis التهابات العظام	Unknown		
14 gm					
Jointfree	Glucosamine + Chondrotin	Osteoarthritis drugs	Unknown	As directed	
		Osteoarthritis التهابات العظام	Unknown		
JOINTLUBE	Glucosamine + Chondrotin	Osteoarthritis drugs	HA pharma	As directed	
Tablets		Osteoarthritis التهابات العظام	Unknown		
30 tab					
JOLTAN	Valsartan	Cardio Vascular System drugs	Unknown	Oral doses 80 - 160 mg once daily	
		Hypertension ارتفاع ضغط الدم	Unknown		
Joltan Plus	Valsartan 160 mg + Hydrochorothiazide 12.5 mg	Cardio Vascular System drugs	Unknown	Oral doses 80 - 160 mg once daily	
		Hypertension ارتفاع ضغط الدم	Unknown		

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Jos-Pan	herbal extract	Respiratory drugs	PHARCO	As directed	
Syrup		Common Cold	Egypt		
120 ml		نزلات البرد			
Julmentin	Amoxicillin/Clavulanate Potassium	Antibiotics	Julphar	cap 1gm & 500mg & 250mg syrup 250mg & 125mg drop 100mg Vial 1gm & 500mg & 250mg	
tablet		الأمراض الميكروبية Microbial Infections	UAE		
3strip*5tablet					
Jusline 30/70	insulin human 100u/ml (30% soluble insulin and 70% isophane insulin)	Antidiabetics	julphar	0.5 - 0.7 u/kg , in sever cases or gestational D.M 1 u/ kg	
Vial		Diabetes Mellitus	UAE		
10 ml vial		أمراض السكري			
Jusline R	insulin human 100u/ml	Antidiabetics	julphar	0.5 - 0.7 u/kg , in sever cases or gestational D.M 1 u/ kg	
Vial		Diabetes Mellitus	UAE		
10 ml		أمراض السكري			
Jusprin	Acetylsalicylic acid	Non-Steroidal Anti-	Julphar	The usual oral dose of aspirin as an analgesic and antipyretic is 300 to 900 mg, repeated every 4 to 6 hours according to clinical needs, to a maximum of 4 g daily. The dose as	
Tablets		Analgesic	UAE		
40 E.C.Tablets		الأوجاع			
Juvamine Fizz	Calcium 160mg + magnesium 60mg + iron 6.9mg + zinc 11.9mg + iodine 150mcg/effertab.	Vitamines and Menirals	JUVA sante	Adluts 1tablet every morning . Child, half atablet every morning.	
Tablets		Osteoarthritis	France		
30 effer. Tablets		التهابات العظام			
K-99	Potassium	Gastro Intestinal drugs	Unknown	2 to 3 mmol/kg of potassium in 24 hours	
Capsules		Nutrition supplementation	Unknown		
30 cap		تغذية تكميلية			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
KADOMET 250 mg	Ketoprofen 100 mg	Cardio Vascular System drugs	KAHIRA PHARM	250 - 500 mg of methyl dopa two or three times daily - children is 10-60 mg/kg daily in 2 to 4 divided doses	
Tablets		Hypertension ارتفاع ضغط الدم	Egypt		
30 Tablets					
Kafid	Dextromethorphan + Quaiphenesin+ Psedoephedrine	Respiratory drugs	Shaphaco	Adults 60 mg three or four times daily, Children 2.5 to 5 mg every 4 hours	
Syrup		Common Cold نزلات البرد	Yemen		
100 ml					
Kafosed	Dextromethorphan	Respiratory drugs	SPIMACO	10 to 20 mg every 4 hours, or 30 mg every 6 to 8 hours, to a usual maximum of 120 mg in 24 hours, Children aged 6 to 12 years may be given 5 to 10 mg every 4 hours , 2 to 6 years 2.5	
Syrup		Common Cold نزلات البرد	Saudi Arabia		
100 ml					
Kandizol 150 mg	Fluconazole	Antifungals	Unknown	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	
		Dermatitis التهابات الجلدية	Unknown		
kanzar 100	Losartan Potassium	Cardio Vascular System drugs	Unknown	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
		Hypertension ارتفاع ضغط الدم	Unknown		
kanzar-h	Losartan Potassium	Cardio Vascular System drugs	Unknown	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
		Hypertension ارتفاع ضغط الدم	Unknown		
Kartastamine	Unknown	Antihistamines	ALSHAHBA	As directed	
Syrup		Allergy الحساسية	Syria		
100 ml					


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Kartastamine	Unknown	Antihistamines	ALSHAHBA	As directed	
Tablets		Allergy الحساسية	Syria		
20 tab					
Kemadrin	Procyclidine tablet 5 mg	Central Nervous system drugs	Glaxo Wellcome	Minimum/Maximum Adult Daily Dose: 7.5 - 20 mg (milligram) OR 1.5 - 4 Tablet	
Tablets		Parkinson's disease مرض الرعاش	Unknown		
100 Tablet					
Kemadrin	Procyclidine 5 mg / tab	Central Nervous system drugs	aspen	2.5 mg three times daily by mouth may be increased gradually by 2.5 to 5 mg every 2 or 3 days	
Tablets		Parkinson's disease مرض الرعاش	Ireland		
100 tab					
Kenacort-A	Triamcinolone Acetonide	Corticosteroid	Smithkline Beecham	4 to 48 mg daily by mouth, 40 mg by intramuscular injection, 200 micrograms by metered-dose inhaler three or four times daily; topical application in creams, lotions,	
		Dermatitis الألتهايات الجلدية	Unknown		
1ml					
Kenazol Cream	Ketoconazole 30g	Antifungals	Domin pharma	Topically as a 2% cream or shampoo, once or twice daily, oral for treatment and prophylaxis 200- 400 mg once daily taken with food, Children 3 mg/kg daily.	
Cream		Dermatitis الألتهايات الجلدية	Unknown		
30 gm					
Keppra	Ketoprofen 500 mg	Nonsteroidal Anti-	Unknown	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days. topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Tablets		Analgesic مهدئات الأوجاع	Unknown		
30 tab					
Keppra	levetiracetam tablet 500mg	Central Nervous system drugs	gsk glaxosmithkline	1-3 gm increased gradually, children 50 kg is 20 mg/kg daily	
Tablets		Epilepsy الصرع	UK		
10 tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Keppra-500	levetiracetam tablet 500mg	Central Nervous system drugs	UCB	1-3 gm increased gradually, children 50 kg is 20 mg/kg daily	
Tablets		Epilepsy الصرع	Unknown		
30 tablets					
Kernadol	Paracetamol 100 mg / ml	Non-Steroidal Anti-	KERN pharma	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Solution		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Korea		
30 ml					
KETAMINE	Ketamine hydrochloride	Central Nervous system drugs	ROTEXMEDI CA	in adults and children the dose given by intravenous injection may range from the equivalent of 1 to 4.5 mg/kg of ketamine	
Vial		Anaesthetics التخدير العام	Germany		
50 mg / ml of vial of 10ml					
KETESSE	Dexketoprofen 25 mg	Non-Steroidal Anti-	MENARINI	Oral dose 12.5 mg every 4 to 6 hours or 25 mg every 8 hours; the total daily dose should not exceed 75 mg.	
Tablets		Analgesic مهدئات الأوجاع	Italy		
20 tab					
Ketesse	Dexketoprofen	Non-Steroidal Anti-	MENARINI	Oral dose 12.5 mg every 4 to 6 hours or 25 mg every 8 hours; the total daily dose should not exceed 75 mg.	
Ampoules		Analgesic مهدئات الأوجاع	Italy		
5 amp					
KETESSE	25 mg Dexketoprofen	Non-Steroidal Anti-	MENARINI	Oral dose 12.5 mg every 4 to 6 hours or 25 mg every 8 hours; the total daily dose should not exceed 75 mg.	
Tablets		Analgesic مهدئات الأوجاع	Italy		
4 tab					
Ketlac-10	Ketorolac Tromethamine tablet 10mg	NSAID	RFA	Oral Adult Daily Dose: 10 - 40 mg for 7 days . Single intramuscular 60 mg or intravenous 30 mg - children 0.5 mg/kg up to a maximum of 15 mg.	
Tablets		Analgesic مهدئات الأوجاع	Yemen		
30 tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Keto 100	Ketoprofen tablet 100 mg .	NSAID	Shiba pharma	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 tablets.	
Tablets		مهدئات الأوجاع	Yemen		
30 tablet					
Ketofan 50	Ketoprofen 50 mg	Non-Steroidal Anti-	European Egyption Pharma	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Capsules		مهدئات الأوجاع	Egypt		
20 caps					
Ketofan gel	Ketoprofen gel 2.5%.	Nonsteroidal Anti-	AMRIYA PHARMA	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Gel		مهدئات الأوجاع	Egypt		
40 gm					
Ketofan Susp	Ketoprofen suspension 12.5mg/5ml	Nonsteroidal Anti-	AMRIYA PHARMA	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Suspension		مهدئات الأوجاع	Egypt		
120 ml					
Ketofan-200 SR	Ketoprofen capsule 200mg.	Nonsteroidal Anti-	AMRIYA PHARMA	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Capsules		مهدئات الأوجاع	Egypt		
14 capsules					
Ketolgin SR	Ketoprofen capsule 200mg.	Nonsteroidal Anti-	Amoun	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Capsules		مهدئات الأوجاع	Egypt		
10 capsules.					
Ketolgin	Ketoprofen gel 2.5%.	Nonsteroidal Anti-	Amoun	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Gel		مهدئات الأوجاع	Egypt		
40 g					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Ketolgin 50	Ketoprofen	Non-Steroidal Anti-	AMOUN	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Tablets		Analgesic مهدئات الأوجاع	Egypt		
10 tab					
Ketoprek 75 mg	Ketoprofen	Non-Steroidal Anti-	BORG	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Capsules		Analgesic مهدئات الأوجاع	Egypt		
10 Caps					
Ketoprof	Ketoprofen tablet 100mg .	NSAID	Y.E.PHARMA	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Tablets		Analgesic مهدئات الأوجاع	Yemen		
30 tablets					
Ketoprofen	Ketoprofen 100mg/apmoule.	Nonsteroidal Anti-	Huons	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Ampoules		Analgesic مهدئات الأوجاع	Korea		
10 Apmoules of 2 ml					
KETORAL	Ketoconazole 200mg	Antifungals	Bilim	Topically as a 2% cream or shampoo ,once or twice daily , oral for treatment and prophylaxis 200- 400 mg once daily taken with food, Children 3 mg/kg daily.	
Tablets		Dermatitis الالتهابات الجلدية	Turkey		
10 Tab.					
Ketoral	Ketoconazole 200mg	Antifungals	CPE	Topically as a 2% cream or shampoo ,once or twice daily , oral for treatment and prophylaxis 200- 400 mg once daily taken with food, Children 3 mg/kg daily.	
Capsules		Dermatitis الالتهابات الجلدية	Unknown		
Ketoral	Ketoconazole 2%	Antifungals	Bilim	Topically as a 2% cream or shampoo ,once or twice daily , oral for treatment and prophylaxis 200- 400 mg once daily taken with food, Children 3 mg/kg daily.	
Cream		Dermatitis الالتهابات الجلدية	Turkey		
40 gm					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Ketoral	Ketoconazole 2%	Antifungals	Bilim	Typically as a 2% cream or shampoo ,once or twice daily , oral for treatment and prophylaxis 200- 400 mg once daily taken with food, Children 3 mg/kg daily.	
SHAMPOO		Dermatitis الالتهابات الجلدية	Turkey		
100 ml					
Ketotifen	Ketotifen Fumarate	Respiratory drugs	AMRIYA PHARMA	adult dose 1-2 mg/bid or pead. 1 mg /bid	
Tablets		Bronchitis التهاب الشعب الهوائية	Egypt		
20 Coated Tablet					
Ketotifen	Ketotifen Fumarate	Respiratory drugs	AMRIYA PHARMA	adult dose 1-2 mg/bid or pead. 1 mg /bid	
Syrup		Bronchitis التهاب الشعب الهوائية	Egypt		
100 ml					
Ketotifen	Ketotifen Fumarate	Respiratory drugs	hovid	Adult dose 1-2 mg twice daily; Children and peadiatric 1 mg of ketotifen twice daily	
Syrup		Bronchitis التهاب الشعب الهوائية	Malaysia		
100 ml					
KETOTIPHEN	Ketotifen Fumarate	Respiratory drugs	AMRIYA PHARMA	Adult dose 1-2 mg twice daily; Children and peadiatric 1 mg of ketotifen twice daily	
Tablets		Bronchitis التهاب الشعب الهوائية	Egypt		
20 tab					
KETOTIPHEN	Ketotifen Fumarate	Respiratory drugs	AMRIYA PHARMA	Adult dose 1-2 mg twice daily; Children and peadiatric 1 mg of ketotifen twice daily	
Tablets		Bronchitis التهاب الشعب الهوائية	Egypt		
20 tab					
Ketovent	Each 5 ml contains 1mg ketotifen	Respiratory drugs	Pharmacare	Adult dose 1-2 mg twice daily; Children and peadiatric 1 mg of ketotifen twice daily	
Syrup		Bronchitis التهاب الشعب الهوائية	Yemen		
100 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
Ketya-200	Quetiapine tablet 200mg	Central Nervous system drugs	ABDI Ibrahim	Minimum/Maximum Adult Daily Dose: 200 - 800 mg (milligram) OR 2 - 8 Tablet	
Tablets		Mental Disorders	Unknown		
30 Tablets		الأمراض العقلية			
Kiddi pharmaton	Multi vitamin and Menirals.	Vitamines and Menirals	Ginsana	As directed	
Syrup		Vitamins	Unknown		
100ml		نقص فيتامينات			
Kiddilyte	Dextrose + Fructose + Gripe flavor + Citric Acid + Potassium citrate + Sodium Chloride +	Gastro Intestinal drugs	Shiba pharma	As directed	
Solution		Diarrhea الأسهال	Yemen		
200 ml					
Kiddilyte	Dextrose + Fructose + Gripe flavor + Citric Acid + Potassium citrate + Sodium Chloride +	Gastro Intestinal drugs	Shiba pharma	As directed	
Solution		Diarrhea الأسهال	Yemen		
200 ml					
Kidlyte	Combination	Gastro Intestinal drugs	Unknown	As directed	
Solution		Diarrhea الأسهال	Unknown		
250 ml					
Kids Plus	Multi Vitamines	Vitamines and Menirals	Unknown	As directed	
Tablets		Vitamins	Unknown		
100 tab		نقص فيتامينات			
Kidviton	Multi Vitamines with Lysine + Calcium	Vitamines and Menirals	satda	As directed	
Syrup		Vitamins	Unknown		
120 ml / bottle		نقص فيتامينات			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
KIDZ KIT *3 Forte	Rifampicin + isoniazid + pyrazinamide	Antibiotics Tuberculosis (T.B) الدرن	Unknown Unknown	The usual dose of rifampicin is 600 mg daily by mouth	
Kinsol -5	Benzhexol (Trihexyphenidyl) tablet 5 mg	Central Nervous system drugs Parkinson's disease مرض الرعاش	Shiba pharma Yemen	1 mg daily is gradually increased at intervals of 3 to 5 days to 10 mg daily	
Kinsol-2	Benzhexol (Trihexyphenidyl) tablet 2mg	Central Nervous system drugs Parkinson's disease مرض الرعاش	Shiba pharma Yemen	1 mg daily is gradually increased at intervals of 3 to 5 days to 10 mg daily	
Kiroll	Ofloxacin*	Antibacterial Bacterial Infections الأمراض البكتيرية	gsk glaxosmithkline UK	tab 400mg & 200mg	
Kitpylo-c	Combination	Gastro Intestinal drugs H-Pylori جرثومة المعدة	Unknown Unknown	As directed	
Kitpylo-c	tinidazole 30 mg + clarithromycin 250 mg+Lansoprazole 30 mg	Gastro Intestinal drugs قرحة المعدة	Medley India	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
Klacid	Clarithromycin 125 mg / 5 ml	Antibiotics Respiratory Disorders اضطرابات الجهاز التنفسي	ABBOTT USA	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
KLACID 250	Clarithromycin	Antibiotics	ABBOTT	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
Tablets		Respiratory Disorders اضطرابات الجهاز التنفسي	USA		
14 Film Tablet					
KLACID 500	Clarithromycin	Antibiotics	ABBOTT	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
Tablet		Respiratory Disorders اضطرابات الجهاز التنفسي	USA		
1strip*14tablet					
Klamoks	Amoxicillin + Clavulanic Acid	Antibiotics	Unknown	cap 1gm & 500mg & 250mg syrup 250mg & 125mg drop 100mg Vial 1gm & 500mg & 250mg	
		الأمراض الميكروبية Microbial Infections	Unknown		
Klamoks	Amoxicillin + Clavulanic Acid	Antibiotics	Unknown	cap 1gm & 500mg & 250mg syrup 250mg & 125mg drop 100mg Vial 1gm & 500mg & 250mg	
		الأمراض الميكروبية Microbial Infections	Unknown		
Klamoks BID	Amoxicillin/Clavulanate Potassium	Antibiotics	Bilim	cap 1gm & 500mg & 250mg syrup 250mg & 125mg drop 100mg Vial 1gm & 500mg & 250mg	
Tablets		الأمراض الميكروبية Microbial Infections	Turkey		
2strip*5tablet					
Klamoks BID	Amoxicillin + Clavulanic Acid	Antibiotics	Unknown	cap 1gm & 500mg & 250mg syrup 250mg & 125mg drop 100mg Vial 1gm & 500mg & 250mg	
		الأمراض الميكروبية Microbial Infections	Unknown		
Klamoks BID	Amoxicillin + Clavulanic Acid	Antibiotics	Unknown	cap 1gm & 500mg & 250mg syrup 250mg & 125mg drop 100mg Vial 1gm & 500mg & 250mg	
		الأمراض الميكروبية Microbial Infections	Unknown		


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Klamoks Tablets	Amoxicillin/Clavulanate Potassium	Antibiotics	Bilim	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg &250mg	
Tablets		الأمراض الميكروبية Microbial Infections	Turkey		
3strip*5tablet					
KLARI tab	Clarithromycin 500 mg	Antibiotics	Global Pharma	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
Tablets		Respiratory Disorders اضطرابات الجهاز التنفسي	Yemen		
14 tabs					
KLARI tab	Clarithromycin 250 mg	Antibiotics	Global Pharma	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
Tablets		Respiratory Disorders اضطرابات الجهاز التنفسي	Yemen		
14 tabs					
Klavox	Amoxicillin/Clavulanate Potassium	Antibiotics	SPIMACO	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg &250mg	
Tablets		الأمراض الميكروبية Microbial Infections	Saudi Arabia		
2strip*10tablet					
Kleen enema adult	sodium phosphate+bi phosphate ad •Do not use more than 1 enema in 24 hours.	Gastro Intestinal drugs	Nabqasim = pakistan	adult = one bottle 120 ml delivered dose) once dairy = child 60 ml once dairy	
Enema		Constipation الأمساك	Unknown		
120 ml for bottle					
Kleen enema child	sodium phosphate+bi phosphate	Gastro Intestinal drugs	Nabqasim = pakistan	adult = one bottle 120 ml delivered dose) once dairy = child 60 ml once dairy	
Enema		Constipation الأمساك	Unknown		
60 ml for bottle					
KLION _D 100	Metronidazole 100mg + miconazole nitrate 100mg	Antiprtozoal	MEGA	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , جارديا واميبييا	Thailand		
10 vaginal tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Klion-D 100	Miconazole Nitrate+Metronidazole	Antifungals	KLION	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Suppositoris		Vaginal المهبل	Unknown		
10 Vaginal Tab.					
KLIRAX	Chlordiazepoxide 5 mg+Clidinium Bromide2.5 mg	Gastro Intestinal drugs	RFA	Chlordiazepoxide up to 30 mg daily in divided doses.	
tab		Peptic ulcer قرحة المعدة	Yemen		
30 tabs					
Koalavit	Multi Vitamines	Vitamines and Menirals	Unknown	As directed	
		Vitamins نقص فيتامينات	Unknown		
Koflet	herbal extract	Respiratory drugs	Himalaya Drug Co	As directed	
Syrup		Common Cold نزلات البرد	India		
100 ml					
Kofol	Ammonium chloride + ipecacuanha + liquid glucose+ honey + lemon juice	Respiratory drugs	Unknown	As directed	
		Common Cold نزلات البرد	Unknown		
Kofol	Antiseptic	Antiseptic and Desinfectants	Unknown	As directed	
Lozenges		Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	Unknown		
12 Lozenges					
Kofol	Herbal extract	Unknown	Unknown	Adult 10 ml TID , Children 5 ml TID	
Syrup		Unknown	Unknown		

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
KOKAST	Montelukast Sodium 10 mg	Respiratory drugs	EGYPHAR	10 mg of montelukast once daily in the evening; children aged 6 to 14 years may be given the equivalent of 5 mg in the evening and children aged 6 months to 5 years may be	
Tablets		Bronchial Asthma الربو الشعبي	Egypt		
30 tab					
KOKAST	Montelukast Sodium 10 mg	Respiratory drugs	EGYPHAR	10 mg of montelukast once daily in the evening; children aged 6 to 14 years may be given the equivalent of 5 mg in the evening and children aged 6 months to 5 years may be	
Tablets		Bronchial Asthma الربو الشعبي	Egypt		
10 tab					
KOKAST	Montelukast Sodium 10 mg	Respiratory drugs	EGYPHAR	10 mg of montelukast once daily in the evening; children aged 6 to 14 years may be given the equivalent of 5 mg in the evening and children aged 6 months to 5 years may be	
Tablets		Bronchial Asthma الربو الشعبي	Egypt		
7 chewable tablets					
Kold off	pseudoephedrine + paracetamol + chloraphiniramine	Respiratory drugs	shiba pharma	Adults 60 mg three or four times daily by mouth, children 15 - 30 mg three or 4 times daily	
Tablets		Common Cold نزلات البرد	Yemen		
20 tab					
Kold Off	Pseudoephedrine 120 mg + Loratidine 5 mg	Respiratory drugs	Shiba pharma	60 mg three or four times daily by mouth , oral doses for children 15-30 mg three or four times daily	
Capsules		Common Cold نزلات البرد	Yemen		
10 cap					
kontal	niclosamide	Anthelmentic	Unknown	Tapeworms: Single dose niclosamide 2 gm chewed tablets on empty stomach. Hymenolepis (H.Nana): 2 gm initially + 1 gm daily for 6 days	
Tablets		Tape Worms الدودة الشريطية	Unknown		
4 tab					
kopamin	mecobalamine 500 micro gram	Vitamines and Menirals	Korea Pharma	Adults: PO 2 mcg/day. Children: PO 0.3 to 2 mcg/day.	
Tablets		Anaemia فقر الدم	Korea		
30 tablet					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
Kopamin	Mecobalamin 500mcg Tablets	Vitamines and Menirals	Korea Pharma	Adults: PO 2 mcg/day. Children: PO 0.3 to 2 mcg/day	
Tablets		Anaemia فقر الدم	Korea		
30 Tablets					
Krtoprek	Ketoprofen capsule 75mg.	Nonsteroidal Anti-	BORG	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Capsules		Analgesic مهدئات الأوجاع	Egypt		
10 capsules					
Kupan 50 mg	Ketoprofen 50 mg	Nonsteroidal Anti-	ALKAN Pharma	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Capsules		Analgesic مهدئات الأوجاع	Egypt		
20 cap					
K-Vita	Vitamin K	Antihæmorrhages	Vitalis	Typical doses of phytomenadione are 0.5 to 5 mg by slow intravenous injection or up to 5 mg orally	
Ampoules		Haemorrhage النزيف	USA		
10 Amp					
K-VITON	Acetomenaphthone 10mg/ tablet.	Vitamines and Menirals	KAHIRA PHARM	Typical doses of phytomenadione are 0.5 to 5 mg 5 mg orally	
Tablets		Haemorrhage النزيف	Egypt		
20 tablets.					
Kwnstan Forte	Mefenamic Acid	Non-Steroidal Anti-	Unknown	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
Tablets		Analgesic مهدئات الأوجاع	Unknown		
20 tab					
L.C	Glycerin	Skin Disorders	L.C	Rectally as suppositories or a solution in single doses, The usual initial dose of glycerol is 1 to 1.8 g/kg given as a 50% solution,	
Cream		Dermatitis الألتهاابات الجلدية	Syria		
60 gm					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Labamezole	Labamezole	Antiprtozoal	LABATEC pharma	As directed	
Tablets		Amoebiasis ,	Switzerland		
20 tab		Gardiasis جارديا واميبيا			
LABMOX-125	Amoxicillin 125 mg / 5 ml	Antibiotics	MILAN	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Suspension		الأمصابات الميكروبية Microbial Infections	India		
100 ml					
LABMOX-250	Amoxicillin 250 mg / 5 ml	Antibiotics		cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Suspension		الأمصابات الميكروبية Microbial Infections			
100 ml					
LABOZOL	Secnidazole 1000 mg	Antiprtozoal	LABORATE	Adult: 2 gm single dose , children: 30 mg /kg / day sigle dose ,	
Tablets		Amoebiasis ,	India		
2x1 tab		Gardiasis جارديا واميبيا			
Labrtalol	Labetalol	Cardio Vascular System drugs	Unknown	100 mg twice daily by mouth with food	
5 mg/ml		Hypertension ارتفاع ضغط الدم	Unknown		
LABTAC-150	Ranitidine 150 mg	Gastro Intestinal drugs	LABORATE	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Tablets		قرحة المعدة	India		
10 x 10 tab					
LACALUT	Antiseptic	Antiseptic and Desinfectants	Unknown	As directed	
Solution		Mouth Wash الغسولات الفموية	Unknown		
75 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
laccine 50mg	losartan potassium (50mg)	Cardio Vascular System drugs	JPM	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
Tablets		Hypertension	Unknown		
50tab		ارتفاع ضغط الدم			
Lacteol fort	Lactic Acid	Gastro Intestinal drugs	AXCAN PHARMA	As directed	
Sachets		Vaginal المهبل	France		
100 Sachets					
Lacteol fort	Lactic Acid	Gastro Intestinal drugs	AXCAN PHARMA	As directed	
Capsules		Vaginal المهبل	France		
12 cap					
Lacteol forte	Lactic Acid	Gastro Intestinal drugs	AXCAN PHARMA	As directed	
Sachets		Vaginal المهبل	France		
6 Sachets					
Lacti vag	Lactic Acid	Gastro Intestinal drugs	Shiba pharma	As directed	
Solution		Vaginal المهبل	Yemen		
200 ml					
Lactisyr	Combination	Antiseptic and Desinfectants	Unknown	As directed	
Solution		Vaginal المهبل	Unknown		
300 ml					
lactolac	Lactulose	Gastro Intestinal drugs	Domin = Jorden	10 to 20 g (15 to 30 mL) given daily by mouth in a single dose or in 2 divided doses	
syr		Constipation	Unknown		
100 ml for bottle		الأمساك			


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Ladium	Loperamide Hydrochloride	Gastro Intestinal drugs	Stada	In acute diarrhoea the usual initial dose for adults is loperamide hydrochloride 4 mg followed by 2 mg after each loose stool to a maximum of 16 mg daily; the usual daily dose	
Capsules		Diarrhea الأسهال	Unknown		
20 cap					
Lakzil	Bisacodyl	Gastro Intestinal drugs	Unknown	Oral =ADULTS: PO 10 to 15 mg as enteric-coated tablets . Suppository = ADULTS: 10 mg. CHILDREN > 2 YR: 10 mg. CHILDREN < 2 YR: 5 mg.	
tab		Constipation الأمساك	Unknown		
30 tabs					
Lamcream	Terbinafine HCL 1%	Antifungals	Global Pharma	As directed	
Cream		Dermatitis الالتهابات الجلدية	Yemen		
15 g					
Lamictal-25	Lamotrigine tablet 25mg	Central Nervous system drugs	gsk glaxosmithkline	25 mg once daily by mouth for 2 weeks followed by 50 mg once daily for 2 weeks; thereafter the dose is increased by a maximum of 50 to 100 mg every 1 to 2 weeks to usual	
Tablets		Epilepsy الصرع	UK		
30 tablets					
Lamictal-50	Lamotrigine tablet 50mg	Central Nervous system drugs	gsk glaxosmithkline	25 mg once daily by mouth for 2 weeks followed by 50 mg once daily for 2 weeks; thereafter the dose is increased by a maximum of 50 to 100 mg every 1 to 2 weeks to usual	
Tablets		Epilepsy الصرع	UK		
30 tablets					
LAMIFEN	Terbinafine HCL 1% W/W	Antifungals	Jamjoum Pharma	As directed	
Cream		Dermatitis الالتهابات الجلدية	Saudi Arabia		
15 gm					
Lamivir HBV	Lamivudine 100mg	Antivirals	CIPLA	chronic hepatitis B, the adult dose is 100 mg once daily by mouth. A dose for children aged over 2 years is 3 mg/kg once daily to a maximum daily dose of 100 mg.	
Tablets		Hepatic Disorders اضطرابات الكبد	India		
10 tab.					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
Lamivir HBV tab	lamivudine	Antivirals	CIPLA	chronic hepatitis B, the adult dose is 100 mg once daily by mouth. A dose for children aged over 2 years is 3 mg/kg once daily to a maximum daily dose of 100 mg.	
Tablets		Hepatic Disorders	India		
28 tab		اضطرابات الكبد			
LANASOPRAL-30	Lansoprazole	Gastro Intestinal drugs	Bahry medical	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
Capsules		Peptic ulcer قرحة المعدة	Syria		
20 caps					
LANCER 30	Lansoprazole	Gastro Intestinal drugs	Aurobindo	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
Capsules		Peptic ulcer قرحة المعدة	Unknown		
30 caps					
Lancid	Lansoprazole	Gastro Intestinal drugs	Micro lab =India	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
cap		Peptic ulcer قرحة المعدة	Unknown		
14 caps					
Lancid	Lansoprazole	Gastro Intestinal drugs	Unknown	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
		Peptic ulcer قرحة المعدة	Unknown		
Lanoxin	Digoxin 0.25 mg / tab	Cardio Vascular System drugs	aspen	If rapid digitalisation is required loading dose of 750 to 1500 micrograms of digoxin by mouth during the initial 24-hour period, maintenance is 125 to 250 micrograms by	
Tablets		Congstive Heart Failure	Ireland		
100 tab					
Lanoxin	Digoxin 0.5 mg / 2 ml	Cardio Vascular System drugs	aspen	If rapid digitalisation is required loading dose of 750 to 1500 micrograms of digoxin by mouth during the initial 24-hour period, maintenance is 125 to 250 micrograms by	
Ampoules		Congstive Heart Failure	Ireland		
5 amp x 2 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Lanprol	Lansoprazole 30 mg	Gastro Intestinal drugs	Shiba pharma	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
Capsules		قرحة المعدة	Yemen		
14 caps					
Lanprol	Lansoprazole	Gastro Intestinal drugs	Shiba pharma	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
Capsules		قرحة المعدة	Yemen		
10 x 10 cap					
Lanprol	Lansoprazole 30 mg	Gastro Intestinal drugs	Shiba pharma	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
Capsules		قرحة المعدة	Yemen		
10 x 10 Capsules					
Lansazol	Lansoprazole	Gastro Intestinal drugs	Hayat pharma	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
cap		قرحة المعدة	Unknown		
14 caps					
lansec	Lansoprazole	Gastro Intestinal drugs	CIPLA	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
Capsules		قرحة المعدة	India		
14 caps					
Lansec	Lansoprazole 30 mg	Gastro Intestinal drugs	Unknown	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
Capsules		قرحة المعدة	Unknown		
14 cap					
Lansoprazol	Lansoprazole	Gastro Intestinal drugs	Unknown	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
		قرحة المعدة	Unknown		

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Lansoprol	Lansoprazole	Gastro Intestinal drugs	NOBEL	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
Tablets		Peptic ulcer قرحة المعدة	Unknown		
28 tab					
lansotac	Lansoprazole	Gastro Intestinal drugs	BIOPHARM	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
Capsules		Peptic ulcer قرحة المعدة	Yemen		
14 caps					
Lanspral- 30	Lansoprazole	Gastro Intestinal drugs	Medical Bahri	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
		Peptic ulcer قرحة المعدة	Syria		
LANTAK	Lansoprazole 30 mg	Gastro Intestinal drugs	Global Pharma	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
Capsules		Peptic ulcer قرحة المعدة	Yemen		
14 caps					
Lantanon	Lansoprazole	Gastro Intestinal drugs	UNICHIMA	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
Capsules		Peptic ulcer قرحة المعدة	Syria		
14 caps					
Lanzack	Lansoprazole	Gastro Intestinal drugs	Y.E.PHARMA	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
Capsules		Peptic ulcer قرحة المعدة	Yemen		
14 cap					
Lanzin	Lansoprazole 30 mg	Gastro Intestinal drugs	YEDCO	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
Capsules		Peptic ulcer قرحة المعدة	Yemen		
14 caps					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
LANZOL	Lansoprazole	Gastro Intestinal drugs	Modern Pharama	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
Capsules		Peptic ulcer قرحة المعدة	Yemen		
14 caps					
Lanzomac 30	Lansoprazole	Gastro Intestinal drugs	Shaphaco	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
Capsules		Peptic ulcer قرحة المعدة	Yemen		
100 cap					
LANZOMAC 30	Lansoprazole 30 mg	Gastro Intestinal drugs	Shaphaco	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
Capsules		Peptic ulcer قرحة المعدة	Yemen		
14 cap					
Lanzor	Unknown	Unknown	Unknown	As directed	
		Unknown	Unknown		
Lanzoram-30	Lansoprazole 30 mg	Gastro Intestinal drugs	RAM PHARMA	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
Capsules		Peptic ulcer قرحة المعدة	Jordan		
14 cap					
lanzotec 15	Lansoprazole 15 mg	Gastro Intestinal drugs	JOSWE	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
Capsules		Peptic ulcer قرحة المعدة	Jordan		
15 caps					
lanzotec 30	Lansoprazole 30 mg	Gastro Intestinal drugs	JOSWE	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
Capsules		Peptic ulcer قرحة المعدة	Jordan		
15 caps					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Lapril 5	Enalapril	Cardio Vascular System drugs	MID Pharma	Initial dose of 5 mg of enalapril maleate daily by mouth, maintenance dose is 10 to 20 mg given once daily	
Tablets		Hypertension ارتفاع ضغط الدم	Jordan		
20 tab					
Laredine	Loratadine 10 mg	Antihistamines	Shaphaco	Orally in a dose of 10 mg once daily. Children 5-10 mg - once daily	
Tablets		Allergy الحساسية	Yemen		
10 tab					
larither	Artemether	Antimalarial medicines	Ipca	6 doses , the first at diagnosis and repeated after 8, 24, 36, 48, and 60 hours. Each dose is: adults and children weighing over 34 kg, artemether 80 mg with lumefantrine 480 mg-	
Liquid_ampoule		Malaria الملاريا	Unknown		
Lasilactone	Spironolactone	Cardio Vascular System drugs	Unknown	initial dose of 100 mg daily by mouth, subsequently adjusted as necessary; some patients may require doses of up to 400 mg daily.	
Tablets		Hypertension ارتفاع ضغط الدم	Unknown		
10 tab					
Lasix 40	Furosemide	Cardio Vascular System drugs	Aventis Pharma	40 to 80 mg daily by mouth, For children, the usual dose by mouth is 1 to 3 mg/kg daily up to a maximum of 40 mg daily	
Tablets		Hypertension ارتفاع ضغط الدم	Egypt		
24 tab					
Lasoprol 30 mg	Lansoprazole	Gastro Intestinal drugs	DELORBIS	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
Capsules		Peptic ulcer قرحة المعدة	Cyprus		
14 cap					
Lavia 10	Vardenafil 10 mg	Sex Stimulants	Modern Pharama	10 mg taken about 25 minutes to one hour before sexual intercourse.	
Tablets		Sex Stimulants منشطات جنسية	Yemen		
4 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Lax -child	sodium phosphate+bi phosphate	Gastro Intestinal drugs	Hariri	adult = one bottle 120 ml delivered dose) once dairy = child 60 ml once dairy	
Enema		Constipation الأمساك	Syria		
60 ml for bottle					
laxamid	Bisacodyl	Gastro Intestinal drugs	MEDICO LABS	Oral =ADULTS: PO 10 to 15 mg as enteric-coated tablets . Suppository = ADULTS: 10 mg. CHILDREN > 2 YR 10 mg. CHILDREN < 2 YR: 5 mg.	
tab		Constipation الأمساك	Syria		
20 tabs					
Laxdrop	sodium picosulfate 7.5 mg / 1 ml	Gastro Intestinal drugs	Shiba pharma	children aged less than 4 years 0.250 mg/kg.	
Drop Oral		Constipation الأمساك	Yemen		
20 ml					
LAXIN	Bisacodyl	Gastro Intestinal drugs	PHARCO	Oral =ADULTS: PO 10 to 15 mg as enteric-coated tablets . Suppository = ADULTS: 10 mg. CHILDREN > 2 YR 10 mg. CHILDREN < 2 YR: 5 mg.	
Tablets		Constipation الأمساك	Egypt		
20 tabs					
LAXOFIN	lactulose	Gastro Intestinal drugs	EIPICO	10 to 20 g (15 to 30 mL) given daily by mouth in a single dose or in 2 divided doses	
Suspension		Constipation الأمساك	egypt		
125 ml / bottle					
Laxolac	lactulose	Gastro Intestinal drugs	MUP	10 to 20 g (15 to 30 mL) given daily by mouth in a single dose or in 2 divided doses	
Syrup		Constipation الأمساك	egypt		
100 ml for bottle					
LAXOLAC	Lactulose 67%	Gastro Intestinal drugs	MUP	10 to 20 g (15 to 30 mL) given daily by mouth in a single dose or in 2 divided doses	
Syrup		Constipation الأمساك	Egypt		
120 ml					


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Laxolac	Lactulose 67%	Gastro Intestinal drugs	MUP	10 to 20 g (15 to 30 mL) given daily by mouth in a single dose or in 2 divided doses	
Syrup		Constipation الأمساك	Egypt		
300 ml					
laxolyne adult rectal	Glycerin	Gastro Intestinal drugs	Julphar	Rectally as suppositories or a solution in single doses, The usual initial dose of glycerol is 1 to 1.8 g/kg given as a 50% solution,	
supp		Constipation الأمساك	UAE		
10 supps					
Laxonil	sodium picosulfate 7.5 mg/1ml	Gastro Intestinal drugs	Global Pharma	adult = one bottle 120 ml delivered dose) once dairy = child 60 ml once dairy	
Oral /Drops		Constipation الأمساك	Yemen		
15 ml					
Lbidroxil	Cefadroxil 1000 mg / tab	Antibacterial	gsk glaxosmithkline	1 to 2 g daily as a single dose or in two divided doses.	
Tablets		Bacterial Infections الأمساك البكتيرية	UK		
8 tab					
L-Carnitine	levocarnitine 350 mg	Gastro Intestinal drugs	MEPACO	up to 200 mg/kg daily of levocarnitine is given by mouth, in 2 to 4 divided doses.	
Capsules		Nutrition supplementation تغذية تكميلية	Egypt		
20 cap					
L-Cet	Levocetirizine	Antihistamines	ZYNOVA	by mouth in a dose of 5 mg once daily.	
Tablets		Allergy الحساسية	Unknown		
20 tab					
Lecital-20	Citalopram tablet 20mg	Central Nervous system drugs	JOSWE	Minimum/Maximum Adult Daily Dose:20 - 40 mg (milligram) OR 1 - 2 Tablet	
Tablets		Mental Disorders الأمراض العقلية	Jordan		
30 tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Lee-Flox	Levofloxacin*	Antibacterial	Pharo pharma	Tab 500mg & 250mg Infu 500mg	
tablet		Bacterial Infections	Egypt		
1strip*5tablet		الأمصاباا البكائراة			
Lefoxin	Levofloxacin* 500 mg	Antibacterial	Modern Pharama	Tab 500mg & 250mg Infu 500mg	
Tablets		Bacterial Infections	Yemen		
5 tablet		الأمصاباا البكائراة			
Lermacine	Vit. B1 + B2 +B6	Vitamines and Menirals	LABATEC pharma	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Tablets		Vitamins	Switzerland		
20 Coated tablets		نقاص فائاامناا			
Lesflam	Diclofenac Potassium	Non-Steroidal Anti-	Unknown	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Tablets		مهائاا الأواا	Unknown		
10 x 10 tab					
Lesflam 50	Diclofenac Potassium 50 mg	Non-Steroidal Anti-	UNISON	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Tablets		مهائاا الأواا	Thailand		
10 x 10 tab					
LETHAR amp	Artemether 80 mg / 1 ml	Antimalarial medicines	Unknown	6 doses , the first at diagnosis and repeated after 8, 24, 36, 48, and 60 hours. Each dose is: adults and children weighing over 34 kg, artemether 80 mg with lumefantrine 480 mg-	
Ampoules		Malaria الماارا	Unknown		
6 amp					
Letizen 10mg	Cetirizine Hydrochloride	Antihistamines	KRKA	Cetirizine hydrochloride is given by mouth in a dose of 10 mg once daily or 5 mg twice daily. Children aged 2 to 5 years may be given cetirizine 5 mg once daily or 2.5 mg twice	
Tablets		الحساساة	India		
20 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
LETROX 100	levothyroxine sodium	Hormones	MENARINI	Minimum/Maximum Adult Daily Dose:25 - 200 mcg	
tablte		Thyroid hormone	Italy		
toon		الغدة الدرقية			
LETROX 50	levothyroxine sodium	Hormones	MENARINL GERMANY	Minimum/Maximum Adult Daily Dose:25 - 200 mcg	
TABLTE		Thyroid hormone	Unknown		
toon		الغدة الدرقية			
Levanic	Levofloxacin*	Antibacterial	MUP	Tab 500mg & 250mg Infu 500mg	
tablet		Bacterial Infections	Egypt		
1strip*5tablet		الأمصابات البكتيرية			
Levanic	Levofloxacin	Antibacterial	Unknown	Tab 500mg & 250mg Infu 500mg	
		Bacterial Infections	Unknown		
		الأمصابات البكتيرية			
Levar	Levocetirizine	Antihistamines	Unknown	by mouth in a dose of 5 mg once daily.	
Tablets		Allergy الحساسية	Unknown		
10 tab					
Levipil-250	levetiracetam tablet 250mg	Central Nervous system drugs	SUN	1-3 gm increased gradually, children 50 kg is 20 mg/kg daily	
Tablets		Epilepsy الصرع	India		
30 tablets					
Levobact Infusion	Levofloxacin*	Antibacterial	CIPLA	Tab 500mg & 250mg Infu 500mg	
Infusion Bottle		Bacterial Infections	India		
1bottel*100ml		الأمصابات البكتيرية			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
LEVOBACT-250	Levofloxacin*	Antibacterial	CIPLA	Tab 500mg & 250mg Infu 500mg	
tablet		Bacterial Infections	India		
1strip*10tablet		الأمراض البكتيرية			
LEVOBACT-500	Levofloxacin*	Antibacterial	CIPLA	Tab 500mg & 250mg Infu 500mg	
tablet		Bacterial Infections	India		
1strip*10tablet		الأمراض البكتيرية			
Levocar	Carbidopa/Levodopa tablet (25/250)mg	Central Nervous system drugs	Alphamoun	Minimum/Maximum Adult Daily Dose:2 - 8 Tablet, Sustained Action	
Tablets		Parkinson's disease مرض الرعاش	Egypt		
10 tablets					
Levolin	levosalbutamol 50 mic g	Respiratory drugs	CIPLA	630 mcg are inhaled three times daily as a nebulised solution, increased if necessary to 1.25 mg three times daily. Children aged 6 to 11 years may be given 310 micrograms three	
Inhaler		Bronchial Asthma الربو الشعبي	India		
200 doses					
Levolin Rotacaps	levosalbutamol 100 mic g	Respiratory drugs	CIPLA	630 mcg are inhaled three times daily as a nebulised solution, increased if necessary to 1.25 mg three times daily. Children aged 6 to 11 years may be given 310 micrograms three	
Capsules Rotacaps		Bronchial Asthma الربو الشعبي	India		
30 cap					
Levomac 500	Levofloxacin	Antibacterial	MACLEODS	Tab 500mg & 250mg Infu 500mg	
Tablets		Bacterial Infections	India		
7 film-coated tablets		الأمراض البكتيرية			
Levorid	Levocetirizine 5 mg	Antihistamines	CIPLA	by mouth in a dose of 5 mg once daily.	
Tablets		Allergy الحساسية	India		
10 tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Levoscot 500	Levofloxacin 500 mg	Antibacterial	Scott Edil Pharma	Tab 500mg & 250mg Infu 500mg	
Tablets		Bacterial Infections الأمراض البكتيرية	India		
LEVOTA 250	Levofloxacin 250 mg	Antibacterial	RFA	Tab 500mg & 250mg Infu 500mg	
tablet		Bacterial Infections الأمراض البكتيرية	Yemen		
10 TABS					
LEVOTA 500	Levofloxacin 500 mg	Antibacterial	RFA	Tab 500mg & 250mg Infu 500mg	
tablet		Bacterial Infections الأمراض البكتيرية	Yemen		
10 tabs					
Levoxine 500	Levofloxacin 500 mg	Antibacterial	Shiba pharma	Tab 500mg & 250mg Infu 500mg	
Caplets		Bacterial Infections الأمراض البكتيرية	Yemen		
10 F/C caplets					
LEVOZIN	Levocetirizine 2.5 mg/ 5 ml	Antihistamines	Modern Pharama	by mouth in a dose of 5 mg once daily.	
Oral / Solution		Allergy الحساسية	Yemen		
100 ml					
LEVOZIN 5	Levocetirizine 5 mg	Antihistamines	Modern Pharama	by mouth in a dose of 5 mg once daily.	
Tablets		Allergy الحساسية	Yemen		
30 Film Coated Tablets					
Lexotanil	Bromazepam tablets 3mg	Central Nervous system drugs	ROCHE	Tablets	
Anxiety, Insumnea		Anxiety, Insumnea الأرق والقلق	Germany		
30 tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Lezin 5	Levocetirizine 5 mg / tab	Antihistamines	Global Pharma	by mouth in a dose of 5 mg once daily.	
Tablets		Allergy الحساسية	Yemen		
10 tab					
Librax	Chlordiazepoxide 5 mg + Clidinium bromide 2.5mg	Gastro Intestinal drugs	MEDA	Minimum/Maximum Adult Daily Dose: 1 - 8 Capsule	
Tablets		Abdominal Spasm آلام البطن	Unknown		
30 Tablets					
Librax	Chlordiazepoxide + Clidinium Bromide	Gastro Intestinal drugs	ICN	Chlordiazepoxide up to 30 mg daily in divided doses.	
tab		Peptic ulcer قرحة المعدة	USA		
30 tabs					
Librocol	Chlordiazepoxide + Clidinium bromide tablet (5/2.5)mg	Gastro Intestinal drugs	Lagap	Minimum/Maximum Adult Daily Dose: 1 - 8 Capsule	
Tablets		Abdominal Spasm آلام البطن	Switzerland		
30 tablets					
Librocol	Chlordiazepoxide Hydrochloride 5 mg + Clidinium Bromide 2.5 mg	Central Nervous system drugs	Lagap	30 mg daily in divided doses; in severe conditions up to 100 mg daily has been given	
Tablets		Anxiety, Insomnia الأرق والقلق	Switzerland		
30 tab					
librocol	Chlordiazepoxide + Clidinium Bromide	Gastro Intestinal drugs	Lagap	Chlordiazepoxide up to 30 mg daily in divided doses.	
tab		Peptic ulcer قرحة المعدة	Switzerland		
30 mg					
Lidaprim forte	Trimethoprim 160 mg + 800 mg Sulphamethoxazole	Antibacterial	Nycomed	Tablet (800 sulfam/ 160 trimeth)mg & Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	
Tablets		Bacterial Infections	Viena, Austria		
10 tab		الأمراض البكتيرية			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
LIDO 40	lidocaine 40 mg / 2 ml	Central Nervous system drugs	CSPC	The dose of lidocaine hydrochloride used for local anaesthesia depends on the site of injection and the procedure used.	
Ampoules		Anaesthetics التخدير الموضعي	China		
10 amp x 2 ml					
LIDOCAINE	adrenaline	Central Nervous system drugs	Huons	The dose of lidocaine hydrochloride used for local anaesthesia depends on the site of injection and the procedure used.	
Tube		Anaesthetics التخدير الموضعي	Korea		
box of 10 cartridges of 36 mg					
lidocaine injection BP2%	lidocaine injection BP2%	Central Nervous system drugs	ROTEXMEDI CA	The dose of lidocaine hydrochloride used for local anaesthesia depends on the site of injection and the procedure used.	
Vial		Anaesthetics التخدير الموضعي	Germany		
bottle of 50 ml of 2%					
LIDOGEL 2%	lidocaine 2%	Central Nervous system drugs	MEDICO LABS	The dose of lidocaine hydrochloride used for local anaesthesia depends on the site of injection and the procedure used.	
Gel		Anaesthetics التخدير الموضعي	Syria		
bottle of 30mg					
Lidosol	lidocaine 5 gm / 50 ml Of 10 % w/v	Central Nervous system drugs	Shiba pharma	The dose of lidocaine hydrochloride used for local anaesthesia depends on the site of injection and the procedure used.	
Spray		Anaesthetics التخدير الموضعي	Yemen		
bottle of 10% w/w in 50ml					
Lidosol Plus	Lidocaine 5 gm + Cetrimide 0.0357 gm / 50 ml	Central Nervous system drugs	Shiba pharma	The dose of lidocaine hydrochloride used for local anaesthesia depends on the site of injection and the procedure used.	
Spray		Anaesthetics التخدير الموضعي	Yemen		
50 ml					
Limbitrol	Amitriptyline + Chlordiazepoxide capsule (12.5/5)mg	Central Nervous system drugs	MEDA	Minimum/Maximum Adult Daily Dose: 2 - 6 Tablet	
Capsules		Mental Disorders الأمراض العقلية	Unknown		
30 capsules					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Lincocile	Lincomycin	Antibiotics	Unknown	Cap 500mg Vial 600mg & 300mg	
		Anaerobic Infections الميكروبات اللاهوائية	Unknown		
Lincocile - 500	Lincomycin*	Antibiotics	Alpha	Cap 500mg Vial 600mg & 300mg	
Capsules		Anaerobic Infections الميكروبات اللاهوائية	Syria		
12 capsule					
Lincocile 300	Lincomycin*	Antibiotics	Alpha	Cap 500mg Vial 600mg & 300mg	
Vial		Anaerobic Infections الميكروبات اللاهوائية	Syria		
2 ml					
Lincocile 500	Lincomycin	Antibiotics	Unknown	Cap 500mg Vial 600mg & 300mg	
		Anaerobic Infections الميكروبات اللاهوائية	Unknown		
Lincocile 600	Lincomycin*	Antibiotics	Alpha	Cap 500mg Vial 600mg & 300mg	
Vial		Anaerobic Infections الميكروبات اللاهوائية	Syria		
2 ml					
Lincocin	Lincomycin 600 mg / 2 ml	Antibiotics	Pfizer	Cap 500mg Vial 600mg & 300mg	
Vial		Anaerobic Infections الميكروبات اللاهوائية	USA		
1vial					
LINCOLIFE	Lincomycin 300 mg / ml	Antibiotics	eurolife	Cap 500mg Vial 600mg & 300mg	
Vial		Anaerobic Infections الميكروبات اللاهوائية	India		
30 vial of 2 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Lincomycin	Lincomycin 300 mg / nl	Antibiotics	SHIN POONG	Cap 500mg Vial 600mg & 300mg	
Vial		Anaerobic Infections	Korea		
10 vial x 2 ml		الميكروبات اللاهوائية			
Lincomycin	Lincomycin 300 mg / ml	Antibiotics	Hemofarm	Cap 500mg Vial 600mg & 300mg	
Ampoules		Anaerobic Infections	Yugoslavia		
10 amp x 1 ml		الميكروبات اللاهوائية			
Lincomycin	Lincomycin	Antibiotics	ZHEJIANG	Cap 500mg Vial 600mg & 300mg	
		Anaerobic Infections	China		
		الميكروبات اللاهوائية			
Lincomycin	Lincomycin	Antibiotics	Hebel	Cap 500mg Vial 600mg & 300mg	
Vial		Anaerobic Infections	China		
2 ml / Vial		الميكروبات اللاهوائية			
Lincomycin	Lincomycin 600 mg / 2ml	Antibiotics	Shanghai pharmaceutical	Cap 500mg Vial 600mg & 300mg	
Vial		Anaerobic Infections	China		
2 ml /vial		الميكروبات اللاهوائية			
Lincomycin normon	Lincomycin*	Antibiotics	Normon	Cap 500mg Vial 600mg & 300mg	
parental inj		Anaerobic Infections	Spain		
1vial		الميكروبات اللاهوائية			
Lincomycin vial	Lincomycin 600 / 1 vial	Antibiotics	ILDONG	Cap 500mg Vial 600mg & 300mg	
Vial		Anaerobic Infections	Korea		
10 vial x 2 ml		الميكروبات اللاهوائية			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Lincomycin-UMD	Lincomycin*	Antibiotics	Unknown	Cap 500mg Vial 600mg & 300mg	
Vial		Anaerobic Infections	Unknown		
1vial		الميكروبات اللاهوائية			
Lincovit	Lincomycin*	Antibiotics	Vitalis	Cap 500mg Vial 600mg & 300mg	
parentral inj		Anaerobic Infections	USA		
1vial		الميكروبات اللاهوائية			
Lincovit	Lincomycin	Antibiotics	Unknown	Cap 500mg Vial 600mg & 300mg	
		Anaerobic Infections	Unknown		
		الميكروبات اللاهوائية			
Lindynette	ethinylestradiol - dessogestrel	Gynaecology drugs	GEDEON RICHTER	one tablte daily from the frist day of menstution for 21 day	
Tablets		Contraceptives	HUNGARY		
21		موانع الحمل			
lindynette	ethinylestradiol - gestoden	Gynaecology drugs	GEDEON RICHTER	one tablte daily from the frist day of menstution for 21 day	
Tablets		Contraceptives	HUNGARY		
21		موانع الحمل			
Linocin	Lincomycin 600 mg /vial	Antibiotics	Thai	Cap 500mg Vial 600mg & 300mg	
Vial		Anaerobic Infections	Thailand		
1vial of 2 ml		الميكروبات اللاهوائية			
Linopril 10 mg	Lisinopril	Cardio Vascular System drugs	Pharma International	usual oral dose is 5 -20 mg daily,	
Tablets		Hypertension	Jordan		
28 tablet		ارتفاع ضغط الدم			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Linopril 5 mg	Lisinopril	Cardio Vascular System drugs	PHARMA INTERNATIO	usual oral dose is 5 -20 mg daily,	
Tablets		Hypertension ارتفاع ضغط الدم	Jordan		
28 tablet					
Liocaine	Lidocaine	Central Nervous system drugs	Unknown	The dose of lidocaine hydrochloride used for local anaesthesia depends on the site of injection and the procedure used.	
Spray		Anaesthetics التخدير الموضعي	Unknown		
60 ml					
Lioraz 10	Baclofen 10 mg	Muscle relaxations	unknown	Adult dose 5 - 20 mg three times daily , for children 0.75 to 2 mg/kg daily	
Syrup		Hiccup أو الفهقة الفواق	Unknown		
120 ml					
lioraz 25	Baclofen 25 mg	Muscle relaxations	Razi Pharma	Adult dose 5 - 20 mg three times daily , for children 0.75 to 2 mg/kg daily	
Tablets		Hiccup أو الفهقة الفواق	Syria		
3strip of 10 coated tablet of 25mg					
lipanthyl-200mg	fenofibrate200mg	Cardio Vascular System drugs	reci pharama laboratory	Primary H ypercholesterolemia/Mixed Hyperlipidemia: ADULTS: PO Initial dose is 160 mg/day. Hypertriglyceridemia: ADULTS: PO Start with 54 to	
capsule		Hyperlipidaemias زيادة الدهون في الدم	Unknown		
30capsule					
Lipinorm 20	Atorvastatin Calcium	Cardio Vascular System drugs	MUP	Oral only.: ADULTS: PO 10 to 80 mg/day.	
Tablets		Hyperlipidaemias زيادة الدهون في الدم	Egypt		
28 tab					
lipitor-20mg	atorvastatin-20mg	Cardio Vascular System drugs	Pfizer	Oral only.: ADULTS: PO 10 to 80 mg/day.	
tablet		Hyperlipidaemias زيادة الدهون في الدم	USA		
30film coated tablet					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Lipo-Flavonoid	Combination	Dietary Supplement	Unknown	As directed	
Caplets		Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	Unknown		
100 cap					
lipolysin-20mg	atorvastatin20mg	Cardio Vascular System drugs	OUBARY PHARMA	Oral only.: ADULTS: PO 10 to 80 mg/day.	
tablet		Hyperlipidaemias زيادة الدهون في الدم	Syria		
10film coated tablet					
Liquid paraffin	paraffin oil	Gastro Intestinal drugs	Shiba pharma	Adults (15 – 45 ml). Children(5 – 15 ml) / a day. Liquid paraffin should not be given to children under 6 for fear of pulmonary aspiration.	
Solution		Constipation الأمساك	Yemen		
100 ml					
Liquid Paraffin	Paraffin oil	Gastro Intestinal drugs	Unknown	Adults (15 – 45 ml). Children(5 – 15 ml) / a day. Liquid paraffin should not be given to children under 6 for fear of pulmonary aspiration.	
Solution		Constipation الأمساك	Unknown		
60 ml					
Liseva cap	nicotinamide+vit b6,b12+riboflavin +thiamine	Gastro Intestinal drugs	ILDONG	2 tab /day or 10 ml /day	
Soft Gelatin Capsules		Hepatic Disorders اضطرابات الكبد	Korea		
30 SC					
Lisinopril	Lisinopril	Cardio Vascular System drugs	Unknown	usual oral dose is 5 -20 mg daily,	
12.5-5-10 mg		Hypertension ارتفاع ضغط الدم	Unknown		
lisistril	Lisinopril	Cardio Vascular System drugs	Unknown	usual oral dose is 5 -20 mg daily,	
		Hypertension ارتفاع ضغط الدم	Unknown		

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
lisistril 10	Lisinopril 10 mg	Cardio Vascular System drugs	BIOPHARM	usual oral dose is 5 -20 mg daily,	
Tablets		Hypertension ارتفاع ضغط الدم	Yemen		
20 tabs					
lisitens	Lisinopril	Cardio Vascular System drugs	Unknown	usual oral dose is 5 -20 mg daily,	
		Hypertension ارتفاع ضغط الدم	Unknown		
lisopress	Lisinopril	Cardio Vascular System drugs	Unknown	usual oral dose is 5 -20 mg daily,	
		Hypertension ارتفاع ضغط الدم	Unknown		
Lisopril 5 mg	Lisinopril 5 mg	Cardio Vascular System drugs	ACTAVIS	usual oral dose is 5 -20 mg daily,	
Tablets		Hypertension ارتفاع ضغط الدم	Unknown		
30 tab					
LITOR-20	atorvastatin 20mg	Cardio Vascular System drugs	BIOPHARM	Oral only.: ADULTS: PO 10 to 80 mg/day.	
tablet		Hyperlipidaemias زيادة الدهون في الدم	Yemen		
30tablet					
LITOR-40	atorvastatin 40 mg	Cardio Vascular System drugs	BIOPHARM	Oral only.: ADULTS: PO 10 to 80 mg/day.	
Tablets		Hyperlipidaemias زيادة الدهون في الدم	Yemen		
30tablet					
LiV-52	herbal merial product	Gastro Intestinal drugs	Himalaya Drug Co	1-3 capsule daily.	
		Hepatic Disorders اضطرابات الكبد	India		
200ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Liv-52 syr	herbal products	Gastro Intestinal drugs	Himalaya Drug Co	2 tab b.i.d ____ or ____ 1 teaspoonful 2 or 3 tim dailt	
Syrup		Hepatic Disorders اضطرابات الكبد	India		
200 ml syr					
Liv-52 tab	herbal products	Gastro Intestinal drugs	Himalaya Drug Co	2 tab b.i.d ____ or ____ 1 teaspoonful 2 or 3 tim dailt	
Tablets		Hepatic Disorders اضطرابات الكبد	India		
100 tab					
Liver albumin plus	l-methionine+ methionine+ inositol+choline +vit b1,2,5,6,12	Gastro Intestinal drugs	drug agency	1-3 cap daily	
Capsules		Hepatic Disorders اضطرابات الكبد	Unknown		
20 cap					
Liver Albumin Plus	L-gluta(thion10mc g+min10mg)+lecithin300mg+silymarin140mg+EggAlbumin100mg+Why	Gastro Intestinal drugs	International drug agency	1-3 capsule daily.	
Capsules		Hepatic Disorders اضطرابات الكبد	Unknown		
20 capsules					
Liver care	herbal products	Gastro Intestinal drugs	HealthAid	2 tab b.i.d ____ or ____ 1 teaspoonful 2 or 3 tim dailt	
Tablets		Hepatic Disorders اضطرابات الكبد	England		
60 tab					
Livercare	Hepatoprotective Agents	Gastro Intestinal drugs	Health Aid	1-3 capsule daily.	
Tablets		Hepatic Disorders اضطرابات الكبد	Thailand		
60 tab					
Livertonic	l-methionine	Gastro Intestinal drugs	australin meda	1-3 cap daily	
Capsules		Hepatic Disorders اضطرابات الكبد	Australia		
30 cap					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Livolin forte	essential phospholipids with vit	Gastro Intestinal drugs	MEGA	Adluts : 1800mg/daily(divided into 3 doses) children mor than 12 years(about 43 kg) 600mg/daily(divided into 3 doses).	
Soft Gelatin Capsules		Hepatic Disorders	Thailand		
30 SC		اضطرابات الكبد			
livolin Forte	Essentiol phospholipids 300mg+vit.B1 10mg+vit.B2 6mg+vit.B6 10mg+ vit.B12	Gastro Intestinal drugs	MEGA	1-3 capsule daily.	
Capsules		Hepatic Disorders	Thailand		
30 CAPSULES		اضطرابات الكبد			
lizo 10 mg	Lisinopril	Cardio Vascular System drugs	Shiba pharma	usual oral dose is 5 -20 mg daily,	
Tablets		Hypertension	Yemen		
30 tablet		ارتفاع ضغط الدم			
lizo 20 mg	Lisinopril 20 mg	Cardio Vascular System drugs	Shiba pharma	usual oral dose is 5 -20 mg daily,	
Tablets		Hypertension	Yemen		
30 tablet		ارتفاع ضغط الدم			
lizo 5	Lisinopril 5 mg	Cardio Vascular System drugs	Shiba pharma	usual oral dose is 5 -20 mg daily,	
Tablets		Hypertension	Yemen		
30 tablet		ارتفاع ضغط الدم			
Locain	Lidocaine	Central Nervous system drugs	Unknown	The dose of lidocaine hydrochloride used for local anaesthesia depends on the site of injection and the procedure used.	
Gel		Anaesthetics	Unknown		
30 gm		التخدير الموضعي			
Lodoz	Bisoprolol + Hydrochlorothiazide	Cardio Vascular System drugs	MERCK	bisoprolol fumarate is 5 to 10 mg by mouth as a single daily dose; the maximum recommended dose is 20 mg daily.	
Tablets		Hypertension	France		
28 TAB		ارتفاع ضغط الدم			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Lofoto	Tobramycin 0.3% + Dexamethasone 0.1%	Antibiotics	RAFARM	As directed	
Suspension		Eye العين	Unknown		
5 ml					
Lohist	Loratadine	Antihistamines	NPI Pharma	Orally in a dose of 10 mg once daily. Children 5-10 mg - once daily	
		Allergy الحساسية	Unknown		
Lohist*	Loratadine	Antihistamines	NP	Orally in a dose of 10 mg once daily. Children 5-10 mg - once daily	
Tablets		Allergy الحساسية	Unknown		
10 tab					
Lokit	Omeprazole	Gastro Intestinal drugs	Kopran	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
cap		Peptic ulcer قرحة المعدة	India		
100 caps					
LOKIT	Omeprazole 20 mg	Gastro Intestinal drugs	Unknown	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
Capsules		Peptic ulcer قرحة المعدة	Unknown		
10 cap					
LOMAC vial	Omeprazole	Gastro Intestinal drugs	CIPLA	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
Vial		Peptic ulcer قرحة المعدة	India		
1 vial					
LOMAC-20	Omeprazole	Gastro Intestinal drugs	CIPLA	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
Caplets		Peptic ulcer قرحة المعدة	India		
10x 10 cap					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Lome Max	Lomefloxacin HCl*	antibacterial	Shiba pharma	Tab 400mg	
Tablets		Bacterial Infections	Yemen		
1strip*10 tablet		الأمصاباااa			
Tablets	Bacterial Infections	Yemen			
1strip*10 tablet	الأصاباااa				
Suppositoris	Dermatitis	Yemen			
1 vaginal supp	الألأأأ				

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Lomflox	Lomefloxacin HCl	Antibacterial	Ipca	Tab 400mg	
Tablet		Bacterial Infections	Unknown		
1strip*5tablet		الأمراض البكتيرية			
Lomiflox	Lomefloxacin 400 mg / tab	antibacterial	Pharmacare	One tablet a day for 10 – 14 days.	
Tablets		Bacterial Infections	Yemen		
1strip *10 tablet		الأمراض البكتيرية			
Lopid 600	Gemfibrozil	Cardio Vascular System drugs	Pfizer	The usual dose, by mouth, is 1.2 g daily in 2 divided doses given 30 minutes before the morning and evening meals.	
Tablets		Hyperlipidaemias	USA		
30 tab		زيادة الدهون في الدم			
Loprax 200	Cefixime	Antibacterial	EXIR	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses. Children over 6 months and under 50 kg may be given 8 mg/kg daily as an oral	
Tablets		Bacterial Infections	IRAN		
10 tablet		الأمراض البكتيرية			
Loprax 400	Cefpodoxime Proxetil	Antibacterial	EXIR	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses. Children over 6 months and under 50 kg may be given 8 mg/kg daily as an oral	
Tablets		Bacterial Infections	IRAN		
6 tablet		الأمراض البكتيرية			
Loprax Syrup	Cefixime	Antibacterial	EXIR	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses. Children over 6 months and under 50 kg may be given 8 mg/kg daily as an oral	
Powder for Suspension		Bacterial Infections	IRAN		
100 ml		الأمراض البكتيرية			
lopril	Lisinopril	Cardio Vascular System drugs	Unknown	usual oral dose is 5 -20 mg daily,	
		Hypertension	Unknown		
		ارتفاع ضغط الدم			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
LORA	Loratadine	Antihistamines	Modern Pharama	Orally in a dose of 10 mg once daily. Children 5-10 mg - once daily	
Tablets		Allergy الحساسية	Yemen		
10 tab					
Loracin	Clarithromycin	Antibiotics	OUBARY PHARMA	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
tablet		Respiratory Disorders اضطرابات الجهاز التنفسي	Syria		
1strip*14tablet					
Loracin	Clarithromycin	Antibiotics	Unknown	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
		Respiratory Disorders اضطرابات الجهاز التنفسي	Unknown		
LORANS 1mg	lorazepam tablets 1mg	Central Nervous system drugs	Medochemia	Minimum/Maximum Adult Daily Dose: 0.5 - 10 mg (milligram) OR 1 - 20 Tablet	
Tablets		Anxiety, Insomnia الأرق والقلق	Unknown		
30 tablets					
LORATIN	Loratadine 10 mg	Antihistamines	SEDICO	Orally in a dose of 10 mg once daily. Children 5-10 mg - once daily	
Tablets		Allergy الحساسية	Egypt		
20 tab					
Loraxone	Ceftriaxone Sodium	Antibacterial	EXIR	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Parentral inj		Bacterial Infections الأصابات البكتيرية	IRAN		
1vial					
Lorista H	Losartan Potassium 50 mg + Hydrochlorthiazide 12.5 mg	Cardio Vascular System drugs	KRKA	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
Tablets		Hypertension ارتفاع ضغط الدم	India		
28 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
LORSEC 20	Omeprazole	Gastro Intestinal drugs	EXIR	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
Capsules		Peptic ulcer قرحة المعدة	IRAN		
14 caps					
LOSAKAL	Losartan Potassium	Cardio Vascular System drugs	Unknown	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
		Hypertension ارتفاع ضغط الدم	Unknown		
losakal 50mg	losartan potssium	Cardio Vascular System drugs	Torrent	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
Tablets		Hypertension ارتفاع ضغط الدم	India		
28tab					
losart ???	Losartan Potassium	Cardio Vascular System drugs	Unknown	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
		Hypertension ارتفاع ضغط الدم	Unknown		
losart Tablets	losartan potassium	Cardio Vascular System drugs	RAM PHARMA	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
Tablets		Hypertension ارتفاع ضغط الدم	Jordan		
30tab					
losartan 50	Losarta potassium	Cardio Vascular System drugs	AMRIYA PHARMA	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
Tablets		Hypertension ارتفاع ضغط الدم	Egypt		
10tab					
losartan 50mg	losartan potassium	Cardio Vascular System drugs	Pharma Check	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
Tablets		Hypertension ارتفاع ضغط الدم	Unknown		
10tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
losartan-H	Losartan potassium	Cardio Vascular System drugs	BIOPHARM	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
Tablets		Hypertension ارتفاع ضغط الدم	Yemen		
30 tab					
losartic	Losartan +hydrochlorothiazid	Cardio Vascular System drugs	OUBARY PHARMA	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
Tablets		Hypertension ارتفاع ضغط الدم	Syria		
30tab					
Losil	Hyoscine N-Butylbromide	Gastro Intestinal drugs	Vitalis	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Ampoules		Abdominal Spasm آلام البطن	USA		
10 amp					
Losiram 10 mg	Escitalopram Oxalate 10 mg	Central Nervous system drugs	Bilim	Initial dose 10 mg/day orally single dose , maintenance dose 20 mg/day orally single dose only after a minimum of one week.	
Tablets		Mental Disorders الأمراض العقلية	Turkey		
28 tab					
Losiram-10	Escitalopram tablet 10mg	Central Nervous system drugs	bilim	Initial dose 10 mg/day orally single dose , maintenance dose 20 mg/day orally single dose only after a minimum of one week.	
Tablets		Mental Disorders الأمراض العقلية	Turkey		
28 tablets					
Losiram-20	Escitalopram tablet 20mg	Central Nervous system drugs	bilim	Initial dose 10 mg/day orally single dose , maintenance dose 20 mg/day orally single dose only after a minimum of one week.	
Tablets		Mental Disorders الأمراض العقلية	Turkey		
28 tablets					
Lostamin	Loratadine	Antihistamines	Avenzor	Orally in a dose of 10 mg once daily. Children 5-10 mg - once daily	
Syrup		Allergy الحساسية	Syria		
100 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
LOTAN	Unknown	Gastro Intestinal drugs	MEDICO LABS	As directed	
Tablets		Diarrhea الأسهال	Syria		
20 tab					
Lotensin 10	Lisinopril 10 mg	Cardio Vascular System drugs	Y.E.PHARMA	usual oral dose is 5 -20 mg daily,	
Tablets		Hypertension ارتفاع ضغط الدم	Yemen		
30 tabs					
Lotensin 20	Lisinopril 20 mg	Cardio Vascular System drugs	Y.E.PHARMA	usual oral dose is 5 -20 mg daily,	
Tablets		Hypertension ارتفاع ضغط الدم	Yemen		
30 tabs					
Lotensin 5	Lisinopril 5 mg	Cardio Vascular System drugs	Y.E.PHARMA	usual oral dose is 5 -20 mg daily,	
Tablets		Hypertension ارتفاع ضغط الدم	Yemen		
30 tabs					
Lotensin-H 10	Lisinopril	Cardio Vascular System drugs	Y.E.PHARMA	usual oral dose is 5 -20 mg daily,	
Tablets		Hypertension ارتفاع ضغط الدم	Yemen		
30 tabs					
Lotensin-H 20	Lisinopril 20 mg	Cardio Vascular System drugs	Y.E.PHARMA	usual oral dose is 5 -20 mg daily,	
Tablets		Hypertension ارتفاع ضغط الدم	Yemen		
30 tabs					
Lotensin-H 5	Lisinopril 5 mg	Cardio Vascular System drugs	Y.E.PHARMA	usual oral dose is 5 -20 mg daily,	
Tablets		Hypertension ارتفاع ضغط الدم	Yemen		
30 tabs					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Lotriderm	Clotrimazole	Antifungals	Unknown	topically two or three times daily for 2 to 4 weeks as a 1% cream, lotion, spray, or solution, pessaries in dosage regimens of 100 mg for 6 days, 200 mg for 3 days, or a single	
		Dermatitis التهابات الجلدية	Unknown		
Lover	Vardenafil 10 mg	Sex Stimulants	Y.E.PHARMA	10 mg taken about 25 minutes to one hour before sexual intercourse.	
Tablets		Sex Stimulants منشطات جنسية	Yemen		
4 tab					
lowrac 5	Amlodipine	Cardio Vascular System drugs	Unknown	Oral only : Hypertension Adults: Individualize: 2.5–5 mg/d. Maximum: 10 mg/d. Angina: Adults: 5–10 mg. Elderly: 5 mg.	
		Hypertension ارتفاع ضغط الدم	Unknown		
Loxtra	Ofloxacin + Prednisolone + Tetracycline	Antibacterial	Unknown	tab 400mg & 200mg	
		Bacterial Infections الأمراض البكتيرية	Unknown		
Lozole-20	Omeprazole	Gastro Intestinal drugs	Unknown	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
Capsules		Peptic ulcer قرحة المعدة	Unknown		
2 x 10 caps					
Lumartem	Artemether + Lumefantrine	Antimalarial medicines	CIPLA	6 doses , the first at diagnosis and repeated after 8, 24, 36, 48, and 60 hours. Each dose is: adults and children weighing over 34 kg, artemether 80 mg with lumefantrine 480 mg-	
Tablets		Malaria الملاريا	India		
3 x 8 tab					
Lumartem	Artemether	Antimalarial medicines	CIPLA	6 doses , the first at diagnosis and repeated after 8, 24, 36, 48, and 60 hours. Each dose is: adults and children weighing over 34 kg, artemether 80 mg with lumefantrine 480 mg-	
		Malaria الملاريا	India		

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Lvertonic	silybum marianum(milk thistle)fruit equiv.to dry 3000mg .cyanara scolymus(globe	Gastro Intestinal drugs	vitex pharmaceutical (Australia)	1-3 capsule daily.	
Capsules		Hepatic Disorders اضطرابات الكبد	Unknown		
30 capsules					
Lyrica	pregabalin capsule 75mg	Central Nervous system drugs	Pfizer	Initial 50 mg orally three times/day , increase to 100 mg orally three times/day(maximum dose) or 225 mg three times/day.	
Capsules		Epilepsy الصرع	USA		
14 capsules					
Lyrolin	Pregabalin	Central Nervous system drugs	HIKMA	Initial 50 mg orally three times/day , increase to 100 mg orally three times/day(maximum dose) or 225 mg three times/day.	
Capsules		Epilepsy الصرع	Jordan		
30 cap					
Lyse	Combination	Respiratory drugs	PHARCO	As directed	
Nasal / Drops		Nose	Egypt		
10 ml					
Maalox	Al(OH)+Mg(OH) +Simethicone	Gastro Intestinal drugs	SANOFI	tab = 40 -120 mg QID orall a.m * suspension = 10 ml QID *sachets = one sachet QID	
Sachets		Indigestion سوء الهضم	France		
20 saches					
Maalox Plus	Aluminium Hydroxide 230 mg + Magnesium Hydroxide 430 mg + Simeticone	Gastro Intestinal drugs	SANOFI	tab = 40 -120 mg QID orall a.m * suspension = 10 ml QID *sachets = one sachet QID	
Suspension		Indigestion سوء الهضم	France		
180 ml					
Macriate -20	Rabeprazole Sodium	Gastro Intestinal drugs	MACLEODS	*20 mg once daily 10 mg bid	
Tablets		Peptic ulcer قرحة المعدة	India		
30 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Magnacef	Cefixime	Antibacterial	RAM PHARMA	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses. Children over 6 months and under 50 kg may be given 8 mg/kg daily as an oral	
Dry syrup		Bacterial Infections الأمراض البكتيرية	Jordan		
1bottle*60ml					
Magnacef	Cefixime	Antibacterial	RAM PHARMA	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses. Children over 6 months and under 50 kg may be given 8 mg/kg daily as an oral	
Capsules		Bacterial Infections الأمراض البكتيرية	Jordan		
1strip*8capsule					
Magnacef	Unknown	Antibiotics	RAM PHARMA	As directed	
Suspension		الأمراض الميكروبية Microbial Infections	Unknown		
30 ml					
Magnacef Tablets	Cefixime	Antibacterial	RAM PHARMA	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses. Children over 6 months and under 50 kg may be given 8 mg/kg daily as an oral	
Tablets		Bacterial Infections الأمراض البكتيرية	Jordan		
1strip*6tablet					
Magnafin	Each 15 ml contains milk of magnesia USP 11.25 ml and Liquid paraffin BP 3.75 ml.	Gastro Intestinal drugs	Pharmacare	As laxative:Adults and children 5 - 20ml at bedtime -- As antacid : Adults and children 5 –10 ml.	
Suspension		Constipation الأمساك	Yemen		
90 ml					
Magnesium	Magnesium Citrate	Gastro Intestinal drugs	BMP	ADULTS: PO 1 glassful (approximately 240 ml) prn. CHILDREN 2–6 YR: PO 4–12 ml. CHILDREN 6–12 YR: PO 50–100 ml. Repeat if necessary.	
Suspension		Constipation الأمساك	Thailand		
240 ml					
Magnesium	Magnesium Citrate	Gastro Intestinal drugs	hansal	ADULTS: PO 1 glassful (approximately 240 ml) prn. CHILDREN 2–6 YR: PO 4–12 ml. CHILDREN 6–12 YR: PO 50–100 ml. Repeat if necessary.	
Solid		Constipation الأمساك	Unknown		

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Magnesium	Multi Vitamines	Vitamines and Menirals	Unknown	As directed	
Tablets		Vitamins نقص فيتامينات	Unknown		
Magnesium	Multi Vitamines	Vitamines and Menirals	JUVAMINE	As directed	
Tablets		Vitamins نقص فيتامينات	France		
30 eff. Tab					
Magnesium Sulphate	Magnesium Sulphate	Gastro Intestinal drugs	Unknown	ADULTS: PO 1 glassful (approximately 240 ml) prn. CHILDREN 2-6 YR: PO 4-12 ml. CHILDREN 6-12 YR: PO 50-100 ml. Repeat if necessary.	
amp, vial		Constipation الأمساك	Unknown		
Malaquin	Chloroquine Phosphate	Antimalarial medicines	YEDCO	Treatment :adult 600 mg followed after 6 to 8 hours by 300 mg, then 300 mg daily for the next 2 days, children as adult time but dose 10 mg/kg - prophylaxis one dose each	
Syrup		Malaria الملاريا	Yemen		
60 ml					
Malarim	Sulfadoxine 500 mg + Pyrimethamine 25 mg	Antimalarial medicines	Shiba pharma	the usual dose by mouth is 1.5 g of sulfadoxine with 75 mg of pyrimethamine as a single dose	
Tablets		Malaria الملاريا	Yemen		
3 tab					
Malartam	Artemether 20 mg + lumefantrine 120 mg	Antimalarial medicines	Modern Pharama	6 doses , the first at diagnosis and repeated after 8, 24, 36, 48, and 60 hours. Each dose is: adults and children artemether 20- 80 mg with lumefantrine 120- 480 mg	
Tablets		Malaria الملاريا	Yemen		
20 tabs					
MALICUR FORTE	Sulfadoxine 750 mg + Pyrimethamine 37.5 mg	Antimalarial medicines	RFA	the usual dose by mouth is 1.5 g of sulfadoxine with 75 mg of pyrimethamine as a single dose	
Tablets		Malaria الملاريا	Yemen		

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Maltofer	Ferrous Sulfate 100mg/ chewable tablet.	Vitamines and Menirals	Vifor	Usual doses of dried ferrous sulfate are up to 600 mg daily (equivalent to 180 to 195 mg of iron daily)	
Tablets		Anaemia فقر الدم	Unknown		
30 chewable tablets.					
Maltofer	Ferrous Sulfate	Vitamines and Menirals	Vifor	Usual doses of dried ferrous sulfate are up to 600 mg daily (equivalent to 180 to 195 mg of iron daily)	
drops		Anaemia فقر الدم	Unknown		
30 ml					
Maltofer	Ferrous Sulfate	Vitamines and Menirals	Vifor	Usual doses of dried ferrous sulfate are up to 600 mg daily (equivalent to 180 to 195 mg of iron daily)	
Syrup		Anaemia فقر الدم	Unknown		
150 ml					
Mamera	Multi Vitamines	Vitamines and Menirals	JOSWE	As directed	
Capsules		Vitamins Deficiency نقص فيتامينات	Jordan		
30 Capsules					
Maquine	Chloroquine Phosphate 120 mg	Antimalarial medicines	Shaphaco	Treatment :adult 600 mg followed after 6 to 8 hours by 300 mg, then 300 mg daily for the next 2 days, children as adult time but dose 10 mg/kg - prophylaxis one dose each	
Syrup		Malaria الملاريا	Yemen		
60 ml					
Maquine	Chloroquine Phosphate 250 mg	Antimalarial medicines	Shaphaco	Treatment :adult 600 mg followed after 6 to 8 hours by 300 mg, then 300 mg daily for the next 2 days, children as adult time but dose 10 mg/kg - prophylaxis one dose each	
Tablets		Malaria الملاريا	Yemen		
500 tabs					
Maquine	Chloroquine Phosphate 250 mg	Antimalarial medicines	Shaphaco	Treatment :adult 600 mg followed after 6 to 8 hours by 300 mg, then 300 mg daily for the next 2 days, children as adult time but dose 10 mg/kg - prophylaxis one dose each	
Tablets		Malaria الملاريا	Yemen		
20 tabs					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Maquine Forte	Chloroquine Phosphate	Antimalarial medicines	Shaphaco	Treatment :adult 600 mg followed after 6 by 300 mg, then 300 mg daily for the next 2 days, children as adult time but dose 10 mg/kg - Prophylaxis one dose each	
Syrup		Malaria الملاريا	Yemen		
(60 ml)					
Marevan 3 mg	warfarin 3mg	Cardio Vascular System drugs	glaxosmithkline	3 - 10 mg daily	
Tablets		Thrombosis الجلطات	UK		
100 Tablets					
Marevan 5 mg	warfarin 5 mg	Cardio Vascular System drugs	glaxosmithkline	3 - 10 mg daily	
Tablets		Thrombosis الجلطات	UK		
100tablet					
Mariagon	silymarin 140 mg	Gastro Intestinal drugs	Alphamoun	Dry extract capsules are administered at 200 to 400 mg/day or 12 to 15 g of dried seed per day.	
Capsules		Hepatic Disorders اضطرابات الكبد	Egypt		
20 cap					
Mariagon	silymarin capsule 140mg.	Gastro Intestinal drugs	Alphamoun	Dry extract capsules are administered at 200 to 400 mg/day or 12 to 15 g of dried seed per day.	
Capsules		Hepatic Disorders اضطرابات الكبد	Unknown		
20 capsules					
Marvelon	ethinylestradiol - desogestrel 4	Gynaecology drugs	organon	one tablte daily from the frist day of menstution for 21 day	
Tablets		Contraceptives موانع الحمل	Unknown		
21					
Maxgalin 150	Pregabalin	Central Nervous system drugs	Unknown	Initial 50 mg orally three times/day , incese to 100 mg orally three times/day(maximum dose) or 225 mg three times/day.	
Capsules		Epilepsy الصرع	Unknown		

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Maxgalin 50	Pregabalin	Central Nervous system drugs	SUN Pharma	Initial 50 mg orally three times/day , increase to 100 mg orally three times/day(maximum dose) or 225 mg three times/day.	
		Epilepsy الصرع	India		
Maxgalin-75	pregabalin capsule 75mg	Central Nervous system drugs	SUN	Initial 50 mg orally three times/day , increase to 100 mg orally three times/day(maximum dose) or 225 mg three times/day.	
		Epilepsy الصرع	India		
MAXI-CAL	Ca+ Vit D	Vitamines and Menirals	CENTURY	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Capsules		Osteoarthritis التهابات العظام	USA		
60 cap					
MAXI-CAL	Calcum 1200mg+ vit d 400IU/caplet.	Vitamines and Menirals	CENTURY	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Caplets		Osteoarthritis التهابات العظام	USA		
60 caplet					
MAXIDEX	Dexamethasone 0.1%	Corticosteroid	Alcon	Orally of 0.5 to 10 mg daily. Intravenous 2 to 6 mg/kg of dexamethasone , intra-articular 4 to 16 mg of dexamethasone, Also 0.05 to 0.1% for eye or ear drops and	
Eye drops		العين Eye	Unknown		
5 ml					
Maxime	Ceftriaxone Sodium	Antibacterial	Unknown	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
		Bacterial Infections	Unknown		
		الأمراض البكتيرية			
Maximum Strength	Ibuprofen tablet 400mg tab.	Nonsteroidal Anti-		Oral doses of 400 mg to 1.2 g daily .	
Tablets		مهدئات الأوجاع			
84 coated tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
MAXIMUM STRENGTH	Glucosamine + Chondrotin	Osteoarthritis drugs	CENTURY	As directed	
Tablets		Osteoarthritis	USA		
60 tab		التهابات العظام			
Maxitrol	Dexamethasone + Neomycin Sulfate + Polymyxin B Sulfate	Corticosteroid	Alcon	Orally of 0.5 to 10 mg daily. Intravenous 2 to 6 mg/kg of dexamethasone , intra-articular 4 to 16 mg of dexamethasone, Also 0.05 to 0.1% for eye or ear drops and	
Eye ointment		Inflammations	Unknown		
3.5 gm		الالتهابات			
Mazit	Azithromycin	Antibiotics	Neopharma	Cap 500mg & 250mg Dry syrup 300mg & 200mg	
Dry syrup		الأمراض الميكروبية	UAE		
1bottel*15ml		Microbial Infections			
Mazit	Azithromycin	Antibiotics	Unknown	Cap 500mg & 250mg Dry syrup 300mg & 200mg	
		الأمراض الميكروبية	Unknown		
		Microbial Infections			
Mazit	Azithromycin	Antibiotics	Unknown	Cap 500mg & 250mg Dry syrup 300mg & 200mg	
		الأمراض الميكروبية	Unknown		
		Microbial Infections			
MEBO	Sitosterol	Skin Disorders	Unknown	The usual dose is 3 to 6 g daily in divided doses by mouth	
		Burns الحروق	Unknown		
Mebo	Herbal extract	Skin Disorders	Julphar	As directed	
Ointment		Wounds Healing	UAE		
30 gm		التئام الجروح			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
MEBOROL	Sitosterol 0.25 % w/w	Skin Disorders	Global Pharma	The usual dose is 3 to 6 g daily in divided doses by mouth	
Ointment		Burns الحروق	Yemen		
30 g					
Mecam	Meloxicam 7.5 mg	NSAID	Y.E.PHARMA	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Tablets		Analgesic مهدئات الأوجاع	Yemen		
10 tab					
Mecan	Meloxicam 7.5 mg	Non-Steroidal Anti-	Unknown	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Tablets		Analgesic مهدئات الأوجاع	Unknown		
Meclozin- B6	Meclozine + Pyridoxine	Gastro Intestinal drugs	BIOPHARM	* Motion Sickness= ADULTS: PO 25–50 mg 1 hr before travel; children 6.25 - 12.5 mg once daily *Vertigo =ADULTS: PO 25–100 mg/day in divided doses	
Tablets		Nausea and vomiting الغثيان والطرش	Yemen		
24 tabs					
Mecobal	Mecobalamin 500 mg /1 ml	Vitamines and Menirals	BIOPHARM	Adults: PO 2 mcg/day. Children: PO 0.3 to 2 mcg/day	
Ampoules		Anaemia فقر الدم	Yemen		
6 amp					
Mecobal	Mecobalamin 500mcg . Tablets	Vitamines and Menirals	BIOPHARM	Adults: PO 2 mcg/day. Children: PO 0.3 to 2 mcg/day	
Tablets		Anaemia فقر الدم	Yemen		
30 Tablets					
Mecobal	Mecobalamin 500 mg	Vitamines and Menirals	BIOPHARM	Adults: PO 2 mcg/day. Children: PO 0.3 to 2 mcg/day	
Tablets		Anaemia فقر الدم	Yemen		
10 tabs					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Medacin T	Clindamycin 1%	Antibiotics	Unknown	Adult :150 to 300 mg of clindamycin, Children: 3 to 6 mg/kg of clindamycin for both every 6 hours	
solution		Anaerobic Infections الميكروبات اللاهوائية	Unknown		
1bottel*30ml					
Medafen	Ibuprofen 100 mg / 5 ml	Non-Steroidal Anti-	Unknown	Oral doses of 400 mg to 1.2 g daily .	
Suspension		Analgesic مهدئات الأوجاع	Unknown		
100 ml					
Medazole	Mebendazole 100 mg	Anthelmentic	Shaphaco	For adult and children: Threadworms 100 mg single dose - Roundworms and hookworms : 100 mg BID for 3 days.	
Tablets		Common Worms الديدان الشائعة	Yemen		
6 tab					
Medazole Tablets	Metronidazole	Antiprtozoal	MUP	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , جارديا واميبيا	Egypt		
20 tablete					
MEDIAZOLE	Metronidazole 500 mg / 100 ml	Antiprtozoal	Mediocon Lifesciences	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Infusion		Amoebiasis , جارديا واميبيا	India		
100 ml					
Medical Spirit	Cloroform Spirit	Antiseptic and Desinfectants	Shiba pharma	As directed	
Solution		Antiseptic مطهرات	Yemen		
100 ml					
MEDITROL ???	Alpha calciferol	Vitamines and Menirals	MEGA	As directed	
		Ricketsia الكساح	Thailand		

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
Mediveine	diosmine	Antihaemorrhages	Sothema	hamorrhoidal crisis 1.2g to 1.8g -----or----- circulation disorders 600mg per day ----	
Tablets		Haemorrhoids البواسير	Morocco		
30					
Medocalum	Chlordiazepoxide 5 mg+Clidinium Bromide 2,5	Gastro Intestinal drugs	MEDOCHEMIE	Chlordiazepoxide up to 30 mg daily in divided doses.	
Tablets		Peptic ulcer قرحة المعدة	Unknown		
30 tabs					
Medomycin	Doxycycline	Antibiotics	Medochimi	The usual dose is 200 mg of doxycycline on the first day (as a single dose or in divided doses), followed by 100 mg daily.	
capsules		الأصابات الميكروبية Microbial Infections	Unknown		
1strip*10capsules					
Medroxol	Ambroxol	Respiratory drugs	med pharma	5 ml by mouth, in 2 or 3 divided doses.	
Syrup		Respiratory Disorders اضطرابات الجهاز التنفسي	Unknown		
100 ml					
Mefamol	Mefenamic Acid 50mg	NSAID	Global Pharma	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
Suspension		مهدئات الأوجاع	Yemen		
60 ml					
Mefex	Mefenamic Acid	Nonsteroidal Anti-	Neopharma	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
Tablets		مهدئات الأوجاع	UAE		
20 tab					
MefnacD.S	Mefenamic Acid tablet 500mg.	Nonsteroidal Anti-	Efroze	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
Tablets		مهدئات الأوجاع	Unknown		
10 tablets.					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
mega h-40	Multi Vitamines	Vitamines and Menirals	Power Health	Onc a day	
Capsules		Vitamins			
30 cap		نقص فيتامينات فيتامينات			
Megamox	Amoxicillin/Clavulanate Potassium	Antibiotics	JPI	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg &250mg	
tablet		الاصابات الميكروبية Microbial Infections	Saudi Arabia		
2strip*7tablet					
Meki A-H	Mequitazine	Antihistamines	BORG	5 mg twice daily by mouth.	
Syrup		الحساسية Allergy	Egypt		
60 ml					
Melagin	Miconazole 100mg Metronidazole 500mg	Antifungals	Fulton-Italy	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Suppositoris		المهبل Vaginal	Italy		
10 supp					
Melflam	Meloxicam tablet 15 mg/3ml	Nonsteroidal Anti-	CIPLA	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Ampoules		مهدئات الأوجاع Analgesic	India		
3 ampules					
Melflam 7.5	Meloxicam tablet 7.5mg.	Nonsteroidal Anti-	CIPLA	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Tablets		مهدئات الأوجاع Analgesic	India		
20 tablets.					
melobak	baclofen	Muscle relaxations	pharo pharma	Adult dose 5 - 20 mg three times daily , for children 0.75 to 2 mg/kg daily	
Tablets		الفهقة او الفواق Hiccup	Egypt		
box of strip of 10 tablets of					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
Melocam 15 mg	Meloxicam 15 mg	NSAID	Shiba pharma	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Tablets		مهدئات الأوجاع	Yemen		
20 tab					
Melocam 15 mg	Meloxicam tablet 15 mg	NSAID	Shiba pharma	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Tablets		مهدئات الأوجاع	Yemen		
20 tablets.					
Melocam 7.5	Meloxicam tablet 7.5mg.	NSAID	Shiba pharma	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Tablets		مهدئات الأوجاع	Yemen		
20 tablets.					
Melocox 15	Meloxicam tablet 15 mg.	NSAID	Modern Pharama	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Tablets		مهدئات الأوجاع	Yemen		
10 tablets.					
Meloria	Mefloquine HCl 250 mg / tab	Antimalarial medicines	Pharmacare	Treatment: 5 tablets (1250 mg) as a single dose, Prophylaxis: 1 tablet (250 mg) weekly starting 1 week before travelling, continuing weekly during travel and for 4 weeks after leaving	
Tablets		المالاريا	Yemen		
5 tab					
Melostone	Betamethasone + Neomycin Sulfate	Corticosteroid	Unknown	by mouth betamethasone from 0.5 to 5 mg daily., intravenously or infusion or intramuscularly 4 to 20 mg , For topical application 0.05% of betamethasone as the	
		Dermatitis الالتهابات الجلدية	Unknown		
Melox	Meloxicam	Non-Steroidal Anti-	Unknown	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
		مهدئات الأوجاع	Unknown		

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Melox 15 mg	Meloxicam	Non-Steroidal Anti-	NOBEL	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Tablets		مهدئات الأوجاع	Unknown		
10 tab					
Melox FORT	Meloxicam 15 mg	Non-Steroidal Anti-	Unknown	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Tablets		مهدئات الأوجاع	Unknown		
Meloxi	Meloxicam tablet 7.5mg.	Nonsteroidal Anti-	MBC	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Tablets		مهدئات الأوجاع	Unknown		
20 tablets.					
Meloxi	Meloxicam 15 mg	Non-Steroidal Anti-	BAHRI	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Tablets		مهدئات الأوجاع	Syria		
20 tab					
Meloxican 15	Meloxicam 15 mg	NSAID	Y.E.PHARMA	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Tablets		مهدئات الأوجاع	Yemen		
20 tab					
Meloxican 7.5	Meloxicam 7.5 mg	NSAID	Y.E.PHARMA	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Tablets		مهدئات الأوجاع	Yemen		
20 tab					
Melrose	herbal extract	Respiratory drugs	YEDCO	As directed	
Syrup		Common Cold نزلات البرد	Yemen		
100 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Melrosum	herbal extract	Respiratory drugs	Sanofi Aventis	As directed	
Syrup		Common Cold نزلات البرد	France		
100 ml					
Mentat	Herbal extract	Natural products	Himalaya Drug Co	2 tab b.i.d ____ or ____ 1 teaspoonful 2 or 3 tim dailt	
Syrup		غير معروف	India		
200 ml syr					
Mepaco bran	Bran 500 mg + Cellulose + Mineral 740 mg	Gastro Intestinal drugs	MEPACO	20 to 35 g daily ; children 5 g daily	
Tablets		Constipation الأمساك	Egypt		
60 caps					
Mepaco bran	Bran 400 mg + Cellulose+ Mineral	Gastro Intestinal drugs	MEPACO	20 to 35 g daily ; children 5 g daily	
Capsules		Constipation الأمساك	Egypt		
60 cap					
Mepaco Bran	Bran (treated) 400 mg	Gastro Intestinal drugs	MEPACO	20 to 35 g daily ; children 5 g daily	
Capsules		Constipation الامساك	Egypt		
MEPACOL	L-methionine 1g+inositol 1g+chlorhydrte de choline 0.02g+vit.B2 o.002g+ vit.B6	Vitamines and Menirals	A.B.C International	2 tab /day or 10 ml /day	
Ampoules		Hepatic Disorers	Italy		
5 amp					
MEPACOL Sy	L-methionine 2g+inositol 0.56g+choline 1.6g+vit.pp 0.075g+vit.B1 0.02g+vit.B2	Vitamines and Menirals	A.B.C International	2 tab /day or 10 ml /day	
Solution		Hepatic Disorders اضطرابات الكبد	Italy		
150 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
MEPACOL tab	L-methionine 2g+inositol 0.56g+choline 1.6g+vit.pp 0.075g+vit.B1 0.02g+vit.B2	Vitamines and Menirals	A.B.C International Pharmacy	2 tab /day or 10 ml /day	
Tablets		Hepatic Disorders اضطرابات الكبد	Italy		
40 tab /600 mg					
MEPACURE	Hepatoprotective Agents	Gastro Intestinal drugs	MEPACO	1-3 capsule daily.	
		Hepatic Disorders اضطرابات الكبد	Egypt		
Mepacure cap	silymarin+D.D.T(dicarboxlate)	Gastro Intestinal drugs	MEPACO	Dry extract capsules are administered at 200 to 400 mg/day or 12 to 15 g of dried seed per day.	
Capsules		Hepatic Disorders اضطرابات الكبد	Egypt		
30 cap					
MEPASIL	Silymarin 160 mg+Milk thistle 200mg/tablet.	Gastro Intestinal drugs	MEPACO	Dry extract capsules are administered at 200 to 400 mg/day or 12 to 15 g of dried seed per day.	
Tablets		Hepatic Disorders اضطرابات الكبد	Egypt		
20 tablets					
Mepasil tab	silymarin	Gastro Intestinal drugs	MEPACO	Dry extract capsules are administered at 200 to 400 mg/day or 12 to 15 g of dried seed per day.	
Tablets		Hepatic Disorders اضطرابات الكبد	Egypt		
20 tab					
MERCA-BURN	Aloe Vera	Skin Disorders	Unknown	As directed	
Cream		Burns الحروق	Unknown		
Mesi prazole	Lansoprazole	Gastro Intestinal drugs	MEDICO LABS	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
cap		Peptic ulcer قرحة المعدة	Syria		
20 caps					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Metacardia	Trimetazidine di-HCl	Cardio Vascular System drugs	GLOBAL NAPI	40 to 60 mg is given daily by mouth in divided doses.	
Tablets		Angina الذبحة الصدرية	Egypt		
20 tab					
METADIL	Chlorphenamine Maleate	Antihistamines	Unknown	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	
Tablets		Common Cold نزلات البرد	Unknown		
10 x 10 tab					
Metazol	Metronidazole	Antiprtozoal	Global Pharma	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , Gardiasis جارديا واميبيا	Unknown		
20 tab					
Metazol	Metronidazole	Antiprtozoal	Global Pharma	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Suspension		Amoebiasis , Gardiasis جارديا واميبيا	Yemen		
100 ml					
Metazol Fort	Metronidazole 500mg	Antiprtozoal	Global Pharma	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , Gardiasis جارديا واميبيا	Yemen		
20 tab					
Metazol Plus	Metronidazole 200 mg + Diloxanide 250 mg	Antiprtozoal	Global Pharma	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , Gardiasis جارديا واميبيا	Yemen		
20 tab					
Metazol Plus	Metronidazole +Diloxanide	Antiprtozoal	Global Pharma	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Suspension		Amoebiasis , Gardiasis جارديا واميبيا	Yemen		
100 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Metazol_plus	Metronidazole	Antiprtozoal	globar	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Semisolid		Amoebiasis , Gardiasis جارديا واميبيا	Unknown		
100ml					
MetfoKern	Metformin HCL 850mg	Antidiabetics	KERN pharma	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
Tablets		Diabetes Mellitus أمراض السكري	Korea		
50 film coated tap					
METFORAL 500 mg	Metformin HCL 500mg	Antidiabetics	Berlin	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
Tablets		Diabetes Mellitus أمراض السكري	Germany		
50 film coated tablets					
METFORAL 850 mg	Metformin HCL 850mg	Antidiabetics	Berlin	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
Tablets		Diabetes Mellitus أمراض السكري	Germany		
30 coated tab					
METFORMAX	Metformin HCL 500mg	Antidiabetics	Y.E.PHARMA	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
Tablets		Diabetes Mellitus أمراض السكري	Yemen		
20 tab					
METFORMAX	Metformin HCL 500mg	Antidiabetics	Y.E.PHARMA	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
Tablets		Diabetes Mellitus أمراض السكري	Yemen		
10×10 tab					
METFORMAX	Metformin HCL 850 mg	Antidiabetics	Y.E.PHARMA	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
Tablets		Diabetes Mellitus أمراض السكري	Yemen		
30 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Metformin 500	Metformin HCL 500 mg	Antidiabetics	Shaphaco	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
Tablets		Diabetes Mellitus أمراض السكري	Yemen		
30 tab					
Metformin 850	Metformin HCL 850 mg	Antidiabetics	Shaphaco	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
Tablets		Diabetes Mellitus أمراض السكري	Yemen		
30 tab					
Metformin Denk	Metformin HCL 500mg	Antidiabetics	Denk Pharma	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
Tablets		Diabetes Mellitus أمراض السكري	Germany		
100 tab.					
Metformin Denk 850	Metformin Hydrochloride	Unknown	Unknown	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
		Diabetes Mellitus أمراض السكري	Unknown		
Metformin XR	Metformin HCL 750mg	Antidiabetics	Biomed	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
Tablets		Diabetes Mellitus أمراض السكري	Syria		
20 tab.					
Mether 40 mg	Artemether	Antimalarial medicines	Unknown	6 doses , the first at diagnosis and repeated after 8, 24, 36, 48, and 60 hours. Each dose is: adults and children weighing over 34 kg, artemether 80 mg with lumefantrine 480 mg-	
		Malaria الملاريا	Unknown		
METHER 80 mg	Each 1ml contains 80 mg Artemether	Antimalarial medicines	Unknown	6 doses , the first at diagnosis and repeated after 8, 24, 36, 48, and 60 hours. Each dose is: adults and children weighing over 34 kg, artemether 80 mg with lumefantrine 480 mg-	
Ampoules		Malaria الملاريا	Unknown		
6 ampoule					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Methergin	Ergometrine	Antihemorrhagics	unknown	by mouth in a dose of 500 micrograms three times daily for 2 to 7 days.	
		Haemorrhage النزيف	Unknown		
Methotrexat	Methotrexate 5 mg / 5 ml	Antineoplastics	Unknown	Acute lymphoblastic leukaemia is 15 mg/m2 once or twice weekly	
Ampoules		Cancer (الأمراض الخبيثة) (السرطان)	Unknown		
5 amp of 5 ml					
Methotrexat	Methotrexate 2.5	Antineoplastics	Unknown	Acute lymphoblastic leukaemia is 15 mg/m2 once or twice weekly	
		Cancer (الأمراض الخبيثة) (السرطان)	Unknown		
Methycobal	Mecobalamin) Methylcobalamin. 500mcg Tablets	Vitamines and Menirals	Eisai	Adults: PO 2 mcg/day. Children: PO 0.3 to 2 mcg/day	
Tablets		Anaemia فقر الدم	JAPAN		
30 Tablets					
Methycobal ???	Chloramphenicol	Ophthalmic drugs	Cusi	applied as a 0.5% solution or as a 1% ointment.	
Ointment		Eye العين	Spain		
3 gm / tube					
methycobal	Mecobalamin 500 micro gram / 1 ml	Vitamines and Menirals	Eisai	Adults: PO 2 mcg/day. Children: PO 0.3 to 2 mcg/day.	
Ampoules		Anaemia فقر الدم	JAPAN		
10 amp x 1 ml					
Meticron	Metformin HCL 500mg + Gliclazide 80mg	Antidiabetics	Biomed	Gliclazide 40 to 320 mg daily	
Tablets		Diabetes Mellitus أمراض السكري	Syria		
30 tab.					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Metlazel Drops	metoclopramide	Gastro Intestinal drugs	Shaphaco	mouth, intramuscularly, or by slow intravenous injection, is 10 mg three times daily.	
Drops		Nausea and vomiting الغثيان والطرش	Yemen		
15 ml					
Metlazel Tablets	metoclopramide	Gastro Intestinal drugs	Shaphaco	mouth, intramuscularly, or by slow intravenous injection, is 10 mg three times daily.	
tab		Nausea and vomiting الغثيان والطرش	Yemen		
20 tabs					
Metoclopramide	metoclopramide 10 mg	Gastro Intestinal drugs	BIOPHARM	mouth, intramuscularly, or by slow intravenous injection, is 10 mg three times daily.	
Tablets		Nausea and vomiting الغثيان والطرش	Yemen		
20 tab					
Metoclopramide	metoclopramide 10 mg / 2 ml	Gastro Intestinal drugs	BIOPHARM	mouth, intramuscularly, or by slow intravenous injection, is 10 mg three times daily.	
Ampoules		Nausea and vomiting الغثيان والطرش	Yemen		
5 amp					
Metograin	Ergotamine Tartarate 1 mg + Caffeine 50 mg + Paracetamol 325 mg	Cardio Vascular System drugs	EVA PHARMA	1 to 2 mg of ergotamine tartrate by mouth, repeated, if necessary, half an hour later. Usually not more than 6 mg should be given in 24 hours, although	
Tablets		Migraine	Egypt		
20 tab					
Metoprolol	Metoprolol	Cardio Vascular System drugs	Unknown	100- 200 mg daily by mouth	
100-200 mg		Hypertension ارتفاع ضغط الدم	Unknown		
Metran cap	Mecobalamin	Vitamines and Menirals	Daewon	Adults: PO 2 mcg/day. Children: PO 0.3 to 2 mcg/day	
Capsules		Anaemia فقر الدم	Unknown		
30 cap					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
metran	mecobalamine	Vitamines and Menirals	Daewon	Adults: PO 2 mcg/day. Children: PO 0.3 to 2 mcg/day.	
Capsules		Anaemia فقر الدم	Unknown		
30 cap					
Metrodilox	Metronidazole + Diloxanide	Antiprtozoal	Pharmacare	500 mg tid for adults and 20 mg/kg/day for children in 3 doses for 7-10 days	
Suspension		Amoebiasis , Gardiasis جardia واميبييا	Yemen		
90 ml					
Metrodilox	Metronidazole 100mg + 125mg diloxnide/ 5 ml	Antiprtozoal	Pharmacare	500 mg tid for adults and 20 mg/kg/day for children in 3 doses for 7-10 days	
Suspension		Amoebiasis , Gardiasis جardia واميبييا	Yemen		
90 ml					
Metrodilox	Metronidazole 200mg + Diloxanide furoate 250mg / tablet	Antiprtozoal	Pharmacare	500 mg tid for adults and 20 mg/kg/day for children in 3 doses for 7-10 days	
Tablets		Amoebiasis , Gardiasis جardia واميبييا	Yemen		
3 x 10 tab					
Metrogyl V-Gel	Metronidazole	Antiprtozoal	Unknown	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Gel		Vaginal المهبل	Unknown		
Metrolag 259 mg	Metronidazole	Antiprtozoal	Unknown	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , Gardiasis جardia واميبييا	Unknown		
100 tab					
Metronidazole Infusion	Metronidazole	Antiprtozoal	unknown	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Infusion		Amoebiasis , Gardiasis جardia واميبييا	Unknown		
100 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Metronidazole Infusion	Metronidazole 500 / 100 ml infusion single dose	Antiprtozoal	eurolfe	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Infusion		Amoebiasis , Gardiasis جارديا واميبييا	Unknown		
100 ml					
Metronidazole Normon	Metronidazole 250 mg	Antiprtozoal	Normon	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , Gardiasis جارديا واميبييا	Spain		
20 tab					
Metronir	Metronidazole	Antiprtozoal	Unknown	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
		Amoebiasis , Gardiasis جارديا واميبييا	Unknown		
MEVA	135 mg Mebeverine hydrochloride	Gastro Intestinal drugs	Jamjoum Pharma	Adult: Orally 135 mg 3 times/day. Extended release 200 mg twice daily. Children 25-100 mg	
Tablets		Abdominal Spasm آلام البطن	Saudi Arabia		
30 Film Coated Tablets					
Mevluxa	levetiracetam 100 mg / ml	Central Nervous system drugs	WOCKHADT	start by 1 g , then increased in increments of 1 g every 2 to 4 weeks until effective antiepileptic control is achieved, up to a maximum dose of 3 g daily.children 20	
Solution		Epilepsy الصرع	Unknown		
300 ml					
Mezolam	Midazolam 7.5 mg / tab	Central Nervous system drugs	Shiba pharma	insomnia; midazolam 7.5 to 15 mg at night. Intramuscularly as a premedicant 5 mg; Children may be premedicated with oral midazolam	
Tablets		Anaesthetics General التخدير العام	Yemen		
10 Tablets					
Miconaz	Miconazole Nitrate 2%	Antifungals	MUP	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Cream		Fungal Infections الاصابات الفطرية	Egypt		
20 gm					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Miconaz oral	Miconazole 2%	Antifungals	MUP	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Gel		Fungal Infections الأصباات الفطرية	Egypt		
20 gm					
Miconaz oral	Miconazole 2%	Antifungals	MUP	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Gel		Fungal Infections الأصباات الفطرية	Egypt		
1 tupe 20g					
Micozole	Miconazole nitrate 150mg+Metronidazole 500mg	Antifungals	Barakat pharm	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Suppositoris		Vaginal المهبل	Syria		
10 vag. Ovules					
Microgynon	levonorgestrel and ethinnylestradiol	Gynaecology drugs	BAYER	one tablte daily from the frist day of menstution for 21 day	
Tablets		Contraceptives موانع الحمل	Germany		
21					
Midazole	Metronidazole 250 mg	Antiprtozoal	MUP	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , Giardiasis جارديا واميبيا	Egypt		
20 tab					
Midazole	Metronidazole	Antiprtozoal	MUP	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Suspension		Amoebiasis , Giardiasis جارديا واميبيا	Egypt		
120 ml					
Midocef	Cefaclor	Antibiotics	Unknown	tab 750mg & 375mg cap 500mg 250mg 125mg	
		الأصباات الميكروبية Microbial Infections	Unknown		

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Mikalogis	Amikacin Sulfate 500 mg/ 2 ml	Antibiotics	Vitalis	IM, IV. : Adults, children, older infants: 15 mg/kg in 2–3 divided doses, 7–10 days. Maximum: 15 mg/kg/d. Once daily dosing of amikacin has been advocated	
Vial		Serious M. Infections	Unknown		
1 vial / 2 ml		الأمراض الميكروبية الخطيرة			
Miko-penotran	Miconazole Nitrate 1200mg	Antifungals	MEGA	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Suppositoris		Vaginal المهبل	Thailand		
1 Vaginal Pessary					
Milk Thistle Extract	Silymarin	Gastro Intestinal drugs	Unknown	Dry extract capsules are administered at 200 to 400 mg/day or 12 to 15 g of dried seed per day.	
		Hepatic Disorders	Unknown		
		اضطرابات الكبد			
MILOXY	Amoxicillin 125 mg / 5 ml	Antibiotics	MILAN	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Suspension		الأمراض الميكروبية	India		
100 ml		Microbial Infections			
Minadex	Vit.A 195 mcg, vit.D 1.62 mcg , iron 12mg , potassium 2.25 mg , calcium 11.25 mg,	Vitamines and Menirals	Unknown	As directed	
Syrup		Vitamins	Unknown		
200 ml		نقص فيتامينات			
MINERAVIT	Multi vitamin and Menirals	Vitamines and Menirals	EIPICO	As directed	
Capsules		Vitamins	Egypt		
20 Capsules		نقص فيتامينات			
Miniguava	herbal extract	Respiratory drugs	pharo pharma	As directed	
Oral /Drops		Common Cold	Egypt		
15 ml		نزلات البرد			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Miniscar	Combination	Skin Disorders	Charak	As directed	
Cream		Dermatitis التهابات الجلدية	Unknown		
30 gm					
MINOFEN	Aminophylline 250 mg / 10 ml	Respiratory drugs		16 mg/kg/daily	
Ampoules		Bronchial Asthma الربو الشعبي			
5 amp x 10 ml					
Minox	Minoxidil 2 gm / 100 ml	Skin Disorders	Shiba pharma	1 mL of a 2% or 5% solution of minoxidil is applied twice daily to the scalp. The 5% solution is not recommended for women.	
Solution		Health Care الصحة العامة	Yemen		
100 ml					
Minox	Minoxidil 5 gm / 100 ml	Skin Disorders	Shiba pharma	1 mL of a 2% or 5% solution of minoxidil is applied twice daily to the scalp. The 5% solution is not recommended for women.	
Solution		Health Care الصحة العامة	Yemen		
100 ml					
Mirtaz-15	Mirtazapine tablet 15mg	Central Nervous system drugs	SUN	PO for depression 15 mg/day at bedtime initially, increasing at 1-2-week intervals to a maximum of 45 mg/day. Minimum/Maximum Adult Daily Dose:15 - 45 mg	
Tablets		Mental Disorders الأمراض العقلية	India		
30 tablets					
Miscadol	Orphenadrine Citrate	Muscle relaxations	julphar	by mouth in a dose of 100 mg twice daily or by intramuscular or slow intravenous injection in a dose of 60 mg which has been repeated every 12 hours.	
Tablets		Parkinson's disease مرض الرعاش	UAE		
box of 20 tablets of 35mg/tablet					
MISOCLEAR	Misoprostol 200 microgrames	Gastro Intestinal drugs	Unknown	200 micrograms two to four times daily	
Tablets		Peptic ulcer قرحة المعدة	Unknown		
10 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Mixderm	Unknown	Skin Disorders	Unknown	As directed	
Cream		Dermatitis التهابات الجلدية	Unknown		
15 gm					
Mixtard 30	insulin human	Antidiabetics	Novo Nordisk	0.5 - 0.7 u/kg , in sever cases or gestational D.M 1 u/ kg	
Vial		Diabetes Mellitus أمراض السكري	Denmark		
10 ml vial					
Mixtard 30	insulin	Antidiabetics	Novo Nordisk	0.5 - 0.7 u/kg , in sever cases or gestational D.M 1 u/ kg	
Vial		Diabetes Mellitus أمراض السكري	Denmark		
1					
Mixtard 30 hm penfill	insulin human	Antidiabetics	Novo Nordisk	0.5 - 0.7 u/kg , in sever cases or gestational D.M 1 u/ kg	
Vial		Diabetes Mellitus أمراض السكري	Denmark		
5 * 3 ml					
Mixtard 30 penfill	insulin human	Antidiabetics	Novo Nordisk	0.5 - 0.7 u/kg , in sever cases or gestational D.M 1 u/ kg	
Vial		Diabetes Mellitus أمراض السكري	Denmark		
5 * 3 ml					
Mixtard 50 penfill	insulin human	Antidiabetics	Novo Nordisk	0.5 - 0.7 u/kg , in sever cases or gestational D.M 1 u/ kg	
Vial		Diabetes Mellitus أمراض السكري	Denmark		
5*3ml					
Mmusol	ambroxol (15 mg/ 5ml)	Respiratory drugs	Global Pharma	5 ml by mouth, in 2 or 3 divided doses.	
Solution		Respiratory Disorders اضطرابات الجهاز التنفسي	Unknown		
100 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Mobic	Meloxicam tablet 15 mg	Nonsteroidal Anti-	Boehringer Ingelheim	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Tablets		مهدئات الأوجاع	Germany		
10 tablets.					
Mobicam	Meloxicam tablet 15 mg & 7.5mg.	NSAID	BIOPHARM	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Tablets		مهدئات الأوجاع	Yemen		
20 tablets.					
Mobitil	Meloxicam ampule 15mg/1.5ml.	Nonsteroidal Anti-	MUP	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Ampoules		مهدئات الأوجاع	Egypt		
3 ampules.					
MOBITIL	Meloxicam 15 mg	Non-Steroidal Anti-	MUP	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Suppositoris		مهدئات الأوجاع	Egypt		
6 rectal sup					
Mobitil	Meloxicam ampule 15mg/1.5ml.	Nonsteroidal Anti-	MUP	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Ampoules		مهدئات الأوجاع	Egypt		
3 ampules.					
Mobitil 15 mg	Meloxicam tablet 15mg.	Nonsteroidal Anti-	MUP	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Tablets		مهدئات الأوجاع	Egypt		
10film coated tablets.					
Mobitil 15 mg	Meloxicam	Non-Steroidal Anti-	MUP	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Tablets		مهدئات الأوجاع	Egypt		
10 Film Coated Tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Mobitil 7.5 mg	Meloxicam tablet 7.5mg.	Nonsteroidal Anti-	MUP	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Tablets		مهدئات الأوجاع	Egypt		
10 tablets.					
Mobitil 7.5 mg	Meloxicam	Non-Steroidal Anti-	Unknown	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
		مهدئات الأوجاع	Unknown		
MOBIXIN 15	Meloxicam	NSAID	Global Pharma	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Tablets		مهدئات الأوجاع	Yemen		
10 tabs					
MOBIXIN 15	Meloxicam 15 mg	NSAID	Global Pharma	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Suppositoris		مهدئات الأوجاع	Yemen		
6 supp					
Modazar	Losartan 100 mg + Hydrocholrothiazide 25 mg / tab	Cardio Vascular System drugs	EGYPHAR	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
Tablets		ارتفاع ضغط الدم	Egypt		
4tab OR 8tab					
MODECEF	Cephadrine 250 mg/ 5 ml	Antibacterial	Modern Pharama	Children may be given 25 to 100 mg/kg daily in divided doses to a maximum of 4 g daily.	
Dry syrup		Bacterial Infections	Yemen		
100 ml		الاصابات البكتيرية			
MODECEF 500	Cephadrine 500 mg	Antibacterial	Modern Pharama	The usual dose for adults is 1 to 2 g daily given in divided doses, Children may be given 25 to 100 mg/kg daily in divided doses to a maximum of 4 g daily.	
Capsules		Bacterial Infections	Yemen		
1strip*10capsul		الاصابات البكتيرية			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Moduretic	Amiloride HCL 5 mg + Hydrochlorothiazide 50 mg	Cardio Vascular System drugs	MSD	Amiloride 5 to 10 mg daily, Hydrochlorothiazide 25 to 50 mg daily	
		Hypertension ارتفاع ضغط الدم	USA		
Moduretic	Amiloride +Hydrochlorothiazide	Cardio Vascular System drugs	unknown	Amiloride 5 to 10 mg daily, Hydrochlorothiazide 25 to 50 mg daily	
		Hypertension ارتفاع ضغط الدم	Unknown		
Momenta	Mometasone furoate 0.1% w/w+ Miconazole 2% w/w + Gentamicin 0.1% w/w	Corticosteroid	Jamjoom Pharma	Once daily or as directed	
Cream		Dermatitis الالتهابات الجلدية	Saudi Arabia		
30 gm /tube					
MONICURE NH	Miconazole Nitrate 100mg+Neomycin sulfate 50mg+Nystatin 100000iu	Antifungals	Pharo pharma	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Suppositoris		Vaginal المهبل	Egypt		
6 Vaginal supp					
Monotrate	Isosorbide Mononitrate 20 mg	Cardio Vascular System drugs	Unknown	oral doses of 20 to 120 mg daily in divided doses according to the patient's needs.	
Tablets		Angina الذبحة الصدرية	Unknown		
10 x 10 tab					
Montas	Montelukast Sodium	Respiratory drugs	ZYNOVA	10 mg of montelukast once daily in the evening; children aged 6 to 14 years may be given the equivalent of 5 mg in the evening and children aged 6 months to 5 years may be	
Tablets		Bronchial Asthma الربو الشعبي	Unknown		
28 tab					
Monte H5	Montelukast Sodium	Respiratory drugs	HETERO	10 mg of montelukast once daily in the evening; children aged 6 to 14 years may be given the equivalent of 5 mg in the evening and children aged 6 months to 5 years may be	
Tablets		Bronchial Asthma الربو الشعبي	Unknown		
1x 10 chewable tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Mopidon	Dexamethasone 0.5 mg + Chlorphenamine Maleate 2 mg	Antihistamines	Modern Pharama	As directed	
Solution		Allergy الحساسية	Yemen		
100 ml					
Mosetifen	Pizotifen 0.5 mg	Antihistamines	Modern Pharama	1.5 mg daily by mouth either in three divided doses or as a single dose at night	
Tablets		Appetizer منشطات الشهية	Yemen		
30 tablet					
Moti	Domperidone	Gastro Intestinal drugs	Global Pharma	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily. In children, 250 to 500 micrograms/kg by mouth	
susp		Nausea and vomiting الغثيان والطرش	Yemen		
100 ml for bottle					
Motidom	Domperidone	Gastro Intestinal drugs	Medfey	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily. In children, 250 to 500 micrograms/kg by mouth	
Tablets		Nausea and vomiting الغثيان والطرش	Unknown		
3 x 10 tab					
Motil	Domperidone 1mg	Gastro Intestinal drugs	Global Pharma	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily. In children, 250 to 500 micrograms/kg by mouth	
Drops		Nausea and vomiting الغثيان والطرش	Yemen		
30 ml					
Motil	Domperidone 10mg	Gastro Intestinal drugs	Global Pharma	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily. In children, 250 to 500 micrograms/kg by mouth	
Suppositoris		Nausea and vomiting الغثيان والطرش	Yemen		
5 supp					
Motil	Domperidone 30mg	Gastro Intestinal drugs	Global Pharma	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily. In children, 250 to 500 micrograms/kg by mouth	
Suppositoris		Nausea and vomiting الغثيان والطرش	Yemen		
5 supp					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Motil 10	Domperidone 10 mg	Gastro Intestinal drugs	Global Pharma	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily. In children, 250 to 500 micrograms/kg by mouth	
Tablets		Nausea and vomiting الغثيان والطرش	Yemen		
20 tabs					
Motilat	Domperidone 10 mg	Gastro Intestinal drugs	RAM PHARMA	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily. In children, 250 to 500 micrograms/kg by mouth	
Tablets		Nausea and vomiting الغثيان والطرش	Jordan		
30 tab					
Motilat	Domperidone	Gastro Intestinal drugs	RAM PHARMA	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily. In children, 250 to 500 micrograms/kg by mouth	
Suspension		Nausea and vomiting الغثيان والطرش	Jordan		
100 ml					
Motildon	Domperidone 10 mg	Gastro Intestinal drugs	BIOPHARM	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily. In children, 250 to 500 micrograms/kg by mouth	
Tablets		Nausea and vomiting الغثيان والطرش	Yemen		
20 tab					
Motilin	Domperidone 5 mg	Gastro Intestinal drugs	Shiba pharma	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily. In children, 250 to 500 micrograms/kg by mouth	
Suspension		Nausea and vomiting الغثيان والطرش	Yemen		
60 ml					
Motilin	Domperidone 5 mg / 5 ml	Gastro Intestinal drugs	Shiba pharma	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily. In children, 250 to 500 micrograms/kg by mouth	
Suspension		Nausea and vomiting الغثيان والطرش	Yemen		
100 ml					
Motilin	Domperidone 1 mg / 1 ml	Gastro Intestinal drugs	Shiba pharma	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily. In children, 250 to 500 micrograms/kg by mouth	
Suspension Oral Drops		Nausea and vomiting الغثيان والطرش	Yemen		
30 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms			Country		
Package		Disease			
Motilin Tablets	Domperidone 10 mg / tab	Gastro Intestinal drugs	Shiba pharma	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily. In children, 250 to 500 micrograms/kg by mouth	
Tablets		Nausea and vomiting الغثيان والطرش	Yemen		
20 tab					
Motilium	Domperidone	Gastro Intestinal drugs	Janssen-Cilag	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily. In children, 250 to 500 micrograms/kg by mouth	
Suspension		Nausea and vomiting الغثيان والطرش	Switzerland		
200 ml for bottle					
Motilium	Domperidone	Gastro Intestinal drugs	janssen	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily. In children, 250 to 500 micrograms/kg by mouth	
Tablets		Nausea and vomiting الغثيان والطرش	Switzerland		
30 tab					
Motilium	Domperidone 10 mg	Gastro Intestinal drugs	Janssen-Cilag	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily. In children, 250 to 500 micrograms/kg by mouth	
Tablets		Nausea and vomiting الغثيان والطرش	Germany		
30 tab					
Motilium	Domperidone	Gastro Intestinal drugs	Global Pharma	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily. In children, 250 to 500 micrograms/kg by mouth	
Suspension		Nausea and vomiting الغثيان والطرش	Yemen		
100 ml					
Motin	Domperidone	Gastro Intestinal drugs	OUBARY PHARMA	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily. In children, 250 to 500 micrograms/kg by mouth	
Suppositoris		Nausea and vomiting الغثيان والطرش	Syria		
10 child sup					
Motin	Domperidone	Gastro Intestinal drugs	OUBARY PHARMA	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily. In children, 250 to 500 micrograms/kg by mouth	
Tablets		Nausea and vomiting الغثيان والطرش	Syria		
20 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Motin Babies	Domperidone	Gastro Intestinal drugs	OUBARY PHARMA	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily. In children, 250 to 500 micrograms/kg by mouth	
Suppositoris		Nausea and vomiting الغثيان والطرش	Syria		
10 babies supps					
Movilox	Moxifloxacin Hydrochloride	Antibacterial	Unknown	Oral tablets 400mg , I.V Infusion 400mg once daily, Or 0.5% eye drops	
		Bacterial Infections	Unknown		
		الأصابات البكتيرية			
Moxal plus Susp	Al(OH) 215 mg+Mg(OH) 80 + Simethicone 25 mg	Gastro Intestinal drugs	Julphar	*tab = 40 -120 mg QID orall a.m * susp = 10 ml QID sachets = one sachet QID	
Suspension		Indigestion سوء الهضم	UAE		
100 ml for bottle					
Moxal plus Tab	Al(OH)200 mg+Mg(OH) 200mg+Simethicone 25 mg	Gastro Intestinal drugs	Julphar	tab = 40 -120 mg QID orall a.m * susp = 10 ml QID *sachets = one sachet QID	
Tablets		Indigestion سوء الهضم	UAE		
30 tabs					
Moxalin	Amoxicillin*	Antibiotics	Modern Pharama	125 to 250 mg every 8 hours	
Dry syrup		الأصابات الميكروبية Microbial Infections	Yemen		
1bottel*100ml					
Moxalin	Amoxicillin*	Antibiotics	Modern Pharama	250 - 1000 mg three times daily	
capsules		الأصابات الميكروبية Microbial Infections	Yemen		
10strip*10capsules					
MOXALIN	Amoxicillin	Antibiotics	Modern Pharama	125 to 250 mg every 8 hours	
Oral /Drops		الأصابات الميكروبية Microbial Infections	Yemen		
10 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Moxalin	Amoxicillin 125 ml / 5 ml	Antibiotics	Modern Pharama	125 to 250 mg every 8 hours	
Dry Syrup		الأمراض الميكروبية Microbial Infections	Yemen		
100 ml					
MOXALIN 500	Amoxicillin 500 mg	Antibiotics	Modern Pharama	250 - 1000 mg three times daily	
Capsules		الأمراض الميكروبية Microbial Infections	Yemen		
20 cap					
Moxaquín	Moxifloxacin Hydrochloride	Antibacterial	Unknown	Oral tablets 400mg , I.V Infusion 400mg once daily, Or 0.5% eye drops	
		Bacterial Infections الأمراض البكتيرية	Unknown		
Moxen 500mg	Amoxicillin	Antibiotics	DELORBIS	cap 1gm & 500mg & 250mg syrup 250mg & 125mg drop 100mg Vial 1gm & 500mg & 250mg	
Capsules		الأمراض الميكروبية Microbial Infections	Cyprus		
100 cap					
Moxicare	Amoxicillin 500 mg / cap	Antibiotics	pharmacare	250 - 1000 mg three times daily	
Capsules		الأمراض الميكروبية Microbial Infections	Yemen		
2strip x 10 capsules					
Moxicare	Amoxicillin 250 mg/ 5 ml	Antibiotics	Pharmacare	125 to 250 mg every 8 hours	
Dry syrup		الأمراض الميكروبية Microbial Infections	Yemen		
100 ml					
Moxicin	Moxifloxacin Hydrochloride	Antibacterial	Unknown	Oral tablets 400mg , I.V Infusion 400mg once daily, Or 0.5% eye drops	
Eye drops		Bacterial Infections الأمراض البكتيرية	Unknown		

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Moxicip	Moxifloxacin HCl*	Antibacterial	CIPLA	Oral tablets 400mg , I.V Infusion 400mg once daily, Or 0.5% eye drops	
tablet		Bacterial Infections الأمراض البكتيرية	India		
1strip*5tablet					
Moxiflo	Moxifloxacin Hydrochloride	Antibacterial	Unknown	Oral tablets 400mg , I.V Infusion 400mg once daily, Or 0.5% eye drops	
		Bacterial Infections الأمراض البكتيرية	Unknown		
Moxiram	Amoxicillin*	Antibiotics	RAM PHARMA	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
tablet		الأمراض الميكروبية Microbial Infections	Jordan		
1strip*10tablet					
MOXIVAL	Moxifloxacin Hydrochloride 400 mg	Antibacterial	Global Pharma	Oral tablets 400mg , I.V Infusion 400mg once daily, Or 0.5% eye drops	
Tablets		Bacterial Infections الأمراض البكتيرية	Yemen		
5 tabs					
MUCACID	Unknown	Gastro Intestinal drugs	EIPICO	tab = 40 -120 mg QID orall a.m * suspension = 10 ml QID *sachets = one sachet QID	
Suspension		سوء الهضم Indigestion	Egypt		
125 ml					
Mucodil	Bromhexine (.....)	Respiratory drugs	MEDREICH	Bromhexine is usually given by mouth in a dose of 8 to 16 mg of the hydrochloride three times daily.	
Syrup		Respiratory Disorders اضطرابات الجهاز التنفسي	Unknown		
100 ml					
Muconil	Each 5 ml contains : Ambroxol HCl 30mg + Guaiphenesin 50mg	Respiratory drugs	Pharmacare	5 ml by mouth, in 2 or 3 divided doses.	
Syrup		Respiratory Disorders اضطرابات الجهاز التنفسي	Yemen		
100 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
Muconil	Each 1 ml contains Ambroxol HCl 7.5 mg	Respiratory drugs	Pharmacare	Children 1 - 6 years: 1 ml 2-3 times daily and Children over 6 years: 2 ml 2 - 3 times daily	
Drops		Respiratory Disorders	Yemen		
30 ml		اضطرابات الجهاز التنفسي			
Muconil SR	Each capsule contains Ambroxol HCl 75 mg	Respiratory drugs	Pharmacare	Adults & children over 12 years: 1 capsule once daily	
Capsules		Respiratory Disorders	Yemen		
10 cap		اضطرابات الجهاز التنفسي			
Mucosental	Ambroxol Hydrochloride 7.5 mg / 1 ml	Respiratory drugs	Shiba pharma	usual daily dose of 60 to 120 mg	
Oral Drops / Solution		Respiratory Disorders	Yemen		
30 ml		اضطرابات الجهاز التنفسي			
Mucosin S.R.	ambroxol 75 mg	Respiratory drugs	RAMEDA	1 capsule by mouth, in 2 or 3 divided doses.	
Hard Gelatin Capsules		Respiratory Disorders	Egypt		
10 Hard Gelatin Capsules		اضطرابات الجهاز التنفسي			
Mucosolvan	ambroxol (15mg/5ml)	Respiratory drugs	Boehringer Ingelheim	5 ml by mouth, in 2 or 3 divided doses.	
Elixir		Respiratory Disorders	Germany		
100 ml		اضطرابات الجهاز التنفسي			
Mucosolvan	Ambroxol Hydrochloride 30 mg /tab	Respiratory drugs	Boehringer Ingelheim	usual daily dose of 60 to 120 mg	
Tablets		Respiratory Disorders	Germany		
20 tab		اضطرابات الجهاز التنفسي			
MUFIK-15	meloxicam 15mg/tablet.	NSAID	RFA	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Tablets		مهدئات الأوجاع	Yemen		
20 tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
MUFIK-7.5	Meloxicam7.5 mg/tablets.	NSAID	RFA	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Tablets		مهدئات الأوجاع	Yemen		
20 tablets					
MULTIPLAN+IRON	Multi Vitamines	Vitamines and Menirals	LIFEPLAN	As directed	
Tablets		Vitamins نقص فيتامينات	Unknown		
60 tablet					
Multiplus	Multi vitamin and Menirals + omega3	Vitamines and Menirals	Sona nutrition LTD. Ireland	As directed	
Syrup		Vitamins نقص فيتامينات	Unknown		
100 ml					
Multiplus	Multi vitamin and Menirals + omega3	Vitamines and Menirals	Sona nutrition LTD. Ireland	As directed	
Capsules		Vitamins نقص فيتامينات	Unknown		
30 Capsules					
Multi-sanostol	Multi Vitamines	Vitamines and Menirals	Unknown	As directed	
Syrup		Vitamins نقص فيتامينات	Unknown		
200 gm					
Multi-sanostol	Multi Vitamines	Vitamines and Menirals	Unknown	As directed	
		Vitamins نقص فيتامينات	Unknown		
Multi-sanostol with calcium	multi vitamin with calcium	Vitamines and Menirals	Nycomed .Germany	As directed	
Syrup		Vitamins نقص فيتامينات	Unknown		
200mg of syrup					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Multi-sanostol with iron	multi vitamin with iron	Vitamines and Menirals	Nycomed ,Germany	As directed	
Syrup		Vitamins	Unknown		
syrup 285g		نقص فيتامينات فيتامينات			
MULTITABLETS	12 vitamins+11 minerals+iron	Vitamines and Menirals	lab. Wolfs N V	As directed	
Tablets		Vitamins	Unknown		
30 coated tabs		نقص فيتامينات فيتامينات			
Multivitol Fort	MULTIVITAMIN S + IRON + ZINC.	Vitamines and Menirals	OCTOBER PHARMA	As directed	
Syrup		Vitamins	Egypt		
120ml		نقص فيتامينات فيتامينات			
Musol	Ambroxol (7.5 mg/1 ml)	Respiratory drugs	Global Pharma	1 ml by mouth, in 2 or 3 divided doses.	
Oral /Drops		Respiratory Disorders	Unknown		
30 ml		اضطرابات الجهاز التنفسي			
Musol	Ambroxol Hydrochloride	Respiratory drugs	Unknown	usual daily dose of 60 to 120 mg	
		Respiratory Disorders	Unknown		
		اضطرابات الجهاز التنفسي			
Muvit	vitamins + minerals ,food supplement	Vitamines and Menirals	shaphaco	Adult : 5 ml three times a day , Children : 2.5 - 5 ml two times a day .	
Capsules		Vitamins	Yemen		
30 cap		نقص فيتامينات فيتامينات			
Muvit antioxidant	vitamins + minerals ,food supplement	Vitamines and Menirals	shaphaco	Adult : 5 ml three times a day , Children : 2.5 - 5 ml two times a day .	
Capsules		Vitamins	Yemen		
30 cap		نقص فيتامينات فيتامينات			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Muvit cal	Calcium 500mg+ Vit d250IU+Mg oxide 40mg+Mg sulphate 1.8mg+Zinc 7.5mg+copper	Vitamines and Menirals	Shaphaco	Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Capsules		Osteoarthritis التهابات العظام	Yemen		
30 softlets					
Muvit Gold	vitamin, amino acids, mineral, ginseng	Vitamines and Menirals	shaphaco	One capsule or more daily or as prescribed by the physician	
capsules		Vitamins نقص فيتامينات	Yemen		
15 capsules					
Mybacin lozenges	neomycin 2.5 mg + Bacitracin 100 mg + amyloczine 0.5 mg	Antiseptic and Desinfectants	greater ph.	As directed	
Lozenges		Common Cold نزلات البرد	Unknown		
100 tab					
Mycocur	Terbinafine HCl 1%	Antifungals	NOBEL	As directed	
Cream		Dermatitis التهابات الجلدية	Unknown		
15 gm					
Mycoheal 200	Nitrate de miconazol B.P. 200mg	Antifungals	Dar Al Dawa	Minimum/Maximum Adult Daily Dose: 100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Suppositoris		Vaginal المهبل	Jordan		
7 Supositore vaginale					
Mycoheal HC cream	miconazol 20 mg + hydrocortisone 10 mg	Antifungals	Dar Al Dawa	Minimum/Maximum Adult Daily Dose: 100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Cream		Fungal Infections الأصابات الفطرية	Jordan		
1 tube 15 gm					
Mycosat Oral	Nystatin 100000 i.u./ml + Propyl paraben 0.04mg + Methyl paraben 0.1mg	Antifungals	Amman pharma	Three to four times daily	
Suspension		Fungal Infections الأصابات الفطرية	Jordan		
30 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Mycosyst 150 mg	Fluconazole	Antifungals	Unknown	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	
Capsules		Dermatitis الالتهابات الجلدية	Unknown		
2 cap					
Mycoten	Clotrimazole	Antifungals	beit jala	topically two or three times daily for 2 to 4 weeks as a 1% cream, lotion, spray, or solution, pessaries in dosage regimens of 100 mg for 6 days, 200 mg for 3 days, or a single	
Cream		Vaginal المهبل	Palestine		
20 gm					
Mycoten Tablets	Each vaginal tablet contains 500 mg Clotrimazole	Antifungals	Beit Jala	topically two or three times daily for 2 to 4 weeks as a 1% cream, lotion, spray, or solution, pessaries in dosage regimens of 100 mg for 6 days, 200 mg for 3 days, or a single	
Tablets		Vaginal المهبل	Palestine		
1					
MYDOCALM	Tolperisone Hydrochloride	Central Nervous system drugs	Unknown	doses of 50 to 150 mg three times daily by mouth. It has also been given by injection.	
Tablets		Muscle relaxation مرخيات العضلات	Unknown		
30 tab					
MYDOCALM 50 mg	Tolperisone Hydrochloride	Central Nervous system drugs	Unknown	doses of 50 to 150 mg three times daily by mouth. It has also been given by injection.	
Ampoules		Muscle relaxation مرخيات العضلات	Unknown		
5 amp					
Mylobac	Baclofen	Muscle relaxations	Unknown	Adult dose 5 - 20 mg three times daily , for children 0.75 to 2 mg/kg daily	
		Hiccup أو الفواق	Unknown		
Mylor	herbal extract	Respiratory drugs	Y.E.PHARMA	As directed	
Syrup		Common Cold نزلات البرد	Yemen		
120 ml					


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
Mylor	Unknown	Unknown	Unknown	As directed	
Syrup		Common Cold	Unknown		
120 ml		نزلات البرد			
Myogrel	Clopidogrel Bisulfate	Cardio Vascular System drugs	ADWIA	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily. prophylaxis of thromboembolic events, 75 mg once daily	
Tablets		Thrombosis	Egypt		
30 tab		الجلطات			
myogestic	Orphenadrine Citrate + paracetamol	Muscle relaxations	Dar Al Dawa	by mouth in a dose of 100 mg twice daily or by intramuscular or slow intravenous injection in a dose of 60 mg which has been repeated every 12 hours.	
Tablets		Parkinson's disease	Jordan		
box of 20 tablet of 35mg		مرض الرعاش			
Myogestic	Orphenadrine 35mg+paracetamol 1450mg /tablet.	Muscle relaxations	Dar al dawa.	Minimum/Maximum Adult Daily Dose: 3 - 8 Tablets.	
Tablets		Parkinson's disease	Unknown		
20 tablets.		مرض الرعاش			
MYOLGESIC	Ibuprofen	Non-Steroidal Anti-	KAHIRA PHARM	Oral doses of 400 mg to 1.2 g daily .	
Tablets		Analgesic	Egypt		
10 tab		مهدئات الأوجاع			
Myolgin	paracetamol	Skeletal Muscle	GlaxoWellcome	250 mg three or four times daily, up to 750 mg three or four times daily may be given if necessary.	
Capsules		Muscle relaxation	Unknown		
20 capsules of 250mg/capsule		مرخيات العضلات			
Myonal	Eperisone	Muscle relaxations	Eisai	by mouth in usual doses of 50 mg three times daily after food.	
Tablets		Muscle relaxation	JAPAN		
30 talet		مرخيات العضلات			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Nadine	Ranitidine	Gastro Intestinal drugs	DIC	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Tablets		Peptic ulcer قرحة المعدة	Jordan		
10 tabs					
Naklofen	Diclofenac potassium	Non-Steroidal Anti-	KRKA	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Ampoules		Analgesic مهدئات الأوجاع	India		
5 amp of 3 ml					
Naklofen	Diclofenac Potassium	Non-Steroidal Anti-	KRKA	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Capsules		Analgesic مهدئات الأوجاع	India		
20 cap					
Naldix	Nalidixic Acid 125 mg / 5 ml	Antibacterial	Shiba pharma	Adult 4 gm , Children 50 to 60 mg/kg: daily by mouth in 4 divided doses for at least 7 days in acute infections	
Suspension		Diarrhea الأسهال	Yemen		
100 ml					
Naldix 500	Nalidixic Acid 500 mg / tab	Antibacterial	Shiba pharma	Adult 4 gm , Children 50 to 60 mg/kg: daily by mouth in 4 divided doses for at least 7 days in acute infections	
Tablets		Diarrhea الأسهال	Yemen		
20 tab					
Naligid	Nalidixic Acid 250 mg / 5 ml and Nalidixic Acid 125 mg / 5 m	Antibacterial	Pharmacare	Adult 4 gm , Children 50 to 60 mg/kg: daily 4 divided doses for 7 days in acute infections	
Suspension		Diarrhea الأسهال	Yemen		
120 ml					
Napilac	Etodolac capsule 200mg.	Nonsteroidal Anti-	GLOBAL NAPI	Minimum/Maximum Adult Daily Dose: 500 - 1000 mg (milligram) OR 1 - 2 Tablet	
Capsules		Analgesic مهدئات الأوجاع	Egypt		
20 capsules					


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
Naproxen 500 mg	Naproxen	Non-Steroidal Anti-	DELORBIS	500 mg to 1 g of naproxen daily , children 10 to 15 mg/kg twice daily	
Tablets		Analgesic مهدئات	Cyprus		
20 tab		الأوجاع			
Napta-40	Pantoprazole 40 mg	Gastro Intestinal drugs	Alex	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
Vial		Peptic ulcer قرحة المعدة	Unknown		
1 vial					
Nasal	Combination	Respiratory drugs	Global Pharma	As directed	
Drops		Nose	Unknown		
10 ml					
NASATAB	Clopheniramine 4 mg + Psedephedrine 60 mg + Paracetamol 50 mg	Respiratory drugs	Axcel	60 mg three or four times daily by mouth , oral doses for children 15-30 mg three or four times daily	
Tablets		Common Cold نزلات البرد	Unknown		
100 tab					
Nasivin 0.025 %	Oxymetazoline Hydrochloride	Respiratory drugs	Julphar	Nasal drops , or Orally in Adult 5 mg while children 1.25 to 2.5 mg as two or three times daily .	
Drops		Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	UAE		
10 ml					
Nasivin Adult D	Oxymetazoline HCL 0.05%	Respiratory drugs	julphar	Nasal drops , or Orally in Adult 5 mg while children 1.25 to 2.5 mg as two or three times daily .	
Adult Nasal / drops		Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	UAE		
10 ml					
Nasivin Pediatric D	Oxymetazoline HCL 0.025%	Respiratory drugs	julphar	Nasal drops , or Orally in Adult 5 mg while children 1.25 to 2.5 mg as two or three times daily .	
Pediatric Nasal / drops		Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	UAE		
10 ml					


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Nasocin	Sodium chloride 9 mg	Respiratory drugs	Modern Pharama	As directed	
Nasal Drops		Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	Yemen		
10 ml					
Nasonex	Mometasone Furoate	Respiratory drugs	Schering-Plough	Once daily	
Spray		Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	Belgium		
120 meterd sprays					
Nasonex	Mometasone Furoate 0.05% 50 mic g	Respiratory drugs	schering-plough	Once daily	
Nasal / Spray		Nose	Belgium		
120 dose					
NATELAL	Calcium +Vitamin D	Vitamines and Menirals	LIFEPHARMA	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Tablets		Osteoarthritis التهابات العظام	Italy		
60 tab					
Nature Tears	Unknown	Natural products	Liqvor	As directed	
Drops		Eye العين	Unknown		
Navidoxine	Meclozine Hydrochloride 25 mg + PyridoxineHydrochloride 50 mg	Gastro Intestinal drugs	UCB	* Motion Sickness= ADULTS: PO 25–50 mg 1 hr before travel; children 6.25 - 12.5 mg once daily *Vertigo =ADULTS: PO 25–100 mg/day in divided doses	
Tablets		Nausea and vomiting الغثيان والطرش	Unknown		
10 tabs					
Navoproxin	Meclozine Hydrochloride 25 mg + PyridoxineHydrochloride 50 mg	Gastro Intestinal drugs	Delta pharma	* Motion Sickness= ADULTS: PO 25–50 mg 1 hr before travel; children 6.25 - 12.5 mg once daily *Vertigo =ADULTS: PO 25–100 mg/day in divided doses	
Tablets		Nausea and vomiting الغثيان والطرش	Egypt		
20 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Naxiprazol	Esomeprazole	Gastro Intestinal drugs	NCPI	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
Capsules		Peptic ulcer قرحة المعدة	Syria		
20 caps					
NEBILET	Nebivolol 5 mg	Cardio Vascular System drugs	MENARINI	2.5 - 5 mg of nebivolol daily	
Tablets		Hypertension ارتفاع ضغط الدم	Italy		
14 tab					
Nebilol	Nebivolol 5 mg	Cardio Vascular System drugs	Shiba pharma	2.5 - 5 mg of nebivolol daily	
Tablets		Hypertension ارتفاع ضغط الدم	Yemen		
30 tab					
Neo - HEALAR	Combination	Antihemorrhages	Unknown	As directed	
Suppositoris		Haemorrhoids البواسير	Unknown		
10 supp					
Neo_Penotran	Metronidazole 100mg+ miconazole 100mg	Antiprtozoal	MEGA	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Suppositoris		Amoebiasis , جارديا واميبييا	Thailand		
14 vaginal pessaries					
Neocarbon	Charcoal activated 315mg +soya oil 145 mg+essence of anise50 mg + essence of mint	Gastro Intestinal drugs	MARNYS	A usual adult dose for reduction of absorption is 50 g, but higher doses have been used. Children 1 to 12 years old may be given 25 to 50 g and infants under 1 year 1 g/kg.	
Soft Gelatin Capsules		Poisons التسمم	UK		
30 caps					
Neoclav	Amoxicillin/Clavulanate Potassium	Antibiotics	Neopharma	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
		الأميبات الميكروبية Microbial Infections	Unknown		


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Neoclav	Amoxicillin/Clavulanate Potassium	Antibiotics	Neopharma	The oral dose is 250 to 500 mg every 8 hours, or 500 to 875 mg every 12 hours.	
Tablets		الأمراض الميكروبية Microbial Infections	UAE		
20 tab					
Neoclav	Amoxicillin/Clavulanate Potassium	Antibiotics	Neopharma	Children up to 10 years 125 to 250 mg every 8 hours or Three times daily	
Suspension		الأمراض الميكروبية Microbial Infections	Unknown		
70 ml					
Neoclave	Amoxicillin/Clavulanate Potassium	Antibiotics	Neo pharma	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
tablet		الأمراض الميكروبية Microbial Infections	Unknown		
2strip*7tablet					
Neoday	Loratadine	Antihistamines	Neopharma	Orally in a dose of 10 mg once daily. Children 5-10 mg - once daily	
Tablets		الحساسية Allergy	UAE		
10 tab					
Neoflam-Retard	Diclofenac Sodium tablet 100mg	Nonsteroidal Anti-	Neopharma	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Tablets		مهدئات الأوجاع Analgesic	UAE		
10 tablets					
Neogastro plus	Unknown	Gastro Intestinal drugs	Neopharma	As directed	
Tablets		سوء الهضم Indigestion	UAE		
50 Chewable tablets					
Neogyl	Metronidazole	Antiprtozoal	Neopharma	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , Gardiasis جارديا واميبيا	Unknown		
20 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Neolax	Lactulose	Gastro Intestinal drugs	Global Pharma	10 to 20 g (15 to 30 mL) given daily by mouth in a single dose or in 2 divided doses	
solution		Constipation الأمساك	Yemen		
100 ml for bottle					
NEOMERCAZOLE	carbimazole	Hormones	AMDIPHARM	in oral by dectore only	
Tablets		Thyroid hormone الغدة الدرقية	Unknown		
100					
Neomet	Metformin 500mg	Antidiabetics	Neopharma	Initial dosage is 500 mg two or three times daily or 850 mg once or twice daily with or after meals, gradually increased if necessary, at intervals of at least 1 week, to 2 to 3 g daily;	
Tablets		Diabetes Mellitus أمراض السكري	UAE		
30 tab					
Neomox	Amoxicillin*	Antibiotics	Neo pharma	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Capsules		الأمصابات الميكروبية Microbial Infections	Unknown		
10strip * 10cap					
Neomox	Amoxicillin	Antibiotics	Neo pharma	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Suspension		الأمصابات الميكروبية Microbial Infections	Unknown		
100 ml					
Neomycin	Neomycin	Antibiotics	Memphis	tab 500mg	
Tablets		Serious M. Infections الأمصابات الميكروبية الخطيرة	Egypt		
2strip*10tablet					
Neo-Penotran	Miconazole nitrate 100mg+Metronidazole 500mg	Antifungals	MEGA	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Suppositoris		Vaginal المهبل	Thailand		
14 vaginal pessaries					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
Neoprazole - 40 mg	Omeprazole	Gastro Intestinal drugs	Neopharma	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
Capsules		Peptic ulcer قرحة المعدة	UAE		
14 cap					
neopril	Lisinopril	Cardio Vascular System drugs	Unknown	usual oral dose is 5 -20 mg daily,	
		Hypertension ارتفاع ضغط الدم	Unknown		
Neoxicam	Meloxicam tablet 15mg.	Nonsteroidal Anti-	Neopharma	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Tablets		Analgesic مهدئات الأوجاع	Unknown		
10 tablets					
Nervamin	Vit. B12(micobalamin e)	Vitamines and Menirals	Pharma International	Adults: PO 2 mcg/day. Children: PO 0.3 to 2 mcg/day	
Tablets		Anaemia فقر الدم	Jordan		
30 Tablets					
nervamine	mecobalamine500 micro gram	Vitamines and Menirals	Pharma International	Adults: PO 2 mcg/day. Children: PO 0.3 to 2 mcg/day	
Tablets		Anaemia فقر الدم	Jordan		
30 tablet					
Neseom 20	Esomeprazole 20 mg	Gastro Intestinal drugs	YEDCO	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
Tablets		Peptic ulcer قرحة المعدة	Yemen		
10 tab					
NEUROBILT	Gabapentin tablet 300 mg	Central Nervous system drugs	Modern Pharama	Minimum/Maximum Adult Daily Dose:900 - 3600 mg (milligram) OR 9 - 36 Capsule	
Capsules		Epilepsy الصرع	Yemen		
30 caps					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Neurobion	vit B1 100mg+B6 200mg+B12 200Mg	Vitamines and Menirals	MERCK	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Ampoules		Vitamins	Germany		
3 ampoules 3ml		نقص فيتامينات			
Neurobion	Vitamin B Substances	Vitamines and Menirals	MERCK	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Tablets		Vitamins	Germany		
20 tablet		نقص فيتامينات			
Neuromax	vit [B1+B6+B12]	Vitamines and Menirals	Global Pharma	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Tablets		Vitamins	Yemen		
20 Tablets		نقص فيتامينات			
Neuromeal	vit B1 100mg+B6 200mg+B12 200Mg	Vitamines and Menirals	Modern Pharama	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Tablets		Vitamins	Yemen		
20 tabs		نقص فيتامينات			
Neurorubine	Vitamin B Substances	Vitamines and Menirals	Unknown	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Ampoules		Neuritis; vitamin B deficiency	Unknown		
5 amp					
Neurorubine	Vit. B1.100MG&B6-200MG&B12-200 MG 5 Ampoules of 3ml	Vitamines and Menirals	mepha	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Ampoules		Vitamins	Unknown		
5 ampoules of 3ml		نقص فيتامينات			
Neurorubine-forte	Vitamin B Substances	Vitamines and Menirals	Acino	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Tablets		Vitamins	Switzerland		
20 tab		نقص فيتامينات			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
neurorubine-forte	vitB1 200mg+vitB6 50mg+vitB12 1000microgram	Vitamines and Menirals	mepha	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Tablets		Vitamins نقص فيتامينات	Unknown		
20 tablet					
Neurorubine-Forte	vit B1 100mg+B6 200mg+B12 200Mg	Vitamines and Menirals	mepha	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Tablets		Vitamins نقص فيتامينات	Unknown		
20 Tablets					
Neurotopretard 300	carbamazepin tablet 600 mg	Central Nervous system drugs	GEROT LANNACH	Initial oral dose is 100 to 200 mg once or twice daily gradually increased by increments of 100 to 200 mg every 2 weeks to a usual maintenance dose of 0.8 to 1.2	
Tablets		Epilepsy الصرع	Viena, Austria		
50 Tablet					
Neurotopretard 600	carbamazepin tablet 600 mg	Central Nervous system drugs	GEROT LANNACH	Initial oral dose is 100 to 200 mg once or twice daily gradually increased by increments of 100 to 200 mg every 2 weeks to a usual maintenance dose of 0.8 to 1.2	
Tablets		Epilepsy الصرع	Viena, Austria		
50 Tablet					
neurovit	vit B1 100mg+B6 200mg+B12 200Mg	Vitamines and Menirals	AMRIYA PHARMA	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Tablets		Vitamins نقص فيتامينات	Egypt		
20 Tablets					
Neurovit	Vitamin B Substances	Vitamines and Menirals	AMRIYA PHARMA	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Ampoules		Vitamins نقص فيتامينات	Egypt		
3 ampoules					
NEUROZAN Plus	Ginkgo Biloba+L-Arginine+Glutathione+Co-enzyme Q10+Phosphatidyl	Vitamines and Menirals	VITABIOTICS	As directed	
Capsules		Vitamins نقص فيتامينات	Unknown		
30 capsules					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Nevxal	Nepafenac 0.1%	Ophthalmic drugs	Orchidia Pharma	instilled 3 times daily starting on the day before surgery and continuing for 2 weeks after surgery.	
Suspension		العين Eye	Egypt		
5 ml					
New-dol	Paracetamol drops 100/ml.	Nonsteroidal Anti-	Global Pharma	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Oral /Drops		Antipyretic - مهدئات الأوجاع والحمى	Unknown		
15 ml					
New-dol	Paracetamol 500 mg	NSAID	Global Pharma	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - مهدئات الأوجاع والحمى	Yemen		
20 tab					
New-dol	Paracetamol 500 mg	NSAID	Global Pharma	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - مهدئات الأوجاع والحمى	Yemen		
10×10 tab					
New-dol	Paracetamol 250 mg	NSAID	Global Pharma	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Suspension		Antipyretic - مهدئات الأوجاع والحمى	Yemen		
60 ml					
New-dol	Paracetamol 160mg mg	NSAID	Global Pharma	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Suspension		Antipyretic - مهدئات الأوجاع والحمى	Yemen		
60 ml					
New-dol	Pseudoephedrine +cetirizine ???	Respiratory drugs	Global Pharma	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Tablets		Common Cold نزلات البرد	Unknown		
20 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
New-dol 125 mg	Paracetamol supp, 125mg.	Nonsteroidal Anti-	Global Pharma	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Suppositoris		Antipyretic -	Unknown		
10 supp,		Analgesic مهدئات الأوجاع والحمى			
New-dol 250 mg	Paracetamol supp, 250mg.	Nonsteroidal Anti-	Global Pharma	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Suppositoris		Antipyretic -	Unknown		
10 supp,		Analgesic مهدئات الأوجاع والحمى			
New-dol EXTRA	Paracetamol	NSAID	Global Pharma	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic -	Yemen		
20 tab		Analgesic مهدئات الأوجاع والحمى			
New-gra	Sildenafil Citrate 50 mg/ tablet	Sex Stimulants	Global Pharma	25 - 100 mg depending on response, about one hour before sexual intercourse	
Tablets		Sex Stimulants	Yemen		
4 tab		منشطات جنسية			
new-gra	Sildenafil Citrate 25 mg/ tablet	Sex Stimulants	Global Pharma	25 - 100 mg depending on response, about one hour before sexual intercourse	
Tablets		Sex Stimulants	Yemen		
10 tab		منشطات جنسية			
NEXAZOL	Esomeprazole	Gastro Intestinal drugs	Modern Pharama	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
Capsules		Peptic ulcer قرحة المعدة	Yemen		
14 cap					
Nexazol 40 mg	Esomeprazole	Gastro Intestinal drugs	Modern Pharama	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
Capsules		Peptic ulcer قرحة المعدة	Yemen		
14 caps					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
NEXITO-10	Escitalopram tablet 10mg	Central Nervous system drugs	SUN	Initial dose 10 mg/day orally single dose , maintenance dose 20 mg/day orally single dose only after a minimum of one week.	
Tablets		Mental Disorders	India		
30 tablets		الأمراض العقلية			
NEXITOP	Esomeprazole 20 mg	Gastro Intestinal drugs	Y.E.PHARMA	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
Capsules		Peptic ulcer قرحة المعدة	Yemen		
100 caps					
NEXITOP	Esomeprazole 40 mg	Gastro Intestinal drugs	Y.E.PHARMA	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
Capsules		Peptic ulcer قرحة المعدة	Yemen		
14 caps					
Nexium 20 mg	Esomeprazole	Gastro Intestinal drugs	ASTRAZENECA	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
Tablets		Peptic ulcer قرحة المعدة	UK= United Kingdom		
14 tabs					
Nexium 40 mg	Esomeprazole	Gastro Intestinal drugs	ASTRAZENECA	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
Tablets		Peptic ulcer قرحة المعدة	UK= United Kingdom		
14 tabs					
NEXOL	Esomeprazole 20mg	Gastro Intestinal drugs	Global Pharma	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
Capsules		Peptic ulcer قرحة المعدة	Yemen		
14 caps					
NEXOL	Esomeprazole 20	Gastro Intestinal drugs	Global Pharma	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
Capsules		Peptic ulcer قرحة المعدة	Yemen		
14 caps					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Nexpro	Esomeprazole	Gastro Intestinal drugs	Torrent	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
vial		Peptic ulcer قرحة المعدة	India		
1 vial					
NICE-BABAY	Unknown	Skin Disorders	Unknown	As directed	
Ointment		Dermatitis الألتهايات الجلدية	Unknown		
20 gm / tube					
Nice-Derm	Nystatin	Antifungals	Global Pharma	Three to four times daily	
Cream		Dermatitis الألتهايات الجلدية	Yemen		
15 g					
Niclosamide	Niclosamide	Anthelmintic	Unknown	Tapeworms: Single dose niclosamide 2 gm chewed tablets on empty stomach. Hymenolepis (H.Nana): 2 gm initially + 1 gm daily for 6 days	
Tablets		Tape Worms الدودة الشريطية	Unknown		
4 tab					
Nifedipine	Nifedipine	Cardio Vascular System drugs	Unknown	10 to 40 mg twice daily	
20, 10 mg		Hypertension ارتفاع ضغط الدم	Unknown		
Night&day	pseudoephedrine + paracetamol + diphenhydramine	Respiratory drugs	MUP	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Tablets		Common Cold نزلات البرد	Egypt		
10 tab					
Nilstat	Nystatin 100000 I.U.24 ml	Antifungals	SIGMA	Three to four times daily	
Oral /Drops		Fungal Infections الأصابات الفطرية	Egypt		
24 ml					


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Nimodipine	Nimodipine	Cardio Vascular System drugs	BAYER	orally in a dose of 60 mg every 4 hours	
Tablets		Hypertension ارتفاع ضغط الدم	Germany		
30 tab					
Nistan	Nystatin 100000 I.u./ml suspension	Antifungals	Modern Pharama	Three to four times daily	
Oral /Drops		Fungal Infections الأمراض الفطرية	Yemen		
30 ml					
Nitrest 10	Zolpidem Tartrate 10 mg	Central Nervous system drugs	SUN Pharma	10 mg taken immediately before retiring. In elderly or debilitated patients, treatment limited to a dose of 5 mg at night.	
Tablets		Anxiety, Insomnia الأرق والقلق	India		
10 tab					
Nitrocor Retard	Nitroglycerin 2.5 mg	Cardio Vascular System drugs	Unknown	One sublingual tablet (usual strength 300 to 600 micrograms) is placed under the tongue. ,for total of 3 doses within 15 minutes.	
6 x 10		Angina الذبحة الصدرية	Unknown		
Nitromack Retard	Nitroglycerin .2.5 and 5 mg	Cardio Vascular System drugs	OCTOBER PHARMA	One sublingual tablet (usual strength 300 to 600 micrograms) is placed under the tongue. ,for total of 3 doses within 15 minutes.	
Tablets		Angina الذبحة الصدرية	Egypt		
30 tab					
Nitrotard	Glyceryl Trinitrate (Nitroglycerin)	Cardio Vascular System drugs	MUP	One sublingual tablet (usual strength 300 to 600 micrograms) is placed under the tongue. ,for total of 3 doses within 15 minutes.	
Caplets		Angina الذبحة الصدرية	Egypt		
60 cap					
Nizoral	Ketoconazole	Antifungals	Janssen-Cilag	Topically as a 2% cream or shampoo ,once or twice daily , oral for treatment and prophylaxis 200- 400 mg once daily taken with food, Children 3 mg/kg daily.	
Cream		Dermatitis التهابات الجلدية	Switzerland		
30 gm					


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Nizoral	Ketoconazole	Antifungals	Janssen-Cilag	Typically as a 2% cream or shampoo ,once or twice daily , oral for treatment and prophylaxis 200- 400 mg once daily taken with food, Children 3 mg/kg daily.	
Tablets		Dermatitis التهابات الجلدية	Switzerland		
10 tab					
Nocuf	Unknown	Unknown	JOSWE	As directed	
Syrup		Common Cold نزلات البرد	Jordan		
120 ml					
NOLVADEX	tamoxifen citrate 10	Gynaecology drugs	ASTRENECA	Minimum/Maximum Adult Daily Dose:20 - 40 mg (milligram) OR 2 - 4 Tablet	
Tablets		Infertility العقم	Unknown		
30					
Nootropil	Piracetam	Central Nervous system drugs	Unknown	2.4 g daily by mouth in 2 or 3 divided doses. In severe disorders intramuscular or intravenous injection.	
Tablets		Mental Disorders الأمراض العقلية	Unknown		
200 ml					
NOOTROPIL 800mg	Piracetam 800mg	Central Nervous system drugs	Unknown	2.4 g daily by mouth in 2 or 3 divided doses. In severe disorders intramuscular or intravenous injection.	
Tablets		Mental Disorders الأمراض العقلية	Unknown		
30 film coated tab					
Noradrenaline	Noradrenaline	Cardio Vascular System drugs	Unknown	intravenous infusion of a solution containing the equivalent of 4 micrograms of the base per mL in glucose 5%, or sodium chloride 0.9%	
amp		Hypotension انخفاض ضغط الدم	Unknown		
Norcetam	Piracetam 200mg / 1 ml	Central Nervous system drugs	RAM pharma	2.4 g daily by mouth in 2 or 3 divided doses. In severe disorders intramuscular or intravenous injection.	
Syrup		Mental Disorders الأمراض العقلية	Jordan		
120 ml /bottle					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Norcetam - 800	Piracetam	Central Nervous system drugs	RAM PHARMA	2.4 g daily by mouth in 2 or 3 divided doses. In severe disorders intramuscular or intravenous injection.	
Tablets		Mental Disorders الأمراض العقلية	Jordan		
30 tab					
Norcetam 400	piracetam- 400 / cap	Central Nervous system drugs	RAM Pharma	2.4 g daily by mouth in 2 or 3 divided doses. In severe disorders intramuscular or intravenous injection.	
Capsules		Mental Disorders الأمراض العقلية	Jordan		
30 capsule					
NORCOLUT	norethisterone 1	Gynaecology drugs	GEDEON RICHTER	one tablte daily from the frist day of menstution for 21 day	
Tablets		Contraceptives موانع الحمل	HUNGARY		
20					
NOREGYN 5 mg	norethisterone 5 mg	Gynaecology drugs	ZAFA	one tablte daily from the frist day of menstution for 21 day	
Tablets		Contraceptives موانع الحمل	Pakistan		
3X 10 tablet					
Norethisterone 5 mg	norethisterone 5 mg	Gynaecology drugs	WOCKHADT	one tablte daily from the frist day of menstution for 21 day	
Tablets		Contraceptives موانع الحمل	UK		
30 tablet					
Norflox	Norfloxacin 400	Antibacterial	CIPLA	Tab 400mg	
Tablets		Bacterial Infections الاصابات البكتيرية	India		
1strip* 10tablet					
Norfloxacin	Norfloxacin	Antibacterial	Huons	Tab 400mg	
Tablets		Bacterial Infections الاصابات البكتيرية	Korea		
10 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
Normalax	Lactulose	Gastro Intestinal drugs	Shiba pharma	10 to 20 g (15 to 30 mL) given daily by mouth in a single dose or in 2 divided doses	
Syrup		Constipation الأمساك	Yemen		
100 ml for bottle					
normodipine	Amlodipine	Cardio Vascular System drugs	Unknown	Oral only : Hypertension Adults: Individualize: 2.5–5 mg/d. Maximum: 10 mg/d. Angina: Adults: 5–10 mg. Elderly: 5 mg.	
		Hypertension ارتفاع ضغط الدم	Unknown		
Normolute N	progesterone and nortriesterone	Gynaecology drugs	ASIA	one tablet daily or As directed	
Tablets		Contraceptives موانع الحمل	Syria		
20 tab					
Normovite	Multi Vitamines	Vitamines and Menirals	Normon	As directed	
Dragees		Vitamins نقص فيتامينات	Spain		
50 Drages					
NOROX	Norfloxacine*400 mg	Antibacterial	Modern Pharama	Tab 400mg	
Tablets		Bacterial Infections الأمساك البكتيرية	Yemen		
10 tablet					
Norplat	Clopidogrel Bisulfate	Cardio Vascular System drugs	Getz pharma	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily.prophylaxis of thromboembolic events, 75 mg once daily	
Tablets		Thrombosis الجلطات	USA		
28 tab					
Nortival	Nortriptyline+Flu phenazine tablet 10/0.5mg	Central Nervous system drugs	ASIA	Minimum/Maximum Adult Daily Dose: 1 - 4 Tablets three times daily	
Tablets		Mental Disorders الأمراض العقلية	Syria		
30 tablets					


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Norvasc	Amlodipine	Cardio Vascular System drugs	Unknown	Oral only : Hypertension Adults: Individualize: 2.5–5 mg/d. Maximum: 10 mg/d. Angina: Adults: 5–10 mg. Elderly: 5 mg.	
Capsules		Hypertension ارتفاع ضغط الدم	Unknown		
30 cap					
Norzol	metronidazole	Antiprtozoal	Y.E.PHARMA	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Liquid_ suspension		Amoebiasis , جارديا واميبيا	Yemen		
100ml					
NO-SPA	Drotaverine	Gastro Intestinal drugs	Sanofi Synthelabo	120 to 240 mg daily by mouth in divided doses.	
Tablets		Abdominal Spasm آلام البطن	Unknown		
20 tab					
No-Spa 40	Drotaverine	Gastro Intestinal drugs	SANOFI	120 to 240 mg daily by mouth in divided doses.	
Tablets		Abdominal Spasm آلام البطن	HUNGARY		
20 tablet					
No-Spa 40	Drotaverine	Gastro Intestinal drugs	SANOFI	120 to 240 mg daily by mouth in divided doses.	
Ampoules		Abdominal Spasm آلام البطن	France		
25 amp					
No-Spa forte 80 mg	Drotaverine	Gastro Intestinal drugs	Sanofi Synthelabo	120 to 240 mg daily by mouth in divided doses.	
Tablets		Abdominal Spasm آلام البطن	HUNGARY		
20 tablet					
NO-Spalgin	Drotaverine 40 mg +paracetamol 500 mg+ codeine 8 mg	Gastro Intestinal drugs	Sanofi Aventis	Usua dose is 40-80mg three daily.	
Tablets		Abdominal Spasm آلام البطن	France		
12 tabs					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
not clear	Unknown	Unknown	Unknown	As directed	
		Unknown	Unknown		
Nova-75	pregabalin capsule 75mg	Central Nervous system drugs	CIPLA	Initial 50 mg orally three times/day , increase to 100 mg orally three times/day(maximum dose) or 225 mg three times/day.	
Capsules		Epilepsy الصرع	India		
10 capsules					
Novacetam	Piracetam 1g/5ml	Central Nervous system drugs	Shiba pharma	2.4 g daily by mouth in 2 or 3 divided doses. In severe disorders intramuscular or intravenous injection.	
Syrup		Mental Disorders الأمراض العقلية	Yemen		
100 ml					
Novatax	Cefotaxime Sodium 1 gm	Antibacterial	CIPLA	2 to 6 g daily in 2 to 4 divided doses to adults. In severe infections up to 12 g may be given daily by the intravenous route in up to 6 divided doses, Children may be given	
		Bacterial Infections الأمراض البكتيرية	India		
Novecin	Ofloxacin*	Antibacterial	United	tab 400mg & 200mg	
tablet		Bacterial Infections الأمراض البكتيرية	Jordan		
1strip*10tablet					
Novepam 1.5	Bromazepam	Central Nervous system drugs	RAM PHARMA	A usual initial dose for anxiety is 6 to 18 mg daily in divided doses by mouth. Higher doses up to 60 mg daily have occasionally been given. Initial doses for elderly and	
Tablets		Anxiety, Insomnia الأرق والقلق	Jordan		
30 tablet					
Novepam-3	Bromazepam tablets 3mg	Central Nervous system drugs	RAM PHARMA	A usual initial dose for anxiety is 6 to 18 mg daily in divided doses by mouth. Higher doses up to 60 mg daily have occasionally been given. Initial doses for elderly and	
Tablets		Anxiety, Insomnia الأرق والقلق	Jordan		
30 tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Novex	Enoxaparin Sodium 4000 i.u / 0.4 ml	Cardio Vascular System drugs	Sothema	40 mg (4000 units) once daily for at least 6 days up to a maximum of 14 days, or 1 mg/kg (100 units/kg) every 12 hours, or 1.5 mg/kg (150 units/kg) once daily, for at least	
Ampoules		Thrombosis الجلطات	Morocco		
2 amp					
Novo Norm 0.5mg	Repaglinide 0.5mg	Antidiabetics	Novo Nordisk	Minimum/Maximum Adult Daily Dose: 2 - 10 mg (milligram) OR 2 - 10 Tablet	
Tablets		Diabetes Mellitus أمراض السكري	Denmark		
30 tab					
NOVOFEN 10	tamoxifen	Gynaecology drugs	REMEDICA	Minimum/Maximum Adult Daily Dose: 20 - 40 mg (milligram) OR 2 - 4 Tablet	
Tablets		Infertility العقم	Cyprus		
30					
NovoNorm 2mg	Repaglinide 2mg	Antidiabetics	Novo Nordisk	Minimum/Maximum Adult Daily Dose: 2 - 10 mg (milligram) OR 2 - 10 Tablet	
Tablets		Diabetes Mellitus أمراض السكري	Denmark		
30 tab					
novorapid flexpen	insulin	Antidiabetics	Novo Nordisk	0.5 - 0.7 u/kg , in sever cases or gestational D.M 1 u/ kg	
Vial		Diabetes Mellitus أمراض السكري	Denmark		
1					
NOVYNETTE	ethinylestradiol - desogestrel	Gynaecology drugs	GEDEON RICHTER	one tablte daily from the frist day of menstution for 21 day	
Tablets		Contraceptives موانع الحمل	HUNGARY		
21					
Noxafil	Posaconazole 200mg/5ml	Antifungals	MSD	orally at a dose of 400 mg twice daily with a meal	
Suspension		Fungal Infections الأصابات الفطرية	USA		
105 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
NOXAPARIN	Enoxaparin Sodium 40 mg / 0.4 ml	Cardio Vascular System drugs	Unknown	40 mg (4000 units) once daily for at least 6 days up to a maximum of 14 days, or 1 mg/kg (100 units/kg) every 12 hours, or 1.5 mg/kg (150 units/kg) once daily, for at least	
Ampoules		Thrombosis الجلطات	Unknown		
1 amp					
Noxban	Unknown	Skin Disorders	Unknown	As directed	
Gel		Acne حب الشباب	Unknown		
50 gm					
Nuflu	Fluconazole 150mg	Antifungals	Stellar	Minimum/Maximum Adult Daily Dose: 100 - 400 mg (milligram) OR 1 - 4 Tablet	
Capsules		Dermatitis الالتهابات الجلدية	Unknown		
NU-SPASM	Hyoscine-N-Butylbromide 10 mg / tablet	Gastro Intestinal drugs	EIPICO	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Tablets		Abdominal Spasm آلام البطن	Egypt		
20 tabs					
Nutrients for blood Formation	Nutrients	Gastro Intestinal drugs	Unknown	As directed	
		Nutrition supplementation تغذية تكميلية	Unknown		
Nutri-plus	Multi vitamin and Menirals	Vitamines and Menirals	Pharmacare	One capsule or more daily or as prescribed by the physician	
Capsules		Vitamins نقص فيتامينات	Yemen		
30 cap					
Nutri-plus	Multi vitamin and Menirals	Vitamines and Menirals	Pharmacare	Adult : 5 ml three times a day , Children : 2.5 - 5 ml two times a day .	
Syrup		Vitamins نقص فيتامينات	Yemen		
100 ml					


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
Nuzac	Fluoxetine capsule 20mg	Central Nervous system drugs	CIPLA	Minimum/Maximum Adult Daily Dose:10 - 80 mg (milligram) OR 1 - 8 Capsule	
Capsules		Mental Disorders	India		
20 capsules		الأمراض العقلية			
Nuzac	Fluoxetine Hydrochloride	Central Nervous system drugs	CIPLA	20 mg once daily up to a maximum of 80 mg daily (60 mg in the elderly).	
Capsules		Mental Disorders	India		
2 x 10 cap		الأمراض العقلية			
NYAGRA 50 mg	Sildenafil Citrate 50 mg/ tablet	Sex Stimulants	Pharmacare	25 - 100 mg depending on response, about one hour before sexual intercourse	
Tablets		Sex Stimulants	Yemen		
2 tab		منشطات جنسية			
Nystagram	Nystatin + Neomycin Sulfate + Gramicidin + Triamcinolone Acetonide	Corticosteroid	Unknown	4 to 48 mg daily by mouth, 40 mg by intramuscular injection, 200 micrograms by metered-dose inhaler three or four times daily;topical application in creams, lotions,	
Cream		Dermatitis	Unknown		
20 gm		الالتهابات الجلدية			
Nystagram	Nystatin + Neomycin Sulfate + Gramicidin + Triamcinolone Acetonide	Corticosteroid	Unknown	4 to 48 mg daily by mouth, 40 mg by intramuscular injection, 200 micrograms by metered-dose inhaler three or four times daily;topical application in creams, lotions,	
Ointment		Dermatitis	Unknown		
20 gm		الالتهابات الجلدية			
Nystagram	Nystatin 100000 IU/ g + Triamcinolone Acetonide 0.1 %	Corticosteroid	Modern Pharama	4 to 48 mg daily by mouth, 40 mg by intramuscular injection, 200 micrograms by metered-dose inhaler three or four times daily;topical application in creams, lotions,	
Cream		Dermatitis	Yemen		
15 gm		الالتهابات الجلدية			
Nystamed	Nystatin 20mg	Antifungals	Medico Labs	Three to four times daily	
Tablets		Fungal Infections	Syria		
20 coated tablets		الاصابات الفطرية			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Nystatin	Nystatin 100000 i.u./ml	Antifungals	EIPICO	Three to four times daily	
Suspension		Fungal Infections الأمراض الفطرية	Egypt		
30 ml					
Nystatin	Nystatin 100000 I.u./ml	Antifungals	Global Pharma	Three to four times daily	
Oral /Drops		Fungal Infections الأمراض الفطرية	Yemen		
30 ml					
Nystatin	Nystatin 100000 i.u./ml	Antifungals	BIOPHARM	Three to four times daily	
Suspension		Fungal Infections الأمراض الفطرية	Yemen		
30 ml					
Nystatin Asia	Nystatin 1000000u/I	Antifungals	Delta pharma	Three to four times daily	
Suspension		Fungal Infections الأمراض الفطرية	Egypt		
60 ml					
Nystatin Cream	Nystatin 100000 I.U.	Antifungals	TARO	Three to four times daily	
Cream		Fungal Infections الأمراض الفطرية	Unknown		
Nystatin Ointment	Nystatin + Triamcinolone Acetonide	Antifungals	TARO	Three to four times daily	
Ointment		Fungal Infections الأمراض الفطرية	Unknown		
15 gm					
Nystatin oral drops	Nystatin 100000 I.u./ml	Antifungals	Unknown	Three to four times daily	
Oral /Drops		Fungal Infections الأمراض الفطرية	Unknown		
24 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
O.M strip	Omeprazole 20 mg	Gastro Intestinal drugs	Shiba pharma	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
Capsules		Peptic ulcer قرحة المعدة	Yemen		
100 caps					
O2	Ofloxacin & Ornidazole	Antibacterial	MEDLEY	tab 400mg & 200mg	
Tablets		Bacterial Infections	India		
10 tablet		الأمصاباااaااaااaااaااaاااaااaااا			


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Ocuflox	Ofloxacin	Antibacterial	Samil	tab 400mg & 200mg	
Ointment		Eye العين	Unknown		
3.5 gm					
OcuFloX	Ofloxacin	Antibacterial	Samil	0.3% eye drops	
Eye solution		Eye العين	Unknown		
5 ml					
Ocuguard	Multi Vitamines	Vitamines and Menirals	Orchidia Pharma	Onc a day	
Soft Gelatin Capsules		Vitamins	Egypt		
20 cap		نقص فيتامينات فيتامينات			
ODORAL	Combination	Antiseptic and Desinfectants	HPP	As directed	
Solution		Mouth Wash الغسولات الفموية	Egypt		
200 ml					
Oflacin Ram	Ofloxacin*	Antibacterial	RAM PHARMA	tab 400mg & 200mg	
tablet		Bacterial Infections	Jordan		
1strip*10tablet		الأمصابات البكتيرية			
Oflobac	Ofloxacin 200 mg	Antibacterial	Global Pharma	tab 400mg & 200mg	
Tablets		Bacterial Infections	Yemen		
1strip*10tablet		الأمصابات البكتيرية			
OFLOBAC	Ofloxacin 400 mg	Antibacterial	Global Pharma	tab 400mg & 200mg	
Tablets		Bacterial Infections	Yemen		
1strip*10tablet		الأمصابات البكتيرية			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Oflomed	Ofloxacin*	Antibacterial	Unimed	0.3% ear drops	
Ear drops		Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	Tunisia		
4shets*5bottel					
Oflosed	Ofloxacin*	Antibacterial	SEDICO	tab 400mg & 200mg	
tablet		Bacterial Infections الأمراض البكتيرية	Egypt		
1strip*10tablet					
Oflox	Ofloxacin 200 mg / tab	Antibacterial	Shiba pharma	tab 400mg & 200mg	
tablet		Bacterial Infections الأمراض البكتيرية	Yemen		
1strip*10tablet					
Oflox Forte 400	Ofloxacin*	Antibacterial	Shiba pharma	tab 400mg & 200mg	
Tablets		Bacterial Infections الأمراض البكتيرية	Yemen		
1strip*10 tablet					
OFLOXACIN	Ofloxacin	Antibacterial	ALSHAHBA	tab 400mg & 200mg	
Tablets		Bacterial Infections الأمراض البكتيرية	Syria		
10 tab					
Ofloxin 200	Ofloxacin*	Antibacterial	Modern Pharama	tab 400mg & 200mg	
Tablets		Bacterial Infections الأمراض البكتيرية	Yemen		
1strip* 10tablet					
Ofloxin 400	Ofloxacin 400 mg / tablet	Antibacterial	Modern Pharama	tab 400mg & 200mg	
Tablets		Bacterial Infections الأمراض البكتيرية	Yemen		
1strip*10 tablet					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
OFTALMOLOSA	5 mg of Erythromycin / 1 gm of ointment	Ophthalmic drugs	Cusi	As directed	
Ointment		Eye العين	Spain		
3.5 gm / tube					
OFTALMOLOSA CUSI	Erythromycin	Antibiotics	Cusi	tablet 500mg &250mg &400mg Dry syrup 400mg &250mg &200mg &125mg Topical sul 4% &2%	
Eye ointment		Eye العين	Spain		
1tube* 5gm					
OLCA	Calcitriol	Vitamines and Menirals	Huons	Orally, usually in doses of 10 to 50 mmol (400 mg to 2 g) of calcium daily adjusted to the individual patient's requirements.	
Soft Gelatin Capsules		Osteoarthritis التهابات العظام	Korea		
20 cap					
OlenzRapitab10	Olanzapin tablet 10mg	Central Nervous system drugs	SUN	Minimum/Maximum Adult Daily Dose:10 - 20 mg (milligram) OR 1 - 2 Tablet	
Tablets		Mental Disorders الأمراض العقلية	India		
50 Tablet					
Olexar-10	Olanzapin tablet 10mg	Central Nervous system drugs	CIPLA	Minimum/Maximum Adult Daily Dose:10 - 20 mg (milligram) OR 1 - 2 Tablet	
Tablets		Mental Disorders الأمراض العقلية	India		
10 Tablet					
Olexar-5	Olanzapin tablet 5mg	Central Nervous system drugs	CIPLA	Minimum/Maximum Adult Daily Dose:10 - 20 mg (milligram) OR 1 - 2 Tablet	
Tablets		Mental Disorders الأمراض العقلية	India		
10 Tablets					
Oligofer	Mineral preparation with vitamin B12	Vitamines and Menirals	Unknown	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Ampoules		Vitamins نقص فيتامينات	Unknown		
10 amp					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
OLMETERO 20	Olmesartan Medoxomil 20 mg	Cardio Vascular System drugs	HETERO	20 mg once daily	
Tablets		Hypertension ارتفاع ضغط الدم	Unknown		
1 x 10 tab					
OLMETERO 40	Olmesartan Medoxomil 40 mg	Cardio Vascular System drugs	HETERO	20 mg once daily	
Tablets		Hypertension ارتفاع ضغط الدم	Unknown		
1 x 10 tab					
Olmetero H	Olmesartan Medoxomil	Cardio Vascular System drugs	Unknown	20 mg once daily	
		Hypertension ارتفاع ضغط الدم	Unknown		
Omafen	Ibuprofen	Non-Steroidal Anti-	NPI Pharma	Oral doses of 400 mg to 1.2 g daily .	
Tablets		Analgesic مهدئات الأوجاع	Unknown		
20 tab					
Omatan	Mefenamic Acid	Nonsteroidal Anti-	Unknown	Minimum/Maximum Adult Daily Dose: 250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
		Analgesic مهدئات الأوجاع	Unknown		
Omec	Each capsule contains omeprazole 20 mg as enteric-coated pellets.	Gastro Intestinal drugs	Pharmacare	20 mg , or 40 mg in severe cases, continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
Capsules		Peptic ulcer قرحة المعدة	Yemen		
14 caps					
Omefast	Omeprazole 20 mg	Gastro Intestinal drugs	Global Pharma	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
Capsules		Peptic ulcer قرحة المعدة	Yemen		
10x10 caps					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
omega -3	cod liver oil + omega -3	Vitamines and Menirals	Vitex pharma	For lowering triglycerides: 20 mL of cod liver oil per day. For high cholesterol: 30 mL of cod liver oil per day. For lowering blood pressure: 20 mL of cod liver oil per day.	
Capsules		Hyperlipidaemias زيادة الدهون في الدم	Unknown		
30 cap					
omega 3-6-9	Borage Seed Oil 400 mg+ Flaxseed Oil.400 mg+Fish Oil , 400 mg+Omega 3 Fatty Acids 267	Vitamines and Menirals	Jamieson	For lowering triglycerides: 20 mL of cod liver oil per day. For high cholesterol: 30 mL of cod liver oil per day. For lowering blood pressure: 20 mL of cod liver oil per day.	
Soft Gelatin Capsules		Hyperlipidaemias زيادة الدهون في الدم	Canada		
80 softgels					
omega -H3	cod liver oil + omega -3	Vitamines and Menirals	VITABIOTICS	For lowering triglycerides: 20 mL of cod liver oil per day. For high cholesterol: 30 mL of cod liver oil per day. For lowering blood pressure: 20 mL of cod liver oil per day.	
Capsules		Hyperlipidaemias زيادة الدهون في الدم	Unknown		
30 Capsules					
Omega-3 plus	fish oil 1000mg +wheat germ oil 100mg/Capsule.	Vitamines and Menirals	SEDICO	For lowering triglycerides: 20 mL of cod liver oil per day. For high cholesterol: 30 mL of cod liver oil per day. For lowering blood pressure: 20 mL of cod liver oil per day.	
Capsules		Hyperlipidaemias زيادة الدهون في الدم	Egypt		
20 Capsules					
Omegavite 3-6-9	Borage Seed Oil 400 mg+ Flaxseed Oil.400 mg+Fish Oil , 400 mg+Omega 3 Fatty Acids . . .	Vitamines and Menirals	Vitane pharma	For lowering triglycerides: 20 mL of cod liver oil per day. For high cholesterol: 30 mL of cod liver oil per day. For lowering blood pressure: 20 mL of cod liver oil per day.	
Soft Gelatin Capsules		Hyperlipidaemias زيادة الدهون في الدم	Germany		
90 softgels					
Omepak	Omeprazole	Gastro Intestinal drugs	SEDICO	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
cap		قرحة المعدة	Egypt		
14 caps					
OMEPR	Omeprazole 20 mg / cap	Gastro Intestinal drugs	Modern Pharama	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
Capsules		قرحة المعدة	Yemen		
14 caps					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
OMEPR	Omeprazole 20 mg	Gastro Intestinal drugs	Modern Pharama	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
Capsules		Peptic ulcer قرحة المعدة	Yemen		
10 x 10 caps					
omeprazole	Omeprazole	Gastro Intestinal drugs	Unknown	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
Capsules		Peptic ulcer قرحة المعدة	Unknown		
100 caps					
Omeprazole 40	Omeprazole	Gastro Intestinal drugs	Vitalis	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
Powder for Solution Injection		Peptic ulcer قرحة المعدة	USA		
Omeral 20	Omeprazole	Gastro Intestinal drugs	JPI	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
Capsules		Peptic ulcer قرحة المعدة	Saudi Arabia		
14 cap					
Ometop	Omeprazole	Gastro Intestinal drugs	Shaphaco	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
tab		Peptic ulcer قرحة المعدة	Yemen		
100 tabs					
Omezin	Omeprazole 20 mg	Gastro Intestinal drugs	YEDCO	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
Capsules		Peptic ulcer قرحة المعدة	Yemen		
14 caps					
Omezol	Omeprazole	Gastro Intestinal drugs	Shiba pharma	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
Capsules		Peptic ulcer قرحة المعدة	Yemen		
14 caps					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Omezol	Omeprazole 20 mg	Gastro Intestinal drugs	Shiba pharma	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
Capsules		قرحة المعدة	Yemen		
14 caps					
Omizac	Omeprazole	Gastro Intestinal drugs	Torrent	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
cap		قرحة المعدة	India		
50 caps					
OMNIC	Tamsulosin Hydrochloride 0.4 mg	Urinary tract drugs	Saja pharmaceutical	400 - 800 micrograms daily by mouth for up to 4 weeks	
Capsules		Urinary Tract Infection	Saudi Arabia		
30 cap		التهاب الجهاز البولي			
Omnicef	Cefdinir	Antibacterial	JPI	600 mg daily as a single dose or in two divided doses. Children may be given 14 mg/kg daily up to a maximum of 600 mg daily.	
Capsul		Bacterial Infections	Saudi Arabia		
1bottel*10cap		التهابات البكتيرية			
Omnicin	Tamsulosin Hydrochloride 0.4 mg	Urinary tract drugs	Y.E.PHARMA	400 - 800 micrograms daily by mouth for up to 4 weeks	
Capsules		Urinary Tract Infection	Yemen		
20 cap		التهاب الجهاز البولي			
Omtran	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	Antibacterial	OMEGA	Tablet (800 sulfam/ 160 trimeth)mg & Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	
tablet		Bacterial Infections	Italy		
10strip*10tablet		التهابات البكتيرية			
ONCEAIR 4 mg	Montelukast Sodium	Respiratory drugs	ABDI Ibrahim	10 mg of montelukast once daily in the evening; children aged 6 to 14 years may be given the equivalent of 5 mg in the evening and children aged 6 months to 5 years may be	
Tablets		Bronchial Asthma	Unknown		
28 tab		الربو الشعبي			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
One-Alpha	Alfacalcidol	Vitamines and Menirals	LED pharma	As directed	
		Osteoarthritis التهابات العظام	Unknown		
One-Alpha 0.25mcg	Alfacalcidol tablet 0.25mcg.	Vitamines and Menirals	LEO	As directed	
Tablets		Ricketsia الكساح	Denmark		
100 tablets.					
ONSET-4	Ondansetron Hydrochloride 4mg	Gastro Intestinal drugs	RFA	4-8 mg of ondansetron base	
Tablets		Nausea and vomiting الغثيان والطرش	Yemen		
60 tabs					
Opera	Omeprazole	Gastro Intestinal drugs	Unknown	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
		Peptic ulcer قرحة المعدة	Unknown		
Opizole-B	Clotrimazole	Antifungals	Unknown	topically two or three times daily for 2 to 4 weeks as a 1% cream, lotion, spray, or solution, pessaries in dosage regimens of 100 mg for 6 days, 200 mg for 3 days, or a single	
Cream		Dermatitis الالتهابات الجلدية	Unknown		
20 gm					
OPRED 20 mg	Prednisolone Acetate	Corticosteroid	Unknown	By mouth 2.5 to 60 mg daily in divided doses, For parenteral use 4 to 60 mg daily	
Tablets		Inflammations الالتهابات	Unknown		
30 tab					
OPSAR	Sulfacetamide	Antibacterial	Thai P.D	As directed	
Drops		Eye العين	Thailand		
5 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
OP SARDEX	Dexamethasone Phosphate + Neomycin Sulfate	Antibacterial	Thai	As directed	
Eye / Ear Drops		العين Eye	Thailand		
5 ml					
Optal	Combination	Unknown	Olan	As directed	
Solution		العين Eye	Unknown		
100 ml					
Optanac	Unknown	Unknown	Unknown	As directed	
Solution		العين Eye	Unknown		
5 ml					
Opticin	Ciprofloxacin Hydrochloride	Antibacterial	Jamjoum Pharma	250 to 750 mg twice daily depending on the severity and nature of the infection	
Eye drops		العين Eye	Saudi Arabia		
Optilone	Fluorometholone	Corticosteroid	Unknown	one drop	
Eye drops		العين Eye	Unknown		
OPTOVITE B12	Vitamin B12 1000 gammas	Vitamines and Menirals	Normon	1000 micrograms every 2 to 3 months	
Ampoule		Vitamins	Spain		
5 ampoules of 2ml		نقص فيتامينات Deficiency			
Oracure	Cetylpyridinium chloride 0,1 g	Central Nervous system drugs	Amoun Pharmaceutical Co	The dose of lidocaine hydrochloride used for local anaesthesia depends on the site of injection and the procedure used.	
Tube		Anaesthetics	Unknown		
Tube of 2,0 g / 15 g		التخدير الموضعي Local			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Orafresh	Thymol 0.06 % + Benzoic acid 0.15 % + Eucalyptol 0.09 % + Menthol 0.04 % + Methyl	Antiseptic and Desinfectants	Pharmacare	Gargle for 30 seconds every morning and night. For best results use undiluted	
Solution		Mouth Wash الغسولات الفموية	Yemen		
100 ml					
oral contraceptive	levonorgestrel 0.03	Gynaecology drugs	BAYER	one tablte daily from the frist day of menstution for 21 days.	
Tablets		Contraceptives موانع الحمل	Germany		
21					
Oralux	Cefpodoxime Proxetil	Antibiotics	Alpha	The usual dose for adults is 100 to 200 mg every 12 hours for respiratory-tract and urinary-tract infections., children 5 mg/kg every 12 hours, up to a maximum of 200	
Capsules		الأمصابات الميكروبية Microbial Infections	Syria		
1strip*10capsules					
Oralux	Cefpodoxime Proxetil	Antibiotics	Alpha	The usual dose for adults is 100 to 200 mg every 12 hours for respiratory-tract and urinary-tract infections., children 5 mg/kg every 12 hours, up to a maximum of 200	
Dry syrup		الأمصابات الميكروبية Microbial Infections	Syria		
1bottel*60ml					
Oran-C	Each efferv. tablet contains : Vitamin C B.P. 1000mg	Vitamines and Menirals	Pharmacare	1 tablet a day (dissolve the effervescent tablet in half glass of water before taking it)	
Tablets		Vitamins نقص فيتامينات	Yemen		
Tube contains 10 effervescent tablets					
ORAS	Different Lozenges Ingredients	Antiseptic and Desinfectants	ORAS	As directed	
Lozenges		Common Cold نزلات البرد	Unknown		
24 lozenges					
Oraxetil 100 mg	Cefpodoxime Proxetil	Antibiotics	NCPI	The usual dose for adults is 100 to 200 mg every 12 hours for respiratory-tract and urinary-tract infections., children 5 mg/kg every 12 hours, up to a maximum of 200	
tablet		الأمصابات الميكروبية Microbial Infections	Unknown		
1strip*10tablet					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Oraxetil 200 mg	Cefpodoxime Proxetil	Antibiotics	NCPI	The usual dose for adults is 100 to 200 mg every 12 hours for respiratory-tract and urinary-tract infections., children 5 mg/kg every 12 hours, up to a maximum of 200	
Tablets		الأمصاباا المأكروبية	Unknown		
1strip*10tablet		Microbial Infections			
Orazone	Dexamethasone	Corticosteroid	ADCO	Orally of 0.5 to 10 mg daily.Intravenous 2 to 6 mg/kg of dexamethasone , intra-articular 4 to 16 mg of dexamethasone, Also 0.05 to 0.1% for eye or ear drops and	
Syrup		Inflammations	Egypt		
100 ml		الالتهاباا			
Orchapred	Prednisolone Acetate 1 %	Ophthalmic drugs	Orchidia Pharma	As directed	
Suspension		العين	Egypt		
10 ml					
Orchazid	Ketotifen Fumarate 0.025%	Ophthalmic drugs	Orchidia Pharma	applied topically, as eye drops , twice daily in adults, and in children aged 3 years and older.	
Solution		العين	Egypt		
5 ml					
ORDAZOLE	Ornidazole	Antiprtozoal	MEYER	500 mg twice daily by mouth for 5 to 10 days; children are given 25 mg/kg as a single daily dose for 5 to 10 days.	
Tablets		Amoebiasis ,	Unknown		
10 tab		جارديا واميبيا			
Oringal GuavaL eaf	herbal extract cough &common cold	Respiratory drugs	oringal	As directed	
Syrup		Common Cold	Unknown		
120 ml		نزلاا البرد			
Oritaxim 1000	Cefotaxime Sodium	Antibacterial	CADILA	2 to 6 g daily in 2 to 4 divided doses to adults. In severe infections up to 12 g may be given daily by the intravenous route in up to 6 divided doses,Children may be given	
Vial		Bacterial Infections	India		
1Vial		الأمصاباا البأأربية			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Oritaxim 250	Cefotaxime Sodium	Antibacterial	CADILA	2 to 6 g daily in 2 to 4 divided doses to adults. In severe infections up to 12 g may be given daily by the intravenous route in up to 6 divided doses, Children may be given	
Vial		Bacterial Infections الأمراض البكتيرية	India		
1vial					
Oritaxim 500	Cefotaxime Sodium	Antibacterial	CADILA	2 to 6 g daily in 2 to 4 divided doses to adults. In severe infections up to 12 g may be given daily by the intravenous route in up to 6 divided doses, Children may be given	
Vial		Bacterial Infections الأمراض البكتيرية	India		
1vial					
ORIZOL 500	Ornidazole	Antiprtozoal	RFA	500 mg twice daily by mouth for 5 to 10 days; children are given 25 mg/kg as a single daily dose for 5 to 10 days.	
Tablets		Amoebiasis , Gardiasis جارديا واميبيا	Yemen		
10 tab					
ORIZOL PLUS	Ornidazole 500mg + Ofloxacin 200mg	Antiprtozoal	RFA	500 mg twice daily by mouth for 5 to 10 days; children are given 25 mg/kg as a single daily dose for 5 to 10 days.	
Tablets		Amoebiasis , Gardiasis جارديا واميبيا	Yemen		
10 tab					
Orlimac	orlistat capsules 120mg	Gastro Intestinal drugs	MACLEODS	120 mg by mouth three times daily, immediately before, during, or up to 1 hour after meals	
tablet		Obesity	India		
3*10capsule					
Orlimac	Orlistat 120 mg / cap	Gastro Intestinal drugs	Shiba pharma	120 mg by mouth three times daily, immediately before, during, or up to 1 hour after meals	
Capsules		Obesity	Yemen		
3*10 capsule					
OROBI 3	vit B1 100mg+B6 50mg+B12 1000 mcg	Vitamines and Menirals	Jinlling pharmaceutical	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Ampoules		Vitamins Deficiency نقص فيتامينات	China		
10 amp x 3 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Orofar	WithLidocaine	Central Nervous system drugs	NOVARTIS	The dose of lidocaine hydrochloride used for local anaesthesia depends on the site of injection and the procedure used.	
Bucal / Spray		Anaesthetics التخدير الموضعي	Switzerland		
30 ml					
Orovex	Combination	Antiseptic and Desinfectants	MACRO	As directed	
Solution		Mouth Wash الغسولات الفموية	Unknown		
250 ml					
Orphamol	Orphenadrine Citrate 35 mg + paracetamol	Muscle relaxations	RAMEDA	by mouth in a dose of 100 mg twice daily or by intramuscular or slow intravenous injection in a dose of 60 mg which has been repeated every 12 hours.	
Tablets		Parkinson's disease مرض الرعاش	Egypt		
box of 20 tablet of 35mg/tablet					
ORS	Combination	Gastro Intestinal drugs	SAOG	As directed	
Sachets		Diarrhea الاسهال	Oman		
25 sachet of 30 gm					
OSCAL	Calcium 600 mg +Vitamin D 200 i.u	Vitamines and Menirals	Y.E.PHARMA	Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Tablets		Osteoarthritis التهابات العظام	Yemen		
30 tab					
OSEN	Phenoxymethylpenicillin 250 mg / ml	Antibiotics	Modern Pharama	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Solution		الأمراضات الميكروبية Microbial Infections	Yemen		
100 ml					
Ospafel cap	alphapinine +beta pinine +broneol+cineol	Gastro Intestinal drugs	ospa pharma	3-5 drop of liquid 4-5 times daily	
Tablets		Hepatic Disorders اضطرابات الكبد	Unknown		
100 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms					
Package		Disease	Country		
Ospaine	Penicillin V Potassium	Antibiotics	Unknown	cap 1gm & 500mg & 250mg syrup 250mg & 125mg drop 100mg Vial 1gm & 500mg & 250mg	
Tablets		الأصابات الميكروبية Microbial Infections	Unknown		
20 tab					
Osparen	Rhiz.Torment .05 gm + Fruct.Ros.Can 0.05 gm + Herb. Equiseti 0.05 gm +	Urinary tract drugs	OSPAPHARM	2 dragees three times daily , for 5 weeks , then 1 dragee three times daily	
Dragees		Urinary Tract Infection اصابات الجهاز البولي	Germany		
100 Dragees					
Osteo -Mix	Vitamin D Substances	Osteoarthritis drugs	Sandoz	A dose of 10 micrograms (400 units) daily is generally sufficient in adults	
Tablets		Osteoarthritis التهابات العظام	Unknown		
20 Eff. Tab					
OSTEO-ALFA	Alpha calciferol	Vitamines and Menirals	United	As directed	
Soft Gelatin Capsules		Ricketsia الكساح	Jordan		
Osteobion	calcium + Magnesium + zinc + vitamin D3 /tab.	Vitamines and Menirals	BIOPHARM	Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Tablets		Osteoarthritis التهابات العظام	Yemen		
30 tablets					
Osteocare ???	Calcium 300 mg + Magnesium 150 mg + Zinc 6 mg + Vitamin D 3.8 µg/10ml	Vitamines and Menirals	Vitabiotics	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Solution		Osteoarthritis التهابات العظام	Unknown		
200 ml					
Osteocare Tablets	calcium 800mg, Magnesium 200mg, zinc 8mg, vitamin D3 400IU	Vitamines and Menirals	VITABIOTICS	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Tablets		Osteoarthritis التهابات العظام	Unknown		
30 tablets					


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
Osteocare مكر	calcium 800mg, Magnesium 200mg, zinc 8mg, vitamin D3 400IU	Vitamines and Menirals	VITABIOTICS	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Tablets		Osteoarthritis التهابات العظام	Unknown		
30 tablets					
Osteoflex	Glucosamin 500mg + Chondroitin 400mg	Osteoarthritis drugs	Health Aid	As directed	
Tablets		Osteoarthritis التهابات العظام	Thailand		
30 tab					
Osteo-Health	Calcium Carbonate 1500 mg /tablet.	Vitamines and Menirals	Modern Pharama	Orally, usually in doses of 10 to 50 mmol (400 mg to 2 g) of calcium daily adjusted to the individual patient's requirements.	
Tablets		Osteoarthritis التهابات العظام	Yemen		
30 chewable tablets					
Osteomeal	calcium 1250mg&magnesium 40mg&zinc 7.50mg&vit D 250 IU/tab.	Vitamines and Menirals	Modern Pharama	Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Tablets		Osteoarthritis التهابات العظام	Yemen		
24 Soft tablet					
OSTOVAL	Ca+ Vit D , Meg., Zinc	Vitamines and Menirals	EGYPHAR	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Tablets		Osteoarthritis التهابات العظام	Egypt		
14 tab					
OSTRON	Vit D 5 IU , Vit.B6 2mg , folic acid 400mcg , calcium 800mg, magnesium 400mcg zinc	Vitamines and Menirals	LIFEPLAN	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Tablets		Osteoarthritis التهابات العظام	Unknown		
60 Tablets					
Otocalm	Combination	Unknown	PHARCO	As directed	
Drops		Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	Egypt		
10 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Otrivin 0.05%	Xylometazolin HCL 0.05%	Respiratory drugs	NOVARTIS	As directed	
Pediatric Nasal / drops		Common Cold	Switzerland		
10 ml		نزلات البرد			
Otrivin 0.1%	Xylometazolin HCL 0.1%	Respiratory drugs	NOVARTIS	As directed	
Adult Nasal / drops		Common Cold	Switzerland		
10 ml		نزلات البرد			
Otrivin 0.1%	Xylometazoline Hydrochloride	Respiratory drugs	Unknown	As directed	
Nasal Drops		Ear Nose Throat (E.N.T)	Unknown		
10 ml		الأنف والأذن والحنجرة			
OVA-MIT	CLOMIPHENE	Gynaecology drugs	REMEDICA	Minimum/Maximum Adult Daily Dose:50 - 100 mg (milligram) OR 1 - 2 Tablet.....	
Tablets		Infertility العقم	Unknown		
10					
Ovumix	Miconazole nitrate+Metronidazole+Neomycin Sulfate+Polymyxin Sulfate	Antifungals	ELEN	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Suppositoris		Vaginal المهبل	Argentina		
6 Vaginal supp					
OXETINE-20	Fluoxetine tablet 10mg	Central Nervous system drugs	JPM	Minimum/Maximum Adult Daily Dose:10 - 80 mg (milligram) OR 1 - 8 Capsule	
Tablets		Mental Disorders	Jordan		
10 tablets		الأمراض العقلية			
OXETOL-300	Oxcarbazepine tablet 300mg.	Central Nervous system drugs	SUN	600 mg daily by mouth, given in 2 divided doses up to 2400 mg daily .- children 8 to 30 mg/kg by mouth daily	
Tablets		Epilepsy الصرع	India		
30 tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Ozip-10	Olanzapin tablet 10 mg	Central Nervous system drugs	MEDLEY	Minimum/Maximum Adult Daily Dose:10 - 20 mg (milligram) OR 1 - 2 Tablet	
Tablets		Mental Disorders الأمراض العقلية	India		
30 tablets					
P.T.B.	Pyrazinamide	Antibiotics	AMOUN	Adults 35 mg/kg daily (maximum daily dose is 3 g); children may be given 35 mg/kg daily dose, instead, skip the missed dose and resume your usual dosing schedule. Do	
Tablets		Tuberculosis (T.B) الدرن	Egypt		
20 tablets					
PACETAMOL	Each 2 ml contains 300 mg paracetamol + Lidocaine 20 mg	Non-Steroidal Anti-	ANB Laboratories CO LTD	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Ampoules		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Thailand		
10 amp of 2 ml					
Painex forte	Mefenamic Acid	Non-Steroidal Anti-	JOSWE	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
Capsules		Analgesic مهدئات الأوجاع	Jordan		
20 cap					
Painpyrin	Combination	Non-Steroidal Anti-	BMP	As directed	
Tablets		Analgesic مهدئات الأوجاع	Thailand		
1 x 10 tab					
Panadol	Paracetamol	Non-Steroidal Anti-	gsk glaxosmithkline	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Suspension		Antipyretic - Analgesic مهدئات الأوجاع والحمى	UK		
100 ml					
Panadol	pseudoephedrine +paracetamol+chl oraphiniramine	Respiratory drugs	gsk glaxosmithkline	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Tablets		Common Cold نزلات البرد	UK		
24 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Panadol Baby	Paracetamol suspension 120mg/5ml.	Nonsteroidal Anti-	gsk GlaxoSmithklin	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Suspension		Antipyretic - مهدئات الأوجاع والحمى	UK		
100 ml					
panadol Cold+flu	paracetamol+chlorpheniramine	Respiratory drugs	glaxosmithkline	60 mg three or four times daily by mouth , oral doses for children 15-30 mg three or four times daily	
Capsules		Common Cold نزلات البرد	UK		
box of 24 capsule of 30mg/capsule					
Panadol Sinus	paracetamol + pseudoephedrin	Nonsteroidal Anti-	glaxosmithkline	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Caplets		Antipyretic - مهدئات الأوجاع والحمى	UK		
24 cap					
Panadol Advance	Paracetamol tablet 500mg.	Nonsteroidal Anti-	gskGlaxoSmith klin	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - مهدئات الأوجاع والحمى	UK		
96 tablets					
Panadol Advance	Paracetamol	Non-Steroidal Anti-	gsk glaxosmithkline	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - مهدئات الأوجاع والحمى	UK		
24 tab					
Panadol Cap	Paracetamol 500mg+psedoephedrine 30mg per caplet.	Nonsteroidal Anti-	gskGlaxoSmith klin	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Caplets		Antipyretic - مهدئات الأوجاع والحمى	UK		
24 caplets.					
Panadol Caplets	Paracetamol	Non-Steroidal Anti-	Unknown	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Caplets		Antipyretic - مهدئات الأوجاع والحمى	Unknown		
24 Caplets					


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Panadol Caplets	pseudoephedrine +paracetamol + chloraphiniramine	Respiratory drugs	gsk glaxosmithkline	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Caplets		Common Cold نزلات البرد	UK		
24 Caplets					
Panadol cold+flu	Paracetamol 500mg+psedoephedrine 30mg+chlorpheniramine 2mg per caplet.	Nonsteroidal Anti-	gsk GlaxoSmithklin	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Caplets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	UK		
24 caplets.					
Panadol COLD+FLU	Paracetamol 250mg+phenylephrine HCL 5mg+Guaifensin 100mg per tablet.	Nonsteroidal Anti-	gsk GlaxoSmithklin	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	UK		
24 tablets.					
Panadol Cold+Flu	pseudoephedrine +paracetamol + chloraphiniramine	Respiratory drugs	gsk glaxosmithkline	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Sachets		Common Cold نزلات البرد	UK		
10 Sachets					
Panadol COLD+FLU DAY	Paracetamol 500mg+psedoephedrine 30mg+loratedin 5mg per caplet.	Nonsteroidal Anti-	gskGlaxoSmith klin	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Caplets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	UK		
24 caplets.					
Panadol Extra	Paracetamol	Non-Steroidal Anti-	Unknown	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Unknown		
24 Tablets					
Panadol night	Paracetamol 500mg+diphenhydramine 25mg/caplet	Nonsteroidal Anti-	gsk GlaxoSmithklin	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Caplets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	UK		
24 caplets.					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Panadol sinus	pseudoephedrine +paracetamol 1000mg	Respiratory drugs	gsk glaxosmithkline	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Tablets		Common Cold نزلات البرد	UK		
24 tab					
Panadol Susp	Paracetamol suspension 240mg/5ml.	Nonsteroidal Anti-	gsk GlaxoSmithklin	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Elixir		Antipyretic - Analgesic مهدئات الأوجاع والحمى	UK		
100 ml					
Panadol Tablets	Paracetamol tablet 500mg.	Nonsteroidal Anti-	gskGlaxoSmith klin	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	UK		
20 tablets.					
Panadol-Joint	Paracetamol 665mg per tablet.	Nonsteroidal Anti-	gskGlaxoSmith klin	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	UK		
18 tablets					
Panalgin	Paracetamol 500mg +caffeine 50mg/effervescent tablet.	Nonsteroidal Anti-	Sothema	As directed	
Tablets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Morocco		
16 effervescent tablets.					
Panamol	Paracetamol drops 100mg /ml.	NSAID	Shaphaco	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Suspension		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Yemen		
15 ml					
Panamox	Mebendazole	Anthelmentic	Unknown	For adult and children: Threadworms 100 mg single dose - Roundworms and hookworms : 100 mg BID for 3 days.	
Tablets		Common Worms الديدان الشائعة	Unknown		

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Pan-Benzathinpenicilli	Penicillin G Benzathine	Antibiotics	Pan pharma	Procaine benzylpenicillin 600 mg is equivalent to (600 000 units). By deep intramuscular injection in usual doses of 0.6 to 1.2 g daily.	
Vial		الأمراض الميكروبية Microbial Infections	France		
1 vial					
Pan-Benzyl penicillin	Penicillin G(Benzylpenicillin)	Antibiotics	Pan pharma	Procaine benzylpenicillin 600 mg is equivalent to (600 000 units). By deep intramuscular injection in usual doses of 0.6 to 1.2 g daily.	
Vial		الأمراض الميكروبية Microbial Infections	France		
1 vial					
PANDERM Cream	Nystatin + Neomycin Sulfate + Gramicidin + Triamcinolone Acetonide	Corticosteroid	Julphar	4 to 48 mg daily by mouth, 40 mg by intramuscular injection, 200 micrograms by metered-dose inhaler three or four times daily;topical application in creams, lotions,	
Cream		Dermatitis الالتهابات الجلدية	UAE		
15 gm					
PANDERM Ointment	Nystatin + Neomycin Sulfate + Gramicidin + Triamcinolone Acetonide	Corticosteroid	Julphar	4 to 48 mg daily by mouth, 40 mg by intramuscular injection, 200 micrograms by metered-dose inhaler three or four times daily;topical application in creams, lotions,	
Ointment		Dermatitis الالتهابات الجلدية	UAE		
15 gm					
Pan-Gentamicin 80 mg	Gentamicin 80 mg /2 ml	Antibiotics	PANPHARMA	intramuscularly every 8 hours to provide a total daily dose of 3 to 5 mg/kg , neonates and children 2 mg/kg every 8 hours.	
Ampoules		Serious M. Infections الأمراض الميكروبية الخطيرة			
10 amp x 2 ml					
Pangesic Forte	Mefenamic Acid	Non-Steroidal Anti-	RAM PHARMA	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
Tablets		Analgesic مهدئات الأوجاع	Jordan		
50 Tablets					
Pankreoflat	Pancreatine 170 mg + Dimethylpolysiloxane 80 mg	Gastro Intestinal drugs	SOLVAY	1-2 tablet with meals without chewing	
Tablets		Indigestion سوء الهضم	Germany		
20 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Pan-procaine penicillin	Penicillin G Procaine	Antibiotics	Pan pharma	Procaine benzylpenicillin 600 mg is equivalent to (600 000 units). By deep intramuscular injection in usual doses of 0.6 to 1.2 g daily.	
Vial		الأمراض الميكروبية Microbial Infections	France		
1 vial					
Pan-procaine penicillin ??	Penicillin G Procaine	Antibiotics	Pan pharma	Procaine benzylpenicillin 600 mg is equivalent to (600 000 units). By deep intramuscular injection in usual doses of 0.6 to 1.2 g daily.	
Vial		الأمراض الميكروبية Microbial Infections	France		
1 vial					
PANTAKUM-40	Ranitidine	Gastro Intestinal drugs	Akums Drugs	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
Tablets		قرحة المعدة Peptic ulcer	India		
10 tablet					
Pantaz	pantoprazole	Gastro Intestinal drugs	Medfey	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
Tablets		قرحة المعدة Peptic ulcer	Unknown		
14 tabs					
Pantazol	Pantoprazole 40 mg	Gastro Intestinal drugs	SIGMA	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
Tablets		قرحة المعدة Peptic ulcer	Unknown		
14 tab					
PANTAZOL 40 mg	pantoprazole	Gastro Intestinal drugs	Nycomed	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
Tablets		قرحة المعدة Peptic ulcer	Viena, Austria		
15 tabs					
Panthen-E	Unknown	Skin Disorders	Unknown	As directed	
Cream		التهابات الجلدية Dermatitis	Unknown		
40 gm					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
Panthophil	Combination	Skin Disorders	Unknown	As directed	
Ointment		Dermatitis	Unknown		
30 gm		الالتهابات الجلدية			
Panthophil	Unknown	Skin Disorders	Unknown	As directed	
Cream		Dermatitis	Unknown		
30 gm		الالتهابات الجلدية			
Pantocare- 40 mg	Each capsule contains Pantoprazole 40mg mg as enteric-coated pellets.	Gastro Intestinal drugs	Pharmacare	40 mg once daily for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
Capsules		Peptic ulcer قرحة المعدة	Yemen		
14 caps					
Pantocid	Pantoprazole 40 mg	Gastro Intestinal drugs	SUN Pharma	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
Tablets		Peptic ulcer قرحة المعدة	India		
Pantocid 40 mg	Pantoprazole	Gastro Intestinal drugs	SUN Pharma	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
Ampoules		Peptic ulcer قرحة المعدة	India		
Pantodar	pantoprazole	Gastro Intestinal drugs	Dar Al Dawa	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
Capsules		Peptic ulcer قرحة المعدة	Jordan		
14 caps					
Pantogar	Unknown	Skin Disorders	Unknown	As directed	
Capsules		Dermatitis	Unknown		
90 cap		الالتهابات الجلدية			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Pantoloc	pantoprazole	Gastro Intestinal drugs	MUP	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
Tablets		Peptic ulcer قرحة المعدة	Egypt		
14 tabs					
Pantoloc	pantoprazole	Gastro Intestinal drugs	NOVARTIS	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
tab		Peptic ulcer قرحة المعدة	Switzerland		
14 tabs					
Pantoloc- 40	Pantoprazole	Gastro Intestinal drugs	MUP	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
Tablets		Peptic ulcer قرحة المعدة	Egypt		
14 tab					
Pantoloc-40	Pantoprazole 40 mg	Gastro Intestinal drugs	MUP	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
Tablets		Peptic ulcer قرحة المعدة	Egypt		
14 tab					
Pantomax	pantoprazole	Gastro Intestinal drugs	Saja pharmaceutical	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
tab		Peptic ulcer قرحة المعدة	Saudi Arabia		
30 tabs					
Pantosec	Pantoprazole 40 mg	Gastro Intestinal drugs	CIPLA	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
Tablets		Peptic ulcer قرحة المعدة	India		
14 ab					
Pantozol	Pantoprazole 20 mg	Gastro Intestinal drugs	Unknown	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
Tablets		Peptic ulcer قرحة المعدة	Unknown		
15 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
Pantozol 40	Pantoprazole	Gastro Intestinal drugs	Unknown	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
		Peptic ulcer قرحة المعدة	Unknown		
Pantrol 40 mg	Pantoprazole	Gastro Intestinal drugs	Modern Pharama	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
Tablets		Peptic ulcer قرحة المعدة	Yemen		
14 tab					
Paracetamol	Paracetamol suspension 120 mg/5ml.	Nonsteroidal Anti-	Suthema	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Suspension		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Unknown		
100 ml					
Paracetamol ???	Paracetamol infusion 10mg/ml.	Nonsteroidal Anti-	Unknown	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Vial		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Unknown		
100 ml					
Para-Denk-125	Paracetamol supp, 125mg.	Nonsteroidal Anti-	Denk-pharma	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Suppositoris		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Germany		
10 supp,					
Para-Denk-250	Paracetamol supp, 250mg.	Nonsteroidal Anti-	Denk-pharma	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Suppositoris		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Germany		
10 supp					
Paradol	Paracetamol drops 100mg/ml.	NSAID	Modern Pharama	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Drops		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Yemen		
15ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Paradol	Paracetamol tablet 500mg/ tablet	NSAID	Modern Pharama	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Yemen		
24 tablets.					
Paradol	Paracetamol supp, 125mg / supp.	NSAID	Modern Pharama	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Suppositoris		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Yemen		
10 supp					
Paradol	Paracetamol 500 mg + cafeine 50 mg / tab	NSAID	Modern Pharama	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Yemen		
20 tab					
Paradol	pseudoephedrine+ triprolidin +paracetamol	Respiratory drugs	Modern Pharama	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Tablets		Common Cold نزلات البرد	Yemen		
20 tab					
Paradol Cold&Flu-D	chloropheneramin	NSAID	Modern Pharama	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Suspension	2mg+Pseudoephedrine	Antipyretic - Analgesic مهدئات الأوجاع والحمى	Yemen		
60 ml	15mg+Paracetamol 120mg/5ml.				
Paradol-250	Paracetamol supp, 250mg.	NSAID	Modern Pharama	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Suppositoris		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Yemen		
10 supp,					
Parafizz	Paracetamol effer, tablet 500mg.	Nonsteroidal Anti-	CIPLA	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	India		
48 Soluble tab.					


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Parafizz-Plus	Paracetamol effer, tablet 500mg+65mg caffeine.	Nonsteroidal Anti-	CIPLA	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - مهدئات	India		
24 effer, tablet.		الأوجاع والحمى			
paramol	Paracetamol syrup 2.6mg/ml.	NSAID	YEDCO	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Syrup		Antipyretic - مهدئات	Yemen		
60 ml		الأوجاع والحمى			
paramol	Paracetamol	NSAID	YEDCO	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
drops		Antipyretic - مهدئات	Yemen		
15 ml		الأوجاع والحمى			
paramol Extra	Paracetamol	NSAID	YEDCO	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Capsules		Antipyretic - مهدئات	Yemen		
20 caps		الأوجاع والحمى			
PARAX	Mebendazole	Anthelmentic	SHIN POONG	For adult and children: Threadworms 100 mg single dose - Roundworms and hookworms : 100 mg BID for 3 days.	
Suspension		Common Worms الديدان الشائعة	Korea		
10 ml					
Pariet	Rabeprazole	Gastro Intestinal drugs	Janssen	*20 mg once daily 10 mg bid	
Tablets		Peptic ulcer قرحة المعدة	Switzerland		
14 caps					
Parkinol-5	Benzhexol(Trihex yphenidyl) tablet 2mg	Central Nervous system drugs	NILE CO.	1 mg daily is gradually increased at intervals of 3 to 5 days to 10 mg daily	
Tablets		Parkinson's disease مرض الرعاش	Egypt		
100 tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Parkizol-2	Benzhexol(Trihexyphenidyl) tablet 2mg	Central Nervous system drugs	HIKMA	1 mg daily is gradually increased at intervals of 3 to 5 days to 10 mg daily	
Tablets		Parkinson's disease مرض الرعاش	Jordan		
100 tablet					
Paroxikern 20 mg	Paroxetine	Central Nervous system drugs	KERN pharma	Minimum/Maximum Adult Daily Dose:20 - 60 mg (milligram) OR 2 - 6 Tablet	
Tablets		Mental Disorders الأمراض العقلية	Unknown		
Box					
Paroxikern 20 mg	Paroxetine	Central Nervous system drugs	KERN pharma	Minimum/Maximum Adult Daily Dose:20 - 60 mg (milligram) OR 2 - 6 Tablet	
Tablets		Mental Disorders الأمراض العقلية	Korea		
28 tab					
Patanol	Olopatadine Hydrochloride	Antihistamines	Alcon	As directed	
Solution		Eye العين	Unknown		
5 ml					
PCmol Plus	Each tablet / Effervescent tablet of PCmol Plus contains : Paracetamol 500mg+ Caffeine	NSAID	Pharmacare	Adults and children 12 years and over :2 tablets up to 3 or 4 times a day.	
Tablets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Yemen		
20 tablets.					
PCmol Plus	Each tablet / Effervescent tablet of PCmol Plus contains : Paracetamol 500mg+ Caffeine	NSAID	Pharmacare	Adults and children 12 years and over :2 tablets up to 3 or 4 times a day.	
Tablets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Yemen		
24 effervescent tablets					
Pectomed	pseudoephedrine+ triprolidin +guaiphenesin	Respiratory drugs	med pharma	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Syrup		Common Cold نزلات البرد	Unknown		
100 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
Pedical	each 5 ml contains : calcium glubionate 760 mg+vit. D3 400 IU+ vit. B12 10 mcg	Vitamines and Menirals	EGYPHAR	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Syrup		Osteoarthritis التهابات العظام	Egypt		
100 ml					
PEDNISOL	Prednisolone Acetate 6.7 mg	Corticosteroid	RFA	By mouth 2.5 to 60 mg daily in divided doses, For parenteral use 4 to 60 mg daily	
Syrup		Inflammations الالتهابات	Yemen		
50 ml					
Peladol	Paracetamol ampoule 300mg/ml.	Nonsteroidal Anti-	Shaphar	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Ampoules		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Unknown		
10 ampoules					
Pelikan- 500	Levofloxacin	Antibacterial	Unknown	Tab 500mg & 250mg Infu 500mg	
Tablets		Bacterial Infections الأصابات البكتيرية	Unknown		
10 tab					
Pendol	Paracetamol	NSAID	Y.E.PHARMA	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Yemen		
20 Tablets					
Pendol Cold & Flu	pseudoephedrine +paracetamol+chl oraphiniramine	Respiratory drugs	Y.E.PHARMA	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Tablets		Common Cold نزلات البرد	Yemen		
20 tab					
Pendol Extra	paracetamol + Caffeine	NSAID	Y.E.PHARMA	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Yemen		
20 tablets					


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Pendol-D.S	Paracetamol suspension 250mg/5ml.	NSAID	Y.E.PHARMA	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Suspension		Antipyretic - مهدئات الأوجاع والحمى	Yemen		
60 ml					
Penicillin G	Penicillin G Sodium	Antibiotics	Vitalis	Procaine benzylpenicillin 600 mg is equivalent to (600 000 units). By deep intramuscular injection in usual doses of 0.6 to 1.2 g daily.	
Vial		الأمراض البكتيرية Microbial Infections	USA		
10 vials					
Penpiclox 500	Ampicillin 250 mg + Cloxacillin 250 mg	Antibiotics	Shaphaco	Adults : 1 - 2 Capsule four times daily.	
Capsules		الأمراض البكتيرية Microbial Infections	Yemen		
20 cap					
Penpiclox 500	Ampicillin 125 mg + Cloxacillin 125 mg	Antibiotics	Shaphaco	Children 2 – 10 years : 5 ml -10 ml four times daily. Children under 2 years : 2.5 ml - 5 ml four times daily.	
Suspension		الأمراض البكتيرية Microbial Infections	Yemen		
100 ml					
Penta	pantoprazole	Gastro Intestinal drugs	ALPHA	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
Tablets		قرحة المعدة	Syria		
20 tabs					
Pentax	pantoprazole	Gastro Intestinal drugs	Shiba pharma	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
Capsules		قرحة المعدة	Yemen		
14 caps					
Pentrax	Pantoprazole 40 mg	Gastro Intestinal drugs	Shiba pharma	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
Capsules		قرحة المعدة	Yemen		
14 cap					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Pentrax	Pantoprazole 40 mg	Gastro Intestinal drugs	Shiba pharma	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
Capsules		Peptic ulcer قرحة المعدة	Yemen		
10 x 10 cap					
Peptiloc 75 mg	Ranitidine	Gastro Intestinal drugs	SIGMA	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Tablets		Peptic ulcer قرحة المعدة	Egypt		
10 tabs					
Pepzol	Omeprazol 40 mg	Gastro Intestinal drugs	ALKAN Pharma	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
Capsules		Peptic ulcer قرحة المعدة	Egypt		
14 caps					
Perdix	Pyridoxine	Gastro Intestinal drugs	Shijiazhuang =China	Dietary Deficiency : ADULTS: PO/IM/IV 10 to 20 mg/day for 3 wk. Or oral once a day	
Ampoules		Nausea and vomiting الغثيان والطرش	China		
10 amp x 2 ml					
Perfalgan	Paracetamol 10 mg / 1m	Nonsteroidal Anti-	BMS	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Vial		Antipyretic - مهدئات	Denmark		
Bottle		الأوجاع والحمى			
Perfectil	Omega-3 Triglycerides	Skin Disorders	VITABIOTICS	As directed	
Tablets		Dermatitis	Unknown		
28 Tablets		الالتهابات الجلدية			
Perhepar cap	cynarin+ dandelion	Gastro Intestinal drugs	GLOBAL NAPI	200 mg/BID	
Soft Gelatin Capsules		Hepatic Disorders	Egypt		
20 cap		اضطرابات الكبد			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Permax	Mebendazole 100 mg /tab	Anthelmentic	SHIN POONG	For adult and children: Threadworms 100 mg single dose - Roundworms and hookworms : 100 mg BID for 3 days.	
Tablets		Common Worms	Korea		
6 tab		الديدان الشائعة			
Permax	Mebendazole 600 mg / 30 ml	Anthelmentic	SHIN POONG	For adult and children: Threadworms 100 mg single dose - Roundworms and hookworms : 100 mg BID for 3 days.	
Suspension		Common Worms	Korea		
30 ml		الديدان الشائعة			
Persantin	Dipyridamole	Cardio Vascular System drugs	Boehringer Ingelhim	ADULTS: PO 1 capsule (200 mg extended-release dipyridamole/25 mg aspirin) bid, 1 in morning and 1 in evening. Do not crush or chew.	
Tablets		Thrombosis	Germany		
20 tab		الجلطات			
Persogel	Lubricant gel	Skin Disorders	Shiba pharma	As directed	
Gel		Health Care الصحة العامة	Yemen		
80 ml					
PESDON	Unknown	Gastro Intestinal drugs	KP	As directed	
Tablets		Nausea and vomiting الغثيان والطرش	Korea		
2 x 10 tab					
Petilin-200	Na valproate tablet 200mg	Central Nervous system drugs	Ramedica	15 mg/kg/day in 2-3 divided doses initially, increasing at weekly intervals to an effective dosage, to a maximum of 60 mg/kg/day.	
Tablets		Epilepsy الصرع	Cyprus		
30 tablets					
Petro	Drotaverine 40 mg +paracetamol 400 mg+ codeine 60 mg	Gastro Intestinal drugs	BIOPHARM	120 to 240 mg daily by mouth in divided doses.	
Tablets		Abdominal Spasm آلام البطن	Yemen		
30 tabs					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
PETRO	Caffeine +Acetaminophen+ Drotaverine HCL	Central Nervous system drugs	ACAPI	50 to 100 mg by mouth, although doses of up to 200 mg may be used	
Tablets		Stimulant المنبهات	Unknown		
box of 2 strips of 10 tablets of					
Pharmaton cap	Multi vitamin and Menirals.	Vitamines and Menirals	Ginsana	As directed	
Capsules		Vitamins نقص فيتامينات	Unknown		
30 capsules					
Pharobeta Cream	Betamethasone	Corticosteroid	PHARCO	by mouth betamethasone from 0.5 to 5 mg daily., intravenously or infusion or intramuscularly 4 to 20 mg , For topical application 0.05% of betamethasone as the	
Cream		Dermatitis الالتهابات الجلدية	Egypt		
15 gm					
Pharobeta ointment	Betamethasone	Corticosteroid	PHARCO	by mouth betamethasone from 0.5 to 5 mg daily., intravenously or infusion or intramuscularly 4 to 20 mg , For topical application 0.05% of betamethasone as the	
Ointment		Dermatitis الالتهابات الجلدية	Egypt		
15 gm					
PHAROFRUIT	Each 5 gm contains: Sodium Bicarbonate 2.65 gm + Citric Acid 1.102 gm + Tartaric Acid	Gastro Intestinal drugs	Pharo pharma	Adult :1 sachet are to be added to half glass of water and taken during efferecence , children: half the adult's dose.	
Sachets		Indigestion سوء الهضم	Egypt		
6 Sachets					
pharovit iron	ferrous gluconate 1.04(equivalent to 120mg iron) + vitB6 120mg	Vitamines and Menirals	Pharo pharma	by mouth in doses of up to 1.8 g daily (equivalent to up to 210 mg of iron daily).	
syrup		Anaemia فقر الدم	Egypt		
100ml syrup					
pharwa fruit	NaHCO 2.80 g + citric acid 1.33g+titraic acid 0.82 g	Gastro Intestinal drugs	PHARCO	One tablet three times daily during or after meals.	
Eff ,salt		Indigestion سوء الهضم	Egypt		
6 sachets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
Phenotal	Phenobarbital 60 mg	Central Nervous system drugs	Darou Bakhsh	by mouth is 60 to 180 mg daily, taken at night, children 2.5 to 4 mg/kg once or twice daily	
Tablets		Epilepsy الصرع	IRAN		
30 tab					
PHI-AXON	Ceftriaxone Sodium 500 mg / vial	Antibacterial	PHIL	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Vial		Bacterial Infections	Unknown		
1 vial		الأمراض البكتيرية			
Philaquin	Combination	Skin Disorders	Unknown	As directed	
Cream		Sunscreen واقيات الشمس	Unknown		
30 gm					
photericin B	Amphotericin B	Antifungals	CIPLA	IV, intrathecal, topical.: Adults: Initial: IV 0.25 mg/kg q2-6h. Maintenance: IV 0.25-1 mg/kg/d. Infants, children: Initial: IV 0.25 mg/kg/d. Maintenance: IV 0.25-1	
Vial		Dermatitis	India		
1 vial		التهابات الجلدية			
Photoblock plus	Combination	Skin Disorders	SPF	As directed	
Cream		Sunscreen واقيات الشمس	Unknown		
50 gm					
Phytovit MM	Phytomenadione (Vit k1) 10 mg	Vitamines and Menirals	MUP	0.5 to 5 mg by slow intravenous injection or up to 5 mg orally	
Ampoules		Haemorrhage	Egypt		
3 amp x 1 ml		الزيف			
PICOLAX	sodium picosulfate	Gastro Intestinal drugs	EIPICO	adult = one bottle 120 ml delivered dose) once dairy = child 60 ml once dairy	
Oral /Drops		Constipation	Egypt		
15 ml		الأمساك			


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
Picolax	Unknown	Gastro Intestinal drugs	Unknown	As directed	
Solution		Constipation	Unknown		
15 ml		الأمساك			
Pilex	Herbal extract	Skin Disorders	Himalaya Drug Co	As directed	
Ointment		Dermatitis	India		
30 gm		الالتهابات الجلدية			
Pilic	Herbal extract	Unknown	Unknown	As directed	
Cream		Haemorrhoids	Unknown		
20 gm		البواسير			
Pioglin-30	Pioglitazone Hydrochloride 30 mg per tablet	Antidiabetics	Nexgen pharma	The usual dose is 15 or 30 mg once daily. This may be increased to a maximum of 45 mg once daily if necessary	
Tablets		Diabetes Mellitus	UAE		
3 strips of 10 tablets		أمراض السكري			
PIPRACILLIN 1000	Piperacillin 1000 mg	Antibiotics	ELSaad Pharma	intravenously; the usual dose is 3 to 4 g every 4 or 6 hours.	
Vial		الأمراض الميكروبية	Syria		
1 vial		Microbial Infections			
Pizofen	Pizotifen 0.5 mg / tab	Antihistamines	Shiba pharma	1.5 mg daily by mouth either in three divided doses or as a single dose at night	
Tablets		Appetizer	Yemen		
30 tablet		منشطات الشهية			
Pizofen	Pizotifen 0.25 mg / 5 ml	Antihistamines	Shiba pharma	1.5 mg daily by mouth either in three divided doses or as a single dose at night	
Syrup		Appetizer	Yemen		
100 ml		منشطات الشهية			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Pk-Merz tab	amantadine sulphate	Central Nervous system drugs	MERZ	100 mg twice daily after a week or more. Doses up to a maximum of 400 mg daily	
Tablets		Parkinson's disease مرض الرعاش	Unknown		
100 tab					
PLAGIN 75	Clopidogrel Bisulfate	Cardio Vascular System drugs	United	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily. prophylaxis of thromboembolic events, 75 mg once daily	
Tablets		Thrombosis الجلطات	Jordan		
30 tab					
Platil 75	clopidogrel (bisulfate) 75mg	Cardio Vascular System drugs	Pharma International	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily. prophylaxis of thromboembolic events, 75 mg once daily	
Tablets		Thrombosis الجلطات	Jordan		
30 tablet					
Plaviat 75	Clopidogrel Bisulfate 75 mg	Cardio Vascular System drugs	Modern Pharama	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily. prophylaxis of thromboembolic events, 75 mg once daily	
Tablets		Thrombosis الجلطات	Yemen		
30 tab					
Plavigrel	clopidogrel 75mg	Cardio Vascular System drugs	Y.E.PHARMA	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily. prophylaxis of thromboembolic events, 75 mg once daily	
Tablets		Thrombosis الجلطات	Yemen		
30 tablet					
Plavilat	clopidogrel 75mg	Cardio Vascular System drugs	Modern Pharama	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily. prophylaxis of thromboembolic events, 75 mg once daily	
Tablets		Thrombosis الجلطات	Yemen		
3*10 tablet					
Plavitab	Clopidogrel Bisulfate 75 mg	Cardio Vascular System drugs	BIOPHARM	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily. prophylaxis of thromboembolic events, 75 mg once daily	
Tablets		Thrombosis الجلطات	Yemen		
20 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
plavitab Tablets	clopidogrel 75mg	Cardio Vascular System drugs	BIOPHARM	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily.prophylaxis of thromboembolic events, 75 mg once daily	
tablet		Thrombosis الجلطات	Yemen		
20film coated tablet					
PLAVIX	CLOPIDOGREL 75 mg	Cardio Vascular System drugs	Sanofi Aventis	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily.prophylaxis of thromboembolic events, 75 mg once daily	
Tablets		Thrombosis الجلطات	France		
28 tab					
plavix	Clopidogrel Bisulfate 75 mg	Cardio Vascular System drugs	Sanofi Aventis	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily.prophylaxis of thromboembolic events, 75 mg once daily	
Tablets		Thrombosis الجلطات	France		
Box					
Plavix 75mg	clopidogrel	Cardio Vascular System drugs	Sanofi Aventis	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily.prophylaxis of thromboembolic events, 75 mg once daily	
Tablets		Thrombosis الجلطات	France		
28film coated tablet					
Plazivom	metoclopramide	Gastro Intestinal drugs	Shijiazhuang =China	mouth, intramuscularly, or by slow intravenous injection, is 10 mg three times daily.	
amp		Nausea and vomiting الغثيان والطرش	China		
10 amps 2ml					
Plazivom	Metoclopramide	Gastro Intestinal drugs	Shanghai pharmaceutical	mouth, intramuscularly, or by slow intravenous injection, is 10 mg three times daily.	
Ampoules		Nausea and vomiting الغثيان والطرش	China		
10 amp x 2 ml					
Plemazol	Metoclopramide	Gastro Intestinal drugs	PHARCO	mouth, intramuscularly, or by slow intravenous injection, is 10 mg three times daily.	
Drops		Nausea and vomiting الغثيان والطرش	Egypt		
30 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Plemazol	Metoclopramide 10 mg / 2 ml	Gastro Intestinal drugs	PHARCO	mouth, intramuscularly, or by slow intravenous injection, is 10 mg three times daily.	
Ampoules		Nausea and vomiting الغثيان والطرش	Egypt		
5 amp x 2 ml					
Plemazol	Metoclopramide 10 mg / tab	Gastro Intestinal drugs	PHARCO	mouth, intramuscularly, or by slow intravenous injection, is 10 mg three times daily.	
Tablets		Nausea and vomiting الغثيان والطرش	Egypt		
20 tab					
plemazol Amp	metoclopramide	Gastro Intestinal drugs	CID	mouth, intramuscularly, or by slow intravenous injection, is 10 mg three times daily.	
Ampoules		Nausea and vomiting الغثيان والطرش	Egypt		
5 amps					
Plemazol Drops	metoclopramide	Gastro Intestinal drugs	CID	mouth, intramuscularly, or by slow intravenous injection, is 10 mg three times daily.	
Drops		Nausea and vomiting الغثيان والطرش	Egypt		
20 ml					
Plemazol Tablets	metoclopramide 10 mg	Gastro Intestinal drugs	CID	mouth, intramuscularly, or by slow intravenous injection, is 10 mg three times daily.	
Tablets		Nausea and vomiting الغثيان والطرش	Egypt		
20 tabs					
Plendil	Felodipine	Cardio Vascular System drugs	ASTRAZENECA	5 mg daily by mouth, adjusted as required; the usual maintenance dose is 2.5 to 10 mg daily	
Tablets		Hypertension ارتفاع ضغط الدم	Unknown		
30 tab					
Plofexine 75 mg	Clopidogrel Bisulfate	Cardio Vascular System drugs	ASIA	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily. prophylaxis of thromboembolic events, 75 mg once daily	
Tablets		Thrombosis الجلطات	Syria		
20 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
PODOXIM	Cefpodoxime Proxetil 50mg/5ml	Antibiotics	RFA	The usual dose for adults is 100 to 200 mg every 12 hours for respiratory-tract and urinary-tract infections., children 5 mg/kg every 12 hours, up to a maximum of 200	
Powder for Suspension		الأمراض الميكروبية	Yemen		
60 ml		Microbial Infections			
Polycort	Oxymetazoline Hydrochloride + Hydrocortisone	Respiratory drugs	Unknown	Nasal drops , or Orally in Adult 5 mg while children 1.25 to 2.5 mg as two or three times daily .	
Ointment		Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	Unknown		
5 gm					
Polyfresh	Sodium Hyaluronate 0.2%	Ophthalmic drugs	Orchidia Pharma	As directed	
Solution		العين Eye	Egypt		
10 ml					
Poly-X	Ramipres 2.5 mg / tab	Cardio Vascular System drugs	adipharm	1.25 - 5 mg once daily is given by mouth	
Tablets		Hypertension ارتفاع ضغط الدم			
30 tab					
Ponstan Forte	Mefenamic Acid film coated tablet 500mg	Nonsteroidal Anti-	Parke Davis	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
Tablets		مهدئات الأوجاع	Unknown		
20 film coated tablets.					
PONSTEL	Mefenamic Acid film coated tablet 500mg	Nonsteroidal Anti-	SHIN POONG	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
Tablets		مهدئات الأوجاع	Korea		
20 film coated tablets.					
Ponsten Forte	Mefenamic Acid film coated tablet 500mg	Nonsteroidal Anti-	Parke Ravis	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
Tablets		مهدئات الأوجاع	Unknown		
20 film coated tablets.					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms			Country		
Package		Disease			
Pontam-Forte	Mefenamic Acid tablet 500mg	NSAID	Modern Pharama	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
Tablets		مهدئات الأوجاع	Yemen		
20 f.caoted tablets.					
Postan susp	Mefenamic Acid suspension 50mg/5ml	NSAID	Y.E.PHARMA	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
Suspension		مهدئات الأوجاع	Yemen		
60 ml					
Postan Tablets	Mefenamic Acid tablet 500mg	NSAID	Y.E.PHARMA	Minimum/Maximum Adult Daily Dose:250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
Tablets		مهدئات الأوجاع	Yemen		
20 f.caoted tablets.					
postinor	levonorgestrel	Gynaecology drugs	GEDEON RICHTER	one tabltle daily from the frist day of menstution for 21 day	
Tablets		Contraceptives موانع الحمل	HUNGARY		
2					
Povex Plus	Povidone Iodine 1%	Antiseptic and Desinfectants	Shiba pharma	Dilute 1:3 with clean water and use as a general disinfecting wherever required	
Solution		المهبل	Yemen		
120 ml					
Povicare Extra	Povidone Iodine U.S.P. 10% (1% available Iodine)	Antiseptic and Desinfectants	Pharmacare	Dilute 1:3 with clean water and use as a general disinfecting wherever required	
Solution		Wounds Healing التئام الجروح	Yemen		
100 ml					
Poviset	Povidone Iodine 1%	Antiseptic and Desinfectants	Shiba pharma	Dilute 1:3 with clean water and use as a general disinfecting wherever required	
Solution		Wounds Healing التئام الجروح	Yemen		
60 ml					


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Poviset	Povidone Iodine 1%	Antiseptic and Desinfectants	Shiba pharma	Dilute 1:3 with clean water and use as a general disinfecting wherever required	
Solution		Wounds Healing التئام الجروح	Yemen		
100 ml					
Power B12	Vitamine B12 500 mcg / tab	Vitamines and Menirals	Power Health	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Tablets		Vitamins نقص فيتامينات			
30 Coated Tablets					
Pranzole	Ketoconazole	Antifungals	Pharma International	Topically as a 2% cream or shampoo ,once or twice daily , oral for treatment and prophylaxis 200- 400 mg once daily taken with food, Children 3 mg/kg daily.	
Cream		Dermatitis التهابات الجلدية	Jordan		
15 gm					
Praxilene	Naftidrofuryl Oxalate	Cardio Vascular System drugs	MERCK	doses of 100 to 200 mg three times daily	
		Peripheral and cerebral	France		
Prazin	Alprazolam tablet 1mg	Central Nervous system drugs	HIKMA	Minimum/Maximum Adult Daily Dose:0.25 - 10 mg (milligram) OR 1 - 40 Tablet	
Tablets		Anxiety, الأرق والقلق	Jordan		
30 tablets					
Prazol 0.25	Alprazolam tablet 0.25mg	Central Nervous system drugs	Shiba pharma	Minimum/Maximum Adult Daily Dose:0.25 - 10 mg (milligram) OR 1 - 40 Tablet	
Tablets		Anxiety, الأرق والقلق	Yemen		
20 tablets					
Prazol 0.5	Alprazolam tablet 0.5mg	Central Nervous system drugs	Shiba pharma	Minimum/Maximum Adult Daily Dose:0.25 - 10 mg (milligram) OR 1 - 40 Tablet	
Tablets		Anxiety, الأرق والقلق	Yemen		
20 tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Prazol1	Alprazolam tablet 1mg	Central Nervous system drugs	Shiba pharma	Minimum/Maximum Adult Daily Dose:0.25 - 10 mg (milligram) OR 1 - 40 Tablet	
Tablets		Anxiety, Insunnea الأرق والقلق	Yemen		
20 tablets					
prazolam 0.25	Alprazolam tablet 0.25mg	Central Nervous system drugs	EVA PHARMA	Minimum/Maximum Adult Daily Dose:0.25 - 10 mg (milligram) OR 1 - 40 Tablet	
Tablets		Anxiety, Insunnea الأرق والقلق	Egypt		
20 tablets					
prazolam 0.5	Alprazolam tablet 0.5mg	Central Nervous system drugs	EVA PHARMA	Minimum/Maximum Adult Daily Dose:0.25 - 10 mg (milligram) OR 1 - 40 Tablet	
Tablets		Anxiety, Insunnea الأرق والقلق	Egypt		
20 tablets					
PRED FORTE	Prednisolone Acetate 1%	Corticosteroid	ALLERGAN	By mouth 2.5 to 60 mg daily in divided doses, For parenteral use 4 to 60 mg daily	
Suspension / Drops		Eye العين	Denmark		
5 ml					
Predkern 5 mg tablets	Prednisone	Corticosteroid	KERN pharma	As directed	
Tablets		Inflammations الالتهابات	Korea		
60 tab					
PREDNISLONE	Prednisolone Acetate 5 mg	Corticosteroid	Unknown	By mouth 2.5 to 60 mg daily in divided doses, For parenteral use 4 to 60 mg daily	
Tablets		Inflammations الالتهابات	Unknown		
100 tab					
Prednisolone	Prednisolone Acetate	Corticosteroid	WOCKHADT	By mouth 2.5 to 60 mg daily in divided doses, For parenteral use 4 to 60 mg daily	
Tablets		Inflammations الالتهابات	UK		
28 tablet					


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Predsol	Prednisolone Acetate	Corticosteroid	BORG	By mouth 2.5 to 60 mg daily in divided doses, For parenteral use 4 to 60 mg daily	
Syrup		Inflammations الالتهابات	Egypt		
50 ml					
Predsol	Prednisolone Acetate	Corticosteroid	BORG	By mouth 2.5 to 60 mg daily in divided doses, For parenteral use 4 to 60 mg daily	
Syrup		Inflammations الالتهابات	Egypt		
60 ml					
Pregnacare plus	Multivitamins-minerals and rich in folic acid , iron,zinc,vit D,omega-3 for pregnancy	Vitamines and Menirals	VITABIOTICS	As directed	
Tablets		Vitamins نقص فيتامينات	Unknown		
Dubal pack 56 tab					
Pregnacare ???	Multi Vitamines	Vitamines and Menirals	VITABIOTICS	As directed	
		Vitamins نقص فيتامينات	Unknown		
Pregnacare Cap	Multivitamins-minerals and rich in folic acid ,iron,zinc for pregnancy	Vitamines and Menirals	VITABIOTICS	As directed	
Capsules		Vitamins نقص فيتامينات	Unknown		
30 cap					
Pregnacare plus ??	Multi Vitamines	Vitamines and Menirals	VITABIOTICS	As directed	
		Vitamins نقص فيتامينات	Unknown		
pregnacare with folic acid	pregnacare with folic acid-	Vitamines and Menirals	VITABIOTICS	Adults : Initial therapy : 5- 15 mg daily according to the case , Maintenance Dose : 2 -5 mg daily. Children dose 1 - 10 daily according to the case.	
capsule		Anaemia فقر الدم	Unknown		
30capsule					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
pregnahealth	Vit C 50 mg,Vit. B1.3mg,Vit. B2	Vitamines and Menirals	BIOPHARM	One capsule or more daily or as prescribed by the physician	
Capsules	5.mg,Nicotinamide .20 mg,Calcium .5 mg,vit.,B6	Vitamins	Yemen		
30 caps		Deficiency نقص فيتامينات			
pregnahealth with folic acid	vitamine and mineral including folic acid 400 mg	Vitamines and Menirals	BIOPHARM	Adults : Initial therapy : 5- 15 mg daily according to the case , Maintenance Dose : 2 -5 mg daily. Children dose 1 - 10 daily according to the case.	
Capsules	vit.B12.iron.vitB6 .ca.vit D	Anaemia فقر الدم	Yemen		
30capsule					
Pregnalife ???	Multi Vitamines	Vitamines and Menirals	Unknown	As directed	
Capsules		Vitamins	Unknown		
30 cap		Deficiency نقص فيتامينات			
Pregnaton	Multivitamins-minerals and rich in folic acid ,iron,zinc for pregnancy	Vitamines and Menirals	Global Pharma	One capsule or more daily or as prescribed by the physician	
Capsules		Vitamins	Yemen		
24 caps		Deficiency نقص فيتامينات			
Pregnavit	Multivitamins-minerals for	Vitamines and Menirals	Shaphaco	One capsule or more daily or as prescribed by the physician	
Tablets		Vitamins	Yemen		
30 S.G tab		Deficiency نقص فيتامينات			
Pregnavit	Multivitamins and minerals	Vitamines and Menirals		One tab or more daily or as prescribed by the physician	
Tablets		Vitamins			
30 F.C tab		Deficiency نقص فيتامينات			
Pregnazon	Multivitamins-minerals and rich in folic acid ,iron,zinc for pregnancy	Vitamines and Menirals	Health Aid	As directed	
Tablets		Vitamins	Thailand		
30 tab		Deficiency نقص فيتامينات			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
PREGVIT ZINC	Zink Sulfate	Vitamines and Menirals	PHARCO	As directed	
Capsules		Vitamins Deficiency نقص فيتامينات	Egypt		
24 S.G capsules.					
Prehepar	Hepatoprotective Agents	Gastro Intestinal drugs	Unknown	1-3 capsule daily.	
Capsules		Hepatic Disorders اضطرابات الكبد	Unknown		
20 cap					
Premosan	metoclopramide	Gastro Intestinal drugs	Juphar	mouth, intramuscularly, or by slow intravenous injection, is 10 mg three times daily.	
Tablets		Nausea and vomiting الغثيان والطرش	UAE		
20 tabs					
Prenatal	Multi Vitamines and minerals with folic acid	Vitamines and Menirals	Sentinel	As directed	
Tablets		Vitamins Deficiency نقص فيتامينات			
10 tab					
PrianilCR	Lithium Carbonate tablet 400mg	Central Nervous system drugs	NILE CO.	Minimum/Maximum Adult Daily Dose:600 - 2400 mg (milligram) OR 2 - 8 tablets.	
Tablets		Mental Disorders الأمراض العقلية	Egypt		
50 tablets					
Primolut N	Norethisterone 5 mg	Gynaecology drugs	BAYER	one tablte daily from the frist day of menstution for 21 day	
Tablets		Contraceptives موانع الحمل	Germany		
30 tab					
PRIMOMRIT - N	norethisterone acetate	Gynaecology drugs	AMRIYA PHARMA	one tablte daily from the frist day of menstution for 21 day	
TABLET		Contraceptives موانع الحمل	Egypt		
20					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Prisolin	Naphazolin +chlorpheniramin	Respiratory drugs	KAHIRA PHARM	As directed	
Eye & Nasal / drops		Common Cold	Egypt		
15 ml		نزلات البرد			
Probric	bambuterol (>>>>>>>>)	Respiratory drugs	cherry flavour	5 ml once daily	
Oral / Solution		Respiratory Disorders	Unknown		
125 ml		اضطرابات الجهاز التنفسي			
Procaine penicilin	Penicillin G Procaine	Antibiotics	Vitalis	Procaine benzylpenicillin 600 mg is equivalent to (600 000 units). By deep intramuscular injection in usual doses of 0.6 to 1.2 g daily.	
Vial		الأمصابات الميكروبية	USA		
1 vial		Microbial Infections			
Procaine Penicillin	Procaine Penicillin 400,000 I.U	Antibiotics	Vitalis	Procaine benzylpenicillin 600 mg is equivalent to (600 000 units). By deep intramuscular injection in usual doses of 0.6 to 1.2 g daily.	
Vial		الأمصابات الميكروبية	USA		
10 vials		Microbial Infections			
Procto Max	Combination	Antihemorrhages	Unknown	As directed	
Cream		Haemorrhoids	Unknown		
30 gm		البواسير			
Procto- Synalar	Combination	Antihemorrhages	GRUNETHAL	As directed	
Suppositoris		Haemorrhoids	Unknown		
10 supp		البواسير			
PROCTO-CINOLONE	Combination	Antihemorrhages	MEDICO LABS	As directed	
Suppositoris		Haemorrhoids	Syria		
10 supp		البواسير			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
PROCTO-CINOLONE	Combination	Antihemorrhag es		As directed	
Suppositoris		Haemorrhoids البواسير			
10 supp					
PROCTO-GLYVENOL	Combination	Antihemorrhag es	Unknown	As directed	
Suppositoris		Haemorrhoids البواسير	Unknown		
10 supp					
Profast	Ketoprofen 100 mg	NSAID	Global Pharma	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Tablets		مهدئات الأوجاع	Yemen		
30 tabs					
Profast gel	Ketoprofen 2.5%	NSAID	Global Pharma	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Gel		مهدئات الأوجاع	Yemen		
40g					
Profenal	Ibuprofen suspension 20mg/ml or 100 mg / 5 ml	Nonsteroidal Anti-	Julphar	Oral doses of 400 mg to 1.2 g daily .	
Suspension		مهدئات الأوجاع	UAE		
110 ml					
Profenid	Ketoprofen ampoule 100mg .	Nonsteroidal Anti-	Sanofi Aventis	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Ampoules		مهدئات الأوجاع	France		
6 ampoules					
Profenid 100 mg	Ketoprofen	Non-Steroidal Anti-	SANOFI	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Tablets		مهدئات الأوجاع	France		
30 Tablet					



Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Profenid 100 mg	Ketoprofen tablet 100mg .	Nonsteroidal Anti-	Sanofi Aventis	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Tablets		مهدئات الأوجاع	France		
30 tablets.					
Profenid-Gel	Ketoprofen gel 2.5%.	Nonsteroidal Anti-	Sanofi Aventis	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Gel		مهدئات الأوجاع	France		
60 gm					
PROFILAR	Ketotifen Fumarate	Respiratory drugs	United	Adult dose 1-2 mg twice daily; Children and peadiatric 1 mg of ketotifen twice daily	
Tablets		التهاب الشعب الهوائية	Jordan		
30 tab					
PROFILAR	Ketotifen Fumarate 1 mg / 5 ml	Respiratory drugs	United	Adult dose 1-2 mg twice daily; Children and peadiatric 1 mg of ketotifen twice daily	
Syrup		التهاب الشعب الهوائية	Jordan		
120 ml					
Profinal-200	Ibuprofen tablet 200mg.	Nonsteroidal Anti-	Julphar	Oral doses of 400 mg to 1.2 g daily .	
Tablets		مهدئات الأوجاع	UAE		
20 tablets					
Profinal-400	Ibuprofen tablet 400mg.	Nonsteroidal Anti-	Julphar	Oral doses of 400 mg to 1.2 g daily .	
Tablets		مهدئات الأوجاع	UAE		
24 tablets					
Progena	Unknown	Unknown	Razi Pharma	As directed	
Cream		Unknown	Syria		
15 gm					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
PROGYLUTON	estradiol valerate 2 mg	Gynaecology drugs	BYERE	one tablte daily from the frist day of menstution for 21 day	
TABLET		Contraceptives موانع الحمل	Unknown		
21					
Prolomet XL 100	Metoprolol	Cardio Vascular System drugs	SUN Pharma	100- 200 mg daily by mouth	
Tablets		Hypertension ارتفاع ضغط الدم	India		
proluton depot	hydroxyprogesterone hexonate	Gynaecology drugs	BAYER	doses of 250 to 500 mg weekly by intramuscular injection have been given during the first half of pregnancy.	
Ampoules		Amenorrhea انقطاع الطمث	Germany		
1 amp					
Promethazine Oubari	Promethazine tablet 50mg	Antihistamines	OUBARY PHARMA	Minimum/Maximum Adult Daily Dose:12.5 - 150 mg (milligram) OR 1 - 12 tablet.	
Tablets		Allergy الحساسية	Syria		
20 tablets					
Pronatal	Multivitamines(11 vit)+(9)minerals.	Vitamines and Menirals	Ginsana	As directed	
Tablets		Vitamins نقص فيتامينات	Unknown		
30 film-coated tablets					
Pronerv	-vit.(B1) 100mg -vit.(B6) 100mg vit.(B12) 1mg	Vitamines and Menirals	GEROT LANNACH	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Ampoules		Vitamins نقص فيتامينات	Viena, Austria		
5 ampoules of 2ml					
Pronid 100	Ketoprofen 100 mg	NSAID	Modern Pharama	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Tablets		Analgesic مهدئات الأوجاع	Yemen		
20 tab					



Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
Pronid S.R. 200	Ketoprofen	NSAID	Modern Pharama	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Capsules		مهدئات الأوجاع	Yemen		
10 cap					
Proof-100	Ketoprofen f.c.tablet 100mg.	NSAID	Shaphaco	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Tablets		مهدئات الأوجاع	Yemen		
30 f.c.tablets					
Prophallerge	Ketotifen Fumarate 1 mg / 5 ml	Respiratory drugs	RAMEDA	Adult dose 1-2 mg twice daily; Children and peadiatric 1 mg of ketotifen twice daily	
Syrup		التهاب الشعب الهوائية	Egypt		
120 ml					
Propranolol	Propranolol Hydrochloride	Cardio Vascular System drugs	Unknown	Adult: 40 - 120 mg orally twice daily ,children 1- 4 mg/kg daily in divided doses by mouth	
1 mg in 1 ml		Hypertension ارتفاع ضغط الدم	Unknown		
Prospan	herbal extract	Respiratory drugs	Engelhard	As directed	
Syrup		Common Cold نزلات البرد	Unknown		
100 ml					
Prospan	IVY LEAF EXTRACT	Respiratory drugs	Unknown	As directed	
Suppositoris		Common Cold نزلات البرد	Unknown		
5 sup					
Prospan acute	herbal extract	Respiratory drugs	Engelhard	As directed	
Tablets		Common Cold نزلات البرد	Unknown		
20 eff tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Protec	levonorgestrel and ethinylestradiol	Gynaecology drugs	famy care	one tablte daily from the frist day of menstution for 21 day	
Tablets		Contraceptives موانع الحمل	Unknown		
28					
protec ???	medroxyprogesterone	Gynaecology drugs	famy care	one tablte daily from the frist day of menstution for 21 day	
Ampoules		Contraceptives موانع الحمل	Unknown		
1					
PROTEC-NOR	levonorgestrel and ethinylestradiol	Gynaecology drugs	KFW	one tablte daily from the frist day of menstution for 21 day	
Tablets		Contraceptives موانع الحمل	Unknown		
21					
Protexin balance ???	probiotics +fructooligosaccharide + anticaking agent + magnesium stearate	Gastro Intestinal drugs	probiotics international	One tablet three times daily during or after meals.	
caps		Indigestion سوء الهضم	Unknown		
10 caps					
Protexin balance Cap	probiotics +fructooligosaccharide + anticaking agent + magnesium stearate	Gastro Intestinal drugs	probiotics international	One tablet three times daily during or after meals.	
caps		Indigestion سوء الهضم	Unknown		
30 caps					
PROTOCOLID	Metronidazole	Antiprtozoal	Y.E.PHARMA	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Suspension		Amoebiasis , Gardiasis جارديا واميبييا	Yemen		
120ml					
Protocid	Metronidazole	Antiprtozoal	Unknown	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Suspension		Amoebiasis , Gardiasis جارديا واميبييا	Unknown		
120 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
PROTOCOL 250	Diloxanide Furoate 250 mg + Metronidazole 250 mg	Antiprtozoal	Y.E.PHARMA	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , جardia واميبييا	Yemen		
20 tab					
Protocid Forte	Metronidazole	Antiprtozoal	Y.E.PHARMA	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , جardia واميبييا	Yemen		
20 tab					
PROTOCOL Plus	Metronidazole 200 mg, +diloxanide 100 mg	Antiprtozoal	Y.E.PHARMA	Metronidazole dose + Diloxanide furoate ; 500 mg tid for adults and 20 mg/kg/day for children in 3 doses for 7-10 days	
Suspension		Amoebiasis , جardia واميبييا	Yemen		
120 ml					
Protocid Plus	Metronidazole	Antiprtozoal	Y.E.PHARMA	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , جardia واميبييا	Yemen		
30 tab					
Protogen	Tinidazole	Antiprtozoal	Hayat pharma	Amoebiasis: 2 gm is for 3 days: hepatic amoebiasis, 2 gm for 3 - 6 days , Children 50 to 60 mg/kg for 3- 5 days : Giardiasis, Trichomoniasis 2 gm by mouth: Anaerobic	
Tablets		Amoebiasis , جardia واميبييا	Unknown		
4 tab					
Proton	pantoprazole	Gastro Intestinal drugs	SIGMACO	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
Tablets		قرحة المعدة	Saudi Arabia		
14 tabs					
Protozole	Tinidazole	Antiprtozoal	MUP	Amoebiasis: 2 gm is for 3 days: hepatic amoebiasis, 2 gm for 3 - 6 days , Children 50 to 60 mg/kg for 3- 5 days : Giardiasis, Trichomoniasis 2 gm by mouth: Anaerobic	
Tablets		Amoebiasis , جardia واميبييا	Egypt		
4 film tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Protozole	Metronidazole	Antiprtozoal	Unknown	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , Gardiasis جارديا واميبيا	Unknown		
4 tab					
Prouziac	Fluoxetine capsule 20mg	Central Nervous system drugs	MBC	Minimum/Maximum Adult Daily Dose:10 - 80 mg (milligram) OR 1 - 8 Capsule	
Capsules		Mental Disorders الأمراض العقلية	Syria		
20 capsules					
PROUZIAC	Unknown	Central Nervous system drugs	BAHRI	As directed	
Capsules		Mental Disorders الأمراض العقلية	Unknown		
20 cap					
Proviron	mesterolone 25	Hormones	BAYER	by dectore	
tablet		Sex Hormones هرمونات جنسية	Germany		
20					
Proxagel	Naproxen	Non-Steroidal Anti-	Unknown	500 mg to 1 g of naproxen daily , children 10 to 15 mg/kg twice daily	
Capsules		Analgesic مهدئات الأوجاع	Unknown		
40 cap					
Proxagel	Naproxen 200 mg	Non-Steroidal Anti-	Daana Pharma	500 mg to 1 g of naproxen daily , children 10 to 15 mg/kg twice daily	
Capsules		Analgesic مهدئات الأوجاع	Unknown		
40 cap					
Proxen 250 mg	Naproxen	Non-Steroidal Anti-	GRUNENTHA L	500 mg to 1 g of naproxen daily , children 10 to 15 mg/kg twice daily	
Tablets		Analgesic مهدئات الأوجاع	Unknown		
20 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Proximol	Unknown	Miscellaneous drugs	KAHIRA PHARM	As directed	
Granules		Analgesic مهدئات الأوجاع	Egypt		
60 gm					
Ptinolin	Ranitidine 50mg/2 ml	Gastro Intestinal drugs	help	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Ampoules		Peptic ulcer قرحة المعدة	Greece		
5 amps					
Ptinolin 150	Ranitidine 150 / tab	Gastro Intestinal drugs	help	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Tablets		Peptic ulcer قرحة المعدة	Greece		
20 tabs					
Pulmocare	terbutaline+guaifenesine	Respiratory drugs	EVA PHARMA	10 - 15 ml orally tid	
Syrup		Common Cold نزلات البرد	Egypt		
125 ml					
Puradin	Unknown	Skin Disorders	Unknown	As directed	
Solution		Dermatitis التهابات الجلدية	Unknown		
200 ml					
Pure cod liver oil	Pure cod liver oil 9.2g+Vit. A 1200 mcg+ Vit. D 10mcg+ Vit. E 7.6mg+EPA 828 mg+DhA 736	Vitamines and Menirals	seven seas	For lowering triglycerides: 20 mL of cod liver oil per day. For high cholesterol: 30 mL of cod liver oil per day. For lowering blood pressure: 20 mL of cod liver oil per day.	
Syrup		Vitamins نقص فيتامينات	Unknown		
170 ml					
Pursennid	Sennae glycoside	Gastro Intestinal drugs	NOVARTIS	15 to 30 mg once or twice daily	
Tablets		Constipation الإمساك	Switzerland		
20 tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Pyral	Paracetamol drops 100mg/ml.	Nonsteroidal Anti-	KAHIRA PHARM	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Drops		Antipyretic - مهدئات الأوجاع والحمى	Egypt		
15 ml					
Pyrantel	Mebendazole	Anthelmentic	Unknown	For adult and children: Threadworms 100 mg single dose - Roundworms and hookworms : 100 mg BID for 3 days.	
Tablets		Common Worms الديدان الشائعة	Unknown		
6 tab					
Pyrantel	Mebendazole	Anthelmentic	AMRIYA PHARMA	For adult and children: Threadworms 100 mg single dose - Roundworms and hookworms : 100 mg BID for 3 days.	
Tablets		Common Worms الديدان الشائعة	Egypt		
6 tab					
Pyridoxin	Vitamin B Substances	Vitamines and Menirals	Unknown	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Tablets		Neuritis; vitamin B deficiency	Unknown		
20 tab					
Pyridoxin 40	Prridoxine 40 mg	Vitamines and Menirals	Unknown	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Tablets		Neuritis; vitamin B deficiency	Unknown		
20 tab					
Pyridoxine	pyridoxine	Gastro Intestinal drugs	Juphar	Dietary Deficiency : ADULTS: PO/IM/IV 10 to 20 mg/day for 3 wk. Or oral once a day	
Tablets		Nausea and vomiting الغثيان والطرش	UAE		
20 tabs					
Qinarsol	Quinine	Antimalarial medicines	CIPLA	600 mg of quinine every 8 hours for 7 days. For children, 10 mg / kg every 8 hours for 7 days is recommended.	
Ampoules		Malaria الملاريا	India		
10 amp x 2 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
Quebril	Theophyllin +guafenesin	Respiratory drugs	k&c pharma	by mouth in doses ranging from 300 to 1000 mg daily in divided doses	
Capsules		Bronchial Asthma الربو الشعبي	Syria		
20 cap					
Quibron-T/SR	Theophylline 300 mg	Respiratory drugs	Unknown	by mouth in doses ranging from 300 to 1000 mg daily in divided doses	
Tablets		Bronchial Asthma الربو الشعبي	Unknown		
100 tab					
Qutipin-200	Quetiapine tablets 200mg	Central Nervous system drugs	SUN	Minimum/Maximum Adult Daily Dose:200 - 800 mg (milligram) OR 2 - 8 Tablet	
Tablets		Mental Disorders الأمراض العقلية	India		
30 tablets					
R.B.TONE	ferrous gluconate200mg+foliic acid0.5mg+vitB12 4mcg	Vitamines and Menirals	MEDLEY	by mouth in doses of up to 1.8 g daily (equivalent to up to 210 mg of iron daily).	
Capsules		Anaemia فقر الدم	India		
10*15capsule					
R.B.Tone	Ferrous Sulfate+ Folic Acid	Vitamines and Menirals	MEDLEY	Adult Daily Dose:1 tablet once or twice aday or as directed by the physician.	
Syrup		Anaemia فقر الدم	India		
200 ml					
R.B.Tone ???	Ferrous Sulfate+ Folic Acid	Vitamines and Menirals	MEDLEY	Adult Daily Dose:1 tablet once or twice aday or as directed by the physician.	
Capsules		Anaemia فقر الدم	India		
2 * 15 cap					
Rabeloc ???	Rabeprazole	Gastro Intestinal drugs	CADILA	*20 mg once daily 10 mg bid	
tab		Peptic ulcer قرحة المعدة	India		
10 tabs					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Rabeloc Tab	Rabeprazole	Gastro Intestinal drugs	CADILA	*20 mg once daily 10 mg bid *	
tab		Peptic ulcer قرحة المعدة	India		
10 tabs					
Radian	Combination	Non-Steroidal Anti-		As directed	
Cream		Analgesic مهدئات الأوجاع	UK		
Rafamox Capsules	Amoxicillin*	Antibiotics	RFA	250 - 1000 mg three times daily	
capsules		الأمراض الميكروبية Microbial Infections	Yemen		
10strip*10capsules					
Rafamox Syrup	Amoxicillin*	Antibiotics	RFA	125 to 250 mg every 8 hours	
Dry syrup		الأمراض الميكروبية Microbial Infections	Yemen		
1bottel*80ml					
Ramecef	Ceftriaxone Sodium	Antibacterial	RAMEDA	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Parentral inj		Bacterial Infections	Egypt		
1vial		الأمراض البكتيرية			
Ramecef	Ceftriaxone Sodium	Antibacterial	Unknown	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Vial		Bacterial Infections	Unknown		
1 vial		الأمراض البكتيرية			
Ramipres - 5	Ramipres 5 mg	Cardio Vascular System drugs	CIPLA	1.25 - 5 mg once daily is given by mouth	
Tablets		Hypertension ارتفاع ضغط الدم	India		
10 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Ramipres-10	Ramipril	Cardio Vascular System drugs	CIPLA	1.25 - 5 mg once daily is given by mouth	
Tablets		Hypertension ارتفاع ضغط الدم	India		
10tab					
Ramipres-2.5	Ramipril	Cardio Vascular System drugs	CIPLA	1.25 - 5 mg once daily is given by mouth	
Tablets		Hypertension ارتفاع ضغط الدم	India		
10tab					
Ramipres-H	Ramipril	Cardio Vascular System drugs	CIPLA	1.25 - 5 mg once daily is given by mouth	
Tablets		Hypertension ارتفاع ضغط الدم	India		
10tab					
Ramol	Paracetamol syrup 120mg /5ml.	NSAID	Shiba pharma	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Suspension		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Yemen		
60 ml					
Ramol	Paracetamol syrup 120mg /5ml.	NSAID	Shiba pharma	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Suspension		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Yemen		
100 ml					
Ramol	Paracetamol syrup 120mg /5ml.	NSAID	Shiba pharma	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Syrup		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Yemen		
60 ml					
Ramol	Paracetamol syrup 250mg /5ml.	NSAID	Shiba pharma	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Syrup		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Yemen		
60 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Ramol	Paracetamol 400 mg /tab	NSAID	Shiba pharma	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - مهدئات الأوجاع والحمى	Yemen		
10 x 10 tab					
Ramol	Paracetamol 500 mg /caplet	NSAID	Shiba pharma	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Caplets		Antipyretic - مهدئات الأوجاع والحمى	Yemen		
20 caplet					
Ramol	Paracetamol 100 mg /1 ml	NSAID	Shiba pharma	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Oral Drops		Antipyretic - مهدئات الأوجاع والحمى	Yemen		
20 ml					
Ramol Cold & Flu	Paracetamol 500 mg + Pseudoephedrine 30 mg + Chlorpheniramine 2 mg /caplet	Respiratory drugs	Shiba pharma	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Caplets		Common Cold نزلات البرد	Yemen		
20 caplet					
Ramol Extra	Paracetamol 500 mg + caffeine 65 mg /tab	Respiratory drugs	Shiba pharma	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Caplets		Common Cold نزلات البرد	Yemen		
20 caplet					
Ramol Sinus	Paracetamol 500 mg + Pseudoephedrine 30 mg /tab	NSAID	Shiba pharma	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - مهدئات الأوجاع والحمى	Yemen		
20 tab					
Rana = strawberry	Caster Oil	Gastro Intestinal drugs	Shrivenue	4 tablespoons (15ml to 60ml) in a single daily dose.	
solution		Constipation الأمساك	India		
60 ml for bottle					


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Rana = mix fruit	Caster Oil	Gastro Intestinal drugs	Shrivenu	4 tablespoons (15ml to 60ml) in a single daily dose.	
solution		Constipation الأمساك	India		
60 ml for bottle					
Ranitidine 50 mh/2 ml	Ranitidine	Gastro Intestinal drugs	OUBARY PHARMA	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Ampoules		Peptic ulcer قرحة المعدة	Syria		
5 amps					
RANDIN 150	Ranitidine	Gastro Intestinal drugs	Modern Pharama	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Tablets		Peptic ulcer قرحة المعدة	Yemen		
10 x 10 tab					
Rani 150	Ranitidine	Gastro Intestinal drugs	PHARCO	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Eff.Granules		Peptic ulcer قرحة المعدة	Egypt		
6 sachets					
Rani 150	Ranitidine	Gastro Intestinal drugs	PHARCO	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Sachets		Peptic ulcer قرحة المعدة	Egypt		
6 Sachets					
Rani-Denk 150 mg	Ranitidine	Gastro Intestinal drugs	Denk pharma	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Tablets		Peptic ulcer قرحة المعدة	Germany		
20 tablets					
Ranimax	Ranitidine	Gastro Intestinal drugs	JPI	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Tablets		Peptic ulcer قرحة المعدة	Saudi Arabia		
20 tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Ranimax 150	Ranitidine	Gastro Intestinal drugs	JPI	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Tablets		Peptic ulcer قرحة المعدة	Saudi Arabia		
20 tabs					
Ranisan 150	Ranitidine 150 mg / tab	Gastro Intestinal drugs	Shiba pharma	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Tablets		Peptic ulcer قرحة المعدة	Yemen		
10 x 10 tab					
Ranitak 150 mg	Ranitidine	Gastro Intestinal drugs	SEDICO	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Tablets		Peptic ulcer قرحة المعدة	Egypt		
20 tablets					
Ranitalis 50 mg/ 2 ml	Ranitidine 50 mg/ 2 ml	Gastro Intestinal drugs	Vitalis	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Ampoules		Peptic ulcer قرحة المعدة	USA		
10 amp					
Raniticid 50 mg	Ranitidine	Gastro Intestinal drugs	shijiazhuang = china	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Ampoules		Peptic ulcer قرحة المعدة	China		
10 amps					
Ranitidine Injection	Ranitidine 25 mg / ml	Gastro Intestinal drugs	GLAND	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Ampoules		Peptic ulcer قرحة المعدة	India		
5 amps x 2 ml					
Ranitol 150 mg	Ranitidine	Gastro Intestinal drugs	MUP	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Tablets		Peptic ulcer قرحة المعدة	Egypt		
20 tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
Ranitol 300 mg	Ranitidine	Gastro Intestinal drugs	MUP	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Tablets		Peptic ulcer قرحة المعدة	Egypt		
10 tabs					
Rantac 150 mg	Ranitidine	Gastro Intestinal drugs	Shaphaco	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Tablets		Peptic ulcer قرحة المعدة	Yemen		
100 tab					
Rantag 150	Ranitidine	Gastro Intestinal drugs	Juphar	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Tablets		Peptic ulcer قرحة المعدة	UAE		
20 tablets					
Rantol 50 mg	Ranitidine 50 mg	Gastro Intestinal drugs	MUP	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Ampoules		Peptic ulcer قرحة المعدة	Egypt		
5 amps					
RAPACE	Losartan Potassium	Cardio Vascular System drugs	Unknown	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
Tablets		Hypertension ارتفاع ضغط الدم	Unknown		
Box					
Rapidus-50	Diclofenac Potassium coated tablet 50 mg.	Non-Steroidal Anti-	Tabuk pharma	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Tablets		Analgesic مهدئات الأوجاع	Saudi Arabia		
20 coated tablets					
RASHA	Unknown	Skin Disorders	SEDICO	As directed	
Ointment		Dermatitis التهابات الجلدية	Egypt		
20 gm					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Rawel SR	Indapamide 1.5 mg / tab	Cardio Vascular System drugs	KRKA	usual dose by mouth is 1.25 to 2.5 mg once daily,	
Tablets		Hypertension	India		
20 tab		ارتفاع ضغط الدم			
Raxidon-2	Risperidone tablet 2mg	Central Nervous system drugs	JPM	2-4 mg daily	
Tablets		Mental Disorders	Jordan		
20 tablets		الأمراض العقلية			
Raxidon-4	Risperidone tablet 2mg	Central Nervous system drugs	JPM	2-4 mg daily	
Tablets		Mental Disorders	Jordan		
20 tablets		الأمراض العقلية			
Razon 40	pantoprazole	Gastro Intestinal drugs	JPM	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
Tablets		قرحة المعدة	Jordan		
14 tabs					
Razon 40	Pantoprazole	Gastro Intestinal drugs	JPM	40 mg once daily. Treatment is usually given for 2 to 4 weeks for duodenal ulceration, or 4 to 8 weeks for benign gastric ulceration.	
Tablets		قرحة المعدة	Jordan		
14 tab					
Redoxon	Vitamin c 1000mg / Effervescent tab.	Vitamines and Menirals	BAYER	Doses of 25 to 75 mg daily in the prevention of deficiency, and 250 mg or more daily in divided doses for the treatment of deficiency, have been recommended.	
Tablets		Vitamins	Switzerland		
10 Effervescent tab		نقص فيتامينات			
REEMOX	Amoxicillin 500 mg / Cap	Antibiotics	REYOUNG	cap 1gm & 500mg & 250mg syrup 250mg & 125mg drop 100mg Vial 1gm & 500mg & 250mg	
Capsules		الأمراض الميكروبية			
10 strip*10 Capsules		Microbial Infections			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Reenia	CaCo3+MgCO3+NaHCO3	Gastro Intestinal drugs	Bayer health care	one or two tab T I D	
chewable tab		Indigestion سوء الهضم	Unknown		
96 chewable tabs					
REGULON	ethinylestradiol - desogestrel 3	Gynaecology drugs	GEDEON RICHTER	one tablte daily from the frist day of menstution for 21 day	
Tablets		Contraceptives موانع الحمل	HUNGARY		
21					
Relax	chlorzoxazone 250mg+Paracetamol 300mg per capsule.	Nonsteroidal Anti-	Alphamoun	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Capsules		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Egypt		
20 capsules.					
Relax	chlorzoxazone 250mg+Paracetamol 300mg per capsule.	Skeletal Muscle	Alphamoun	250 mg three or four times daily, up to 750 mg three or four times daily may be given if necessary.	
Capsules		Muscle relaxation مرخيات العضلات	Egypt		
20 capsules					
Relaxon	Chlorzoxazone 250 mg + Paracetamol 300mg /capsule	Skeletal Muscle	jamjoom pharma	250 mg three or four times daily, up to 750 mg three or four times daily may be given if necessary.	
Capsules		Muscle relaxation مرخيات العضلات	Saudi Arabia		
30 capsules					
Relcer	Al(OH)+Mg(OH) +Simethicone	Gastro Intestinal drugs	Glenmark	*tab = 40 -120 mg QID orall a.m * susp = 10 ml QID * sachets = one sachet QID	
Gel		Indigestion سوء الهضم	India		
180 ml for bottle					
Reman`s Delay Spray	lidocaine	Central Nervous system drugs	reman	The dose of lidocaine hydrochloride used for local anaesthesia depends on the site of injection and the procedure used.	
Solution		Anaesthetics التخدير الموضعي	Unknown		
bottle of 10 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
Remora	Roxithromycin 150 mg	Antibiotics	Unknown	150 mg twice daily, or sometimes 300 mg once daily, In children of 5 - 8 mg/kg daily , before meals	
Tablets		الأمراض الميكروبية Microbial Infections	Unknown		
10 tab					
Remotidine 50 mg	Ranitidine	Gastro Intestinal drugs	REYOUNG	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Ampoules		قرحة المعدة	Unknown		
10 amp x 2 ml					
RENAL-S	Combination	Urinary tract drugs	pharo ph.	As directed	
Sachets		اصابات الجهاز البولي	Egypt		
12 Sachets					
Renfort	Ranitidine	Gastro Intestinal drugs	Unknown	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Ampoules		قرحة المعدة	Unknown		
10 x 2 ml					
Rennia	CaCo3 680 mg +MgCO3 80 mg	Gastro Intestinal drugs	Bayer health care	one or two tab three times daily	
Chewable tab		سوء الهضم	Unknown		
96 chewable tabs					
Rennia Tab	CaCo3 680 mg+MgCO3 80 mg	Gastro Intestinal drugs	BAYER	tab = 40 -120 mg QID orall a.m * suspension = 10 ml QID *sachets = one sachet QID	
Chewable Tablets		سوء الهضم	Germany		
96 chewable_tab					
Rennia	Combination	Gastro Intestinal drugs	BAYER	As directed	
Tablets		سوء الهضم	Germany		
96 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
Repace	losartan potassium	Cardio Vascular System drugs	SUN	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
Tablets		Hypertension ارتفاع ضغط الدم	India		
30tab					
REPACE H	Losartan Potassium	Cardio Vascular System drugs	Unknown	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
Tablets		Hypertension ارتفاع ضغط الدم	Unknown		
Box					
Reparil	Aescin..... Diethylamine salicylate.....	Cardio Vascular System drugs	CID	The maximum intravenous dose in adults stated to be 20 mg daily	
Tablets		Cardio Vascular الأوعية الدموية والقلب	Egypt		
40 TAB					
Reparil®	Aescin..... 1 g Diethylamine	Cardio Vascular System drugs	CID	The maximum intravenous dose in adults stated to be 20 mg daily	
Semisolid		Cardio Vascular الأوعية الدموية والقلب	Egypt		
40 mg					
Resclar	Clarithromycin	Antibiotics	Neopharma	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
tablet		Respiratory Disorders اضطرابات الجهاز التنفسي	UAE		
2strip*7tablet					
Resdon-2	Risperidone tablet 2mg	Central Nervous system drugs	RFA	2-4 mg daily	
Tablets		Mental Disorders الأمراض العقلية	Yemen		
30 tablets					
Resdon-3	Risperidone tablet 3mg	Central Nervous system drugs	RFA	2-4 mg daily	
Tablets		Mental Disorders الأمراض العقلية	Yemen		
30 tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Resdon-4	Risperidone tablet 4mg	Central Nervous system drugs	RFA	2-4 mg daily	
Tablets		Mental Disorders الأمراض العقلية	Yemen		
30 tablets					
Resprain	Heptaminol	Cardio Vascular System drugs	PHARCO	As directed	
Syrup		Hypertension ارتفاع ضغط الدم	Egypt		
20ml					
Res-Q 10	Nutrients	Gastro Intestinal drugs	Unknown	As directed	
Capsules		Nutrition supplementation تغذية تكميلية	Unknown		
30 cap					
Restelea	Risperidone tablet 2mg	Central Nervous system drugs	ELEA	2-4 mg daily	
Tablets		Mental Disorders الأمراض العقلية	Argentina		
20 tablet					
Restine	Meclozine + Pyridoxine	Gastro Intestinal drugs	Alphamoun	* Motion Sickness= ADULTS: PO 25–50 mg 1 hr before travel; children 6.25 - 12.5 mg once daily *Vertigo =ADULTS: PO 25–100 mg/day in divided doses	
Tablets		Nausea and vomiting الغثيان والطرش	Egypt		
20 tabs					
Restrla-2	Risperidone tablet 2mg	Central Nervous system drugs	ELEA	2-4 mg daily	
Tablets		Mental Disorders الأمراض العقلية	Argentina		
20 tablets					
Restrla-3	Risperidone tablet 3mg	Central Nervous system drugs	ELEA	2-4 mg daily	
Tablets		Mental Disorders الأمراض العقلية	Argentina		
20 tablets					



Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Restyl1mg	Alprazolam tablet 1mg	Central Nervous system drugs	CIPLA	Minimum/Maximum Adult Daily Dose:0.25 - 10 mg (milligram) OR 1 - 40 Tablet	
Tablets		Anxiety, الأرق والقلق	India		
30 tablets					
Resulen	Policresulen	Antihemorrhages	Unknown	As directed	
Suppositoris		Vaginal المهبل	Unknown		
10 sup					
Resyl	Guaifenesin+bromohexine	Respiratory drugs	natco ph.	Bromhexine is usually given by mouth in a dose of 8 to 16 mg of the hydrochloride three times daily.	
Syrup		Respiratory Disorders اضطرابات الجهاز التنفسي	Unknown		
100 ml					
Retalin-50	Sertraline tablet 50mg	Central Nervous system drugs	pil	Minimum/Maximum Adult Daily Dose:50 - 200 mg (milligram) OR 0.5 - 2 Tablet.	
Tablets		Mental Disorders الأمراض العقلية	Unknown		
30 tab					
Retane	Isotretinoin 10 mg	Vitamines and Menirals	ASIA	oral : 500 micrograms/kg daily - Topical treatment of acne a gel 0.05% of isotretinoin is applied once or twice daily	
Soft Gelatin Capsules		Acne حب الشباب	Syria		
30 cap					
Retin- A gel	Tretinoin	Skin Disorders	Janssen-Cilag	As directed	
Gel		Acne حب الشباب	Switzerland		
20 gm					
Revanin	Paracetamol	Non-Steroidal Anti-	APM	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Suppositoris		Antipyretic - مهدئات	Jordan		
5 sup		الأوجاع والحمى			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Rexapin 5mg	Olanzapin tablet 5mg	Central Nervous system drugs	ABDI Ibrahim	Minimum/Maximum Adult Daily Dose: 10 - 20 mg (milligram) OR 1 - 2 Tablet	
Tablets		Mental Disorders الأمراض العقلية	Unknown		
28 Tablets					
Rexapin 10mg	Olanzapin tablet 10mg	Central Nervous system drugs	ABDI Ibrahim	Minimum/Maximum Adult Daily Dose: 10 - 20 mg (milligram) OR 1 - 2 Tablet	
Tablets		Mental Disorders الأمراض العقلية	Unknown		
28 Tablets					
Rexetin	Paroxetine	Central Nervous system drugs	GEDEON RICHTER	Minimum/Maximum Adult Daily Dose: 20 - 60 mg (milligram) OR 2 - 6 Tablet	
Tablets		Mental Disorders الأمراض العقلية	HUNGARY		
30 tab					
Rexetin 20	Paroxetine 20 mg	Central Nervous system drugs	Unknown	Minimum/Maximum Adult Daily Dose: 20 - 60 mg (milligram) OR 2 - 6 Tablet	
Tablets		Mental Disorders الأمراض العقلية	Unknown		
30 tab					
RFADAXIT	Flupentixol Hydrochloride 0.5 mg + Melitracen Hydrochloride 10 mg	Central Nervous system drugs	RFA	3 to 9 mg of flupentixol twice daily or Adult 2 tab daily maximum 4 tab per day. And children not use .	
Tablets		Mental Disorders الأمراض العقلية	Yemen		
100 tablets					
RFAFER	Ferrous Sulfate	Vitamines and Menirals	RFA	Usual doses of dried ferrous sulfate are up to 600 mg daily (equivalent to 180 to 195 mg of iron daily)	
Syrup		Anaemia فقر الدم	Yemen		
100 ml					
RFAFLU	pseudoephedrine + paracetamol + diphenhydramine	Respiratory drugs	RFA	Adults 60 mg three or four times daily by mouth, children 15 - 30 mg three or 4 times daily	
Tablets		Common Cold نزلات البرد	Yemen		
20 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
RFAFLU Tablets	Paracetamol 500mg + Pseudoephedrine 30mg + Diphenhydramin 25mg per tablet.	NSAID	RFA	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Yemen		
20 tablets					
RFAFLU-C	chloropheneramin	NSAID	RFA	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Syrup	2mg+Pseudoephedrine 15mg+Paracetamol 120mg/5ml.	Antipyretic - Analgesic مهدئات الأوجاع والحمى	Yemen		
60 ml					
Rfaflu-C	pseudoephedrine +paracetamol + diphenhydramine	Respiratory drugs	RFA	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Syrup		Common Cold نزلات البرد	Yemen		
60 ml					
Rfagra 25	Sildenafil Citrate 25 mg/ tablet	Sex Stimulants	RFA	25 - 100 mg depending on response, about one hour before sexual intercourse	
Tablets		Sex Stimulants منشطات جنسية	Yemen		
20 tab					
Rfagra 50	Sildenafil Citrate 50 mg/ tablet	Sex Stimulants	RFA	25 - 100 mg depending on response, about one hour before sexual intercourse	
Tablets		Sex Stimulants منشطات جنسية	Yemen		
4 tab					
RFALIN-50	Sertraline tablet 50mg	Central Nervous system drugs	RFA	Minimum/Maximum Adult Daily Dose:50 - 200 mg (milligram) OR 0.5 - 2 Tablet.	
Tablets		Mental Disorders الأمراض العقلية	Yemen		
30 tab					
RFAMOL	Paracetamol suspension 250mg/5ml.	NSAID	RFA	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Suspension		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Yemen		
60 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
RFAMOL	Paracetamol tablet 500mg.	NSAID	RFA	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Yemen		
100 tablets					
RFAMOL	Paracetamol 500 mg	Non-Steroidal Anti-	Unknown	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Unknown		
20 Tablets					
RFAMOL ???	Paracetamol 500mg soluble tablet.	NSAID	RFA	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Yemen		
48 soluble tablets.					
RFAMOL ????	Paracetamol syrup 120 mg/5ml.	NSAID	RFA	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Syrup		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Yemen		
60 ml					
RFAMOL cold	Paracetamol 500mg + Phenylephrine 10mg + Cetirizine 5mg per tablet.	NSAID	RFA	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Yemen		
4 tablets.					
RFAMOL cold	Paracetamol 125mg + Phenylephrine HCl 10mg + Cetirizine 2mg/5ml	NSAID	RFA	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Suspension		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Yemen		
60 ml					
Rfamol cold	pseudoephedrine +paracetamol+chl oraphiniramine	Respiratory drugs	RFA	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Tablets		Common Cold نزلات البرد	Yemen		
4 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Rfamol Cold	pseudoephedrine +paracetamol+chl oraphiniramine	Respiratory drugs	RFA	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Tablets		Common Cold نزلات البرد	Yemen		
4 tab					
RFAMOL EXTRA	Paracetamol 500 mg	Non-Steroidal Anti-	Unknown	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - مهدئات	Unknown		
20 Tablets		الأوجاع والحمى			
RFAMOLesextra	Paracetamol 500mg+ Caffeine 65mg per tab.	NSAID	RFA	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - مهدئات	Yemen		
100 tablets.		الأوجاع والحمى			
RFAMOLnight	Paracetamol 125mg+ Diphenhydramine HCl 7mg+Sodium citrat	NSAID	RFA	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Syrup		Antipyretic - مهدئات	Yemen		
60 ml		الأوجاع والحمى			
RFAMOLplus	Paracetamol 500mg + Codeine 8mg + Caffeine 30mg per effer, tablet.	NSAID	RFA	As directed	
Tablets		Antipyretic - مهدئات	Yemen		
48 effer, tablets.		الأوجاع والحمى			
RFAMOLs.f	Paracetamol syrup 160mg/5ml.	NSAID	RFA	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Syrup		Antipyretic - مهدئات	Yemen		
60 ml		الأوجاع والحمى			
RFAMOX	Amoxicillin 250 MG/5 ML	Antibiotics	RFA	125 to 250 mg every 8 hours	
Powder for Suspension		الأمراض الميكروبية Microbial Infections	Yemen		
80 ML					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
RFAMOX	Amoxicillin 125 MG/5 ML	Antibiotics	RFA	125 to 250 mg every 8 hours	
Powder for Suspension		الأمراض الميكروبية	Yemen		
80 ML		Microbial Infections			
RFAMOX 250	Amoxicillin 250 mg / Cap	Antibiotics	RFA	250 - 1000 mg three times daily	
Capsules		الأمراض الميكروبية	Yemen		
10 strip*10 Capsules		Microbial Infections			
RFAMOX 500	Amoxicillin 500 mg / Cap	Antibiotics	RFA	250 - 1000 mg three times daily	
Capsules		الأمراض الميكروبية	Yemen		
10 strip*10 Capsules		Microbial Infections			
Rfapam 5	Olanzapin tablet 5mg	Central Nervous system drugs	RFA	Minimum/Maximum Adult Daily Dose: 10 - 20 mg (milligram) OR 1 - 2 Tablet	
Tablets		Mental Disorders	Yemen		
30 Tablets		الأمراض العقلية			
Rfapam10	Olanzapin tablet 10mg	Central Nervous system drugs	RFA	Minimum/Maximum Adult Daily Dose: 10 - 20 mg (milligram) OR 1 - 2 Tablet	
Tablets		Mental Disorders	Yemen		
30 tablets		الأمراض العقلية			
RFAPRIL 10	Lisinopril 10mg	Cardio Vascular System drugs	RFA	usual oral dose is 5 -20 mg daily,	
Tablets		Hypertension	Yemen		
30 tab		ارتفاع ضغط الدم			
RFAPRIL 5	Lisinopril 5mg	Cardio Vascular System drugs	RFA	usual oral dose is 5 -20 mg daily,	
Tablets		Hypertension	Yemen		
30 tab		ارتفاع ضغط الدم			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
RFAPRIL-H	Lisinopril 5mg + Hydrochlorothiazide 12.5 mg	Cardio Vascular System drugs	RFA	usual oral dose is 5 -20 mg daily,	
Tablets		Hypertension	Yemen		
30 tab		ارتفاع ضغط الدم			
RFAROX 300	Roxithromycin 300 mg/tab	Antibiotics	RFA	150 mg twice daily, or sometimes 300 mg once daily, In children of 5 - 8 mg/kg daily , before meals	
Tablets		الأمراض الميكروبية	Yemen		
5 tabs		Microbial Infections			
RFASAN	Mefenamic Acid suspension 50mg/5ml.	NSAID	RFA	Minimum/Maximum Adult Daily Dose: 250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
Suspension		مهدئات الأوجاع	Yemen		
100 ml					
RFAsan	Mefenamic Acid tablet 500mg	NSAID	RFA	Minimum/Maximum Adult Daily Dose: 250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
Tablets		مهدئات الأوجاع	Yemen		
20 tablets.					
RFASAN	Mefenamic Acid	NSAID	RFA	Minimum/Maximum Adult Daily Dose: 250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
Tablets		مهدئات الأوجاع	Yemen		
20 tab					
Rfasool	glyceryl guaiacolate + chlorpheniramine maleate	Respiratory drugs	RFA	As directed	
Syrup		Common Cold	Yemen		
100 ml		نزلات البرد			
Rfaspaspa	Drotaverine	Gastro Intestinal drugs	RFA	120 to 240 mg daily by mouth in divided doses.	
Tablets		Abdominal Spasm	Yemen		
20 tabs		آلام البطن			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Rfasp forte	Drotaverine 80 mg	Gastro Intestinal drugs	RFA	120 to 240 mg daily by mouth in divided doses.	
Tablets		Abdominal Spasm آلام البطن	Yemen		
20 tabs					
RFAZET	Paracetamol 500mg + Phenylephrine 10mg + Chlorpheniramine Maleate 2mg per	NSAID	RFA	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Yemen		
20 tablets.					
Rfazet	Paracetamol 500 mg + chloraphiniramine 2 mg & Phenylephrine 10 mg	Respiratory drugs	RFA	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Tablets		Common Cold نزلات البرد	Yemen		
20 tab					
RFAZET ???	Paracetamol 125mg + Phenylephrine HCl 5mg+ Chlorpheniramine Maleate 2mg +	NSAID	RFA	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Syrup		Antipyretic - Analgesic مهدئات الأوجاع والحمى	Yemen		
60 ml					
Rheumarene-25	Diclofenac Sodium tablet 25mg	Nonsteroidal Anti-	SEDICO	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Tablets		Analgesic مهدئات الأوجاع	Egypt		
20 tablets					
Rheumarene-50	Diclofenac Sodium tablet 50mg	Nonsteroidal Anti-	SEDICO	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Tablets		Analgesic مهدئات الأوجاع	Egypt		
20 tablets					
Rheumarene-75	Diclofenac Sodium ampoule 75mg/3ml.	Nonsteroidal Anti-	SEDICO	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Ampoules		Analgesic مهدئات الأوجاع	Egypt		
3 ampoules					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Rheumarene-Gel	Diclofenac Sodium 1 % gel	Nonsteroidal Anti-	SEDICO	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Gel		مهدئات الأوجاع	Egypt		
20 gm					
Rhinathiol	Carbocisteine	Respiratory drugs	SANOFI	Children from 2 up to 5 years may be given 62.5 to 125 mg four times daily and those aged 5 to 12 years 250 mg three times daily	
Syrup		Common Cold نزلات البرد	France		
125 ml					
Rhinex	Carbocisteine	Respiratory drugs	Unknown	Children from 2 up to 5 years may be given 62.5 to 125 mg four times daily and those aged 5 to 12 years 250 mg three times daily	
Drops		Common Cold نزلات البرد	Unknown		
Rhinex	Xylometazoline Hydrochloride	Respiratory drugs	Unknown	As directed	
Nasal Drops		Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	Unknown		
10 ml					
Rhinex Adult	Xylometazolin HCL 0.1%	Respiratory drugs	CID	As directed	
Adult Nasal / drops		Common Cold نزلات البرد	Egypt		
10 ml					
Rhinex Infant	Xylometazolin HCL 0.05%	Respiratory drugs	CID	As directed	
Infant Nasal /drops		Common Cold نزلات البرد	Egypt		
10 ml					
RHINO	Pseudoephedrine	Respiratory drugs	Unknown	60 mg three or four times daily by mouth , oral doses for children 15-30 mg three or four times daily	
Powder		Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	Unknown		

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Rhinofed	pseudoephedrine+ triprolidine	Respiratory drugs	JPI	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Syrup		Common Cold نزلات البرد	Saudi Arabia		
100 ml					
Rhinopro	Pseudoephedrine	Respiratory drugs	OCTOBER PHARMA	60 mg three or four times daily by mouth , oral doses for children 15-30 mg three or four times daily	
Syrup		Common Cold نزلات البرد	Egypt		
90 ml					
Rhinopro	Pseudoephedrine	Respiratory drugs	OCTOBER PHARMA	60 mg three or four times daily by mouth , oral doses for children 15-30 mg three or four times daily	
Capsules		Common Cold نزلات البرد	Egypt		
10 cap					
Ribazole	ribavirin 400 mg or 500 mg	Antivirals	Getz pharma	>75 kg - 400 mg t.i.d or <75 500 mg t.i.d	
Capsules		Viral Infections الأصابات الفيروسية	USA		
10 cap					
RIDAZOL_400	Metronidazole	Antiprtozoal	Unknown	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , جارديا واميبييا	Unknown		
20 tab					
Rifactine	Rifampicin 300mg	Antibiotics	MUP	The usual dose of rifampicin is 600 mg daily by mouth	
Capsules		Tuberculosis (T.B) الدرن	Egypt		
8 capsules					
Rifadin inf	Rifampicin 600mg infusion	Antibiotics	Sanofi Aventis	The usual dose of rifampicin is 600 mg daily by mouth	
Vial		Tuberculosis (T.B) الدرن	France		


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
Rifazid	Rifampicin 300 mg + isoniazid 150 mg / capsule	Antibiotics	Shiba pharma	The usual dose of rifampicin is 600 mg daily by mouth	
Capsules		Tuberculosis (T.B) الدرن	Yemen		
10 cap					
RIGEVIDON	ethinylestradiol +levonotgestrel	Gynaecology drugs	GEDEON RICHTER	one tablte daily from the frist day of menstution for 21 day	
Tablets		Contraceptives موانع الحمل	HUNGARY		
28					
Rinof Pediatric	Dextromethorphan	Respiratory drugs	Y.E.PHARMA	Adults 60 mg three or four times daily, Children 2.5 to 5 mg every 4 hours	
Syrup		Common Cold نزلات البرد	Yemen		
120 ml					
Rinof plus	guaiphenesin+dextromethorphan+chlorpheniramin+ephedrin	Respiratory drugs	Y.E.PHARMA	Adults 60 mg three or four times daily, Children 2.5 to 5 mg every 4 hours	
Syrup		Common Cold نزلات البرد	Yemen		
120 ml					
Rinofed	triprolidine HCL	Respiratory drugs	jazera pharmaceutical	60 mg three or four times daily by mouth , oral doses for children 15-30 mg three or four times daily	
Syrup		Common Cold نزلات البرد	Unknown		
bottle of 100ml of 30 mg					
Rinofed plus	pseudoephedrine +paracetamol+triprolidine	Respiratory drugs	jpi	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Syrup		Common Cold نزلات البرد	Saudi Arabia		
120 ml					
Rinofed plus	pseudoephedrine+ triprolidin +paracetamol	Respiratory drugs	JPI	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Tablets		Common Cold نزلات البرد	Saudi Arabia		
30 tablet					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Rinosin N/ Drops	Naphazolin	Respiratory drugs	PHARCO	As directed	
Nasal / drops		Common Cold نزلات البرد	Egypt		
10 ml					
Rinosin N/ Gel	Naphazolin+chlorpheniramine	Respiratory drugs	PHARCO	As directed	
Nasal / gel		Common Cold نزلات البرد	Egypt		
5 g / Tube					
Rinosin N/D	Naphazolin 0.05% + chlorpheniramine 0.05%	Respiratory drugs	PHARCO	As directed	
Nasal / drops		Common Cold نزلات البرد	Egypt		
10 ml					
RISDAL 2 mg	Risperidone tablet 2 mg / tab	Central Nervous system drugs	EIPICO	2-4 mg daily	
Tablets		Mental Disorders الأمراض العقلية	Egypt		
20 Tablets					
RISDAL 4 mg	Risperidone tablet 4 mg / tab	Central Nervous system drugs	EIPICO	2-4 mg daily	
Tablets		Mental Disorders الأمراض العقلية	Egypt		
20 Tablets					
Risek 40 mg	Omeprazole	Gastro Intestinal drugs	Julphar	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
Capsules		Peptic ulcer قرحة المعدة	UAE		
14 cap					
Risek Vial	Omeprazole	Gastro Intestinal drugs	Julphar	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
vial		Peptic ulcer قرحة المعدة	UAE		
1 vial					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Risnia-2	Risperidone tablet 2mg	Central Nervous system drugs	CIPLA	2-4 mg daily	
Tablets		Mental Disorders الأمراض العقلية	India		
20 tablets					
Risnia-3	Risperidone tablets 3mg	Central Nervous system drugs	CIPLA	2-4 mg daily	
Tablets		Mental Disorders الأمراض العقلية	India		
20 tablets					
Risperdal	Risperidone tablet 2mg	Central Nervous system drugs	Janssen-Cilag	2-4 mg daily	
Tablets		Mental Disorders الأمراض العقلية	Switzerland		
20 tablets					
Risperdal 3 mg	Risperidone tablet 2mg	Central Nervous system drugs	Janssen-Cilag	2-4 mg daily	
Tablets		Mental Disorders الأمراض العقلية	Switzerland		
20 Tablets					
Risperidone 3	Risperidone tablet 3mg	Central Nervous system drugs	Biopharm	2-4 mg daily	
Tablets		Mental Disorders الأمراض العقلية	Yemen		
20 tablets					
Risperidone Tablets	Risperidone tablet 2mg	Central Nervous system drugs	BIOPHARM	2-4 mg daily	
Tablets		Mental Disorders الأمراض العقلية	Yemen		
20 tablets					
Rispharm	Risperidone tablet 3mg	Central Nervous system drugs	Pharma International	2-4 mg daily	
Tablets		Mental Disorders الأمراض العقلية	Unknown		
30 tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Rithro	Clarithromycin	Antibiotics	Unknown	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
Tablets		Respiratory Disorders اضطرابات الجهاز التنفسي	Unknown		
14 F.C. Tablets					
Rithro	Clarithromycin 250 mg	Antibiotics	Avenzor	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
Tablets		Respiratory Disorders اضطرابات الجهاز التنفسي	Unknown		
14 F.C. Tablets					
Rivotril	Clonazepam tablet 2 mg.	Central Nervous system drugs	ROCHE	Oral adult dose 4 to 8 mg daily- in the emergency management of status epilepticus The usual dose is 1 mg intravenous over at least 2 minutes or by intravenous	
Tablets		Epilepsy الصرع	Germany		
30 tablets					
Rivotril	Clonazepam oral drops 2.5mg/ml	Central Nervous system drugs	ROCHE	Oral adult dose 4 to 8 mg daily- in the emergency management of status epilepticus The usual dose is 1 mg intravenous over at least 2 minutes or by intravenous	
Drops		Epilepsy الصرع	Germany		
10 ml					
Rocef TTT	Ceftriaxone Sodium	Antibacterial	Shifa	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Parentral inj		Bacterial Infections الأمراض البكتيرية	Syria		
1vial					
Rocef Vial	Ceftriaxone Sodium	Antibacterial	Shifa	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Parentral inj		Bacterial Infections الأمراض البكتيرية	Syria		
1vial					
Rocephin	Ceftriaxone Sodium	Antibacterial	ROCHE	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Vial		Bacterial Infections الأمراض البكتيرية	Germany		
1vial					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
Rociflex	Ceftriaxone Sodium	Antibacterial	Alpha	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Parentral inj		Bacterial Infections	Syria		
1vial		الأمراض البكتيرية			
Rociflex	Ceftriaxone Sodium	Antibacterial	Unknown	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Vial		Bacterial Infections	Unknown		
1 vial		الأمراض البكتيرية			
Rofenac	Diclofenac Sodium gel 10mg/g	Nonsteroidal Anti-	SPIMACO	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Gel		مهدئات الأوجاع	Saudi Arabia		
50 g					
ROFENAC S.R	Diclofenac Sodium 100 mg	Non-Steroidal Anti-	SPIMACO	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Tablets		مهدئات الأوجاع	Saudi Arabia		
10 tab					
ROFENAC-D	Diclofenac Sodium tablet 50mg	Nonsteroidal Anti-	SPIMACO	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Tablets		مهدئات الأوجاع	Saudi Arabia		
20 tablets					
Rofix	Cefixime	Antibacterial	RFA	Children 8 mg/kg daily as an oral suspension, again as a single dose or in two divided doses	
Dry syrup		Bacterial Infections	Yemen		
1bottel*30ml		الأمراض البكتيرية			
Rofix	Cefixime 100mg/5 ml	Antibacterial	RFA	Children 8 mg/kg daily as an oral suspension as a single dose or in two divided doses	
Dry syrup		Bacterial Infections	Yemen		
60 ml		الأمراض البكتيرية			


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
ROFIX	cefixim 100 mg/5 ml	Antibiotics	RFA	Children 8 mg/kg daily as an oral suspension as a single dose or in two divided doses	
Powder for Suspension		الأمراض الميكروبية	Yemen		
60 ml		Microbial Infections			
ROFIX 200	Cefixime 200 MG	Antibacterial	RFA	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses.	
Capsules		Bacterial Infections	Yemen		
10 CAPS		الأمراض البكتيرية			
ROFIX 400	Cefixime 400 MG	Antibacterial	RFA	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses.	
Capsules		Bacterial Infections	Yemen		
5 CAPS		الأمراض البكتيرية			
ROLEXINE	Cephalexin 500 mg	Antibacterial	RFA	The usual dose for adults is 1 to 2 g daily given in divided doses, Children may be given 25 to 100 mg/kg daily in divided doses to a maximum of 4 g daily.	
Capsules		Bacterial Infections	Yemen		
20 caps		الأمراض البكتيرية			
ROSIDEN	Piroxicam 20 mg / cap	Non-Steroidal Anti-	SHIN POONG	Minimum/Maximum Adult Daily Dose:10 - 20 mg (milligram) OR 1 - 2 Capsules.	
Capsules		Antipyretic -	Korea		
100 cap		مهدئات الأوجاع والحمى			
ROSIDEN	Piroxicam 10 mg/ cap	Non-Steroidal Anti-	SHIN POONG	Minimum/Maximum Adult Daily Dose:10 - 20 mg (milligram) OR 1 - 2 Capsules.	
Capsules		Antipyretic -	Korea		
100 cap		مهدئات الأوجاع والحمى			
Rosuvatin-10mg	Rosuvastatin10mg	Cardio Vascular System drugs	CIPLA	10 - 20 mg once daily	
Tablets		Hyperlipidaemias	India		
10 tablet		زيادة الدهون في الدم			


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Rosuvatin-20	Rosuvastatin Calcium	Cardio Vascular System drugs	CIPLA	10 - 20 mg once daily	
Tablets		Hyperlipidaemias	India		
10 tab		زيادة الدهون في الدم			
Rosuvatin-20mg	rosuvastatin20mg	Cardio Vascular System drugs	CIPLA	10 - 20 mg once daily	
Tablets		Hyperlipidaemias	India		
10 tablet		زيادة الدهون في الدم			
Rovac	Spiramycin*	Antibacterial	Delta-pharma	Adult dose is 6 - 9 million units by mouth daily, in 2 or 3 divided doses. Doses of up to 15 million units	
tablet		Toxoplasmosis	Egypt		
1strip*10tablet		الجرثومة الطفيلية			
Rovamycin	Spiramycin 3000000 I.U.	Antibacterial	Aventis	Adult dose is 6 - 9 million units by mouth daily, in 2 or 3 divided doses. Doses of up to 15 million units	
Tablet		Toxoplasmosis	France		
2strip*5tablet		الجرثومة الطفيلية			
Rovamycine	Spiramycin	Antibacterial	Unknown	Adult dose is 6 - 9 million units by mouth daily, in 2 or 3 divided doses. Doses of up to 15 million units	
Tablets		Toxoplasmosis	Unknown		
10 tab		الجرثومة الطفيلية			
ROVAZOLE	Metronidazole 125mg + spiramycin 750000 I.U	Antiprtozoal	OUBARY PHARMA	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis ,	Syria		
20 tab		جارديا واميبييا			
Rowachol cap	alphapinine +beta pinine +broneol+cineol	Gastro Intestinal drugs	PHARCO	3-5 drop of liquid 4-5 times daily	
Capsules		Hepatic Disorders	Egypt		
30 cap		اضطرابات الكبد			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Rowachol cap2	alphanine +beta pinine +broneol+cineol	Gastro Intestinal drugs	PHARCO	3-5 drop of liquid 4-5 times daily	
Capsules		Hepatic Disorders اضطرابات الكبد	Egypt		
30 cap					
Roxef	Ceftriaxone Sodium	Antibacterial	APM	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Parentral inj		Bacterial Infections الأمراض البكتيرية	Jordan		
1vial					
Roxicam 20	Piroxicam capsule 20 mg.	NSAID	Shiba pharma	Minimum/Maximum Adult Daily Dose:10 - 20 mg (milligram) OR 1 - 2 Capsules.	
Capsules		Antipyretic - Analgesic مهدئات والأوجاع الحمى	Yemen		
10 capsules.					
Roxil Capsules	Cefadroxil 500 mg / cap	Antibacterial	Tabuk pharma	1 to 2 g daily as a single dose or in two divided doses.	
Capsul		Bacterial Infections الأمراض البكتيرية	Saudi Arabia		
2strip*10capsul					
Roxil Syrup	Cefadroxil 250 mg / 5 ml	Antibacterial	Tabuk pharma	Children 6 – 12 years : 5 ml -10 ml twice daily, Children 1 - 5 years : 2.5 ml - 5 ml twice daily.	
Dry syrup		Bacterial Infections الأمراض البكتيرية	Saudi Arabia		
1bottel*100ml					
ROXONIN 60 mg	Loxoprofen Sodium tablet 60mg.	Nonsteroidal Anti-	Saja pharmaceutical	Adult: PO 60 mg 3 times/day or 120 mg once daily.	
Tablets		Analgesic الأوجاع	Saudi Arabia		
20 tablets					
Roxy-300	Roxithromycin	Antibiotics	CIPLA	150 mg twice daily,or sometimes 300 mg once daily, In children of 5 - 8 mg/kg daily , before meals	
Tablet		الأمراض الميكروبية Microbial Infections	India		
1strip*5tablet					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
Roxy-300	Roxithromycin	Antibiotics	Unknown	150 mg twice daily, or sometimes 300 mg once daily, In children of 5 - 8 mg/kg daily , before meals	
Tablets		الأمراض الميكروبية Microbial Infections	Unknown		
5 tab					
Royamol	10 mg / ml	Nonsteroidal Anti-	Unknown	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Infusion		Antipyretic - مهدئات الأوجاع والحمى	Unknown		
100 ml					
Rozif	Ceftriaxone Sodium	Antibacterial	NCPI	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Parental inj		Bacterial Infections الأمراض البكتيرية	Unknown		
1vial					
Rozifax 250	Ceftriaxone Sodium	Antibacterial	ASIA	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Vial		Bacterial Infections الأمراض البكتيرية	Syria		
1vial					
Rozifax 500	Ceftriaxone Sodium	Antibacterial	Asia	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Vial		Bacterial Infections الأمراض البكتيرية	Syria		
1vial					
Rubifen 100 mg	Ketoprofen	Non-Steroidal Anti-	Antibiotic	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Tablets		مهدئات الأوجاع	Unknown		
30 tab					
Rumalaya forte	Herbal extract	Natural products	Himalaya Drug Co	1 tablet twice daily	
Tablets		مهدئات الأوجاع	India		
2 x 30 s					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Rytmonorm 150 mg	Rytmonorm HCL	Cardio Vascular System drugs	ABBOTT	Orally: 150 mg three times daily up to a maximum of 300 mg three times daily	
Tablets		Arrhythmia عدم انتظام ضربات القلب	USA		
50 tab					
Rytmonorm 300 mg	Rytmonorm HCL	Cardio Vascular System drugs	ABBOTT	Orally: 150 mg three times daily up to a maximum of 300 mg three times daily	
Tablets		Arrhythmia عدم انتظام ضربات القلب	USA		
20 film tab					
Rytmonorm Amp	Propafenone HCL	Cardio Vascular System drugs	ABBOTT	Orally: 150 mg three times daily up to a maximum of 300 mg three times daily	
Ampoules		Arrhythmia عدم انتظام ضربات القلب	USA		
5 *20 ml					
Rytmonorm SR 325 mg	Propafenone HCL	Cardio Vascular System drugs	ABBOTT	Orally: 150 mg three times daily up to a maximum of 300 mg three times daily	
Capsules		Arrhythmia عدم انتظام ضربات القلب	USA		
60 CAPSUL					
Saheal	Tadalafil 20 mg	Sex Stimulants	Shaphaco	10 - 20 mg depending on response, about 30 minutes before sexual intercourse	
Tablets		Sex Stimulants منشطات جنسية	Yemen		
4 tab					
SALA	Vardenafil 10 mg	Sex Stimulants	Shiba pharma	10 mg taken about 25 minutes to one hour before sexual intercourse.	
Tablets		Sex Stimulants منشطات جنسية	Yemen		
4 tab					
Salbam	Ampicillin + Sulbactam	Antibiotics	Vitalis	cap 1gm & 500mg & 250mg syrup 250mg & 125mg drop 100mg Vial 1gm & 500mg & 250mg	
Vial		الأمراض الميكروبية Microbial Infections	USA		
1 vial					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Salbutamol 2	salbutamol 2 mg	Respiratory drugs	Amriya Pharma	2 -4 mg / or 2 buffs *qid	
Tablets		Bronchial Asthma الربو الشعبي	Egypt		
20 tab					
Salidex	Anhydrous glucose + sodium chloride	Skin Disorders	phildelaphia	As directed	
Solution		Dermatitis الالتهابات الجلدية	Unknown		
30 ml					
Salil	Vardenafil 20 mg	Sex Stimulants	BIOPHARM	10 mg taken about 25 minutes to one hour before sexual intercourse.	
Tablets		Sex Stimulants منشطات جنسية	Yemen		
4 tab					
Salinose	sodium chloride +sodium bicarbonate	Respiratory drugs	Avalon ph.	sodium chloride solution 0.9%, being isotonic, is a useful fluid for sterile irrigations, for example, of the eye or bladder, and general skin or wound cleansing.	
Nasal / Spray baby formula		Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	Unknown		
20 ml					
Salinose	sodium chloride +bezy alcohol	Respiratory drugs	Avalon Pharma	sodium chloride solution 0.9%, being isotonic, is a useful fluid for sterile irrigations, for example, of the eye or bladder, and general skin or wound cleansing.	
Nasal /drops baby formula		Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	Unknown		
20 ml					
SALIX 200-C	vitamin C240 mg +salix 200mg + zinc gluconate 6.4/c. tablet.	Vitamines and Menirals	SIGMA	Doses of 25 to 75 mg daily in the prevention of deficiency, and 250 mg or more daily in divided doses for the treatment of deficiency, have been recommended.	
Tablets		Vitamins نقص فيتامينات	Egypt		
20 coated tablets					
sanostol	ironIIgluconate864mg corresponds to 100mg iron	Vitamines and Menirals	TAKEDA	by mouth in doses of up to 1.8 g daily (equivalent to up to 210 mg of iron daily).	
syrup		Anaemia فقر الدم	Unknown		
ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Sapofen	Ibuprofen tablet 400mg.	Nonsteroidal Anti-Analgesic مهدئات الأوجاع	SPIMACO	Oral doses of 400 mg to 1.2 g daily .	
Tablets			Saudi Arabia		
20 tablets					
Sapofen plus	pseudoephedrine + ibuprofen	Respiratory drugs	SPIMACO	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Tablets		Common Cold نزلات البرد	Saudi Arabia		
20 tab					
Saridon	Paracetamol 250 mg + Propyphenazone 150 mg + Caffeine 50 mg	Miscellaneous drugs	ROCHE Nicholas	0.5 to 1 g up to four times daily.	
Tablets		Antipyretic - Analgesic مهدئات الأوجاع والحمى	France		
10 tab					
Scazol Forte	Secnidazole 1000 mg / tab	Antiprtozoal	Shiba pharma	Adult: 2 gm single dose , children: 30 mg /kg / day sigle dose ,	
Tablets		Amoebiasis , Gardiasis جارديا واميبييا	Yemen		
2 tab					
Scazol Forte	Secnidazole 1000 mg / tab	Antiprtozoal	Shaphaco	Adult: 2 gm single dose , children: 30 mg /kg / day sigle dose ,	
Tablets		Amoebiasis , Gardiasis جارديا واميبييا	Yemen		
2 tab					
S-citadep-10	Escitalopram tablet 10mg	Central Nervous system drugs	CIPLA	Initial dose 10 mg/day orally single dose , maintenance dose 20 mg/day orally single dose only after a minimum of one week.	
Tablets		Mental Disorders الأمراض العقلية	India		
10 tablets					
S-Citadep-10	Escitalopram tablet 10mg	Central Nervous system drugs	Unknown	Initial dose 10 mg/day orally single dose , maintenance dose 20 mg/day orally single dose only after a minimum of one week.	
Tablets		Mental Disorders الأمراض العقلية	Unknown		
10 tab					




Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
S-citadep-20	Escitalopram tablet 20mg	Central Nervous system drugs	CIPLA	Initial dose 10 mg/day orally single dose , maintenance dose 20 mg/day orally single dose only after a minimum of one week.	
Tablets		Mental Disorders الأمراض العقلية	India		
10 tablets					
Scolinc	Lincomycin 600 mg / 2 ml	Antibiotics	Scott Edil Pharma	Cap 500mg Vial 600mg & 300mg	
Vial		Anaerobic Infections الميكروبات اللاهوائية	India		
2ml / vial					
Scopinal	Hyoscine- N- Butylbromide	Gastro Intestinal drugs	Julphar	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Syrup		Abdominal Spasm آلام البطن	UAE		
100 ml for bottle					
Scopinal	Hyoscine- N-Butylbromide 10 mg	Gastro Intestinal drugs	Julphar	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Tablets		Abdominal Spasm آلام البطن	UAE		
20 tab					
Scotamol	Paracetamol 300 mg / 2ml	Non-Steroidal Anti-	Scott Edil	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Ampoules		Antipyretic - Analgesic مهدئات الأوجاع والحمى	India		
5 amp					
SEACOD	Cod Liver Oil	Vitamines and Menirals	Unknown	For lowering triglycerides: 20 mL of cod liver oil per day. For high cholesterol: 30 mL of cod liver oil per day. For lowering blood pressure: 20 mL of cod liver oil per day.	
Capsules		Vitamins نقص فيتامينات	Unknown		
100 cap					
SECNEZOLE 500	Secnidazole	Antiprtozoal	JPM	Adult: 2 gm single dose , children: 30 mg /kg / day sigle dose ,	
Tablets		Amoebiasis , Gardiasis جارديا واميبيا	Jordan		
4tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Secnitab	Secnidazole 1000 mg / tab	Antiprtozoal	Shaphaco	Adult: 2 gm single dose , children: 30 mg /kg / day sigle dose ,	
Tablets		Amoebiasis , Gardiasis جارديا واميبيا	Yemen		
2 tab					
Sedalac	lactulose	Gastro Intestinal drugs	SEDICO	10 to 20 g (15 to 30 mL) given daily by mouth in a single dose or in 2 divided doses	
Syrup		Constipation الأمساك	Egypt		
120 ml for bottle					
Sedalac	Lactulose	Gastro Intestinal drugs	Unknown	10 to 20 g (15 to 30 mL) given daily by mouth in a single dose or in 2 divided doses	
Syrup		constipation الأمساك	Unknown		
100 ml					
Sedalac	Lactulose	Gastro Intestinal drugs	SEDICO	10 to 20 g (15 to 30 mL) given daily by mouth in a single dose or in 2 divided doses	
Syrup		Constipation الأمساك	Egypt		
120 ml					
sedanox	lorazepam 2mg/tablet	Central Nervous system drugs	zahravi	Minimum/Maximum Adult Daily Dose:0.5 - 10 mg (milligram) OR 1 - 20 Tablet	
Tablets		Anaesthetics التخدير العام	Unknown		
100 scared tablets					
SEDASTERIL	Combination	Antiseptic and Desinfectants	Unknown	As directed	
Lotion		Dermatitis الالتهابات الجلدية	Unknown		
SEDIPROCT	Unknown	Antihaemorrhages	MUP		
Suppositoris		Haemorrhoids البواسير	Egypt		
6 supp					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
SEDIPROCT	Unknown	Antihaemorrhag es	MUP		
Cream		Haemorrhoids البواسير	Egypt		
20 gm					
Sefagen 0.5 gm	Cefotaxime Sodium	Antibacterial	Bilim	2 to 6 g daily in 2 to 4 divided doses to adults. In severe infections up to 12 g may be given daily by the intravenous route in up to 6 divided doses, Children may be given	
Vial		Bacterial Infections الأصابات البكتيرية	Turkey		
1vial					
Sefagen 1 gm	Cefotaxime Sodium	Antibacterial	Bilim	2 to 6 g daily in 2 to 4 divided doses to adults. In severe infections up to 12 g may be given daily by the intravenous route in up to 6 divided doses, Children may be given	
Vial		Bacterial Infections الأصابات البكتيرية	Turkey		
1vial					
Semicon	Simethicone 40 mg	Gastro Intestinal drugs	Shiba pharma	10-15 drops (0.5 - 0.75 ml) in the nursing bottle	
Oral Drops /Suspension		Indigestion سوء الهضم	Yemen		
30 ml					
SENAZOL	Secnidazole 100 mg	Antiprtozoal	Modern Pharama	Adult: 2 gm single dose , children: 30 mg /kg / day sigle dose ,	
Tablets		Amoebiasis , Gardiasis جارديا واميبيا	Yemen		
2tab					
Sen-cold	Butamirate citrate 5 mg/ml with Vanilla Flavour	Respiratory drugs	global pharma	The usual dose is up to 30 mg daily in 3 or 4 divided doses by mouth	
Oral / Solution		Common Cold نزلات البرد	Unknown		
20 ml					
Sen-cold TTT	Butamirate citrate	Respiratory drugs	global pharma	The usual dose is up to 30 mg daily in 3 or 4 divided doses by mouth	
Oral /Solution		Common Cold نزلات البرد	Unknown		
100 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
SENIDAL	Secnidazole 500 / tab	Antiprtozoal	GLOBAL NAPI	Adult: 2 gm single dose , children: 30 mg /kg / day sigle dose ,	
Tablets		Amoebiasis , جارديا واميبيا	Egypt		
4 tab					
Senna Lax	Senna	Gastro Intestinal drugs	NILE CO.	15 to 30 mg once or twice daily	
Tablets		Constipation الأمساك	Egypt		
20 tab					
SENORM1.5	Haloperidol tablets 1.5mg	Central Nervous system drugs	SUN	Minimum/Maximum Adult Daily Dose:10 - 100 mg (milligram) OR 1 - 10 Tablet	
Tablets		Mental Disorders الأمراض العقلية	India		
100 tablets					
SENSODYNE	Combination	Health Care	Unknown	As directed	
		Dental الأسنان	Unknown		
Septazole	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	Antibacterial	Alexendria	Tablet (800 sulfam/ 160 trimeth)mg &Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	
syrup		Bacterial Infections الأصابات البكتيرية	Egypt		
1bottel*100ml					
Septilin	Lithium carbonate + lithium benzoate + anhydrous sodium hydrogen phosphate +	Gastro Intestinal drugs	Himalaya Drug Co	As directed	
Syrup		Indigestion سوء الهضم	India		
200 ml					
Septram	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	antibacterial	Y.E.PHARMA	Tablet (800 sulfam/ 160 trimeth)mg &Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	
syrup		Bacterial Infections الأصابات البكتيرية	Yemen		
1bottel*50ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
Septam	Trimethoprim + Sulphamethoxazole	Antibacterial	Unknown	Tablet (800 sulfam/ 160 trimeth)mg &Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	
Suspension		Bacterial Infections	Unknown		
50 ml		الأمراض البكتيرية			
Septam fort	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	antibacterial	Y.E.PHARMA	Tablet (800 sulfam/ 160 trimeth)mg &Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	
tablet		Bacterial Infections	Yemen		
1strip*10tablet		الأمراض البكتيرية			
Septtrin	Trimethoprim + Sulphamethoxazole	Antibacterial	Glaxo Wellcome	Tablet (800 sulfam/ 160 trimeth)mg &Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	
Suspension		Bacterial Infections	Unknown		
120 ml		الأمراض البكتيرية			
Septtrin	Trimethoprim 80 mg + Sulphamethoxazole 400 mg	Antibacterial	aspen	Tablet (800 sulfam/ 160 trimeth)mg &Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	
Tablets		Bacterial Infections	Ireland		
100 tab		الأمراض البكتيرية			
Septtrin Syrup	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	antibacterial	aspen	Tablet (800 sulfam/ 160 trimeth)mg &Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	
Suspension		Bacterial Infections	Ireland		
1bottle*120ml		الأمراض البكتيرية			
Septtrin Tablets	Trimethoprim 80 mg / Sulfamethoxazole 400 mg (Co-trimoxazole; TMP-SMZ)	antibacterial	gsk glaxosmithkline	Tablet (800 sulfam/ 160 trimeth)mg &Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	
Tablet		Bacterial Infections	UK		
10strip*10tablet		الأمراض البكتيرية			
Seretide Diskus 100	Salmeterol 50 mcg + 100 mcg fluticasone propionate	Respiratory drugs	gsk glaxosmithkline	2 buffs *qid	
Powder for inhalation		Bronchial Asthma	UK		
60 inh		الربو الشعبي			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Seretide Diskus 500	Salmeterol 50 mcg + Fluticasone 500 mg	Respiratory drugs	gsk glaxosmithkline	2 buffs *qid	
Powder for inhalation		Bronchial Asthma الربو الشعبي	UK		
60 inhalation					
SERFEAN 400 mg	Unknown	Unknown	unknown	As directed	
Tablets		Unknown	Unknown		
100 tab					
Serocip-100	Quetiapine tablets 100mg	Central Nervous system drugs	CIPLA	Minimum/Maximum Adult Daily Dose:200 - 800 mg (milligram) OR 2 - 8 Tablet	
Tablets		Mental Disorders الأمراض العقلية	India		
10 tablets					
Serocip-200	Quetiapine tablets 200mg	Central Nervous system drugs	CIPLA	Minimum/Maximum Adult Daily Dose:200 - 800 mg (milligram) OR 2 - 8 Tablet	
Tablets		Mental Disorders الأمراض العقلية	India		
10 tablet					
Serocip-25	Quetiapine tablets 25mg	Central Nervous system drugs	CIPLA	Minimum/Maximum Adult Daily Dose:200 - 800 mg (milligram) OR 2 - 8 Tablet	
Tablets		Mental Disorders الأمراض العقلية	India		
10 tablets					
Serocip-25	Quetiapine Fumarate 25 mg	Central Nervous system drugs	CIPLA	100 mg on day two, 200 mg on day three, and 300 mg on day four; in 2 divided doses. The dosage is then adjusted according to response	
Tablets		Mental Disorders الأمراض العقلية	India		
10 tab					
Serocip-300	Quetiapine tablets 300mg	Central Nervous system drugs	CIPLA	Minimum/Maximum Adult Daily Dose:200 - 800 mg (milligram) OR 2 - 8 Tablet	
Tablets		Mental Disorders الأمراض العقلية	India		
10 tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Serocip-50	Quetiapine Fumarate 50 mg	Central Nervous system drugs	CIPLA	100 mg on day two, 200 mg on day three, and 300 mg on day four; in 2 divided doses. The dosage is then adjusted according to response	
Tablets		Mental Disorders الأمراض العقلية	India		
10 tab					
Seroflo	Salmeterol +fluticasone	Respiratory drugs	CIPLA	2 buffs *qid	
Powder for Inhaler		Bronchial Asthma الربو الشعبي	India		
30 doses					
Seroxat	Paroxetine tablet 20mg	Central Nervous system drugs	gsk glaxosmithkline	Minimum/Maximum Adult Daily Dose:20 - 60 mg (milligram) OR 2 - 6 Tablet	
Tablets		Mental Disorders الأمراض العقلية	UK		
30 tablets					
SERTAL-100	Sertraline tablet 100mg	Central Nervous system drugs	JBM	Minimum/Maximum Adult Daily Dose:50 - 200 mg (milligram) OR 0.5 - 2 Tablet.	
Tablets		Mental Disorders الأمراض العقلية	Unknown		
10 tablets					
SERTAL-50	Sertraline tablet 50mg	Central Nervous system drugs	JBM	Minimum/Maximum Adult Daily Dose:50 - 200 mg (milligram) OR 0.5 - 2 Tablet.	
Tablets		Mental Disorders الأمراض العقلية	Unknown		
10 tablet					
SERTEX	Sertraline tablet 50 mg	Central Nervous system drugs	Shiba pharma	Minimum/Maximum Adult Daily Dose:50 - 200 mg (milligram) OR 0.5 - 2 Tablet.	
Tablets		Mental Disorders الأمراض العقلية	Yemen		
30 tab					
Setral 100	Sertraline Hydrochloride	Central Nervous system drugs	JPM	Minimum/Maximum Adult Daily Dose:50 - 200 mg (milligram) OR 0.5 - 2 Tablet.	
Tablets		Mental Disorders الأمراض العقلية	Jordan		
10 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
SETRAL 100 mg	Sertraline Hydrochloride	Central Nervous system drugs	JPM	Minimum/Maximum Adult Daily Dose:50 - 200 mg (milligram) OR 0.5 - 2 Tablet.	
Tablets		Mental Disorders الأمراض العقلية	Jordan		
10 C.T					
SETRAL 50mg	Sertraline Hydrochloride	Central Nervous system drugs	Unknown	Minimum/Maximum Adult Daily Dose:50 - 200 mg (milligram) OR 0.5 - 2 Tablet.	
Tablets		Mental Disorders الأمراض العقلية	Unknown		
10 C.T					
SEZOL	Secnidazole 1000 mg	Antiprtozoal	Global Pharma	Adult: 2 gm single dose , children: 30 mg /kg / day sigle dose ,	
Tablets		Amoebiasis , Gardiasis جارديا واميبيا	Yemen		
2 tab					
Shabynil	Diphenhydramin +ammonium chloride	Respiratory drugs	shaphaco	25 to 50 mg three or four times daily. for children 6.25 to 25 mg three or four times daily	
Syrup		Common Cold نزلات البرد	Yemen		
100 ml					
Shamoxil	Amoxicillin	Antibiotics	Shaphaco	125 to 250 mg every 8 hours	
Oral /Drops		الأمصابات الميكروبية Microbial Infections	Yemen		
10 ml					
Shamoxil	Amoxicillin	Antibiotics	Shaphaco	250 - 1000 mg three times daily	
Capsules		الأمصابات الميكروبية Microbial Infections	Yemen		
20 cap					
Shamoxil	Amoxicillin 125 mg / 5 ml	Antibiotics	Shaphaco	125 to 250 mg every 8 hours	
Suspension		الأمصابات الميكروبية Microbial Infections	Yemen		
100 ml					


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Shamoxil	Amoxicillin 250 mg / 5 ml	Antibiotics	Shaphaco	125 to 250 mg every 8 hours	
Suspension		الأمراض الميكروبية Microbial Infections	Yemen		
100 ml					
Shamoxil 250 DT	Amoxicillin 250 mg Dispersable tablets	Antibiotics	Shaphaco	250 - 1000 mg three times daily	
Tablets		الأمراض الميكروبية Microbial Infections	Yemen		
20 tabs					
Sharizol	Metronidazole 200 mg	Antiprtozoal	Shaphaco	Metronidazole dose + Diloxanide furoate ; 500 mg tid for adults and 20 mg/kg/day for children in 3 doses for 7-10 days	
Tablets		Amoebiasis , جارديا واميبييا	Yemen		
1000 tab					
Shark Liver Oil	Cod Liver Oil	Vitamines and Menirals	Vitex pharma	For lowering triglycerides: 20 mL of cod liver oil per day. For high cholesterol: 30 mL of cod liver oil per day. For lowering blood pressure: 20 mL of cod liver oil per day.	
Capsules		Vitamins نقص فيتامينات	Unknown		
30 cap					
Shatrim	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	Antibacterial	Shaphaco	Tablet (800 sulfam/ 160 trimeth)mg & Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	
Tablets		Bacterial Infections الأمراض البكتيرية	Yemen		
20 tab					
Shatrim	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	Antibacterial	Shaphaco	Tablet (800 sulfam/ 160 trimeth)mg & Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	
Tablets		Bacterial Infections الأمراض البكتيرية	Yemen		
500 tab					
Shatrim Suspension	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	Antibacterial	Shaphaco	Tablet (800 sulfam/ 160 trimeth)mg & Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	
Suspension		Bacterial Infections الأمراض البكتيرية	Yemen		
50 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Shatrim Suspension	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	Antibacterial	Shaphaco	Tablet (800 sulfam/ 160 trimeth)mg & Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	
Suspension		Bacterial Infections الأمراض البكتيرية	Yemen		
100 ml					
SHINCEF	Cefuroxime 500 mg	Antibacterial	SHIN POONG	Oral doses for adults are 250 to 500 mg twice daily	
Vial		Bacterial Infections الأمراض البكتيرية	Korea		
10 vial					
SHINTAXIME	Cefotaxime Sodium	Antibacterial	SHIN POONG	2 to 6 g daily in 2 to 4 divided doses to adults. In severe infections up to 12 g may be given daily by the intravenous route in up to 6 divided doses, Children may be given	
Vial		Bacterial Infections الأمراض البكتيرية	Korea		
10 vial					
Sianrex	Antimalarial kit, composed of 9 tablets, 6 tablets (round) each of artesunate 100mg, and 3	Antimalarial medicines	pharmacare	The usual dose is 1.5 g of sulfadoxine with 75 mg of pyrimethamine as a single dose	
Tablets		Malaria الملاريا	Yemen		
One blister of 9 tablets					
Sifloks 500	Ciprofloxacin*	Antibacterial	Zentiva	250 to 750 mg twice daily depending on the severity and nature of the infection	
tablet		Bacterial Infections الأمراض البكتيرية	Unknown		
1strip*10tablet					
Silca	Herbal extract	Health Care	Unknown	As directed	
Solution		Mouth Wash الغسولات الفموية	Unknown		
Bottle					
Silymarin plus	silymarin	Gastro Intestinal drugs	SEDICO	Dry extract capsules are administered at 200 to 400 mg/day or 12 to 15 g of dried seed per day.	
Soft Gelatin Capsules		Hepatic Disorders اضطرابات الكبد	Egypt		
20 cap					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Silymarin plus	Silymarin 140 mg or 70mg/Sofet gelatin capsule.	Gastro Intestinal drugs	SEDICO	Dry extract capsules are administered at 200 to 400 mg/day or 12 to 15 g of dried seed per day.	
Capsules		Hepatic Disorders اضطرابات الكبد	Egypt		
20 ccs					
Simepar	silymarin +vit b complex	Gastro Intestinal drugs	Mepha	Dry extract capsules are administered at 200 to 400 mg/day or 12 to 15 g of dried seed per day.	
Capsules		Hepatic Disorders اضطرابات الكبد	Unknown		
40 cap					
Simepar	Silymarin	Gastro Intestinal drugs	Unknown	Dry extract capsules are administered at 200 to 400 mg/day or 12 to 15 g of dried seed per day.	
Capsules		Hepatic Disorders اضطرابات الكبد	Unknown		
40 cap					
SIMETHICONE	actived dimethicone	Gastro Intestinal drugs	MUP	tab = 40 -120 mg QID orall a.m * suspension = 10 ml QID *sachets = one sachet QID	
Drops		Indigestion سوء الهضم	Egypt		
30 ml					
Simethicone	Semethicone	Gastro Intestinal drugs	MUP	tab = 40 -120 mg QID orall a.m * suspension = 10 ml QID *sachets = one sachet QID	
Emulsion		Indigestion سوء الهضم	Egypt		
30 ml					
Simva-Denk 20	simvastatin20mg	Cardio Vascular System drugs	Denk Pharma	Adults: Initial: 20 mg, Maintenance:up to 80 mg/day. Elderly: Initial: 5 mg/d. Maintenance:10 mg/d.	
Tablets		Hyperlipidaemias زيادة الدهون في الدم	Germany		
28 film coated tablet					
Simvagen 10	Simvastatin	Cardio Vascular System drugs	RIYADH PHARMA	Adults: Initial: 20 mg, Maintenance:up to 80 mg/day. Elderly: Initial: 5 mg/d. Maintenance:10 mg/d.	
Tablets		Hyperlipidaemias زيادة الدهون في الدم	Saudi Arabia		
30 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Simvagen 20mg	simvastatin 20mg	Cardio Vascular System drugs	RIYADH PHARMA	Adults: Initial: 20 mg, Maintenance:up to 80 mg/day. Elderly: Initial: 5 mg/d. Maintenance:10 mg/d.	
tablet		Hyperlipidaemias	Saudi Arabia		
30film coated tablet		زيادة الدهون في الدم			
simvalip 20	Simvastatin 20mg	Cardio Vascular System drugs	BIOPHARM	Adults: Initial: 20 mg, Maintenance:up to 80 mg/day. Elderly: Initial: 5 mg/d. Maintenance:10 mg/d.	
Tablets		Hyperlipidaemias	Yemen		
28tablet		زيادة الدهون في الدم			
Simvast 20 mg	Simvastatin	Cardio Vascular System drugs	Julphar	Adults: Initial: 20 mg, Maintenance:up to 80 mg/day. Elderly: Initial: 5 mg/d. Maintenance:10 mg/d.	
Tablets		Hyperlipidaemias	UAE		
28 tab		زيادة الدهون في الدم			
Simvast 40 mg	Simvastatin 40 mg	Cardio Vascular System drugs	Julphar	Adults: Initial: 20 mg, Maintenance:up to 80 mg/day. Elderly: Initial: 5 mg/d. Maintenance:10 mg/d.	
Tablets		Hyperlipidaemias	UAE		
30 tab		زيادة الدهون في الدم			
Simvatin 10	simvastatin 10 mg	Cardio Vascular System drugs	Pharma International	Adults: Initial: 20 mg, Maintenance:up to 80 mg/day. Elderly: Initial: 5 mg/d. Maintenance:10 mg/d.	
Tablets		Hyperlipidaemias	Jordan		
30 tablet		زيادة الدهون في الدم			
Simvatin 20	simvastatin 20 mg	Cardio Vascular System drugs	Pharma International	Adults: Initial: 20 mg, Maintenance:up to 80 mg/day. Elderly: Initial: 5 mg/d. Maintenance:10 mg/d.	
Tablets		Hyperlipidaemias	Jordan		
30 tab		زيادة الدهون في الدم			
Simvo-Denk 20	Simvastatin 20 mg	Cardio Vascular System drugs	Denk Pharma	Adults: Initial: 20 mg, Maintenance:up to 80 mg/day. Elderly: Initial: 5 mg/d. Maintenance:10 mg/d.	
Tablets		Hyperlipidaemias	Germany		
30 tab		زيادة الدهون في الدم			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Sinarex	Antimalarial kit of : Artesunate 100 mg + Sulfadoxine 500 mg + Pprimethamine 25	Antimalarial medicines	Pharmacare	The usual dose is 1.5 g of sulfadoxine with 75 mg of pyrimethamine as a single dose	
Tablets		Malaria الملاريا	Yemen		
9 tab (6 +3)					
SINAWET	Herbal extract	Respiratory drugs	Sina Pharm	As directed	
Syrup		Common Cold نزلات البرد	Unknown		
120 ml					
Sincomin	Butamirate citrate 5 mg/ml with Vanilla Flavour	Respiratory drugs	Modern Pharama	The usual dose is up to 30 mg daily in 3 or 4 divided doses by mouth	
Oral/drops		Common Cold نزلات البرد	Yemen		
20 ml					
Sincomin	Butamirate citrate 7.5 mg / 5 ml	Respiratory drugs	Modern Pharama	The usual dose is up to 30 mg daily in 3 or 4 divided doses by mouth	
Oral / Solution		Common Cold نزلات البرد	Yemen		
100 ml					
Sincuf	Butamirate citrate	Respiratory drugs	Y.E.PHARMA	The usual dose is up to 30 mg daily in 3 or 4 divided doses by mouth	
Syrup		Common Cold نزلات البرد	Yemen		
120 ml					
Sinecod	Butamirate citrate	Respiratory drugs	NOVARTIS	The usual dose is up to 30 mg daily in 3 or 4 divided doses by mouth	
Syrup		Common Cold نزلات البرد	Switzerland		
200 ml					
Sinecod	Butamirate citrate	Respiratory drugs	NOVARTIS	The usual dose is up to 30 mg daily in 3 or 4 divided doses by mouth	
Drops		Common Cold نزلات البرد	Switzerland		
20 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Sinemet	Carbidopa/Levodopa tablet (25/250)mg	Central Nervous system drugs	ALGORITHM	Minimum/Maximum Adult Daily Dose: 2 - 8 Tablet, Sustained Action	
Tablets		Parkinson's disease مرض الرعاش	Lebanon		
20 tablets					
Sinerdol-150	Rifampicin 300mg + isoniazid 150mg	Antibiotics	Unknown	The usual dose of rifampicin is 600 mg daily by mouth	
Capsules		Tuberculosis (T.B) الدرن	Unknown		
10 Capsules					
SINOMOL INJECTION	Paracetamol 300 mg + Lignocaine 2 mg / 2 ml	Nonsteroidal Anti-	Sinochem Ningbo	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Ampoules		Antipyretic - Analgesic مهدئات الأوجاع والحمى	China		
10 amp x 2 ml					
sinopryl 10	Lisinopril	Cardio Vascular System drugs	Unknown	usual oral dose is 5 -20 mg daily,	
Tablets		Hypertension ارتفاع ضغط الدم	Unknown		
30 tab					
Sinotaxim	Cefotaxime Sodium	Antibacterial	Unknown	2 to 6 g daily in 2 to 4 divided doses to adults. In severe infections up to 12 g may be given daily by the intravenous route in up to 6 divided doses, Children may be given	
Vial		Bacterial Infections الأصابات البكتيرية	Unknown		
1 vila					
Sinotrim	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	Antibacterial	ILDONG	Tablet (800 sulfam/ 160 trimeth)mg & Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	
tablet		Bacterial Infections الأصابات البكتيرية	Korea		
10strip*10tablet					
Sinuven Adult N/D	Oxymetazoline HCL 0.5%	Respiratory drugs	ALPHA	Nasal drops , or Orally in Adult 5 mg while children 1.25 to 2.5 mg as two or three times daily .	
Adult Nasal / drops		Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	Syria		
10 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Sinuven Pedi/N/D	Oxymetazoline HCL 0.25%	Respiratory drugs	ALPHA	Nasal drops , or Orally in Adult 5 mg while children 1.25 to 2.5 mg as two or three times daily .	
Pediatric Nasal / drops		Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	Syria		
10 ml					
Sipro 500	Ciprofloxacin	Antibacterial	ASIA	250 to 750 mg twice daily depending on the severity and nature of the infection	
Tablets		Bacterial Infections	Syria		
1strip*10tablet		الأمراض البكتيرية			
Siprodrogsan 500	Ciprofloxacin	Antibacterial	Drogsan	250 to 750 mg twice daily depending on the severity and nature of the infection	
tablet		Bacterial Infections	Unknown		
14 Film Tablet		الأمراض البكتيرية			
SIRAGYL	Metronidazole 125 mg + spiramycin 750000I.U	Antiprtozoal	Pharo Pharma	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis ,	Egypt		
2 tab		جارديا واميبييا			
SIRAGYL FORTE	Metronidazole 250 mg + soiramycin 1500000 I.U	Antiprtozoal	Pharo Pharma	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis ,	Egypt		
10 tab		جارديا واميبييا			
Sirdalud	Tizanidine Hydrochloride 2 mg	Central Nervous system drugs	NOVARTIS	4 mg, increased as required in steps of 2 to 4 mg, up to 36 mg daily.	
Tablets		Muscle relaxation	Switzerland		
box of 30 tablets		مرخيات العضلات			
Sitaram-20	Citalopram tablet 20mg	Central Nervous system drugs	Mediotic	Minimum/Maximum Adult Daily Dose:20 - 40 mg (milligram) OR 1 - 2 Tablet	
Tablets		Mental Disorders	Unknown		
20 tablets		الأمراض العقلية			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Sizodon-3	Risperidone tablet 3mg	Central Nervous system drugs	SUN	2-4 mg daily	
Tablets		Mental Disorders	India		
50 tablets		الأمراض العقلية			
SizodonMD-2	Risperidone tablet 2mg	Central Nervous system drugs	SUN	2-4 mg daily	
Tablets		Mental Disorders	India		
50 tablets		الأمراض العقلية			
Sleep- Fine	Zaleplon 5 mg	Central Nervous system drugs	Shiba pharma	The usual dose is 10 mg at bedtime	
Tablets		Anxiety, Insomnia	Yemen		
10 tab		الأرق والقلق			
Sleep- Fine	Zaleplon 10 mg	Central Nervous system drugs	Shiba pharma	The usual dose is 10 mg at bedtime	
Tablets		Anxiety, Insomnia	Yemen		
10 tab		الأرق والقلق			
Slimcal	Each capsule contains 120 mg of orlistat.	Gastro Intestinal drugs	Pharmacare	120 mg by mouth three times daily, immediately before, during, or up to 1 hour after meals	
Capsules		Obesity	Yemen		
4 blister , each contains 21					
Sobycor	Bisoprolol Fumarate 2.5 mg / tab	Cardio Vascular System drugs	KRKA	bisoprolol fumarate is 5 to 10 mg by mouth as a single daily dose; the maximum recommended dose is 20 mg daily.	
Tablets		Hypertension	India		
30 tab		ارتفاع ضغط الدم			
Sobycor	Bisoprolol Fumarate 5 mg / tab	Cardio Vascular System drugs	KRKA	bisoprolol fumarate is 5 to 10 mg by mouth as a single daily dose; the maximum recommended dose is 20 mg daily.	
Tablets		Hypertension	India		
30 tab		ارتفاع ضغط الدم			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Sodi vag	Sodium Bicarbonate 4% + Sodium carbonate 0.025%	Health Care	Shiba pharma	As directed	
Solution		Vaginal المهبل	Yemen		
200 ml					
Sodi vag	Sodium Bicarbonate 2% + Sodium carbonate 0.025%	Health Care	Shiba pharma	As directed	
Solution		Vaginal المهبل	Yemen		
200 ml					
Sodium Chloride	Sodium Chloride 5 %	Antiseptic and Disinfectants	Orchidia Pharma	sodium chloride solution 0.9%, being isotonic, is a useful fluid for sterile irrigations, for example, of the eye or bladder, and general skin or wound cleansing.	
Solution		Eye العين	Egypt		
15 ml					
Sodium nitroprusside	Sodium nitroprusside	Cardio Vascular System drugs	Unknown	The usual dose is 0.5 to 6 micrograms/kg per minute	
Vial		Hypertension	Unknown		
1 vial		ارتفاع ضغط الدم			
Solamin	Combination	Respiratory drugs	Modern Pharama	As directed	
Syrup		Common Cold	Yemen		
100 ml		نزلات البرد			
Solcogyn	acetic acid - nitric acid - zinc nitrare - oxalic acid	Health Care	MEDA	As directed	
Solution		Vaginal المهبل	Unknown		
Solcoseryl	Solcoseryl (Calf blood extract)	Skin Disorders	MEDA	As directed	
Gel		Burns الحروق	Unknown		
20 gm					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Solcoseryl	Solcoseryl comp	Unknown	Unknown	As directed	
Gel		العين Eye	Unknown		
5 gm					
Solcoseryl eye gel	Solcoseryl (Calf blood extract)	Ophthalmic drugs	Solco	As directed	
Gel		العين Eye	Switzerland		
5 gm					
Solcoseryl ointment	Solcoseryl (Calf blood extract)	Skin Disorders	MEDA	As directed	
Ointment		الحروق Burns	Unknown		
20 gm					
Solofresh	Sodium Hyaluronate 0.2%	Ophthalmic drugs	Orchidia Pharma	As directed	
Solution		العين Eye	Egypt		
10 ml					
Solpadeine	Paracetamol 500mg+caffeine 30mg+codein 8mg per tablet.	Nonsteroidal Anti-	gskGlaxoSmith klin	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Antipyretic - مهدئات	UK		
24 tablets		الأوجاع والحمى			
Solpadeine	paracetamol+codeine phosphate +caffeine	Non-Steroidal Anti-	glaxosmithkline	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Common Cold نزلات البرد	UK		
24 soluble tablet					
Solu-Medrol	Methylprednisolone 1000 mg	Corticosteroid	Pfizer	10 to 500 mg of methylprednisolone daily	
Powder for Solution Injection		Inflammations	USA		
1000 mg Sterile Powder		الالتهابات			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
SOLUS one A day	Multi vitamin and Menirals	Vitamines and Menirals	LIFEPLAN	As directed	
Tablets		Vitamins	Unknown		
30 Tab		نقص فيتامينات فيتامينات			
Solvin	Bromhexine (2mg/ml)	Respiratory drugs	ADCO	Bromhexine is usually given by mouth in a dose of 8 to 16 mg of the hydrochloride three times daily	
Syrup		Respiratory Disorders	Egypt		
120 ml		اضطرابات الجهاز التنفسي			
Solvin	Bromhexine	Respiratory drugs	ADCO	Bromhexine is usually given by mouth in a dose of 8 to 16 mg of the hydrochloride three times daily	
Tablets		Respiratory Disorders	Egypt		
20 tab		اضطرابات الجهاز التنفسي			
Solvin Drops	bromhexine (2 mg/ ml)	Respiratory drugs	ADCO	Bromhexine is usually given by mouth in a dose of 8 to 16 mg of the hydrochloride three times daily.	
Oral /Drops		Respiratory Disorders	Egypt		
15 ml		اضطرابات الجهاز التنفسي			
Solvin Tablets	Bromhexine (8 mg)	Respiratory drugs	ADCO	Bromhexine is usually given by mouth in a dose of 8 to 16 mg of the hydrochloride three times daily.	
Tablets		Respiratory Disorders	Egypt		
20 tab		اضطرابات الجهاز التنفسي			
SomaCare	Combination	Antiseptic and Desinfectants	BioCare Pharma	As directed	
Solution		مطهرات	Egypt		
Bottle					
Sompraz	Esomeprazole	Gastro Intestinal drugs	SUN Pharma	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
cap		قرحة المعدة	India		
14 caps					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Soolan Pediatric	Each 5 ml contains : Chlorphenamine Maleate 1mg + Phenylephrine Hydrochloride	Antihistamines	Unknown	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	
Syrup		Common Cold نزلات البرد	Unknown		
100 ml					
Sopalgin	paracetamol 500 mg +codeine phosphate 8 mg +caffeine 30 mg	NSAID	Modern Pharama	0.5 to 1 g every 4 to 6 hours up to a maximum of 4 g daily	
Tablets		Common Cold نزلات البرد	Yemen		
24 tabs					
Soral	Tenoxicam 20mg supp.	Nonsteroidal Anti-	GLOBAL NAPI	maximum dose 20 mg one time daily (for two weeks only)	
Suppositoris		Analgesic مهدئات الأوجاع	Egypt		
5 supp,					
Sotilen	Piroxicam 10 mg	Non-Steroidal Anti-	Unknown	Minimum/Maximum Adult Daily Dose:10 - 20 mg (milligram) OR 1 - 2 Capsules.	
Capsules		Analgesic مهدئات الأوجاع	Unknown		
30 cap					
Spasmcil	Dicycloverine Hydrochloride	Gastro Intestinal drugs	HUONS	10 to 20 mg of dicycloverine hydrochloride is given 3 times daily, Children 10 mg three times daily.	
Tablets		Abdominal Spasm آلام البطن			
3 x 10 tab					
Spasmcil	Secnidazole 1000 mg	Antiprtozoal	Global Pharma	Adult: 2 gm single dose , children: 30 mg /kg / day sigle dose ,	
Tablets		Amoebiasis , Gardiasis جارديا و اميبيا	Yemen		
2x1 tab					
Spasmo	Homatropine methyl bromide	Gastro Intestinal drugs	Shaphaco	9 - 12 drops Tid	
Oral Paediatric Drops		Abdominal Spasm آلام البطن	Yemen		
15 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Spasmo - H	Homatropine methyl bromide 10 mg	Gastro Intestinal drugs	Shaphaco	9 - 12 drops Tid	
Tablets		Abdominal Spasm آلام البطن	Yemen		
20 tabs					
Spasmo-Canulase	Methexin+cellulose+pepsin+glutamic acid+pancreatin+NaHco3	Gastro Intestinal drugs	NOVARTIS	once tab before all meal *If acute taken two tabs	
Bitabs		Abdominal Spasm آلام البطن	Switzerland		
20 Bitabs					
Spasmocil	Alerine citrate	Gastro Intestinal drugs	Huons	60 to 120 mg one to three times daily	
Tablets		Abdominal Spasm آلام البطن	Korea		
30 Tablets					
spasmocin	Hyoscine-N-Butylbromide 10 mg	Gastro Intestinal drugs	Memphis	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Tablets		Abdominal Spasm آلام البطن	Egypt		
20 tabs					
Spasmocure	Drotaverine	Gastro Intestinal drugs	Alphamoun	120 to 240 mg daily by mouth in divided doses.	
Tablets		Abdominal Spasm آلام البطن	Egypt		
20 tabs					
Spasmocure	Drotaverine	Gastro Intestinal drugs	APIC	120 to 240 mg daily by mouth in divided doses.	
Tablets		Abdominal Spasm آلام البطن	Egypt		
20 tabs					
SPASMO-DIGESTIN	Methexin+cellulose+pepsin+glutamic acid+pancreatin+NaHco3	Gastro Intestinal drugs	PHARCO	once tab before all meal *If acute taken two tabs	
Tablets		Indigestion سوء الهضم	Egypt		
30 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Spasmokid	Hyoscyamine 0.125 mg / 1 ml	Gastro Intestinal drugs	Shiba pharma	150 to 300 micrograms up to four times daily by mouth	
Oral /Drops		Abdominal Spasm آلام البطن	Yemen		
20 ml					
Spasmoline	Homatropine methyl bromide	Gastro Intestinal drugs	YEDCO	9 - 12 drops Tid	
Oral Paediatric Drops		Abdominal Spasm آلام البطن	Yemen		
15 ml					
Spasmomen	Otilonium Bromide 40 mg	Gastro Intestinal drugs	MENARINI	120 mg daily by mouth.	
Dragees		Abdominal Spasm آلام البطن	Italy		
30 Dragees					
spasmopan Syrup	Hyoscine- N- Butylbromide	Gastro Intestinal drugs	APM	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Syrup		Abdominal Spasm آلام البطن	Jordan		
100 ml for bottle					
SPASMOSAFE	Drotaverine 60 mg	Gastro Intestinal drugs	Modern Pharama	120 to 240 mg daily by mouth in divided doses.	
Tablets		Abdominal Spasm آلام البطن	Yemen		
20 tabs					
spasmoson	Hyoscine- N- Butylbromide	Gastro Intestinal drugs	Jayson	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Ampoules		Abdominal Spasm آلام البطن	Unknown		
10 amps					
Spazmo-max	Hyoscine- N-Butylbromide 10 mg	Gastro Intestinal drugs	Shiba pharma	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Tablets		Abdominal Spasm آلام البطن	Yemen		
20 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Spazmo-max	Hyoscine-N-Butylbromide 5 mg / 5 ml	Gastro Intestinal drugs	Shiba pharma	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Syrup		Abdominal Spasm آلام البطن	Yemen		
60 ml					
Spazmotek	Hyoscine Butylbromide 20 mg / ml	Gastro Intestinal drugs	Bilim	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Ampoules		Abdominal Spasm آلام البطن	Turkey		
6 amp x 1 ml					
Spazmotek plus	Hyoscine-N-Butylbromide 10 mg + paracetamol 500 mg	Gastro Intestinal drugs	Bilim	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Tablets		Abdominal Spasm آلام البطن	Turkey		
20 tabs					
Spazomo-max	Hyoscine-N-Butylbromide 10 mg	Gastro Intestinal drugs	Shiba pharma	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Tablets		Abdominal Spasm آلام البطن	Yemen		
20 tabs					
spectrum	High potency Multivitamin and Multimineral formula with beta carotene.	Vitamines and Menirals	CENTURY	As directed	
Tablets		Vitamins نقص فيتامينات	USA		
30 tablets					
Spedifen-400	Ibuprofen f.c. tablet 400mg.	Nonsteroidal Anti-	Zambon	Oral doses of 400 mg to 1.2 g daily .	
Tablets		Analgesic مهدئات الأوجاع	Unknown		
12 f.c.tablets					
Spiradent	Metronidazole 125mg + spiramycin 750000 I.U	Antiprtozoal	BIOPHARM	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , جارديا واميبييا	Yemen		
20 tab					


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Spiradent	Spiramycin 750,000 IU + Metronidazol 125 mg / tablet	antibacterial	BIOPHARM	Adult dose is 6 - 9 million units by mouth daily, in 2 or 3 divided doses. Doses of up to 15 million units	
Tablets		الأسنان Dental	Yemen		
2strip*10tablet					
Spiradent	Spiramycin 759,600 IU + Metronidazole 125 mg	Antibacterial	Unknown	Adult dose is 6 - 9 million units by mouth daily, in 2 or 3 divided doses. Doses of up to 15 million units	
Tablets		Toxoplasmosis الجرثومة الطفيلية	Unknown		
20 tab					
Spiragyl	Spiramycin 750.000 I u+ Metronidazol 125 mg / tablet	Antibacterial	Pharo pharma	750000\125 & 1500000\250	
Tablets		الأسنان Dental	Egypt		
2strip*10tablet					
Spiragyl Fort	Spiramycin 1500000 IU + / Metronidazol 250 mg	antibacterial	Pharo pharma	tap 750000\125 & 1500000\250	
tablet		الأسنان Dental	Egypt		
1strip*10tablet					
Spiramed	Spiramycin*	Antibacterial	Modern Pharama	Adult dose is 6 - 9 million units by mouth daily, in 2 or 3 divided doses. Doses of up to 15 million units	
tablet		Toxoplasmosis الجرثومة الطفيلية	Yemen		
1strip*10tablet					
Spiramycine	Spiramycin*	Antibacterial	BALSAM	Adult dose is 6 - 9 million units by mouth daily, in 2 or 3 divided doses. Doses of up to 15 million units	
tablet		Toxoplasmosis الجرثومة الطفيلية	Syria		
1strip*10tablet					
Spiratin 1.5	Spiramycin 1.5 M.I.U / caplets	Antibacterial	Shiba pharma	Adult dose is 6 - 9 million units by mouth daily, in 2 or 3 divided doses. Doses of up to 15 million units	
Caplets		Toxoplasmosis الجرثومة الطفيلية	Yemen		
1strip*16 caplet					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Spiratin 3	Spiramycin 3 M.I.U / caplets	Antibacterial	Shiba pharma	Adult dose is 6 - 9 million units by mouth daily, in 2 or 3 divided doses. Doses of up to 15 million units	
Caplets		Toxoplasmosis الجرثومة الطفيلية	Yemen		
1strip*10 caplet					
Spirazine	Spiramycin 750,000 .I.U + 125 mg / tablet	Antibacterial	Shiba pharma	Adult dose is 6 - 9 million units by mouth daily, in 2 or 3 divided doses. Doses of up to 15 million units	
Tablets		Toxoplasmosis الجرثومة الطفيلية	Yemen		
1strip*20 tab					
SPIRAZOLE	Metronidazole 125mg + siramycin 750000 I.U	Antiprtozoal	BALSAM	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , جارديا واميبييا	Syria		
20 tab					
Spirazole	Spiramycin+Metronidazol	Antibacterial	BALSAM	tap 750000\125 & 1500000\250	
tablet		Dental الأسنان	Syria		
2strip*10tablet					
Spirex	Spiramycin*	Antibacterial	MUP	Adult dose is 6 - 9 million units by mouth daily, in 2 or 3 divided doses. Doses of up to 15 million units	
tablet		Toxoplasmosis الجرثومة الطفيلية	Egypt		
2strip*5tablet					
Spirex	Spiramycin	Antibacterial	Unknown	Adult dose is 6 - 9 million units by mouth daily, in 2 or 3 divided doses. Doses of up to 15 million units	
Tablets		Toxoplasmosis الجرثومة الطفيلية	Unknown		
10 tab					
Spirocare	Each tablet contains spironolactone 100mg .	Cardio Vascular System drugs	Pharmacare	One tablet one time or more daily (can be reached 400mg if directed by the physician)	
Tablets		Hypertension ارتفاع ضغط الدم	Yemen		
10 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Spirulina	Silymarin	Gastro Intestinal drugs	Unknown	Dry extract capsules are administered at 200 to 400 mg/day or 12 to 15 g of dried seed per day.	
Capsules		Hepatic Disorders اضطرابات الكبد	Unknown		
Bottle					
Sporanex	Itraconazole	Antifungals	Janssen-Cilag	100 - 200 mg daily as the type of fungi	
Capsules		Dermatitis التهابات الجلدية	Switzerland		
14 Capsules					
Sporanox Capsules	Itraconazole 100mg	Antifungals	Janssen-Cilag	100 - 200 mg daily as the type of fungi	
Capsules		Dermatitis التهابات الجلدية	Switzerland		
15 capsules					
Sporanox Solutions	Itraconazole 10mg/ml	Antifungals	Janssen-cilag	100 - 200 mg daily as the type of fungi	
Solution		Dermatitis التهابات الجلدية	Sweden		
150ml solution oral					
Sporinex	Tinidazole	Antiprtozoal	Unknown	Amoebiasis: 2 gm is for 3 days: hepatic amoebiasis, 2 gm for 3 - 6 days , Children 50 to 60 mg/kg for 3- 5 days : Giardiasis, Trichomoniasis 2 gm by mouth: Anaerobic	
Tablets		Amoebiasis , جارديا واميبيا	Unknown		
4 Tabletes					
Spplin	Metronidazole	Antiprtozoal	Sandoz	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , جارديا واميبيا	Unknown		
20 tab					
S-prazo	Esomeprazole	Gastro Intestinal drugs	Flaming - pharma = India	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
tab		Peptic ulcer قرحة المعدة	Unknown		
10 tabs					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
SR Ketoprofen	Ketoprofen 150 mg	Nonsteroidal Anti-	UNICHIMA	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Capsules		مهدئات الأوجاع	Syria		
10 Capsules					
SR Ketoprofen	Ketoprofen	Nonsteroidal Anti-	Unknown	Oral Doses of 50- 100 mg every 4 hours, up to a maximum dose of 200 mg in 24 hours for up to 3 days.topically 2.5% gel for local pain relief 2 or 3 times daily for up to 10	
Capsules		مهدئات الأوجاع	Unknown		
10 cap					
STALENE 200	Fluconazole 200 mg	Antifungals	UNISON	Minimum/Maximum Adult Daily Dose:100 - 400 mg (milligram) OR 1 - 4 Tablet	
Capsules		Dermatitis الالتهابات الجلدية	Thailand		
1x1 cap					
STATIX 10	Atorvastatin10mg	Cardio Vascular System drugs	NeoBiocon	Oral only.: ADULTS: PO 10 to 80 mg/day.	
Tablets		Hyperlipidaemias زيادة الدهون في الدم	UAE		
30 tablets					
Stdoxin	Ofloxacin*	Antibacterial	Stada	tab 400mg & 200mg	
tablet		Bacterial Infections	Unknown		
1strip*10tablet		الأمراض البكتيرية			
Stellasil	Trifluoperazine tablet 5mg	Central Nervous system drugs	KAHIRA PHARM	Minimum/Maximum Adult Daily Dose:10 - 40 mg (milligram) OR 1 - 4 Tablets.	
Tablets		Mental Disorders الأمراض العقلية	Egypt		
30 tablets					
Sterema	Prochlorperazine Malate 5mg / tab	Gastro Intestinal drugs	REMEDICA	As directed	
Tablets		Nausea and vomiting الغثيان والطرش	Cyprus		
box					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
Stericef - 1gm	Ceftriaxone Sodium	Antibacterial	Ipca	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Parentral inj		Bacterial Infections الأمراض البكتيرية	Unknown		
1vial					
Stericef - 250 mg	Ceftriaxone Sodium	Antibacterial	Ipca	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Parentral inj		Bacterial Infections الأمراض البكتيرية	Unknown		
1vial					
Stilnox	Zolpidem Tartrate	Central Nervous system drugs	Sanofi Aventis	10 mg taken immediately before retiring. In elderly or debilitated patients, treatment limited to a dose of 5 mg at night.	
Tablets		Anxiety, Insomnia الأرق والقلق	France		
20 Tablets					
Stimulan	Piracetam 1g/5ml	Central Nervous system drugs	Unknown	2.4 g daily by mouth in 2 or 3 divided doses. In severe disorders intramuscular or intravenous injection.	
Syrup		Mental Disorders الأمراض العقلية	Unknown		
1 gm / 5 ml					
Stimulan	Piracetam	Central Nervous system drugs	Unknown	2.4 g daily by mouth in 2 or 3 divided doses. In severe disorders intramuscular or intravenous injection.	
Tablets		Mental Disorders الأمراض العقلية	Unknown		
30 tab					
Storilat	carbamazepin tablet 200 mg	Central Nervous system drugs	REMEDICA	Initial oral dose is 100 to 200 mg once or twice daily gradually increased by increments of 100 to 200 mg every 2 weeks to a usual maintenance dose of 0.8 to 1.2	
Tablets		Epilepsy الصرع	Cyprus		
50 Tablet					
Strepsils	Different Lozenges Ingredients	Antiseptic and Desinfectants	reckitt benckiser	As directed	
Lozenges		Common Cold نزلات البرد	Unknown		
24 lozenges					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
stroka	Clopidogrel bisulphate.....75 mg	Cardio Vascular System drugs	Apex Pharma	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily.prophylaxis of thromboembolic events, 75 mg once daily	
Tablets		Thrombosis الجلطات	Unknown		
20 tab					
Structum 500mg	Chondroitin sulphate,Na 500mg	Osteoarthritis drugs	Unknown	As directed	
Capsules		Osteoarthritis التهابات العظام	Unknown		
60 caps					
Stugeron	Cinnarizine	Antihistamines	Janssen-Cilag	For Vertigo and vestibular disorders is 30 mg three times daily by mouth - For motion sickness 30 mg is taken 2 hours before the start of the journey . Children aged 5 to 12	
Tablets		الدوار او الدوخة	Sweden		
25 tab					
Stugeron	Cinnarizine	Antihistamines	Janssen	For Vertigo and vestibular disorders is 30 mg three times daily by mouth - For motion sickness 30 mg is taken 2 hours before the start of the journey . Children aged 5 to 12	
Tablets		الدوار او الدوخة	Switzerland		
50 tab					
Stugeron	Cinnarizine	Antihistamines	Janssen-Cilag	For Vertigo and vestibular disorders is 30 mg three times daily by mouth - For motion sickness 30 mg is taken 2 hours before the start of the journey . Children aged 5 to 12	
Tablets		الدوار او الدوخة	Switzerland		
50 tab					
SUCRATE gel	Each bags of 5 ml sucralfate suspension	Gastro Intestinal drugs	Lisapharma	The usual dose is 1 g four times daily or 2 g twice daily for 4 to 8 weeks	
Gel		قرحة المعدة	Egypt		
30 monodose bags of 5 ml					
Sucratec	Glimepiride 2mg	Antidiabetics	Neopharma	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Tablets		Diabetes Mellitus أمراض السكري	UAE		
30 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
Sucratec 3	Glimepiride 3mg	Antidiabetics	Neo pharma	Doses of 1 to 2 mg daily by mouth initially may be increased if necessary to 4 mg daily for maintenance. The maximum recommended dose is 6 mg in the UK and 8 mg in	
Tablets		Diabetes Mellitus أمراض السكري	Unknown		
30 tab					
Sulba750	Ampicillin Sodium/Sulbactam Sodium	Antibiotics	ALPHA	cap 1gm & 500mg & 250mg syrup 250mg & 125mg drop 100mg Vial 1gm & 500mg & 250mg	
Vial		الأمراض الميكروبية Microbial Infections	Syria		
1 vial					
Sulfadiazine Silver	Sulfadiazine Silver 1%	Antibacterial	Shiba pharma	1% cream	
Cream		Wounds Healing التئام الجروح	Yemen		
250 gm					
Sulptiac 200	Amisulpride	Central Nervous system drugs	SUN Pharma	*For acute psychotic episodes, oral doses between 400 mg/d and 800 mg/d *irritable bowel syndrom = tid	
Tablets		Mental Disorders الأمراض العقلية	India		
30 tabs					
Sulptiac 400	Amisulpride	Central Nervous system drugs	SUN Pharma	*For acute psychotic episodes, oral doses between 400 mg/d and 800 mg/d *irritable bowel syndrom = tid	
Tablets		Mental Disorders الأمراض العقلية	India		
30 tabs					
Super GC	Glucosamine + Chondroitin	Osteoarthritis drugs	Power Health	As directed	
Capsules		Osteoarthritis التهابات العظام	Unknown		
30 capsules					
Super Joint	Glucosamine + Chondroitin	Osteoarthritis drugs	Nutraveda	As directed	
Tablets		Osteoarthritis التهابات العظام	Unknown		
30 tab					


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Super Sliming	Combination	Gastro Intestinal drugs	Tri Pharma	As directed	
Capsules		Nutrition supplementation تغذية تكميلية	not present		
30 capsules					
SUPIM	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	Antibacterial	BMP	Tablet (800 sulfam/ 160 trimeth)mg & Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	
Tablets		Bacterial Infections الأمراض البكتيرية	Thailand		
2strip *10 tablet					
Supplin 500 mg	Metronidazole	Antiprtozoal	Sandoz	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , Gardiasis جارديا واميبييا	Unknown		
20 tab					
Supra 25	Sildenafil citrate 25 mg	Sex Stimulants	Shiba pharma	25 - 100 mg depending on response, about one hour before sexual intercourse	
Tablets		Sex Stimulants منشطات جنسية	Yemen		
10 tab					
Supra 25	Sildenafil citrate 25 mg	Sex Stimulants	Shiba pharma	25 - 100 mg depending on response, about one hour before sexual intercourse	
Tablets		Sex Stimulants منشطات جنسية	Yemen		
4 tab					
Supra 50	Sildenafil citrate 50 mg	Sex Stimulants	Shiba pharma	25 - 100 mg depending on response, about one hour before sexual intercourse	
Tablets		Sex Stimulants منشطات جنسية	Yemen		
4 tab					
SUPRA F&S 50	Sildenafil Citrate	Sex Stimulants	Shiba pharma	25 - 100 mg depending on response, about one hour before sexual intercourse	
Tablets		Sex Stimulants منشطات جنسية	Yemen		
4 tab					



Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
SUPRA VIT	Calcium + Vit c	Vitamines and Menirals	Unknown	Orally, usually in doses of 10 to 50 mmol (400 mg to 2 g) of calcium daily adjusted to the individual patient's requirements.	
		Osteoarthritis التهابات العظام	Unknown		
Supradyn	Multi vitamin and Menirals	Vitamines and Menirals	BAYER	As directed	
Capsules		Vitamins نقص فيتامينات	Germany		
30 Capsules					
Supranil	Clomipramine capsules 25mg	Central Nervous system drugs	Alphamoun	Oral doses of 10 mg daily initially, increasing gradually to 30 to 150 mg daily maximum up to 250 mg daily .	
Capsules		Mental Disorders الأمراض العقلية	Egypt		
20 capsules					
Supranil	Clomipramine Hydrochloride 25mg	Central Nervous system drugs	ACAPI	Oral doses of 10 mg daily initially, increasing gradually to 30 to 150 mg daily maximum up to 250 mg daily .	
Capsules		Mental Disorders الأمراض العقلية	Unknown		
20 capsules					
Supravit	Multi Vitamines	Vitamines and Menirals	YEDCO	One capsule or more daily or as prescribed by the physician	
Capsules		Vitamins نقص فيتامينات	Yemen		
30 caps					
SUPRAX 100	Cefixime	Antibacterial	Hikma	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses. Children over 6 months and under 50 kg may be given 8 mg/kg daily as an oral	
Dry syrup		Bacterial Infections الأمراض البكتيرية	Jordan		
1 bottel* 60ml					
SUPRAX 100	Cefixime	Antibacterial	Hikma	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses. Children over 6 months and under 50 kg may be given 8 mg/kg daily as an oral	
Dry syrup		Bacterial Infections الأمراض البكتيرية	Jordan		
30ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Suprax Capsules	Cefixime	Antibacterial	Hikma	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses. Children over 6 months and under 50 kg may be given 8 mg/kg daily as an oral	
capsul		Bacterial Infections	Jordan		
1strip*8capsules		الأمراض البكتيرية			
Suprax TTT	Cefixime	Antibacterial	Hikma	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses. Children over 6 months and under 50 kg may be given 8 mg/kg daily as an oral	
Dry syrup		Bacterial Infections	Jordan		
1bottel*30ml		الأمراض البكتيرية			
SureCure	Adapalene	Skin Disorders	Jamjoum Pharma	applied once daily at night as a 0.1% solution, cream, or gel to skin that has been cleansed and dried.	
Gel		حب الشباب	Saudi Arabia		
30 gm					
Surgical Spirit	Surgical Spirit	Antiseptic and Desinfectants	Shiba pharma	Apply on the affected area using clean cotton	
Solution		مطهرات	Yemen		
60 ml					
Surgical Spirit	Surgical Spirit	Antiseptic and Desinfectants	Shiba pharma	Apply on the affected area using clean cotton	
Solution		مطهرات	Yemen		
100 ml					
Surgical Spirit	Castor Oil 2.5 % +Diethyl Phthalate 2.0 % +Methyl Salicylate 0.5 % +Industrial	Antiseptic and Desinfectants	Pharmacare	Apply on the affected area using clean cotton	
Solution		مطهرات	Yemen		
100 ml					
susten 200	progesterone	Gynaecology drugs	sun	:It is important to take each dose as directed. If you miss a dose, take it as soon as remembered. Do not "double-up" the dose to catch up. If more than one dose is missed,	
soft gelatin capsules		Amenorrhea	India		
toon		انقطاع الطمث			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Sutrim	Trimethoprim/Sulfamethoxazole (Co-trimoxazole)	Antibacterial	Memphis	Tablet (800 sulfam/ 160 trimeth)mg & Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	
syrup		Bacterial Infections الأمراض البكتيرية	Egypt		
1bottle*100ml					
Suvikan-20mg	Rosuvastatin calcium 20.8mg(equivalent to 20mgRosuvastatin)	Cardio Vascular System drugs	HIKMA	10 - 20 mg once daily	
Tablets		Hyperlipidaemias زيادة الدهون في الدم	Jordan		
28 film coated tablet					
Suzin	Flunarizine Hydrochloride 5 mg	Antihistamines	STANDARD CHEM	is 5 to 10 mg daily, usually given at night to minimise the effects of drowsiness.	
Capsules		Migraine	Unknown		
2 x 10 cap					
sylate-250	etamsylate250mg	Antihæmorrhages	RAF pharmaceutical	500 mg by mouth four times daily during menstruation, intramuscular or intravenous injection in a dose of 250 to 500 mg; this dose may be repeated every 4 to 6 hours as	
Tablets		Haemorrhage النزيف	Unknown		
20tablet					
sylate-500mg	etamsylate 500mg	Antihæmorrhages	RAF PHARMACEUTICAL	500 mg by mouth four times daily during menstruation, intramuscular or intravenous injection in a dose of 250 to 500 mg; this dose may be repeated every 4 to 6 hours as	
Tablets		Haemorrhage النزيف	Unknown		
20tablet					
Synchrogit	Domperidone 10 mg	Gastro Intestinal drugs	RAMEDA	Oral doses of 10 to 20 mg three or four times daily up to a maximum daily dose of 80 mg or rectally in a dose of 60 mg twice daily. In children, 250 to 500 micrograms/kg by mouth	
Tablets		Nausea and vomiting الغثيان والقيء	Egypt		
20 tab					
Synclar - 500	Clarithromycin	Antibiotics	CIPLA	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
tablet		Respiratory Disorders اضطرابات الجهاز التنفسي	India		
2strip*7tablet					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Synclar- 250	Clarithromycin	Antibiotics	CIPLA	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
tablet		Respiratory Disorders	India		
2strip*7tablet		اضطرابات الجهاز التنفسي			
Synclar-500	Clarithromycin	Antibiotics	CIPLA	250-500 mg twice daily by mouth, usually for 7 to 14 days. Children 7.5 mg/kg twice daily for 5 to 10 days.	
Tablets		Respiratory Disorders	India		
		اضطرابات الجهاز التنفسي			
SYNDOPA-275	Carbidopa/Levodopa tablet (25/250)mg	Central Nervous system drugs	SUN	Minimum/Maximum Adult Daily Dose:2 - 8 Tablet, Sustained Action	
Tablets		Parkinson's disease	India		
50 tablets		مرض الرعاش			
Systane	0.7 ml / vial	Ophthalmic drugs	Alcon	As directed	
Eye solution		العين	Ireland		
30 vial x 10 ml					
Tabiclor	Cefaclor	Antibiotics	Tabuk pharma	tab 750mg & 375mg cap 500mg 250mg 125mg	
Capsules		الأمصابات الميكروبية	Saudi Arabia		
3 strip * 5capsules		Microbial Infections			
Tabiclor	Cefaclor	Antibiotics	Tabuk pharma	tab 750mg & 375mg cap 500mg 250mg 125mg	
Dry syrup		الأمصابات الميكروبية	Saudi Arabia		
1bottel*75ml		Microbial Infections			
Talcef	Cefotaxime Sodium	Antibacterial	Ipca	2 to 6 g daily in 2 to 4 divided doses to adults. In severe infections up to 12 g may be given daily by the intravenous route in up to 6 divided doses,Children may be given	
parentral inj		Bacterial Infections	Unknown		
1Vial		الأمصابات البكتيرية			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Talizol	Esomeprazole	Gastro Intestinal drugs	Vitalis	20 mg esomeprazole by mouth twice daily for 7 days, or 40 mg once daily for 10 days.	
Ampoules		Peptic ulcer قرحة المعدة	USA		
1 amp + 1 vial solvent					
Tamadol	Tramadol Hydrochloride	Opioid analgesics	Shiba pharma	50 to 100 mg every 4 -6 hours by mouth , 50 to 100 mg every 4- 6 hours by intramuscular or intravenous injection over 2 to 3 minutes , Rectal doses by suppository are 100 mg up to 4	
Capsules		ألم مهدئات الأوجاع	Yemen		
10 cap					
Tambac 100	Cefpodoxime Proxetil	Antibiotics	CADILA	The usual dose for adults is 100 to 200 mg every 12 hours for respiratory-tract and urinary-tract infections., children 5 mg/kg every 12 hours, up to a maximum of 200	
tablet		الأمراض البكتيرية Microbial Infections	India		
1strip*10tablet					
Tambac 200	Cefpodoxime Proxetil	Antibiotics	CADILA	The usual dose for adults is 100 to 200 mg every 12 hours for respiratory-tract and urinary-tract infections., children 5 mg/kg every 12 hours, up to a maximum of 200	
tablet		الأمراض البكتيرية Microbial Infections	India		
1strip*10tablet					
Tambac 200	Cefpodoxime Proxetil	Antibiotics	Unknown	The usual dose for adults is 100 to 200 mg every 12 hours for respiratory-tract and urinary-tract infections., children 5 mg/kg every 12 hours, up to a maximum of 200	
Tablets		الأمراض البكتيرية Microbial Infections	Unknown		
10 tab					
Tamol 200 mg	Tramadol Hydrochloride 200 mg	Opioid analgesics	Hikma	50 to 100 mg every 4 -6 hours by mouth , 50 to 100 mg every 4- 6 hours by intramuscular or intravenous injection over 2 to 3 minutes , Rectal doses by suppository are 100 mg up to 4	
Tablets		ألم مهدئات الأوجاع	Jordan		
10 tab					
tamoxifen	tamoxifen 20mg	Gynaecology drugs	WOCKHADT	Minimum/Maximum Adult Daily Dose:20 - 40 mg (milligram) OR 2 - 4 Tablet	
Tablets		العقم Infertility	UK		
30					


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
tamoxifen ???	tamoxifen 10 mg	Gynaecology drugs	WOCKHADT	Minimum/Maximum Adult Daily Dose:20 - 40 mg (milligram) OR 2 - 4 Tablet	
Tablets		Infertility العقم	UK		
30					
Tamsiflow	Tamsulosin Hydrochloride 0.4 mg	Urinary tract drugs	Shiba pharma	400 - 800 micrograms daily by mouth for up to 4 weeks	
Capsules		Urinary Tract Infection اصابات الجهاز البولي	Yemen		
30 cap					
Tamsulosin	Tamsulosin Hydrochloride 0.4 mg	Urinary tract drugs	Shaphaco	400 - 800 micrograms daily by mouth for up to 4 weeks	
Capsules		Urinary Tract Infection اصابات الجهاز البولي	Yemen		
30 cap					
TANTUM	Benzydamine hydrochloride	Antiseptic and Desinfectants	EIPICO	For pre-operative skin disinfection and hand-washing, chlorhexidine is used as a 0.5% solution of the acetate or gluconate in alcohol (70%) or as a 2 or 4% detergent solution	
Mouth Wash		Mouth Wash الغسولات القموية	Egypt		
125 ml					
TANTUM ROSA	Benzydamine hydrochloride	Antiseptic and Desinfectants	EIPICO	For pre-operative skin disinfection and hand-washing, chlorhexidine is used as a 0.5% solution of the acetate or gluconate in alcohol (70%) or as a 2 or 4% detergent solution	
Sachets		Vaginal المهبل	Egypt		
5 Sachets					
TANTUM VERDE	Benzydamine hydrochloride	Antiseptic and Desinfectants	EIPICO	As directed	
Lozenges		Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	Egypt		
20 Lozenges					
TardyFeron	Ferrous sulphate 80 mg	Vitamines and Menirals	Pierr Fabre	Usual doses of dried ferrous sulfate are up to 600 mg daily (equivalent to 180 to 195 mg of iron daily)	
Tablets		Anaemia فقر الدم	Unknown		
30 coated tablet					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Tardyferon 80 mg	Ferrous Sulfate	Vitamines and Menirals	Unknown	Usual doses of dried ferrous sulfate are up to 600 mg daily (equivalent to 180 to 195 mg of iron daily)	
Tablets		فقر الدم	Unknown		
30 coated tablets					
Tavacin 500 mg	Levofloxacin	Antibacterial	Unknown	Tab 500mg & 250mg Infu 500mg	
Tablets		Bacterial Infections	Unknown		
5 tab		الأمراض البكتيرية			
Tavanic	Levofloxacin	Antibacterial	Sanofi Aventis	Tab 500mg & 250mg Infu 500mg	
Tablet		Bacterial Infections	France		
1strip*5tablet		الأمراض البكتيرية			
Tazotalis	Piperacillin	Antibiotics	Unknown	intravenously; the usual dose is 3 to 4 g every 4 or 6 hours.	
Vial		الأمراض الميكروبية	Unknown		
1 vial		Microbial Infections			
Tears Guard	Hydroxy Propyl Methyl Cellulose 0.3 %	Ophthalmic drugs	Orchidia Pharma	As directed	
Solution		العين	Egypt		
10 ml					
Tefanyl	Ketotifen Fumarate	Respiratory drugs	JPM	Adult dose 1-2 mg twice daily; Children and peadiatric 1 mg of ketotifen twice daily	
Syrup		التهاب الشعب الهوائية	Jordan		
100 ml					
TEFANYL 1	Ketotifen Fumarate	Respiratory drugs	JPM	Adult dose 1-2 mg twice daily; Children and peadiatric 1 mg of ketotifen twice daily	
Tablets		التهاب الشعب الهوائية	Jordan		
30 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Tegral 200	carbamazepin tablet 200 mg	Central Nervous system drugs	Interbat	Initial oral dose is 100 to 200 mg once or twice daily gradually increased by increments of 100 to 200 mg every 2 weeks to a usual maintenance dose of 0.8 to 1.2	
Tablets		Epilepsy الصرع	Egypt		
50 tablet					
Tegranol	carbamazepin tablet 200 mg	Central Nervous system drugs	Biopharm	Initial oral dose is 100 to 200 mg once or twice daily gradually increased by increments of 100 to 200 mg every 2 weeks to a usual maintenance dose of 0.8 to 1.2	
Tablets		Epilepsy الصرع	Yemen		
50 Tablet					
Tegretol 200	Carbamazepin	Central Nervous system drugs	Unknown	Initial oral dose is 100 to 200 mg once or twice daily gradually increased by increments of 100 to 200 mg every 2 weeks to a usual maintenance dose of 0.8 to 1.2	
Tablets		Epilepsy الصرع	Unknown		
50 tab					
Tegretol 200	Carbamazepin	Central Nervous system drugs	Unknown	Initial oral dose is 100 to 200 mg once or twice daily gradually increased by increments of 100 to 200 mg every 2 weeks to a usual maintenance dose of 0.8 to 1.2	
Tablets		Epilepsy الصرع	Unknown		
50 tab					
Tegretol 200 mg	carbamazepin tablet 200 mg	Central Nervous system drugs	NOVARTIS	Initial oral dose is 100 to 200 mg once or twice daily gradually increased by increments of 100 to 200 mg every 2 weeks to a usual maintenance dose of 0.8 to 1.2	
Tablets		Epilepsy الصرع	Switzerland		
50 Tablet					
Tegretol 400	Carbamazepin 400 mg	Central Nervous system drugs	NOVARTIS	Initial oral dose is 100 to 200 mg once or twice daily gradually increased by increments of 100 to 200 mg every 2 weeks to a usual maintenance dose of 0.8 to 1.2	
Divitabs		Epilepsy الصرع	Switzerland		
30 Divitabs					
Tegretol CR 200mg	carbamazepin tablet 200 mg	Central Nervous system drugs	NOVARTIS	Initial oral dose is 100 to 200 mg once or twice daily gradually increased by increments of 100 to 200 mg every 2 weeks to a usual maintenance dose of 0.8 to 1.2	
Tablets		Epilepsy الصرع	Switzerland		
50 Tablet					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Tegretol CR 400mg	carbamazepin tablet 400 mg	Central Nervous system drugs	NOVARTIS	Initial oral dose is 100 to 200 mg once or twice daily gradually increased by increments of 100 to 200 mg every 2 weeks to a usual maintenance dose of 0.8 to 1.2	
Tablets		Epilepsy الصرع	Switzerland		
50 Tablet					
Tegretol syrap	carbamazepin syrap 2%	Central Nervous system drugs	NOVARTIS	Initial oral dose is 100 to 200 mg once or twice daily gradually increased by increments of 100 to 200 mg every 2 weeks to a usual maintenance dose of 0.8 to 1.2	
Syrup		Epilepsy الصرع	Switzerland		
100 ml					
Tegrsed	Carbamazepine 200 mg	Central Nervous system drugs	SEDICO	Initial oral dose is 100 to 200 mg once or twice daily gradually increased by increments of 100 to 200 mg every 2 weeks to a usual maintenance dose of 0.8 to 1.2	
Tablets		Epilepsy الصرع	Egypt		
50 tablets					
Tehral 200	Carbamazepin	Central Nervous system drugs	Unknown	Initial oral dose is 100 to 200 mg once or twice daily gradually increased by increments of 100 to 200 mg every 2 weeks to a usual maintenance dose of 0.8 to 1.2	
Tablets		Epilepsy الصرع	Unknown		
50 tab					
Telfast 120 mg	Fexofenadine Hydrochloride	Antihistamines	SANOFI	by mouth in a dose of 120 mg daily either as a single dose or in two divided doses, Children 30 mg twice daily	
Tablets		Allergy الحساسية	France		
15 tab					
Tenedone	Atenolol + Chlorthalidone	Cardio Vascular System drugs	SIGMA	Oral, IV.: Initial: PO 50 mg/d. Maximum: 100 mg/d. , Acute MI: Initial: IV 5 mg over 5 min, followed by 5-mg dose 10 min later; then 50-mg tablet 10 min after last IV dose, then	
Tablets		Hypertension ارتفاع ضغط الدم	Egypt		
20 tab					
TENIACID	Niclosamide 500 mg / tab	Anthelmentic	BMP	Tapeworms: Single dose niclosamide 2 gm chewed tablets on empty stomach. Hymenolepis (H.Nana): 2 gm initially + 1 gm daily for 6 days	
Tablets		Tape Worms الدودة الشريطية	Thailand		
4 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
tenoretic ???	Atenolol	Cardio Vascular System drugs	ASTRAZENECA	Oral, IV.: Initial: PO 50 mg/d. Maximum: 100 mg/d. , Acute MI:Initial: IV 5 mg over 5 min, followed by 5-mg dose 10 min later; then 50-mg tablet 10 min after last IV dose, then	
Tablets		Hypertension ارتفاع ضغط الدم	Unknown		
14tab					
Tenoretic ???	Atenolol + Chlorthalidone	Cardio Vascular System drugs	ASTRAZENECA	Oral, IV.: Initial: PO 50 mg/d. Maximum: 100 mg/d. , Acute MI:Initial: IV 5 mg over 5 min, followed by 5-mg dose 10 min later; then 50-mg tablet 10 min after last IV dose, then	
Tablets		Hypertension ارتفاع ضغط الدم	Unknown		
28tab					
Tenormin ??	Atenolol	Cardio Vascular System drugs	ASTRAZENECA	Oral, IV.: Initial: PO 50 mg/d. Maximum: 100 mg/d. , Acute MI:Initial: IV 5 mg over 5 min, followed by 5-mg dose 10 min later; then 50-mg tablet 10 min after last IV dose, then	
Tablets		Hypertension ارتفاع ضغط الدم	Unknown		
28 tab					
tenormin ???	Atenolol	Cardio Vascular System drugs	ASTRAZENECA	Oral, IV.: Initial: PO 50 mg/d. Maximum: 100 mg/d. , Acute MI:Initial: IV 5 mg over 5 min, followed by 5-mg dose 10 min later; then 50-mg tablet 10 min after last IV dose, then	
Tablets		Hypertension ارتفاع ضغط الدم	Unknown		
28tab					
tenormin mite	Atenolol	Cardio Vascular System drugs	ASTRAZENECA	Oral, IV.: Initial: PO 50 mg/d. Maximum: 100 mg/d. , Acute MI:Initial: IV 5 mg over 5 min, followed by 5-mg dose 10 min later; then 50-mg tablet 10 min after last IV dose, then	
Tablets		Hypertension ارتفاع ضغط الدم	Unknown		
30 tab					
Tenormin Tablets	Atenolol	Cardio Vascular System drugs	ASTRAZENECA	Oral, IV.: Initial: PO 50 mg/d. Maximum: 100 mg/d. , Acute MI:Initial: IV 5 mg over 5 min, followed by 5-mg dose 10 min later; then 50-mg tablet 10 min after last IV dose, then	
Tablets		Hypertension ارتفاع ضغط الدم	Unknown		
14 TAB					
Tenox 20	Tenoxicam 20 mg / cap	Nonsteroidal Anti-	Unknown	maximum dose 20 mg one time daily (for two weeks only)	
Capsules		Analgesic مهدئات الأوجاع	Unknown		
8 cap					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Tenoxam 20	Tenoxicam 20 mg	NSAID	Shiba pharma	maximum dose 20 mg one time daily (for two weeks only)	
Capsules		مهدئات الأوجاع	Yemen		
10 cap					
Terbin	Terbinafine	Antifungals	GNP	As directed	
Cream		Dermatitis الالتهابات الجلدية	Unknown		
15 gm					
testovirone depot	testosterone enanthate	Hormones	BAYER	by mouth in an initial dose of 120 to 160 mg daily for 2 to 3 weeks, f maintenance dose of 40 to 120 mg daily. intramuscular injection as oily solution at a dose of 1 g every	
ampole		Sex Hormones هرمونات جنسية	Germany		
3					
Tetracycline	Tetracycline	Antibiotics	Julphar	Cap 500 mg & 250mg	
Ointment		Dermatitis الالتهابات الجلدية	UAE		
20 gm					
Tetracycline	Tetracycline 1 %	Antibiotics	Unknown	Cap 500 mg & 250mg	
Ointment		Eye العين	Unknown		
4 gm					
Tetracycline	Tetracycline HCl	Antibiotics	ADCO	Cap 500 mg & 250mg	
Capsule		الاصابات الميكروبية Microbial Infections	Egypt		
10strip*10capsules					
Tetracycline 250 mg	Tetracycline 250 mg	Antibiotics	ZMC	Cap 500 mg & 250mg	
Capsules		الاصابات الميكروبية Microbial Infections	China		
10 x 10 cap					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
Tetracycline Hydrochloride	Tetracycline	Antibiotics	ZHEJIANG	Cap 500 mg & 250mg	
Ointment		الأمراض الميكروبية Microbial Infections	China		
14 gm					
Tetracycline skin	Tetracycline 3%	Antibiotics	Unknown	Cap 500 mg & 250mg	
Ointment		الأمراض الميكروبية Microbial Infections	Unknown		
14 gm					
Theobid 200	Theophyllin 200 mg	Respiratory drugs	CIPLA	by mouth in doses ranging from 300 to 1000 mg daily in divided doses	
Tablets Sustained Release		Bronchial Asthma الربو الشعبي	India		
15 tab					
Theobid-300	Theophyllin 300 mg	Respiratory drugs	CIPLA	by mouth in doses ranging from 300 to 1000 mg daily in divided doses	
Sustained Release Tablets		Bronchial Asthma الربو الشعبي	India		
15 tab					
three-B	vitamineB1 100mg+vitamineB6 200mg+vitamineB12 200mg	Vitamines and Menirals	BIOPHARM	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Tablets		Vitamins Deficiency نقص فيتامينات	Yemen		
20tablet					
Three-B Amp	vit B1 100mg+B6 200mg+B12 200Mg	Vitamines and Menirals	BIOPHARM	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Ampoules		Vitamins Deficiency نقص فيتامينات	Yemen		
5ampoules of 3 ml					
Three-B Tablets	vit B1 100mg+B6 200mg+B12 200Mg	Vitamines and Menirals	BIOPHARM	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Tablets		Vitamins Deficiency نقص فيتامينات	Yemen		
20 Tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Thri-B	vit B1 100mg+B6 200mg+B12 200Mg	Vitamines and Menirals	NILE CO.	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Tablets		Vitamins	Egypt		
20 Tablets		نقص فيتامينات			
Thrombocid	Pentosan Polysulfate Sodium + Guaiazulene	Antihaemorrhages		As directed	
Suppositoris		Haemorrhoids			
10 supp		البواسير			
Thymolyt	thyme 250 mg	Antiseptic and Desinfectants	Modern Pharama	As directed	
Syrup		Common Cold	Yemen		
100 ml		نزلات البرد			
Thymy	lozenges+ thyme & ginger extract	Antiseptic and Desinfectants	Pharo pharma	As directed	
Lozenges		Common Cold	Egypt		
12 pastills		نزلات البرد			
Thymy s	lozenges+ thyme & ginger extract	Antiseptic and Desinfectants	Pharo pharma	As directed	
lozenges		Common Cold	Egypt		
12 pastills		نزلات البرد			
Tiazol	Tinidazole 500 mg / tab	Antiprtozoal	Shiba Pharma	Amoebiasis: 2 gm is for 3 days: hepatic amoebiasis, 2 gm for 3 - 6 days , Children 50 to 60 mg/kg for 3- 5 days : Giardiasis, Trichomoniasis 2 gm by mouth: Anaerobic	
Tablets		Amoebiasis ,	Yemen		
4 f/c tab		جارديا واميبييا			
TIBEZOLE 500	Ornidazole	Antiprtozoal	Pharo Pharma	500 mg twice daily by mouth for 5 to 10 days; children are given 25 mg/kg as a single daily dose for 5 to 10 days.	
Tablets		Amoebiasis ,	Egypt		
10 tab		جارديا واميبييا			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Tibezole 500	Ornidazole	Antiprtozoal	Unknown	500 mg twice daily by mouth for 5 to 10 days; children are given 25 mg/kg as a single daily dose for 5 to 10 days.	
Tablets		Amoebiasis , جارديا واميبيا	Unknown		
10 tab					
Tidilor	Loratadine 5 mg/ 5 ml	Antihistamines	PHARMA	Orally in a dose of 10 mg once daily. Children 5-10 mg - once daily	
Syrup		Allergy الحساسية	Unknown		
100 ml					
Tindaz	Tinidazole 500 mg / tab	Antiprtozoal	Pharmacare	Amoebiasis: 2 gm is for 3-6 days , Children 50 to 60 mg/kg for 3- 5 days : Giardiasis, Trichomoniasis 2 gm : Anaerobic bacterial infections 2 gm followed by 1 gm daily	
Tablets		Amoebiasis , جارديا واميبيا	Yemen		
4 f/c tab					
Tobradex	Tobramycin	Antibiotics	Alcon	As directed	
Drops		العين Eye	Unknown		
5 ml					
Tolux lozenges	Different Lozenges Ingredients	Antiseptic and Desinfectants	MEDICO LABS	As directed	
Lozenges		Common Cold نزلات البرد	Syria		
20 lozenges					
TONIC-Z	Zink Sulfate 55.6 ,Ferrous Sulphate 150mg + Folic acid 500mcg	Vitamines and Menirals	Unipharma	As directed	
Capsules		Vitamins نقص فيتامينات	Unknown		
20 capsules					
Topaamate-100	Topiramate 100 mg / tab	Central Nervous system drugs	Unknown	adults is 25 mg once daily by mouth , children 5 to 9 mg/kg daily given in 2 divided doses	
Tablets		Epilepsy الصرع	Unknown		
10 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Topamate-25	Topiramate tablet 25mg	Central Nervous system drugs	CIPLA	adults is 25 mg once daily by mouth , children 5 to 9 mg/kg daily given in 2 divided doses	
Tablets		Epilepsy الصرع	India		
10 tablets					
Topamate-25	Topiramate	Central Nervous system drugs	CIPLA	adults is 25 mg once daily by mouth , children 5 to 9 mg/kg daily given in 2 divided doses	
Tablets		Epilepsy الصرع	India		
10 tab					
Topirol-25	Topiramate tablet 25mg	Central Nervous system drugs	SUN	adults is 25 mg once daily by mouth , children 5 to 9 mg/kg daily given in 2 divided doses	
Tablets		Epilepsy الصرع	India		
30 tablets					
Topirol-50	Topiramate tablet 50mg	Central Nervous system drugs	SUN	adults is 25 mg once daily by mouth , children 5 to 9 mg/kg daily given in 2 divided doses	
Tablets		Epilepsy الصرع	India		
30 tablets					
Toplexil	Oxomemazine Hydrochloride 0.33 mg/ml	Respiratory drugs	Sanofi Aventis	by mouth in doses of 10 to 40 mg daily	
Syrup		Common Cold نزلات البرد	France		
150 ml					
Topzol	Tioconazole 1%	Antifungals	HIKMA	it is used as pessaries or vaginal ointment usually as a single dose.	
Cream		Dermatitis الالتهابات الجلدية	Jordan		
20 gm					
Topzol-v	Tioconazole 2 %	Antifungals	HIKMA	it is used as pessaries or vaginal ointment usually as a single dose.	
Cream		Vaginal المهبل	Jordan		
20 gm					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
torfacol-10mg	atorvastatin10mg	Cardio Vascular System drugs	JPM	Oral only.: ADULTS: PO 10 to 80 mg/day.	
tablet		Hyperlipidaemias	Jordan		
30coated tablet		زيادة الدهون في الدم			
torlex-10mg	atorvastatin10mg	Cardio Vascular System drugs	ALPHA	Oral only.: ADULTS: PO 10 to 80 mg/day.	
tablet		Hyperlipidaemias	Syria		
30film coated tablets		زيادة الدهون في الدم			
TORMOXIN-500	Amoxicillin	Antibiotics	Torrent	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Capsules		الأمراض البكتيرية	India		
10 x 10 capsules		Microbial Infections			
TORVACOL-10mg	Atorvastatin Calcium	Cardio Vascular System drugs	JPM	Oral only.: ADULTS: PO 10 to 80 mg/day.	
Tablets		Hyperlipidaemias	Jordan		
30 tab		زيادة الدهون في الدم			
TORVACOL-40mg	Atorvastatin40mg	Cardio Vascular System drugs	JPM	Oral only.: ADULTS: PO 10 to 80 mg/day.	
Tablets		Hyperlipidaemias	Jordan		
30 coated tablet comperimes		زيادة الدهون في الدم			
TORVAST 10 mg	Atorvastatin 10 mg	Cardio Vascular System drugs	Y.E.PHARMA	Oral only.: ADULTS: PO 10 to 80 mg/day.	
Tablets		Hyperlipidaemias	Yemen		
30 tabs		زيادة الدهون في الدم			
TORVAST 20 mg	Atorvastatin 20 mg	Cardio Vascular System drugs	Y.E.PHARMA	Oral only.: ADULTS: PO 10 to 80 mg/day.	
Tablets		Hyperlipidaemias	Yemen		
30 tabs		زيادة الدهون في الدم			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
tostonon	Testosterone Cypionate 250 mg / 1 ml	Hormones	Unknown	by mouth in an initial dose of 120 to 160 mg daily for 2 to 3 weeks, f maintenance dose of 40 to 120 mg daily.	
Ampoules		Sex Hormones هرمونات جنسية	Unknown	intramuscular injection as oily solution at a dose of 1 g every	
1 amp					
tot hema	iron gluconate quantity equivalent in iron to 50.00mg	Vitamines and Menirals	INNOTECH	by mouth in doses of up to 1.8 g daily (equivalent to up to 210 mg of iron daily).	
Syrup		Anaemia فقر الدم	France		
20 ampule of 10ml					
totamol	Atenolol	Cardio Vascular System drugs	WOCKHADT	Oral, IV.: Initial: PO 50 mg/d. Maximum: 100 mg/d. , Acute MI:Initial: IV 5 mg over 5 min, followed by 5-mg dose 10 min later; then 50-mg tablet 10 min after last IV dose, then	
Tablets		Hypertension ارتفاع ضغط الدم	UK		
28 tab					
TOTAVIT	Multi vitamin and Menirals + omega3	Vitamines and Menirals	EGYPHAR	As directed	
Tablets		Vitamins نقص فيتامينات	Egypt		
15 tab					
TOTAVIT	Multi vitamin and Menirals + omega3	Vitamines and Menirals	EGYPHAR	As directed	
Syrup		Vitamins نقص فيتامينات	Egypt		
100 ml					
Tradol 50	Tramadol Hydrochloride 50 mg	Opioid analgesics	Modern Pharama	50 to 100 mg every 4 -6 hours by mouth , 50 to 100 mg every 4- 6 hours by intramuscular or intravenous injection over 2 to 3 minutes , Rectal doses by suppository are 100 mg up to 4	
Capsules		Analgesic مهدئات الأوجاع	Yemen		
10 ca0					
TradyFeron	Ferrous Sulfate 80mg coated tablet.	Vitamines and Menirals	FierreFabre	Usual doses of dried ferrous sulfate are up to 600 mg daily (equivalent to 180 to 195 mg of iron daily)	
Tablets		Anaemia فقر الدم	Unknown		
30 coated tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms					
Package		Disease	Country		
TRAGESIC 50	Tramadol Hydrochloride 50 mg	Opioid analgesics	Global Pharma	50 to 100 mg every 4 -6 hours by mouth , 50 to 100 mg every 4- 6 hours by intramuscular or intravenous injection over 2 to 3 minutes , Rectal doses by suppository are 100 mg up to 4	
Capsules		مهدئات الأوجاع	Yemen		
10 cap					
Tramadol	Tramadol Hydrochloride 50 mg /Capsule	Opioid analgesics	PHARCO	50 to 100 mg every 4 -6 hours by mouth , 50 to 100 mg every 4- 6 hours by intramuscular or intravenous injection over 2 to 3 minutes , Rectal doses by suppository are 100 mg up to 4	
Capsules		مهدئات الأوجاع	Egypt		
10 Cap					
TRAMADOL	Tramadol Hydrochloride	Opioid analgesics	AMRIYA PHARMA	50 to 100 mg every 4 -6 hours by mouth , 50 to 100 mg every 4- 6 hours by intramuscular or intravenous injection over 2 to 3 minutes , Rectal doses by suppository are 100 mg up to 4	
Ampoules		مهدئات الأوجاع	Egypt		
5 ampoules 2 ml					
TRAMADOL	Each amp 2 ml contains 100 mg of tramadol	Opioid analgesics	hameln	50 to 100 mg every 4 -6 hours by mouth , 50 to 100 mg every 4- 6 hours by intramuscular or intravenous injection over 2 to 3 minutes , Rectal doses by suppository are 100 mg up to 4	
Ampoules		مهدئات الأوجاع	Germany		
10 amp of 2ml					
Tramadol	Tramadol Hydrochloride 100 mg / 2 ml	Opioid analgesics	BIOPHARM	50 to 100 mg every 4 -6 hours by mouth , 50 to 100 mg every 4- 6 hours by intramuscular or intravenous injection over 2 to 3 minutes , Rectal doses by suppository are 100 mg up to 4	
Ampoules		مهدئات الأوجاع	Yemen		
5 amp					
Tramadol	Tramadol Hydrochloride 100 mg / 2 ml	Opioid analgesics	KRKA	50 to 100 mg every 4 -6 hours by mouth , 50 to 100 mg every 4- 6 hours by intramuscular or intravenous injection over 2 to 3 minutes , Rectal doses by suppository are 100 mg up to 4	
Ampoules		مهدئات الأوجاع	India		
5 amp x 2 ml					
Tramadol 50 mg	Tramadol Hydrochloride 50 mg /cap.	Opioid analgesics	BIOPHARM	50 to 100 mg every 4 -6 hours by mouth , 50 to 100 mg every 4- 6 hours by intramuscular or intravenous injection over 2 to 3 minutes , Rectal doses by suppository are 100 mg up to 4	
Capsules		مهدئات الأوجاع	Yemen		
10 caps					


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Tramal	Tramadol Hydrochloride	Opioid analgesics	GRUNENTHA L	50 to 100 mg every 4 -6 hours by mouth , 50 to 100 mg every 4- 6 hours by intramuscular or intravenous injection over 2 to 3 minutes , Rectal doses by suppository are 100 mg up to 4	
Drops		مهدئات الأوجاع	Unknown		
10 ml					
Tramal	Tramadol Hydrochloride	Opioid analgesics	GRUNENTHA L	50 to 100 mg every 4 -6 hours by mouth , 50 to 100 mg every 4- 6 hours by intramuscular or intravenous injection over 2 to 3 minutes , Rectal doses by suppository are 100 mg up to 4	
Capsules		مهدئات الأوجاع	Unknown		
10 cap					
Tramal 100	Each amp contains 100 mg Tramadol Hydrochloride	Opioid analgesics	Unknown	50 to 100 mg every 4 -6 hours by mouth , 50 to 100 mg every 4- 6 hours by intramuscular or intravenous injection over 2 to 3 minutes , Rectal doses by suppository are 100 mg up to 4	
Ampoules		مهدئات الأوجاع	Unknown		
5 amp of 2 ml					
Tramal Gelules	Tramadol Hydrochloride	Opioid analgesics	GRUNENTHA L	50 to 100 mg every 4 -6 hours by mouth , 50 to 100 mg every 4- 6 hours by intramuscular or intravenous injection over 2 to 3 minutes , Rectal doses by suppository are 100 mg up to 4	
Tablets		مهدئات الأوجاع	Unknown		
10 tab					
Tramal Retard	Tramadol Hydrochloride	Opioid analgesics	GRUNENTHA L	50 to 100 mg every 4 -6 hours by mouth , 50 to 100 mg every 4- 6 hours by intramuscular or intravenous injection over 2 to 3 minutes , Rectal doses by suppository are 100 mg up to 4	
Tablets		مهدئات الأوجاع	Unknown		
30 tab					
TRAMALGIN	Unknown	Opioid analgesics	OUBARY PHARMA	As directed	
Tablets		مهدئات الأوجاع	Syria		
20 tab					
TRAMZIC 100	Tramadol Hydrochloride 100 mg	Opioid analgesics	RFA	50 to 100 mg every 4 -6 hours by mouth , 50 to 100 mg every 4- 6 hours by intramuscular or intravenous injection over 2 to 3 minutes , Rectal doses by suppository are 100 mg up to 4	
Capsules		مهدئات الأوجاع	Yemen		
10 cap					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
TRAMZIC 50	Tramadol Hydrochloride	Opioid analgesics	RFA	50 to 100 mg every 4 -6 hours by mouth , 50 to 100 mg every 4- 6 hours by intramuscular or intravenous injection over 2 to 3 minutes , Rectal doses by suppository are 100 mg up to 4	
Capsules		مهدئات الأوجاع	Yemen		
10 caps					
TRAMZIC 50	Tramadol Hydrochloride 50 mg	Opioid analgesics	RFA	50 to 100 mg every 4 -6 hours by mouth , 50 to 100 mg every 4- 6 hours by intramuscular or intravenous injection over 2 to 3 minutes , Rectal doses by suppository are 100 mg up to 4	
Capsules		مهدئات الأوجاع	Yemen		
10 cap					
TRAMZIC Plus	Tramadol +paracetamol	Opioid analgesics	RFA	50 to 100 mg every 4 -6 hours by mouth , 50 to 100 mg every 4- 6 hours by intramuscular or intravenous injection over 2 to 3 minutes , Rectal doses by suppository are 100 mg up to 4	
Tablets		مهدئات الأوجاع	Yemen		
20 tabs					
TRANEXAMIC ACID	Tranexamic Acid	Antihemorrhagics	SHIN POONG	oral doses are 1 to 1.5 g (or 15 to 25 mg/kg) 2 to 4 times daily. or by slow intravenous injection doses are 0.5 to 1 g (or 10 mg/kg) 3 times daily.or by continuous infusion at a rate	
Ampoules		Haemorrhage النزيف	Korea		
5 ml x 10 amp					
tranexamic acid injection	tranexamic acid 500mg	Antihemorrhagics	SHIN POONG	oral doses are 1 to 1.5 g (or 15 to 25 mg/kg) 2 to 4 times daily. or by slow intravenous injection doses are 0.5 to 1 g (or 10 mg/kg) 3 times daily.or by continuous infusion at a rate	
injection		Haemorrhage النزيف	Korea		
5ml*10ampoules					
Tranfib	Tranexamic Acid	Antihemorrhagics	CIPLA	oral doses are 1 to 1.5 g (or 15 to 25 mg/kg) 2 to 4 times daily. or by slow intravenous injection doses are 0.5 to 1 g (or 10 mg/kg) 3 times daily.or by continuous infusion at a rate	
Tablets		Haemorrhage النزيف	India		
10 tab					
Tranfib	Tranexamic Acid	Antihemorrhagics	CIPLA	oral doses are 1 to 1.5 g (or 15 to 25 mg/kg) 2 to 4 times daily. or by slow intravenous injection doses are 0.5 to 1 g (or 10 mg/kg) 3 times daily.or by continuous infusion at a rate	
Ampoules		Haemorrhage النزيف	India		
5 x 5 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Tratul Retard	Diclofenac Sodium	Non-Steroidal Anti-	GEROT LANNACH	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Tablets		Analgesic مهدئات الأوجاع	Viena, Austria		
10 tab					
Travazol	Unknown	Antifungals	Bilim	As directed	
Cream		Dermatitis الالتهابات الجلدية	Turkey		
15 gm					
Travisil	herbal extract	Respiratory drugs	plethico	As directed	
Syrup		Common Cold نزلات البرد	Unknown		
100 ml					
Travisil	Different Lozenges Ingredients	Antiseptic and Desinfectants	Unknown	As directed	
lozenges		Common Cold نزلات البرد	Unknown		
16 Lozenges					
Travonorm	Travoprost 0.004%	Ophthalmic drugs	Orchidia Pharma	As directed	
Solution		Eye العين	Egypt		
5 ml					
TRAZOL	Metronidazole 250 mg	Antiprtozoal	Modern Pharama	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , Gardiasis جارديا واميبيا	Yemen		
20 tab					
TRAZOL	Metronidazole 200 mg	Antiprtozoal	Modern Pharama	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Suspension		Amoebiasis , Gardiasis جارديا واميبيا	Yemen		
100 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Trazol Forte	Metronidazole 500 mg	Antiprtozoal	Modern Pharama	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , Gardiasis جارديا واميبيا	Yemen		
20 tab					
TRAZOL PLUS	Metronidazole 200mg + diloxnaide 250 mg	Antiprtozoal	Modern Pharama	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Tablets		Amoebiasis , Gardiasis جارديا واميبيا	Yemen		
20 tab					
Trazol Plus	Metronidazole	Antiprtozoal	Modern Pharama	Amebiasis : adults orally , metronidazole 750 mg tid ; children, 35-50 mg/kg/day tid all for 10 days- GiardiasisIn: adults metronidazole 250 mg tid for 5 days orally.	
Suspension		Amoebiasis , Gardiasis جارديا واميبيا	Yemen		
100 ml					
trenaxa 500mg	Tranexamic acid	Antihaemorrhages	MACLEODS	oral doses are 1 to 1.5 g (or 15 to 25 mg/kg) 2 to 4 times daily. or by slow intravenous injection doses are 0.5 to 1 g (or 10 mg/kg) 3 times daily.or by continuous infusion at a rate	
tablet		Haemorrhage النزيف	India		
5*6tablets					
Trental	Pentoxifylline	Cardio Vascular System drugs	SANFOI	400 mg three times daily by	
Tablets		Hypertension ارتفاع ضغط الدم	Unknown		
20 tab					
TRI - REGOL	ethiynilestradiol - levonorgestrel	Gynaecology drugs	GEDON Richter	one tablte daily from the frist day of menstution for 21 day	
Tablets		Contraceptives موانع الحمل	HUNGARY		
21					
TRIACTIN	Cyproheptadine Hydrochloride 4 mg / tab	Antihistamines	KAHIRA PHARM	1.5 mg daily by mouth either in three divided doses or as a single dose at night	
Tablets		Appetizer Stimulant منشطات الشهية	Egypt		
20 tablet					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Triamcinolone	Triamcinolone Acetonide	Corticosteroid	Caspian	4 to 48 mg daily by mouth, 40 mg by intramuscular injection, 200 micrograms by metered-dose inhaler three or four times daily;topical application in creams, lotions,	
Ampoules		Dermatitis الالتهابات الجلدية	IRAN		
5 amp x 1 ml					
Triamcinolone	Triamcinolone Acetonide	Corticosteroid	SHIN POONG	4 to 48 mg daily by mouth, 40 mg by intramuscular injection, 200 micrograms by metered-dose inhaler three or four times daily;topical application in creams, lotions,	
Ampoules		Inflammations الالتهابات	Korea		
5 amp x 1 ml					
Triamil-25	Clomipramine tablet 25mg	Central Nervous system drugs	RAM PHARMA	Oral doses of 10 mg daily initially, increasing gradually to 30 to 150 mg daily maximum up to 250 mg daily .	
Tablets		Mental Disorders الأمراض العقلية	Jordan		
30 Tablet					
Tri-B	Vitamin B1100 mg+ Vitamin B6 100 mg+Vitamin B121 mg	Vitamines and Menirals	NILE CO.	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Ampoules		Vitamins نقص فيتامينات	Egypt		
3 ampoules 3ml					
Tricefine	Ceftriaxone Sodium	Antibacterial	Sothema	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Parentral inj		Bacterial Infections الأمراض البكتيرية	Morocco		
1vial					
Tricho vag	Acetic acid 2%	Health Care	Shiba pharma	As directed	
Solution		Vaginal المهبل	Yemen		
200 ml					
Trileptal 600	Oxcarbazepine	Central Nervous system drugs	Unknown	600 mg daily by mouth, given in 2 divided doses up to 2400 mg daily .- children 8 to 30 mg/kg by mouth daily	
Tablets		Epilepsy الصرع	Unknown		
50 F.C.T					


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Trimedat	Trimebutline maleate	Gastro Intestinal drugs	Unknown	100 mg three times up to 600 mg daily by mouth in divided doses	
Tablets		Abdominal Spasm آلام البطن	Unknown		
30 tab					
Tri-OMEGA	fish oil continig 500mg+EPA % +DHA 12%/cap.	Vitamines and Menirals	Y.E.PHARMA	For lowering triglycerides: 20 mL of cod liver oil per day. For high cholesterol: 30 mL of cod liver oil per day. For lowering blood pressure: 20 mL of cod liver oil per day.	
Capsules		Hyperlipidaemias زيادة الدهون في الدم	Yemen		
20 capsules					
Tritace 2.5 mg	Ramipril	Cardio Vascular System drugs	SANOFI AVENTIS	1.25 - 5 mg once daily is given by mouth	
Tablets		Hypertension ارتفاع ضغط الدم	France		
14 tab					
Tritace 5 mg	Ramipril	Cardio Vascular System drugs	SANOFI AVENTIS	1.25 - 5 mg once daily is given by mouth	
Tablets		Hypertension ارتفاع ضغط الدم	France		
14 tab					
Trittico	Trazodone tablet 50 mg	Central Nervous system drugs	EIPICO	Minimum/Maximum Adult Daily Dose:100 - 600 mg (milligram) OR 1 - 6 Tablet	
Tablets		Mental Disorders الأمراض العقلية	Egypt		
20 tablets					
TriVag forte	Each vaginal Tablet contains Metronidazole 750 mg and Miconazole nitrate 200 mg.	Health Care	Pharmacare	One tablet should be inserted into the vagina at night for 7 days. In recurrent cases, one tablet at night for 14 days .	
Vaginal Tablets		Vaginal المهبل	Yemen		
7 vaginal tablets.					
Tryptizol	Amitriptyline tablet 25mg	Central Nervous system drugs	ALGORITHM	Minimum/Maximum Adult Daily Dose:100 - 300 mg (milligram) OR 1 - 3 Tablet	
Tablets		Mental Disorders الأمراض العقلية	Lebanon		
30 Tablet					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
Tryptoline 10 mg	Amitriptyline tablet 10 mg	Central Nervous system drugs	KAHIRA PHARM	Minimum/Maximum Adult Daily Dose:100 - 300 mg (milligram) OR 1 - 3 Tablet	
Tablets		Mental Disorders الأمراض العقلية	Egypt		
100 Tablet					
TRYPTOLINE 25 mg	Amitriptyline 25 mg	Central Nervous system drugs	KAHIRA PHARM	In the treatment of depression, amitriptyline hydrochloride is given by mouth initially in a daily dose of 50 to 75 mg in divided doses (or as a single dose at night).	
Tablets		Mental Disorders الأمراض العقلية	Egypt		
30 tablet					
Tryptophen10	Amitriptyline tablet 10 mg	Central Nervous system drugs	IBN-HYYANpharm	Minimum/Maximum Adult Daily Dose:100 - 300 mg (milligram) OR 1 - 3 Tablet	
Tablets		Mental Disorders الأمراض العقلية	Syria		
20 coated tablet					
Tullin-D	pseudoephedrine +paracetamol+chl oraphiniramine	Respiratory drugs	ASIA	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Soft Gelatin Capsules		Common Cold نزلات البرد	Syria		
20 cap					
TULLIN-D	Pseudoephedrine	Respiratory drugs	ASIA	60 mg three or four times daily by mouth , oral doses for children 15-30 mg three or four times daily	
Soft Gelatin Capsules		Common Cold نزلات البرد	Syria		
20 S.G.C					
Tusil	Dextromethorphan 7.5 mg + psedoephedrine 15 mg + Chlorpheniramine 1 mg	Respiratory drugs	Shifa	10 to 20 mg every 4 hours, or 30 mg every 6 to 8 hours, to a usual maximum of 120 mg in 24 hours, Children aged 6 to 12 years may be given 5 to 10 mg every 4 hours , 2 to 6 years 2.5	
Syrup		Common Cold نزلات البرد	Syria		
125 ml					
Tuspel	Pseudoephedrine + Guaifenesin	Respiratory drugs	andoco remedies lid	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Syrup		Common Cold نزلات البرد	Unknown		
100 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms					
Package		Disease	Country		
Tussifen without codiene	Pseudoephedrine + Guaifenesin للتأكد من المكونات	Respiratory drugs	APM	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Syrup		Common Cold نزلات البرد	Jordan		
120 ml					
Tussifin with codeine	Codiene phosphate + Chlorpheniramine + Glyceryl + Potassium citrate + sodium	Respiratory drugs	APM	As directed	
Syrup		Common Cold نزلات البرد	Jordan		
120 ml					
TUSSIFlu	Chlorphenamine Maleate 4 mg + Dexamethasone 6.25 mg	Antihistamines	RFA	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	
Syrup		Common Cold نزلات البرد	Yemen		
120 ml					
Tussilar	Dextromethorphan + Chlorpheniramine + Ephedrine + Guaifensine	Respiratory drugs	KAHIRA PHARM	10 to 20 mg every 4 hours, or 30 mg every 6 to 8 hours, to a usual maximum of 120 mg in 24 hours, Children aged 6 to 12 years may be given 5 to 10 mg every 4 hours , 2 to 6 years 2.5	
Syrup		Common Cold نزلات البرد	Egypt		
125 ml					
Tussilar	Dextromethorphan	Respiratory drugs	KAHIRA PHARM	10 to 20 mg every 4 hours, or 30 mg every 6 to 8 hours, to a usual maximum of 120 mg in 24 hours, Children aged 6 to 12 years may be given 5 to 10 mg every 4 hours , 2 to 6 years 2.5	
Oral/drops		Common Cold نزلات البرد	Egypt		
15 ml					
Tussilar	dextromethorphan	Respiratory drugs	KAHIRA PHARM	10 to 20 mg every 4 hours, or 30 mg every 6 to 8 hours, to a usual maximum of 120 mg in 24 hours, Children aged 6 to 12 years may be given 5 to 10 mg every 4 hours , 2 to 6 years 2.5	
Tablets		Common Cold نزلات البرد	Egypt		
20 tab					
Tussimax	Dextromethorphan + Chlorpheniramine + Ephedrine + Guaifensine	Respiratory drugs	Shiba pharma	Adults 60 mg three or four times daily, Children 2.5 to 5 mg every 4 hours	
Syrup		Common Cold نزلات البرد	Yemen		
100 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Tussin	Calcium	Antihistamines	YEDCO	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	
Syrup		Common Cold	Yemen		
100 ml		نزلات البرد			
Tussinor	Chlorphenamine Maleate 4 mg + Dexamethasone 6.25 mg	Antihistamines	Global Pharma	for adults 4 mg every 4 to 6 hours maximum 24 mg daily, for children: 1-2 mg twice or three times daily, infants 1 mg twice daily, by injection The usual dose is 10 to 20 m	
Syrup		Common Cold	Yemen		
100 ml		نزلات البرد			
Tussivan Syrup	Chlorpheniramine 2 mg + phenylephrine 5 mg +ephedrine 5 mg +codiene phosphate 8 mg	Respiratory drugs	MISR	As directed	
Syrup		Common Cold	Egypt		
125 ml		نزلات البرد			
Tusskan TTT	Pseudoephedrine + guaifenesin+diphenhydramine	Respiratory drugs	HIKMA	Adults 60 mg three or four times daily by mouth, children 15 -30 mg three or 4 times daily	
Syrup		Common Cold	Jordan		
100 ml		نزلات البرد			
Twinzol	Dorzolamide Hydrochloride 2% + Timolol 0.5%	Ophthalmic drugs	Orchidia Pharma	three times daily; or twice dailyis recommended when used with a beta blocker.	
Solution		العين Eye	Egypt		
5 ml					
Tymer	Gatifloxacin	Antibacterial	Jamjoom Pharma	by mouth, or by intravenous infusion as a 2 mg/mL solution over 60 minutes, The usual adult dose is 400 mg once daily, 0.3% eye drops for the treatment of bacterial	
Solution		العين Eye	Saudi Arabia		
5 ml					
Tymer	Gatifloxacin	Antibacterial	Unknown	by mouth, or by intravenous infusion as a 2 mg/mL solution over 60 minutes, The usual adult dose is 400 mg once daily, 0.3% eye drops for the treatment of bacterial	
suspension		العين Eye	Unknown		
5 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Tyrotab	Tyrothircin 1mg + Tetracaine HCL 0.1 mg	Antiseptic and Desinfectants	PHARMEDIC JSC	As directed	
Lozenges		Common Cold نزلات البرد			
Ulcedex	Chlordiazepoxide + Clidinium Bromide	Gastro Intestinal drugs	Pharmadex	Chlordiazepoxide up to 30 mg daily in divided doses.	
tab		Peptic ulcer قرحة المعدة	Unknown		
25 tabs					
Ulcinorm	Ranitidine	Gastro Intestinal drugs	AUROBINDO	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Tablets		Peptic ulcer قرحة المعدة	Unknown		
100 tabs					
Ulgel	dimethicone +	Gastro Intestinal drugs	Unknown	tab = 40 -120 mg QID orall a.m * suspension = 10 ml QID *sachets = one sachet QID	
susp		Indigestion سوء الهضم	Unknown		
120 ml					
Ulgel	A combination of aluminium and magnesium hydroxides and sulfates.	Gastro Intestinal drugs	Alembic	2 g by mouth	
Solution		Indigestion سوء الهضم	Unknown		
170 ml					
Ulstop	Omeprazole	Gastro Intestinal drugs	PHARCO	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
Capsules		Peptic ulcer قرحة المعدة	Egypt		
14 caps					
Ultac-150	Ranitidine	Gastro Intestinal drugs	CIPLA	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Tablets		Peptic ulcer قرحة المعدة	India		
100 tabs					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Ultop hard	Omeprazole 20 mg / cap	Gastro Intestinal drugs	KRKA	daily dose of 20 mg by mouth, or 40 mg in severe cases, is given. Treatment is continued for 4 weeks for duodenal ulcer and 8 weeks for gastric ulcer	
Capsules		Peptic ulcer قرحة المعدة	India		
14 caps					
Ultradox.G	Unknown	Skin Disorders	MEDICO LABS	As directed	
Cream		Dermatitis	Syria		
40 gm		الالتهابات الجلدية			
Ultraflox -500	Ciprofloxacin 500 mg	Antibacterial	Bal pharma	250 to 750 mg twice daily depending on the severity and nature of the infection	
Tablets		Bacterial Infections	Unknown		
1strip*10tablet		الأمصابات البكتيرية			
Ultraflox IV	Ciprofloxacin 200 mg /100 ml	Antibacterial	Bal pharma	250 to 750 mg twice daily depending on the severity and nature of the infection	
Infusion Bottle		Bacterial Infections	Unknown		
1bottel*100ml		الأمصابات البكتيرية			
Ultra-Omega-3	Omega-3 Fish Oil 540 mg+Cod Liver Oil 540 mg+ EPA 116 mg + DHA 106 mg Vitami D (as	Vitamines and Menirals	VITABIOTICS	For lowering triglycerides: 20 mL of cod liver oil per day. For high cholesterol: 30 mL of cod liver oil per day. For lowering blood pressure: 20 mL of cod liver oil per day.	
Capsules		Hyperlipidaemias	Unknown		
60 capsules		زيادة الدهون في الدم			
Ultravit-M	Ascorbic Acid)50 mg/ml +D3 400 IU/ml Vitamin A2000 IU/ml+ B1 0.5 mg/ml, B2 0.5 mg/ml, B6	Vitamines and Menirals	ASIA	As directed	
Syrup		Vitamins	Syria		
200 ml syup		نقص فيتامينات			
Unicam-20	Piroxicam capsule 20mg.	Nonsteroidal Anti-	United	Minimum/Maximum Adult Daily Dose:10 - 20 mg (milligram) OR 1 - 2 Capsules.	
Capsules		Antipyretic -	Jordan		
10 capsules.		مهدئات الأوجاع والحمى			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Unicefin	Ceftriaxone Sodium	Antibacterial	Unknown	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Vial		Bacterial Infections	Unknown		
1 vial		الأمراض البكتيرية			
Uniceftam	Piracetam	Central Nervous system drugs	Unknown	2.4 g daily by mouth in 2 or 3 divided doses. In severe disorders intramuscular or intravenous injection.	
Capsules		Mental Disorders	Unknown		
20 cap		الأمراض العقلية			
UNICRON Tablets	Gliclazide 80 mg	Antidiabetics	UNICHIMA	initial dose is 40 to 80 mg daily, gradually increased, if necessary, up to 320 mg daily. Doses of more than 160 mg daily are given in 2 divided doses.	
Tablets		Diabetes Mellitus	Unknown		
30 tab		أمراض السكري			
Unidox	Doxycycline	Antibiotics	United	The usual dose is 200 mg of doxycycline on the first day (as a single dose or in divided doses), followed by 100 mg daily.	
capsules		الأمراض الميكروبية	Jordan		
1strip*10capsules		Microbial Infections			
UNIMAX	Meloxicam	Non-Steroidal Anti-	SUN Pharma	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Tablets		Analgesic	India		
10 tab		مهدئات الأوجاع			
Uniphyllin	Theophyllin 150 mg	Respiratory drugs	UNICHIMA	by mouth in doses ranging from 300 to 1000 mg daily in divided doses	
Capsules		Bronchial Asthma	Syria		
20 cap		الربو الشعبي			
uniphyllin 150	Theophylline 150 mg / cap	Respiratory drugs	UNICHIMA	by mouth in doses ranging from 300 to 1000 mg daily in divided doses	
Capsules		Bronchial Asthma	Syria		
20 capsules		الربو الشعبي			


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Unispa	Drotaverine	Gastro Intestinal drugs	UNICHIMA	120 to 240 mg daily by mouth in divided doses.	
Tablets		Abdominal Spasm	Syria		
20 tabs		آلام البطن			
Unispira	Spiramycin*	Antibacterial	UNICHIMA	Adult dose is 6 - 9 million units by mouth daily, in 2 or 3 divided doses. Doses of up to 15 million units	
tablet		Toxoplasmosis	Syria		
1strip*10tablet		الجرثومة الطفيلية			
univan	Valsartan	Cardio Vascular System drugs	Unknown	Oral doses 80 - 160 mg once daily	
Capsules		Hypertension	Unknown		
20 cap		ارتفاع ضغط الدم			
UNOCRON	Gliclazide	Antidiabetics	EGYPHAR	initial dose is 40 to 80 mg daily, gradually increased, if necessary, up to 320 mg daily. Doses of more than 160 mg daily are given in 2 divided doses.	
Tablets		Diabetes Mellitus	Egypt		
30 tab		أمراض السكري			
UNTANO	Unknown	Skin Disorders	Unknown	As directed	
Cream		Dermatitis	Unknown		
30 gm		الالتهابات الجلدية			
Uri soda	Sodium citrate + sodium bicarbonate + tartaric acid + citric acid	Urinary tract drugs	CIPLA	about 1 to 5 g of sodium bicarbonate in water	
Sachets		Urinary Tract Infection	India		
10 Sachets		اصابات الجهاز البولي			
URICARE	Combination	Urinary tract drugs	Global Pharma	As directed	
Sachets		Urinary Tract Infection	Yemen		
12 sachet		اصابات الجهاز البولي			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
URICOL	Combination	Urinary tract drugs	PHARCO	As directed	
Sachets		Urinary Tract Infection اصابات الجهاز البولي	Egypt		
12 sachet					
URIKIN	Hexamine 500 mg + Piprazine 190. mg + Khelline 1.83 mg	Urinary tract drugs	Modern Pharama	1- 2 Sachets three to four times daily	
Sachets		Urinary Tract Infection اصابات الجهاز البولي	Yemen		
12 Sachets					
URINEX	Pinene 31 mg + Camphene 15 mh + Borneol 10 mg ...etc.	Urinary tract drugs	PHARCO	one capsule 3-4 times daily taken half hour before meals	
Soft Gelatin Capsules		Urinary Tract Infection اصابات الجهاز البولي	Egypt		
24 Enteric Coated Cap.					
Uripan	Oxybutynin syrup 120gm	Urinary tract drugs	ADWIA	5 mg two or three times daily by mouth, increased to 5 mg four times daily if required	
Syrup		Nocturnal Enuresis	Egypt		
120 ml					
Uripan	Oxybutynin Hydrochloride	Urinary tract drugs	ADWIA	5 mg two or three times daily by mouth, increased to 5 mg four times daily if required	
Tablets		Urinary Tract Infection اصابات الجهاز البولي	Egypt		
20 tab					
Urisept	Hexamine + Piprazine + Khelline	Urinary tract drugs	Shiba pharma	1- 2 Sachets three to four times daily	
Sachets		Urinary Tract Infection اصابات الجهاز البولي	Yemen		
12 Sachets					
URISpas	Flavoxate tablet 200mg.	Antispasmodic	ALGORITHM	usual dose is 200 mg by mouth three times daily	
Tablets		Urinary Tract Infection اصابات الجهاز البولي	Lebanon		
30 tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
UROPIMID	Pipemidic acid	Antibacterial	CT Lap	Cap 400mg	
capsules		Urinary Tract Infection	Unknown		
2strip*10capsules		اصابات الجهاز البولي			
Ursochol cap	ursodeoxycholic acid 250 mg	Gastro Intestinal drugs	MUP	13 - 15 mg/kg/ d for 12 -24 months	
Capsules		Hepatic Disorders	Egypt		
20 cap		اضطرابات الكبد			
Ursofalk	ursodeoxycholic acid 250 mg	Gastro Intestinal drugs	MINA PHARMA	13 - 15 mg/kg/ d for 12 -24 months	
Capsules		Hepatic Disorders	Unknown		
20 cap		اضطرابات الكبد			
ursoflor	ursodeoxycholic acid	Gastro Intestinal drugs	Sa.Sa Pharm	13 - 15 mg/kg/ d for 12 -24 months	
Capsules		hepatic disorders	Unknown		
20 cap					
Ursoflor 300 mg	ursodeoxycholic acid 300 mg	Gastro Intestinal drugs	So.Se.PHARM	13 - 15 mg/kg/ d for 12 -24 months	
Capsules		Hepatic Disorders	Unknown		
20 cap		اضطرابات الكبد			
Ursogal-300	Ursodeoxycholic acid capsule 300mg.	Gastro Intestinal drugs	SIGMA	13 - 15 mg/kg/ d for 12 -24 months	
Capsules		hepatic disorders	Egypt		
20 capsule					
Ursogall 300	ursodeoxycholic acid 300 mg	Gastro Intestinal drugs	SIGMA	13 - 15 mg/kg/ d for 12 -24 months	
Capsules		Hepatic Disorders	Egypt		
20 cap		اضطرابات الكبد			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
USIX	Furosemide 40 mg	Cardio Vascular System drugs	RFA	40 to 80 mg daily by mouth, For children, the usual dose by mouth is 1 to 3 mg/kg daily up to a maximum of 40 mg daily	
Tablets		Hypertension ارتفاع ضغط الدم	Yemen		
30 tab					
V 2 plus	vit(A,D3,E,B1,B2, B6,B12,C)And menirals	Vitamines and Menirals	PHARCO	As directed	
Capsules		Vitamins نقص فيتامينات	Egypt		
24 s.G cap					
Vagi balance	Acetic acid 1.25%	Health Care	Shiba pharma	As directed	
Solution		Vaginal المهبل	Yemen		
200 ml					
Vagi-Atheer	Chlorhexidine + Cetrimide + Menthol + Glycerine	Health Care	Atheer	20 ml diluted with one liter of warm water and wash two times daily	
Solution		Vaginal المهبل	Yemen		
200 ml					
Vagi-Atheer	Chlorhexidine + Cetrimide + Menthol + Glycerine	Health Care	Atheer	20 ml diluted with one liter of warm water and wash two times daily	
Solution		Vaginal المهبل	Yemen		
200 ml					
Vagilisse	Antiseptic	Antiseptic and Desinfectants	Unknown	As directed	
Solution		Dermatitis الالتهابات الجلدية	Unknown		
bottle					
Vagyl	Sodium chloride + Sodium carbonate	Antiseptic and Desinfectants	MUP	As directed	
Sachets		Vaginal المهبل	Egypt		
10 Sachets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Valacyclovir	Valacyclovir 500mg	Antivirals	MBTC	Minimum/Maximum Adult Daily Dose:1000 - 6000 mg (milligram) OR 2 - 12 Tablet	
Tablets		Viral Infections الأمراض الفيروسية	Unknown		
14 tab.					
Valian-X	Valerian + melissa	Health Care	MEGA We Care	As directed	
Soft Gelatin Capsules		Anxiety, Insomnia الأرق والقلق	Unknown		
3 X 10 S.G. Capsules					
valium	diazepam	Central Nervous system drugs	ROCHE	Severe anxiety in oral doses of 2 mg three times daily to a maximum of 30 mg daily, in seizures Adults :Diazepam 10 to 20 mg (I.V 5 mg/minute) or infusion every 15 min for up	
Tablets		Anxiety, Insomnia الأرق والقلق	Germany		
25 tablets of 5mg					
Valiuzam	Diazepam	Central Nervous system drugs	Unknown	Severe anxiety in oral doses of 2 mg three times daily to a maximum of 30 mg daily, in seizures Adults :Diazepam 10 to 20 mg (I.V 5 mg/minute) or infusion every 15 min for up	
Tablets		Anxiety, Insomnia الأرق والقلق	Unknown		
20 tab					
Valokeen	Combination	Antifungals	Unknown	As directed	
Selica Gel		Dermatitis التهابات الجلدية	Unknown		
30 gm					
Valricaps	Valerian	Gastro Intestinal drugs	Unknown	As directed	
Capsules		Abdominal Spasm آلام البطن	Unknown		
20 cap					
Valtec CR-200	Valproic Acid&Na valproate tablet 200mg	Antiepileptics	CIPLA	PO for epilepsy (valproic acid) 15 mg/kg/day in 2-3 divided doses initially, increasing in 5-10 mg/kg/day increments at weekly intervals to an effective dosage,	
Tablets		Epilepsy الصرع	India		
10 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Valtec CR-500	Valproic Acid&Na valproate tablet 500mg	Central Nervous system drugs	CIPLA	PO for epilepsy (valproic acid) 15 mg/kg/day in 2–3 divided doses initially, increasing in 5–10 mg/kg/day increments at weekly intervals to an effective dosage,	
Tablets		Epilepsy الصرع	India		
10 tablets					
Vanbiotic	Vancomycin	Antibiotics	Unknown	500 mg of vancomycin every 6 hours or 1 g every 12 hours. For Children 10- 15 mg/kg every 12 hours	
Vial		Serious M. Infections	Unknown		
1 vial		الأمراض الميكروبية الخطيرة			
Vancolon	Vancomycin	Antibiotics	Julphar	500 mg of vancomycin every 6 hours or 1 g every 12 hours. For Children 10- 15 mg/kg every 12 hours	
Vial		Serious M. Infections	UAE		
1 vial		الأمراض الميكروبية الخطيرة			
Vancotech-1000	Vancomycin	Antibiotics	Unknown	500 mg of vancomycin every 6 hours or 1 g every 12 hours. For Children 10- 15 mg/kg every 12 hours	
Vial		Serious M. Infections	Unknown		
1 vial		الأمراض الميكروبية الخطيرة			
VANLID	Vancomycin	Antibiotics	Unknown	500 mg of vancomycin every 6 hours or 1 g every 12 hours. For Children 10- 15 mg/kg every 12 hours	
Vial		Serious M. Infections	Unknown		
1 vial		الأمراض الميكروبية الخطيرة			
Varcovit B12	essential phospholipids+vit b1,b2,b12,E	Gastro Intestinal drugs	PHARCO	Adluts : 1800mg/daily(divaded into 3 doses) childran mor than 12 years(about 43 kg) 600mg/daily(divaded into 3 doses).	
Capsules		Hepatic Disorders	Egypt		
24 cap		اضطرابات الكبد			
vassco dipine	Amlodipine	Cardio Vascular System drugs	Unknown	Oral only : Hypertension Adults: Individualize: 2.5–5 mg/d. Maximum: 10 mg/d. Angina: Adults: 5–10 mg. Elderly: 5 mg.	
Tablets		Hypertension	Unknown		
30 tab		ارتفاع ضغط الدم			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
VASTAREL 20 mg	Trimetazidine Hydrochloride	Cardio Vascular System drugs	Servier	40 to 60 mg is given daily by mouth in divided doses.	
Tablets		Angina الذبحة الصدرية	Denmark		
60 tab					
VASTAREL MR	Trimetazidine Hydrochloride	Cardio Vascular System drugs	Servier	40 to 60 mg is given daily by mouth in divided doses.	
Tablets		Angina الذبحة الصدرية	Denmark		
30 tab					
vazkor	Amlodipine	Cardio Vascular System drugs	Unknown	Oral only : Hypertension Adults: Individualize: 2.5–5 mg/d. Maximum: 10 mg/d. Angina: Adults: 5–10 mg. Elderly: 5 mg.	
Tablets		Hypertension ارتفاع ضغط الدم	Unknown		
20 tab					
VB Complex	Vit.B1 20mg+Vit.B6 2mg + Riboflavine 2mg+ nicotinamide 30mg	Vitamines and Menirals	SHAPHAR	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Ampoules		Vitamins نقص فيتامينات	China		
10 ampoules x 2 ml					
V-D3	Vitamin D Substances	Vitamines and Menirals	Razi Pharma	A dose of 10 micrograms (400 units) daily is generally sufficient in adults	
Solution		Ricketsia الكساح	Syria		
10 ml					
Vectavir	Penciclovir 1%	Antivirals	Unknown	It is applied topically as a 1% cream every 2 hours during waking hours for 4 days in the treatment of herpes labialis	
Cream		Viral Infections الأصابات الفيروسية	Unknown		
1 tube					
Vental	Salbutamol 2 mg	Respiratory drugs	ADCO	2 -4 mg / or 2 buffs *qid	
Tablets		Bronchial Asthma الربو الشعبي	Egypt		
20 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Vental	Salbutamol 0.1 mg/dose	Respiratory drugs	ADCO	2 -4 mg / or 2 buffs *qid	
Inhaler		Bronchial Asthma الربو الشعبي	Egypt		
200 Inhalations					
Ventol	Each 5 ml contains Salbutamol 2 mg	Respiratory drugs	Shiba pharma	2 -4 mg / or 2 buffs *qid	
Syrup		Bronchial Asthma الربو الشعبي	Yemen		
100 ml					
Ventol 4	Salbutamol	Respiratory drugs	Shiba pharma	2 -4 mg / or 2 buffs *qid	
Tablets		Bronchial Asthma الربو الشعبي	Yemen		
20 tab					
Ventolin	Salbutamol 2 mg	Respiratory drugs	gsk glaxosmithkline	2 -4 mg / or 2 buffs *qid	
Tablets		Bronchial Asthma الربو الشعبي	UK		
100 tab					
Ventolin	salbutamol 2 mg	Respiratory drugs	gsk glaxosmithkline	2 -4 mg / or 2 buffs *qid	
Tablets		Bronchial Asthma الربو الشعبي	UK		
100 tab					
Ventolin	salbutamol 100 mcg	Respiratory drugs	Glaxo Wellcome	2 -4 mg / or 2 buffs *qid	
Inhaler		Bronchial Asthma الربو الشعبي	Unknown		
200 dose					
Ventolin	salbutamol 2 mg/ 5 ml	Respiratory drugs	gsk glaxosmithkline	2 -4 mg / or 2 buffs *qid	
Syrup		Bronchial Asthma الربو الشعبي	UK		
150 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Verapamil	Verapamil	Cardio Vascular System drugs	Unknown	Oral doses 120 to 480 mg daily in 3 or 4 divided doses	
Tablets		Hypertension ارتفاع ضغط الدم	Unknown		
VERBEN	Albendazole 400 mg	Anthelmentic	Unknown	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
Tablets		Common Worms الديدان الشائعة	Unknown		
2 x 1 tab					
VERBEN	Albendazole 400 mg	Anthelmentic	SHIN POONG	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
Tablets		Common Worms الديدان الشائعة	Korea		
1 tab					
Verdol	Combination	Antiseptic and Desinfectants	Unknown	As directed	
Solution		مطهرات Antiseptic	Unknown		
250 ml					
Verine	mebeverine	Gastro Intestinal drugs	SIGMACO	Adult: Orally 135 mg 3 times/day. Extended release 200 mg twice daily. Children 25-100 mg	
Tablets		Abdominal Spasm آلام البطن	Saudi Arabia		
30 tabs					
Vermed	Mebendazole 100 mg	Anthelmentic	Modern Pharama	For adult and children: Threadworms 100 mg single dose - Roundworms and hookworms : 100 mg BID for 3 days.	
Suspension		Common Worms الديدان الشائعة	Yemen		
30 ml					
Vermed	Mebendazole 100 mg	Anthelmentic	Modern Pharama	For adult and children: Threadworms 100 mg single dose - Roundworms and hookworms : 100 mg BID for 3 days.	
Tablets		Common Worms الديدان الشائعة	Yemen		
6 tabs					


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Vermox	Mebendazole	Anthelmentic	Janssen	For adult and children: Threadworms 100 mg single dose - Roundworms and hookworms : 100 mg BID for 3 days.	
Tablets		Common Worms	Switzerland		
48 tab		الديدان الشائعة			
Vermox	Mebendazole 2%	Anthelmentic	JANSSEN-CILAG	For adult and children: Threadworms 100 mg single dose - Roundworms and hookworms : 100 mg BID for 3 days.	
Suspension		Common Worms	Belgium		
30 ml		الديدان الشائعة			
Vertizin-75	Cinnarizine	Antihistamines	RAM PHARMA	For Vertigo and vestibular disorders is 30 mg three times daily by mouth - For motion sickness 30 mg is taken 2 hours before the start of the journey . Children aged 5 to 12	
Capsules		Vertigo او الدوار الدوخة	Jordan		
20 cap					
Vfend	Voriconazole 50mg	Antifungals	Pfizer	200 - 300 mg twice daily	
Tablets		Fungal Infections	Unknown		
14 Film tab.		الاصابات الفطرية			
VG-Norm	Combination	Antiseptic and Disinfectants	PIXEL	As directed	
Solution		Feminine wash	Unknown		
200 ml		الغسولات الأنثوية			
Vibramycin	Doxycycline	Antibiotics	Pfizer	The usual dose is 200 mg of doxycycline on the first day (as a single dose or in divided doses), followed by 100 mg daily.	
Tablets		الاصابات الميكروبية	USA		
1strip*10 tablet		Microbial Infections			
Vibrocil Gel	Dimetindene maleate + neomycin	Antihistamines	NOVARTIS	By mouth in a dose of 1 to 2 mg three times daily , applied topically as a 0.1% gel or lotion	
Gel /tube		Allergy الحساسية	Switzerland		
12 gm					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Vibrocil N/D	Dimetindene maleate + neomycin	Antihistamines	NOVARTIS	By mouth in a dose of 1 to 2 mg three times daily , applied topically as a 0.1% gel or lotion	
Nasal /drops		Common Cold نزلات البرد	Switzerland		
15 ml					
Vibrocil N/Spray	Dimetindene maleate + neomycin	Antihistamines	NOVARTIS	By mouth in a dose of 1 to 2 mg three times daily , applied topically as a 0.1% gel or lotion	
Nasal / Spray		Common Cold نزلات البرد	Switzerland		
10 ml					
Vibron	Dimetindene maleate 0.25 mg + phenyla	Antihistamines	Modern Pharama	By mouth in a dose of 1 to 2 mg three times daily , applied topically as a 0.1% gel or lotion	
Nasal Drops		Common Cold نزلات البرد	Yemen		
15 ml					
Vibronas	Dimetindene maleate + neomycin	Antihistamines	Global Pharma	By mouth in a dose of 1 to 2 mg three times daily , applied topically as a 0.1% gel or lotion	
Nasal / Spray		Common Cold نزلات البرد	Yemen		
15ml					
Vibronas	Dimetindene maleate + neomycin	Antihistamines	Global Pharma	By mouth in a dose of 1 to 2 mg three times daily , applied topically as a 0.1% gel or lotion	
Gel		Common Cold نزلات البرد	Yemen		
15 g					
Vibsix 300	Vitamine B6 = Pyridoxine Hydrochloride 300 mh / 3 ml	Vitamines and Menirals	Unknown	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Ampoules		Neuritis; vitamin B deficiency	Unknown		
5 amp x 2 ml					
VIDROP	Vitamin D Substances	Vitamines and Menirals	Unknown	A dose of 10 micrograms (400 units) daily is generally sufficient in adults	
Drops		Ricketsia الكساح	Unknown		
15 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Vifenac	Diclofenac Sodium ampoule 75mg/3ml.	Nonsteroidal Anti-Analgesic مهدئات الأوجاع	Vitalis	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Ampoules			USA		
10 ampoules					
Vigamox	Moxifloxacin HCl*	Antibacterial	Alcon	Oral tablets 400mg , I.V Infusion 400mg once daily, Or 0.5% eye drops	
Eye drops		Bacterial Infections الأصابات البكتيرية	Unknown		
1bottle*5ml					
Vikadic	Phytomenadione 10 mg / ml	Antihemorrhages	Caspian	Typical doses of phytomenadione are 0.5 to 5 mg by slow intravenous injection or up to 5 mg orally	
Ampoules		Haemorrhage النزيف	IRAN		
10 amp x 1 ml					
Vinor	Meclozine Hydrochloride 25 mg + Pyridoxine 50 mg	Gastro Intestinal drugs	Global Pharma	* Motion Sickness= ADULTS: PO 25–50 mg 1 hr before travel; children 6.25 - 12.5 mg once daily *Vertigo =ADULTS: PO 25–100 mg/day in divided doses	
Tablets		Nausea and vomiting الغثيان والطرش	Unknown		
20 tab					
Viramed	Acyclovir	Antivirals	MEDICO LABS	1 g t.i.d., 7 days.	
Cream		Eye العين	Syria		
20 gm					
Viramed 400	Acyclovir 400mg	Antivirals	MEDICO LABS	1 g t.i.d., 7 days.	
Tablets		Viral Infections الأصابات الفيروسية	Syria		
20 film coated tablets					
Viranet	Valacyclovir	Antifungals	Kampel martian	200 - 300 mg twice daily	
؟؟؟		Fungal Infections الأصابات الفطرية	Unknown		
10 tap.					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Virovir	Famciclovir 250mg	Antivirals	FDC	250 mg three times daily, or 750 mg once daily, for 7 days	
Tablets		Viral Infections الأمراض الفيروسية	Unknown		
1 x 6 tab.					
Visalgin	Tiemonium	Gastro Intestinal drugs	Biomed = syria	2 tabs (100 -300) mg bid	
Tablets		Abdominal Spasm آلام البطن	Unknown		
15 tabs					
Viscor 20	Simvastatin	Cardio Vascular System drugs	NP	Adults: Initial: 20 mg, Maintenance: up to 80 mg/day. Elderly: Initial: 5 mg/d. Maintenance: 10 mg/d.	
Tablets		Hyperlipidaemias زيادة الدهون في الدم	Unknown		
30 tab					
Visionace original	Vit,A vit.E ,vit.C , capper+manganese sulphate+zinc+,selenium +	Vitamines and Menirals	VITABIOTICS	As directed	
Capsules		Vitamins نقص فيتامينات	Unknown		
30 cpsules					
Visionace plus	Vit,A vit.E ,vit.C , capper+manganese sulphate+zinc+,selenium +	Vitamines and Menirals	VITABIOTICS	As directed	
Capsules		Vitamins نقص فيتامينات	Unknown		
30 cpsules					
Vit.A	vit. A 5000 IU	Vitamines and Menirals	PHARCO	An intramuscular dose of 100 000 units every 2 to 4 months has been suggested.	
Capsules		Vitamins نقص فيتامينات	Egypt		
20 cap					
Vita C	Ascorbic acid 500mg/ ampoule.	Vitamines and Menirals	Shanghai pharmaceutical	Doses of 25 to 75 mg daily in the prevention of deficiency, and 250 mg or more daily in divided doses for the treatment of deficiency, have been recommended.	
Ampoules		Vitamins نقص فيتامينات	China		
10 Ampoules					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Vita globin	Multi Vitamines	Vitamines and Menirals	Vitane pharma	As directed	
Solution		Vitamins Deficiency نقص فيتامينات	Germany		
200 ml					
Vitacal	Each 5 ml contains: Calcium Levulinate 50 mg+Vitamin D3 1,000 IU + Vitamin B12 10	Vitamines and Menirals	EVA PHARMA	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Syrup		Osteoarthritis التهابات العظام	Egypt		
120ml					
Vitacap	Multi vitamin and Menirals	Vitamines and Menirals	MEGA	As directed	
Capsules		Vitamins Deficiency نقص فيتامينات	Thailand		
30 capsuies					
VITACID CALCIUM	Calcium + Vit C 1000mg+800mg/Effer, tab.	Vitamines and Menirals	CID	Orally, usually in doses of 10 to 50 mmol (400 mg to 2 g) of calcium daily adjusted to the individual patient's requirements.	
Tablets		Common Cold نزلات البرد	Egypt		
10 Effer, tablets					
VITADAY	Multi Vitamines	Vitamines and Menirals	Pharmetics	As directed	
Tablets		Vitamins Deficiency نقص فيتامينات	Unknown		
50 Tablets					
Vitadol - D	Vitamin D Substances	Vitamines and Menirals	HANSEL	A dose of 10 micrograms (400 units) daily is generally sufficient in adults	
Ampoules		Ricketsia الكساح	Unknown		
1 ml amp					
vitaferrol	iron+vitamine	Vitamines and Menirals	EVA PHARMA	by mouth in usual doses of up to 600 mg daily (equivalent to about 200 mg of iron daily);	
syripe		Anaemia فقر الدم	Egypt		
120ml syripe					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
vitaferrol	ferrous fumarate 350mg + cyanocobalamin 7.5 mg + folic acid 1mg + ascorbic	Vitamines and Menirals فقر الدم	EVA PHARMA Egypt	by mouth in usual doses of up to 600 mg daily (equivalent to about 200 mg of iron daily);	
capsule					
20capsule					
Vitaferrol	Ferrous Fumarate 350 mg , Cyanocobalamin 7.5 mcg, Folic Acid 1mg, Ascorbic Acid 150	Vitamines and Menirals فقر الدم	EVA-PHARMA Unknown	Adult Daily Dose: 1 tablet once or twice a day or as directed by the physician.	
Capsules					
30 capsules.					
VITALJECT	Vitamin B Substances	Vitamines and Menirals Neuritis; vitamin B deficiency	Unknown Unknown	Orally : 10 to 25 mg (see cases up to 300 mg) daily, in single or divided doses	
Ampoules					
3 amp x 10 ml					
VITAM	Multi vitamin and Menirals	Vitamines and Menirals Vitamins Deficiency نقص فيتامينات	PHARCO Egypt	As directed	
Syrup					
syrup					
Vitamax plus	vitamin, amino acids, mineral, ginseng, royal jelly	Vitamines and Menirals Vitamins Deficiency نقص فيتامينات	Glaxo Wellcome Unknown	As directed	
capsule					
10 capsule					
VITAMEDINE CO	Vit. B Complex ampule.	Vitamines and Menirals Vitamins Deficiency نقص فيتامينات	Kunming Pharma Unknown	Orally : 10 to 25 mg (see cases up to 300 mg) daily, in single or divided doses	
Ampoules					
10 ampoules					
Vitamin A	Vitamin A	Vitamines and Menirals Vitamins Deficiency نقص فيتامينات	PHARCO Egypt	An intramuscular dose of 100 000 units every 2 to 4 months has been suggested.	
Soft Gelatin Capsules					
24 cap					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Vitamin A+E	Vit A 30000 IU+ E70mg /capsule	Vitamines and Menirals	PHARCO	As directed	
Capsules		Vitamins	Egypt		
24 S.G capsules.		نقص فيتامينات			
Vitamin B6	pyridoxine	Gastro Intestinal drugs	Jinling pharmaceutical	Dietary Deficiency : ADULTS: PO/IM/IV 10 to 20 mg/day for 3 wk. Or oral once a day	
amp		Nausea and vomiting الغثيان والطرش	China		
10 amps					
Vitamin c	Ascorbic acid 1000mg/ ampoule.	Vitamines and Menirals	Normon	Doses of 25 to 75 mg daily in the prevention of deficiency, and 250 mg or more daily in divided doses for the treatment of deficiency, have been recommended.	
Ampoules		Vitamins	Spain		
10 ampoules		نقص فيتامينات			
VITAMIN C	Vitamin c 240mg	Vitamines and Menirals	hansal	Doses of 25 to 75 mg daily in the prevention of deficiency, and 250 mg or more daily in divided doses for the treatment of deficiency, have been recommended.	
Tablets		Vitamins	Unknown		
20 Effervescent tab		نقص فيتامينات			
Vitamin C	Ascorbic acid 1 gm / Sachets	Vitamines and Menirals	Shiba pharma	25 to 250 mg daily in divided doses	
Sachets		Vitamins	Yemen		
10 Sachets		نقص فيتامينات			
Vitamin -c	Vitamin c 1000 mg	Vitamines and Menirals	Global Pharma	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Sachets		Vitamins	Yemen		
10 Sachets		نقص فيتامينات			
VITAMIN C GALENICA	Vitamin c 1000mg/ Effervescent tab.	Vitamines and Menirals	GALENICA	Doses of 25 to 75 mg daily in the prevention of deficiency, and 250 mg or more daily in divided doses for the treatment of deficiency, have been recommended.	
Tablets		Vitamins	Unknown		
10 Effervescent tab		نقص فيتامينات			


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Vitamin C-Sedico	Ascorbic acid	Vitamines and Menirals	SEDICO	Doses of 25 to 75 mg daily in the prevention of deficiency, and 250 mg or more daily in divided doses for the treatment of deficiency, have been recommended.	
Tablets		Vitamins	Egypt		
eff. Tabl		نقص فيتامينات			
Vitamin D3	Vitamin D 50,000 I.U	Vitamines and Menirals	BOSCOGEN	A dose of 10 micrograms (400 units) daily is generally sufficient in adults	
Capsules		Ricketsia الكساح	USA		
14 cap					
VITAMIN E	Vit.E (tocopherols) 100 mg	Vitamines and Menirals	PHARCO	40 to 50 mg	
Capsules		Vitamins	Egypt		
24 caps		نقص فيتامينات			
VITAMIN E	Vitamin E 400 I.U	Unknown	SUN Naturals	40 to 50 mg	
Capsules		Vitamins	Unknown		
30 S.G.C		نقص فيتامينات			
VITAMIN E soft	Vit.E (tocopherols) 400 I.U/capsule.	Vitamines and Menirals	HUONS	40 to 50 mg	
Capsules		Vitamins	Korea		
20 caps		نقص فيتامينات			
Vitamine B complex	Vitamin B Substances	Vitamines and Menirals	NCPC	Orally :10 to 25 mg (seer cases up to 300 mg) daily, in single or divided doses	
Ampoules		Vitamins	China		
10 amp x 2 ml		نقص فيتامينات			
Vitamount	vit,A 1800I.U,vit.E 30I.U,vit.C 60mg,vit.B1 2.5mg,vit.B2 1.7mg,vit.vit.B3	Vitamines and Menirals	Amoun pharmaceutical	As directed	
Syrup		Vitamins	Unknown		
120 ml		نقص فيتامينات			


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Vitane	vit.A ,vit.D3,vit.E , vit.B1,vit.B12,vit.B12,vit.B6, vit.C,niacinamid,l ysin	Vitamines and Menirals Vitamins نقص فيتامينات	Vitane pharma Germany	As directed	
Syrup					
200ml					
Vitane	Multi Vitamines	Vitamines and Menirals Vitamins نقص فيتامينات	Vitane pharma Germany	As directed	
Oral /Drops					
30 ml					
VITA-PHOS	vit(B1+B2+B6+ni cotinamide+calciu m glycerophosphate +sodium glycerophosphate	Vitamines and Menirals Vitamins نقص فيتامينات	mataria .egypt Egypt	As directed	
Elixir					
200ml elixir					
Vitarenew	Unknown	Skin Disorders Dermatitis الالتهابات الجلدية	Unknown Unknown	As directed	
Tablets					
30 Tablets					
vitazinc	zinc gluconate,vit.A,vit .E	Vitamines and Menirals Vitamins نقص فيتامينات	EIPICO Egypt	As directed	
Capsules					
30 cap					
Vit-C	Ascorbic acid	Vitamines and Menirals Vitamins نقص فيتامينات	Medical Bahri Syria	25 to 250 mg daily in divided doses	
Tablets					
10 tab					
VIT-G	Multivitamins- minerals	Vitamines and Menirals Vitamins نقص فيتامينات	Global Pharma Yemen	One capsule or more daily or as prescribed by the physician	
Capsules					
24 caps					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
VITIX	vitamins (C, E, B9, B12) and minerals (Selenium, Copper, Zinc)	Vitamines and Menirals	ACM	As directed	
Tablets		Vitamins	Unknown		
30 tab		نقص فيتامينات			
VITONA	Multi vitamin and Menirals + omega3	Vitamines and Menirals	EIPICO	As directed	
Capsules		Vitamins	Egypt		
12 cap		نقص فيتامينات			
Vitop	Multi vitamin and minerals.	Vitamines and Menirals	MISR	As directed	
Capsules		Vitamins	Egypt		
30 cpsules		نقص فيتامينات			
vitron	Multivitamins-minerals	Vitamines and Menirals	Mepha	As directed	
Capsules		Vitamins	Unknown		
30 cap		نقص فيتامينات			
ViVA	ginseng 50mg,garlic 15mg, fat solubl vit. 4 type, water solubl vit. 9 type,phsphlipid,mi	Vitamines and Menirals	Alpha chem advanced	As directed	
Capsules		Vitamins	Unknown		
7 capsules		نقص فيتامينات			
Vokam	Diclofenac Potassium	Non-Steroidal Anti-	Y.S.P.	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Tablets		Analgesic	Malaysia		
2 x 10 tabs		المهدئات الأوجاع			
Voldic-K	Diclofenac Potassium tablet 50 mg.	Non-Steroidal Anti-	PHARMA INTERNATIO	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Tablets		Analgesic	Jordan		
20 tablets		المهدئات الأوجاع			

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Volna-k	Diclofenac Potassium	Non-Steroidal Anti-	STANDARD CHEM	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Tablets		مهدئات الأوجاع	China		
10 tab					
Voltack 25 mg	Diclofenac Sodium	NSAID	BIOPHARM	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Tablets		مهدئات الأوجاع	Yemen		
20 tab					
Voltack 50 mg	Diclofenac Sodium	NSAID	Y.E.PHARMA	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Tablets		مهدئات الأوجاع	Yemen		
20 tab					
Voltages	Diclofenac	Non-Steroidal Anti-	Unknown	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Ampoules		مهدئات الأوجاع	Unknown		
Voltagesic-50	Diclofenac Sodium tablet 50mg.	Nonsteroidal Anti-	ALPHA	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Tablets		مهدئات الأوجاع	Syria		
20 Enteric coated tablets.					
Voltaren	Diclofenac Sodium 1 % gel.	Nonsteroidal Anti-	NOARTIS	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Emulgel		مهدئات الأوجاع	Switzerland		
50 g					
Voltaren	Diclofenac Sodium ampoule 75mg/3ml.	Nonsteroidal Anti-	NOARTIS	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Ampoules		مهدئات الأوجاع	Switzerland		
5 ampoules					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Voltaren 100 mg	Diclofenac Potassium	Non-Steroidal Anti-	NOVARTIS	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Tablets		مهدئات الأوجاع	Switzerland		
Voltaren D 50	Diclofenac Sodium	Non-Steroidal Anti-	NOVARTIS	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Tablets		مهدئات الأوجاع	Switzerland		
20 tab					
Voltaren Retard	Diclofenac Sodium 10 mg	Non-Steroidal Anti-	NOVARTIS	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Tablets		مهدئات الأوجاع	Switzerland		
10 tab					
Voltaren Retard 100	Diclofenac Sodium	Non-Steroidal Anti-	NOVARTIS	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Tablets		مهدئات الأوجاع	Switzerland		
10 tab					
Voltaren SR	Diclofenac Sodium tablet 75mg	Nonsteroidal Anti-	NOVARTIS	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Tablets		مهدئات الأوجاع	Switzerland		
10 tablets					
Voltfast-50	Diclofenac Potassium sachet with powder for oral solution containing 50mg.	Non-Steroidal Anti-	NOVARTIS	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Sachets		مهدئات الأوجاع	Switzerland		
30 sachets					
Voltine	Diclofenac dieethylamine 1%.	NSAID	Shaphaco	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Gel		مهدئات الأوجاع	Yemen		
30 gm					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Voltine	Diclofenac Potassium 50 mg	NSAID	Shaphaco	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Tablets		مهدئات الأوجاع	Yemen		
20 Disp tablet					
Voltine	Diclofenac Potassium 75 mg/ 3 ml	NSAID	Shaphaco	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Ampoules		مهدئات الأوجاع	Yemen		
5 amp					
Voltine	Diclofenac Potassium 12.5 mg	NSAID	Shaphaco	The usual dose of diclofenac sodium by mouth or rectally is 75 to 150 mg daily in divided doses	
Suppositoris		مهدئات الأوجاع	Yemen		
5 supp					
Vomin	Meclozine 25 mg + Pyridoxine 50 mg	Gastro Intestinal drugs	Modern Pharama	* Motion Sickness= ADULTS: PO 25–50 mg 1 hr before travel; children 6.25 - 12.5 mg once daily *Vertigo =ADULTS: PO 25–100 mg/day in divided doses	
Tablets		الغثيان والطرش	Yemen		
20 tabs					
VOMIN	Meclozine 25 mg + Pyridoxine 50 mg	Gastro Intestinal drugs	Modern Pharama	* Motion Sickness= ADULTS: PO 25–50 mg 1 hr before travel; children 6.25 - 12.5 mg once daily *Vertigo =ADULTS: PO 25–100 mg/day in divided doses	
Tablets		الغثيان والطرش	Yemen		
20 tabs					
Vominore	Meclozine + Pyridoxine	Gastro Intestinal drugs	JPM	* Motion Sickness= ADULTS: PO 25–50 mg 1 hr before travel; children 6.25 - 12.5 mg once daily *Vertigo =ADULTS: PO 25–100 mg/day in divided doses	
Tablets		الغثيان والطرش	Jordan		
20 tabs					
Vomistop	Meclozine 25 mg + Pyridoxine 50 mg	Gastro Intestinal drugs	Shiba pharma	* Motion Sickness= ADULTS: PO 25–50 mg 1 hr before travel; children 6.25 - 12.5 mg once daily *Vertigo =ADULTS: PO 25–100 mg/day in divided doses	
Capsules		الغثيان والطرش	Yemen		
20 caps					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms					
Package		Disease	Country		
Vomitin	metoclopramide	Gastro Intestinal drugs	NIDA	mouth, intramuscularly, or by slow intravenous injection, is 10 mg three times daily.	
amp		Nausea and vomiting الغثيان والطرش	Thailand		
10 amps 2 ml					
Voriconazole	Voriconazole 200mg	Antifungals	Sandoz	200 - 300 mg twice daily	
Vial		Fungal Infections	Unknown		
1 vial		الأصباغات الفطرية			
Votrex	Diclofenac Sodium ampoule 75mg/3ml.	Nonsteroidal Anti-	HIKMA	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Ampoules		Analgescic مهدئات الأوجاع	Jordan		
5 ampoules					
VOTREX Retard	Diclofenac Sodium tablet 100mg	Nonsteroidal Anti-	HIKMA	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Tablets		Analgescic مهدئات الأوجاع	Jordan		
10 tablets					
VovoNorm 1mg	Repaglinide 1mg	Antidiabetics	Novo Nordisk	Minimum/Maximum Adult Daily Dose:2 - 10 mg (milligram) OR 2 - 10 Tablet	
Tablets		Diabetes Mellitus أمراض السكري	Denmark		
30 tab					
Vurdon	Diclofenac Sodium ampoule 75mg/3ml.	Nonsteroidal Anti-	Help pharmaceutical	To pain (acute,mild, to moderate) : 18 or 35 mg orally three times daily . Maximum Adult Daily Dose:100 - 200 mg	
Ampoules		Analgescic مهدئات الأوجاع	Unknown		
5 ampoules					
warfa 5 mg	warfarin sodium5mg	Cardio Vascular System drugs	national company	3 - 10 mg daily	
Tablets		Thrombosis الجلطات	Unknown		
100tablet					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Warfarin 5 mg	Warfarin Sodium 5 mg	Cardio Vascular System drugs	Unknown	3 - 10 mg daily	
Tablets		Thrombosis الجلطات	Unknown		
100 tab					
Warimazol Vag 1%	Clotrimazole 1%	Antifungals	Walter Ritter	topically two or three times daily for 2 to 4 weeks as a 1% cream, lotion, spray, or solution, pessaries in dosage regimens of 100 mg for 6 days, 200 mg for 3 days, or a single	
Cream		Dermatitis الالتهابات الجلدية	Germany		
35 gm / 1 tube					
Warimazol Vag 200 mg	Clotrimazole	Antifungals	Unknown	topically two or three times daily for 2 to 4 weeks as a 1% cream, lotion, spray, or solution, pessaries in dosage regimens of 100 mg for 6 days, 200 mg for 3 days, or a single	
Tablets		Vaginal المهبل	Unknown		
3 vaginal tablets					
Warimazole derm 1%	Clotrimazole 20g	Antifungals	Walter Ritter	topically two or three times daily for 2 to 4 weeks as a 1% cream, lotion, spray, or solution, pessaries in dosage regimens of 100 mg for 6 days, 200 mg for 3 days, or a single	
Cream		Dermatitis الالتهابات الجلدية	Germany		
20 gm/ tube					
Warm-Up	Unknown	Skin Disorders	Unknown	As directed	
Gel		Muscle relaxation مرخيات العضلات	Unknown		
welcain	Lidocaine 2%	Central Nervous system drugs	SHAPHAR	The dose of lidocaine hydrochloride used for local anaesthesia depends on the site of injection and the procedure used.	
Vial		Anaesthetics التخدير الموضعي	Unknown		
50 ml of 2% / vial					
Welcain	Lidocaine	Central Nervous system drugs	SHAPHAR	The dose of lidocaine hydrochloride used for local anaesthesia depends on the site of injection and the procedure used.	
Ampoules		Anaesthetics التخدير الموضعي	Unknown		
10 amp					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
welcynon-250	etamsylate-250mg	Antihemorrhagics	shaphar	500 mg by mouth four times daily during menstruation, intramuscular or intravenous injection in a dose of 250 to 500 mg; this dose may be repeated every 4 to 6 hours as	
injection		Haemorrhage النزيف	Unknown		
6ampoule of 2ml					
Welmax 500 mg	Amoxicillin 500 mg	Antibiotics	CSPC	cap 1gm & 500mg & 250mg syrup 250mg & 125mg drop 100mg Vial 1gm & 500mg & 250mg	
capsules		الأمراض الميكروبية Microbial Infections	China		
10strip*10capsules					
Welpime	Cefepime Hydrochloride 500 mg / vial	Antibacterial	Unknown	The usual adult dose is 1 to 2 g daily in 2 divided doses for mild to moderate infections, increased to 4 g daily in 2 divided doses in severe infections, Children 50 mg/kg	
Vial		Bacterial Infections الأمراض البكتيرية	Unknown		
Welstan	Mefenamic Acid 500 mg	Nonsteroidal Anti-	WOM	Minimum/Maximum Adult Daily Dose: 250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
Tablets		Analgesic مهدئات الأوجاع	China		
20 tab					
Welstan Forte	Mefenamic Acid	Nonsteroidal Anti-	SHANDONG	Minimum/Maximum Adult Daily Dose: 250 - 1000 mg (milligram) OR 1 - 4 Capsules.	
Tablets		Analgesic مهدئات الأوجاع	China		
20 tab					
Weltac	Ranitidine 150 mg	Gastro Intestinal drugs	WOM	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Tablets		Peptic ulcer قرحة المعدة	China		
100 F.C. tablets					
WONTIZEM Retard	Diltiazem Hydrochloride	Cardio Vascular System drugs	KGMP	initial dose is 60 to 120 mg twice daily, increased as required to a maximum of 360 mg daily.	
Tablets		Hypertension ارتفاع ضغط الدم	Korea		
20 tab					


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
Xaltec	Levocetirizine	Antihistamines	BORG	by mouth in a dose of 5 mg once daily.	
Tablets		Allergy الحساسية	Egypt		
10 tab					
xanax0.25	Alprazolam tablet 0.25mg	Central Nervous system drugs	Pfizer	Minimum/Maximum Adult Daily Dose:0.25 - 10 mg (milligram) OR 1 - 40 Tablet	
Tablets		Anxiety, Insomnia الأرق والقلق	USA		
30 tablets					
xanax0.5	Alprazolam tablet 0.5mg	Central Nervous system drugs	Pfizer	Oral only; Minimum/Maximum Adult Daily Dose:0.25 - 10 mg (milligram) OR 1 - 40 Tablet	
Tablets		Anxiety, Insomnia الأرق والقلق	USA		
30 tablets					
Xantid	Ranitidine 150 mg	Gastro Intestinal drugs	ACI	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Tablets		Peptic ulcer قرحة المعدة	Bangladesh		
100 tabs					
Xefo-8 Tablets	Lornoxicam f.c. tablet 8mg/tab	Nonsteroidal Anti-	Nycomed	Adult: PO- Pain: 8-16 mg/day. Max: 24 mg/day. Osteoarthritis, Rheumatoid arthritis: 12 mg/day in 2 -3 divided doses, up to 16 mg/day. IV/IM- Pain: 8 mg 1-2	
Tablets		Analgesic مهدئات الأوجاع	Viena, Austria		
10 f.c. tablet					
Xefo-8 Vial	Lornoxicam vail 8mg/Vail.	Nonsteroidal Anti-	Nycomed	Adult: PO- Pain: 8-16 mg/day. Max: 24 mg/day. Osteoarthritis, Rheumatoid arthritis: 12 mg/day in 2 -3 divided doses, up to 16 mg/day. IV/IM- Pain: 8 mg 1-2	
Vial		Analgesic مهدئات الأوجاع	Viena, Austria		
1 vail					
Xyex	Levocetirizine 5 mg / tab	Antihistamines	Shiba pharma	by mouth in a dose of 5 mg once daily.	
Tablets		Allergy الحساسية	Yemen		
20 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Xylo-Comod	Unknown	Respiratory drugs	URSAPHARM A	As directed	
Nasal / Spray		Common Cold نزلات البرد	Unknown		
15 ml					
Xylo-Comod	Xylometazoline Hydrochloride	Respiratory drugs	Unknown	As directed	
Nasal Drops		Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	Unknown		
15 ml					
Xylomet	Xylometazoline Hydrochloride	Respiratory drugs	Unknown	As directed	
Nasal Drops		Common Cold نزلات البرد	Unknown		
15 ml					
Xyzal	Levocetirizine	Antihistamines	UCB	by mouth in a dose of 5 mg once daily.	
Tablets		Allergy الحساسية	Unknown		
30 tab					
Yagra 50	Sildenafil Citrate 50 mg/ tablet	Sex Stimulants	Global Pharma	25 - 100 mg depending on response, about one hour before sexual intercourse	
Tablets		Sex Stimulants منشطات جنسية	Yemen		
4 tab					
Yasmin	drospirenone 3.000 mg -- ethinylestradiol 0.030	Gynaecology drugs	BAYER	one tablte daily from the frist day of menstution for 21 day	
Tablets		Contraceptives موانع الحمل	Germany		
21 tablet					
Yedcofloxx 500	Levofloxacin 500 mg	Antibacterial	YEDCO	Tab 500mg & 250mg Infu 500mg	
tablet		Bacterial Infections الأمراض البكتيرية	Yemen		
10 tabs					


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Yedcomine Adult	Diphenhydramin 14 mg + Ammonium chloride 135 mg + Sodium citrate 57 mg + Menthol	Respiratory drugs	YEDCO	25 to 50 mg three or four times daily. for children 6.25 to 25 mg three or four times daily	
Syrup		Common Cold نزلات البرد	Yemen		
100 ml					
Yedcomine child	Diphenhydramin+ sodium citrate	Respiratory drugs	YEDCO	25 to 50 mg three or four times daily. for children 6.25 to 25 mg three or four times daily	
Syrup		Common Cold نزلات البرد	Yemen		
100 ml					
Yedconazole	Miconazole Nitrate 2 %	Antifungals	YEDCO	Minimum/Maximum Adult Daily Dose:100 - 200 mg (milligram) OR 1 - 2 Suppository, Vag.	
Cream		Vaginal المهبل	Yemen		
15 g					
Yedcopan	Hyoscine- N- Butylbromide	Gastro Intestinal drugs	YEDCO	*Oral: =Adults and children (20mg) three times a day. Parenteral: =Adults and adolescents over 12 years 1 or 2 ampoules (20 - 40mg) by slow intravenous, intramuscular	
Tablets		Abdominal Spasm آلام البطن	Yemen		
30 tabs					
Yedcotrim	Co-trimoxazole	Antibacterial	YEDCO	Tablet (800 sulfam/ 160 trimeth)mg &Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	
Suspension		Bacterial Infections الأصابات البكتيرية	Yemen		
100 ml					
Yedcotrim	Co-trimoxazole	Antibacterial	YEDCO	Tablet (800 sulfam/ 160 trimeth)mg &Tablet (400 sulfam / 80 trimeth)mg Syrup (200 sulfam/40 trimeth)mg as twice daily	
Tablets		Bacterial Infections الأصابات البكتيرية	Yemen		
100 tabs					
Yostiretic	Amiloride + Hydrochlorothiazide	Cardio Vascular System drugs	Unknown	Oral only : Adults: Initial: 5-10 mg/d. Maximum: 20 mg/d.	
Tablets		Hypertension ارتفاع ضغط الدم	Unknown		
10 tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Youcare	Ceftriaxone Sodium 1 gm	Antibacterial	Youcare	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Vial		Bacterial Infections	Unknown		
1vial		الأمراض البكتيرية			
Z Mox 500	Amoxicillin	Antibiotics	Aurobindo	cap 1gm & 500mg & 250mg syrup 250mg & 125mg drop 100mg Vial 1gm & 500mg & 250mg	
Capsules		الأمراض الميكروبية	India		
10 x 10 cap		Microbial Infections			
Zaclofen 10	Baclofen 10 mg / tab	Muscle relaxations	Zahravi	Adult dose 5 - 20 mg three times daily , for children 0.75 to 2 mg/kg daily	
Tablets		التهبة أو الفواق	Unknown		
100 tablets					
ZADIPHEN	Ketotifen Fumarate	Respiratory drugs	Unknown	Adult dose 1-2 mg twice daily; Children and peadiatric 1 mg of ketotifen twice daily	
Tablets		التهاب الشعب الهوائية	Unknown		
20 tab					
Zadiphen	Ketotifen Fumarate	Respiratory drugs	IBN Al Haytham	Adult dose 1-2 mg twice daily; Children and peadiatric 1 mg of ketotifen twice daily	
Tablets		التهاب الشعب الهوائية	Syria		
20 tablet					
Zaditen Syrup	Ketotifen Fumarate 1 mg/5 ml	Respiratory drugs	NOVARTIS	Adult dose 1-2 mg twice daily; Children and peadiatric 1 mg of ketotifen twice daily	
Syrup		التهاب الشعب الهوائية	Switzerland		
100 ml					
Zaditen Tablets	Ketotifen Fumarate 1 mg	Respiratory drugs	NOVARTIS	Adult dose 1-2 mg twice daily; Children and peadiatric 1 mg of ketotifen twice daily	
Tablets		التهاب الشعب الهوائية	Switzerland		
30 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Zaditofin	Ketotifen Fumarate	Respiratory drugs	Domina	Adult dose 1-2 mg twice daily; Children and peadiatric 1 mg of ketotifen twice daily	
Tablets		Bronchitis التهاب الشعب الهوائية	Unknown		
20 tab					
Zadro	Cefadroxil 250 mg/5ml	Antibacterial	RFA	1 to 2 g daily as a single dose or in two divided doses.	
Syrup		Bacterial Infections	Yemen		
50 ml		الأصابات البكتيرية			
Zadro 500	Cefadroxil 500 mg	Antibacterial	RFA	1 to 2 g daily as a single dose or in two divided doses.	
Capsules		Bacterial Infections	Yemen		
10 caps		الأصابات البكتيرية			
Zafixime	Cefotaxime Sodium 1 gm	Antibacterial	ZAFA	2 to 6 g daily in 2 to 4 divided doses to adults. In severe infections up to 12 g may be given daily by the intravenous route in up to 6 divided doses, Children may be given	
Vial		Bacterial Infections	Pakistan		
1 vial		الأصابات البكتيرية			
Zain	Vardenafil 10 mg	Sex Stimulants	Shaphaco	10 mg taken about 25 minutes to one hour before sexual intercourse.	
Tablets		Sex Stimulants	Yemen		
4 tab		منشطات جنسية			
Zalastin	Unknown	Antihistamines	Unknown	As directed	
Nasal / Spray		Ear Nose Throat (E.N.T) الأنف والأذن والحنجرة	Unknown		
15 ml					
Zaldiar	Tramadol Hydrochloride	Opioid analgesics	GRUNENTHA L	50 to 100 mg every 4 -6 hours by mouth , 50 to 100 mg every 4- 6 hours by intramuscular or intravenous injection over 2 to 3 minutes , Rectal doses by suppository are 100 mg up to 4	
Tablets		مهدئات الأوجاع	Unknown		
10 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Zantac 150 mg Tab	Ranitidine 150 mg / tablet	Gastro Intestinal drugs	gsk glaxosmithkline	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Tablets		Peptic ulcer قرحة المعدة	UK		
60 tabs					
Zantac 75 mg Tab	Ranitidine	Gastro Intestinal drugs	gsk glaxosmithkline	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Tablets		Peptic ulcer قرحة المعدة	UK		
12 tab					
Zatin	Ketotifen Fumarate	Respiratory drugs	Shiba pharma	Adult dose 1-2 mg twice daily; Children and peadiatric 1 mg of ketotifen twice daily	
Tablets		Bronchitis التهاب الشعب الهوائية	Yemen		
20 tab					
Zatin	Ketotifen Fumarate	Respiratory drugs	Shiba pharma	Adult dose 1-2 mg twice daily; Children and peadiatric 1 mg of ketotifen twice daily	
Syrup		Bronchitis التهاب الشعب الهوائية	Yemen		
100 ml					
Zatin Syrup	Ketotifen Fumarate	Respiratory drugs	Shiba pharma	Adult dose 1-2 mg twice daily; Children and peadiatric 1 mg of ketotifen twice daily	
Syrup		Bronchitis التهاب الشعب الهوائية	Yemen		
100 ml syr					
Zaxime 400	Cefixime	Antibacterial	Unknown	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses. Children over 6 months and under 50 kg may be given 8 mg/kg daily as an oral	
Capsules		Bacterial Infections	Unknown		
10 capsules		الأصابات البكتيرية			
ZEBEN	Albendazole	Anthelmentic	MEDREICH	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
Suspension		Common Worms الديدان الشائعة	Unknown		
20 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
ZEBEN	Albendazole	Anthelmentic	MEDREICH	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
Tablets		Common Worms الديدان الشائعة	Unknown		
2 Coated Tablets					
Zecuf	Herbal extract	Respiratory drugs	UNIQUE	As directed	
Syrup		Common Cold نزلات البرد	India		
100 ml					
Zedex 40	Famotidine 40 mg / tablet	Gastro Intestinal drugs	ALPHA	*40 mg once time daily . * 20 mg bid	
Tablets		Peptic ulcer قرحة المعدة	Syria		
20 tab					
Zednad	Cefuroxime	Antibacterial	Diamond	Oral doses for adults are 250 to 500 mg twice daily, for children 10 mg/kg twice daily to a maximum of 250 mg daily- By injection the usual adult dose is 750 mg of cefuroxime	
Dry syrup		Bacterial Infections الأمراض البكتيرية	Unknown		
1bottel*50ml					
Zeffix	Lamivudine	Antivirals	GlaxoWellcome	chronic hepatitis B, the adult dose is 100 mg once daily by mouth. A dose for children aged over 2 years is 3 mg/kg once daily to a maximum daily dose of 100 mg.	
Tablets		Hepatic Disorders اضطرابات الكبد	Unknown		
28 tab					
Zelax-10	Escitalopram tablet 10mg	Central Nervous system drugs	JOSWE	Initial dose 10 mg/day orally single dose , maintenance dose 20 mg/day orally single dose only after a minimum of one week.	
Caplets		Mental Disorders الأمراض العقلية	Jordan		
30 caplets					
Zelcom	Lactulose 3.5 mg / 5 ml	Gastro Intestinal drugs	AC Pharma	10 to 20 g (15 to 30 mL) given daily by mouth in a single dose or in 2 divided doses	
Syrup		Constipation الأمساك	Saudi Arabia		
30 ml for bottle					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
ZELOXIM	meloxicam 7.5mg/ tablet.	Nonsteroidal Anti-	Bilim	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Tablets		مهدئات الأوجاع	Turkey		
20 tablets.					
ZEMAN SX	magnesium 83.52 mg, zinc 5.58 mg, vit B6 1.935 mg, L-carnitine L-tartrate 146.8	Vitamines and Menirals	Mega Lifesciences Pvt. Ltd.	As directed	
Soft Gelatin Capsules		Vitamins نقص فيتامينات	Unknown		
Box of 3 strips, each of 10 capsules.					
ZENNAMED 125	Cefuroxime 125 mg	Antibacterial	Medeco labs	Oral doses for adults are 250 to 500 mg twice daily, for children 10 mg/kg twice daily to a maximum of 250 mg daily- By injection the usual adult dose is 750 mg of cefuroxime	
Dry syrup		Bacterial Infections الأمراض البكتيرية	Unknown		
1bottle*60ml					
ZENNAMED 250	Cefuroxime 250 mg	Antibacterial	Medeco laps	Oral doses for adults are 250 to 500 mg twice daily, for children 10 mg/kg twice daily to a maximum of 250 mg daily- By injection the usual adult dose is 750 mg of cefuroxime	
Suspension		Bacterial Infections الأمراض البكتيرية	Unknown		
1bottle*60ml					
Zenon	Cefuroxime 125 mg	Antibacterial	Unknown	Oral doses for adults are 250 to 500 mg twice daily, for children 10 mg/kg twice daily to a maximum of 250 mg daily- By injection the usual adult dose is 750 mg of cefuroxime	
Suspension		Bacterial Infections الأمراض البكتيرية	Unknown		
100 ml					
zenoril -10	Lisinopril	Cardio Vascular System drugs	Unknown	usual oral dose is 5 -20 mg daily,	
Tablets		Hypertension ارتفاع ضغط الدم	Unknown		
28 tab					
ZENTEL	Albendazole	Anthelmentic	gsk glaxosmithkline	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
Suspension		Common Worms الديدان الشائعة	UK		
20 ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Zentel	Albendazole 200 mg /tab	Anthelmentic	CIPLA	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
Tablets		Common Worms الديدان الشائعة	India		
2 Tablets					
ZENTIDIN	Ranitidine 50 mg / 2 ml	Gastro Intestinal drugs	CSPC	ADULTS: PO 150 mg bid or 300 mg at bedtime, children is 2 to 4 mg/kg twice daily to a maximum of 300 mg in 24 hours.	
Ampoules		Peptic ulcer قرحة المعدة	China		
10 amps x 2 ml					
Zepam-3	Bromazepam tablet 3mg	Central Nervous system drugs	Shiba pharma	A usual initial dose for anxiety is 6 to 18 mg daily in divided doses by mouth. Higher doses up to 60 mg daily . For elderly should not exceed 3 mg daily in divided doses.	
Tablets		Anxiety, Insomnia الأرق والقلق	Yemen		
20 tablets					
Zepid-3	Risperidone tablet 3mg	Central Nervous system drugs	pil	2-4 mg daily	
Tablets		Mental Disorders الأمراض العقلية	Unknown		
3* 10 tablets					
Zepitol CR200	carbamazepin tablet 200 mg	Central Nervous system drugs	sun	Initial oral dose is 100 to 200 mg once or twice daily gradually increased by increments of 100 to 200 mg every 2 weeks to a usual maintenance dose of 0.8 to 1.2	
Tablets		Epilepsy الصرع	India		
30 S.R. Tablet					
Zeptol 200	Carbamazepin	Central Nervous system drugs	SUN	Initial oral dose is 100 to 200 mg once or twice daily gradually increased by increments of 100 to 200 mg every 2 weeks to a usual maintenance dose of 0.8 to 1.2	
Tablets		Epilepsy الصرع	India		
ZEPTOL CR 200	Carbamazepin	Central Nervous system drugs	SUN Pharma	Initial oral dose is 100 to 200 mg once or twice daily gradually increased by increments of 100 to 200 mg every 2 weeks to a usual maintenance dose of 0.8 to 1.2	
Tablets		Epilepsy الصرع	India		

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Zeptol CR400	Carbamazepin Tablet 400mg	Central Nervous system drugs	sun	Initial oral dose is 100 to 200 mg once or twice daily gradually increased by increments of 100 to 200 mg every 2 weeks to a usual maintenance dose of 0.8 to 1.2	
Tablets		Epilepsy الصرع	India		
30 Tablet					
Zertan	Cetirizine Hydrochloride 10 mg /1 ml	Antihistamines	Shiba pharma	10 mg once daily or 5 mg twice daily. Children aged 2 to 5 years may be given cetirizine 5 mg once daily or 2.5 mg twice daily.	
Oral Drops		Allergy الحساسية	Yemen		
20 ml					
Zertan	Cetirizine Hydrochloride 5 mg / 5 ml	Antihistamines	Shiba pharma	10 mg once daily or 5 mg twice daily. Children aged 2 to 5 years may be given cetirizine 5 mg once daily or 2.5 mg twice daily.	
Syrup		Allergy الحساسية	Yemen		
100 ml					
Zertan	Cetirizine Hydrochloride 10 mg /tab	Antihistamines	Shiba pharma	10 mg once daily or 5 mg twice daily. Children aged 2 to 5 years may be given cetirizine 5 mg once daily or 2.5 mg twice daily.	
Tablets		Allergy الحساسية	Yemen		
20 tab					
Zespira	Montelukast Sodium	Respiratory drugs	Bilim	10 mg of montelukast once daily in the evening; children aged 6 to 14 years may be given the equivalent of 5 mg in the evening and children aged 6 months to 5 years may be	
Tablets		Bronchial Asthma الربو الشعبي	Turkey		
28 F.C. Tablets					
Zestopril -10	Lisinopril	Cardio Vascular System drugs	Modern Pharama	usual oral dose is 5 -20 mg daily,	
Tablets		Hypertension ارتفاع ضغط الدم	Yemen		
20 tab					
Zestopril- 5	Lisinopril	Cardio Vascular System drugs	Modern Pharama	usual oral dose is 5 -20 mg daily,	
Tablets		Hypertension ارتفاع ضغط الدم	Yemen		
20 tab					


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Zestoretic-20	Lisinopril 20 mg	Cardio Vascular System drugs	ASTRAZENECA	usual oral dose is 5 -20 mg daily,	
Tablets		Hypertension ارتفاع ضغط الدم	Unknown		
28 tab					
zestril 10	Lisinopril 10 mg	Cardio Vascular System drugs	ASTRAZENECA	usual oral dose is 5 -20 mg daily,	
Tablets		Hypertension ارتفاع ضغط الدم	Unknown		
28 tab					
Zestril 20	Lisinopril 20 mg	Cardio Vascular System drugs	ASTRAZENECA	usual oral dose is 5 -20 mg daily,	
Tablets		Hypertension ارتفاع ضغط الدم	Unknown		
28 tab					
Zidovudine	Zidovudine 50mg/5ml	Antivirals	NDC	Adults : 500 to 600 mg daily in divided doses , Children 360 to 480 mg/m2 daily in divided doses	
Syrup		Viral Infections الأمراض الفيروسية	Unknown		
240ml					
Zidovudine	Zidovudine 300mg	Antivirals	NDC	Adults : 500 to 600 mg daily in divided doses , Children 360 to 480 mg/m2 daily in divided doses	
Tablets		Viral Infections الأمراض الفيروسية	Unknown		
60 tab.					
Zimaks Syrup	Cefixime	Antibacterial	Bilim	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses. Children over 6 months and under 50 kg may be given 8 mg/kg daily as an oral	
Dry syrup		Bacterial Infections الأمراض البكتيرية	Turkey		
1bottel*50ml					
Zimaks Tablets	Cefixime 400 mg	Antibacterial	Bilim	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses. Children over 6 months and under 50 kg may be given 8 mg/kg daily as an oral	
Tablets		Bacterial Infections الأمراض البكتيرية	Turkey		
1strip*5 Film Tablet					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Zimasafe	Cefixime 400 mg	Antibacterial	Modern Pharama	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses.	
Capsules		Bacterial Infections الأمراض البكتيرية	Yemen		
1strip*6capsule					
Zimasafe	Cefixime 100 mg /5ml	Antibacterial	Modern Pharama	Children 8 mg/kg daily as an oral suspension as a single dose or in two divided doses	
Suspension		Bacterial Infections الأمراض البكتيرية	Yemen		
60 ml					
Zimasafe	Cefixime 100 mg /5 ml	Antibacterial	Modern Pharama	Children 8 mg/kg daily as an oral suspension as a single dose or in two divided doses	
Suspension		Bacterial Infections الأمراض البكتيرية	Yemen		
30 ml					
Zimasafe 200	Cefixime 200 mg	Antibacterial	Modern Pharama	It is given by mouth in adult doses of 200 to 400 mg daily as a single dose or in two divided doses.	
Capsules		Bacterial Infections الأمراض البكتيرية	Yemen		
8 caps					
ZINAROX	Cefuroxime 500 mg	Antibacterial	Global Pharma	Oral doses for adults are 250 to 500 mg twice daily	
Tablets		Bacterial Infections الأمراض البكتيرية	Yemen		
10 tabs					
ZINAROX	Cefuroxime 250 mg	Antibacterial	Global Pharma	Oral doses for adults are 250 to 500 mg twice daily	
Tablets		Bacterial Infections الأمراض البكتيرية	Yemen		
10 tabs					
Zinaxil	Cefuroxime 125 mg /5 ml	Antibacterial	Modern Pharama	Infants and children 10 mg/kg twice daily to a maximum of 250 mg daily.	
Dry syrup		Bacterial Infections الأمراض البكتيرية	Yemen		
1bottel*60ml					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Zinaxil	Cefuroxime 250 mg	Antibacterial	Modern Pharama	Oral doses for adults are 250 to 500 mg twice daily, children 10-20 mg/kg twice daily to a maximum of 250 mg daily	
Tablets		Bacterial Infections	Yemen		
10 F.C. Tablets		الأمصاباا البكأأأ			


Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Zinnat 250 mg	Cefuroxime 250 mg / tab	Antibacterial	gsk glaxosmithkline	Oral doses for adults are 250 to 500 mg twice daily, for children 10 mg/kg twice daily to a maximum of 250 mg daily- By injection the usual adult dose is 750 mg of cefuroxime	
Tablet		Bacterial Infections الأمراض البكتيرية	UK		
1strip*10Tablet					
Zinnat Suspension	Cefuroxime 250 mg / 5 ml	Antibacterial	gsk glaxosmithkline	Oral doses for adults are 250 to 500 mg twice daily, for children 10 mg/kg twice daily to a maximum of 250 mg daily- By injection the usual adult dose is 750 mg of cefuroxime	
Suspension		Bacterial Infections الأمراض البكتيرية	UK		
Zinnat syrup	Cefuroxime	Antibacterial	gsk glaxosmithkline	Oral doses for adults are 250 to 500 mg twice daily, for children 10 mg/kg twice daily to a maximum of 250 mg daily- By injection the usual adult dose is 750 mg of cefuroxime	
Suspension		Bacterial Infections الأمراض البكتيرية	UK		
1bottle*125ml					
Zinoximor	Cefuroxime 250 mg / tab	Antibacterial	Tabuk pharma	Oral doses for adults are 250 to 500 mg twice daily, for children 10 mg/kg twice daily to a maximum of 250 mg daily- By injection the usual adult dose is 750 mg of cefuroxime	
Tablets		Bacterial Infections الأمراض البكتيرية	Saudi Arabia		
2strip*7 tablet					
ZISROCIN	Azithromycin 100 mg / 5 ml	Antibiotics	EGYPHAR	Cap 500mg & 250mg Dry syrup 300mg & 200mg	
Dry syrup		الأمراض الميكروبية Microbial Infections	Egypt		
1bottle*30 ml					
Zithrokan	Azithromycin 200 mg / 5 ml	Antibiotics	Unknown	Cap 500mg & 250mg Dry syrup 300mg & 200mg	
Suspension		الأمراض الميكروبية Microbial Infections	Unknown		
15 ml					
Zithrokan Capsules	Azithromycin 500 mg	Antibiotics	Hikma	Cap 500mg & 250mg Dry syrup 300mg & 200mg	
Hard Gelatin Capsules		الأمراض الميكروبية Microbial Infections	Jordan		
1strip*3 capsules					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Zithrokan Syrup	200 mg Azithromycin / 5 ml	Antibiotics	Hikma	Cap 500mg & 250mg Dry syrup 300mg & 200mg	
Dry syrup		الأمراض الميكروبية Microbial Infections	Jordan		
1bottel*15ml					
Zithromax	300 mg / 7.5 ml	Antibiotics	Pfizer	Cap 500mg & 250mg Dry syrup 300mg & 200mg	
Suspension		الأمراض الميكروبية Microbial Infections	USA		
300 mg / 7.5 ml					
Zithromax 250	250 mg	Antibiotics	Pfizer	Cap 500mg & 250mg Dry syrup 300mg & 200mg	
Capsules		الأمراض الميكروبية Microbial Infections	USA		
6 capsules					
ZITHROX	Azithromycin 200 mg / 5 nl	Antibiotics	Shiba pharma	Dry syrup 300mg & 200mg	
Suspension		الأمراض الميكروبية Microbial Infections	Yemen		
1bottel*15ml					
ZITHROX	Azithromycin 250 mg /cap	Antibiotics	Shiba pharma	500mg & 250mg	
Capsules		الأمراض الميكروبية Microbial Infections	Yemen		
6 cap					
ZITHROX	Azithromycin 500 mg /tab	Antibiotics	Shiba pharma	500mg & 250mg	
Tablets		الأمراض الميكروبية Microbial Infections	Yemen		
3 f/c tablets					
ZOCOR 40 mg	Simvastatin	Cardio Vascular System drugs	MSD	Adults: Initial: 20 mg, Maintenance: up to 80 mg/day. Elderly: Initial: 5 mg/d. Maintenance: 10 mg/d.	
Tablets		Hyperlipidaemias زيادة الدهون في الدم	USA		
30 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture
Dosage forms		Disease	Country		صورة الدواء
Package					
ZODIXAM	Meloxicam tablet 7.5 mg .	Non-Steroidal Anti-	OUBARY PHARMA	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Tablets		Analgesic مهدئات الأوجاع	Syria		
20 Tablets					
ZODIXAM Forte	Meloxicam tablet 15 mg .	Nonsteroidal Anti-	OUBARY PHARMA	Osteoarthritis: 7.5 mg per day & Rheumatoid arthritis 15 mg per day	
Tablets		Analgesic مهدئات الأوجاع	Syria		
20 tablets.					
Zokacef	Ceftriaxone Sodium	Antibacterial	Hammi	The usual adult dose is 1 to 2 g daily as a single dose or in two divided doses; in severe infections up to 4 g daily may be given. Doses for infants and children (under 50 kg) are 20	
Tablets		Bacterial Infections	Unknown		
10 tab		الأمراض البكتيرية			
Zolam-0.25	Alprazolam tablet 0.25mg	Central Nervous system drugs	RAM PHARMA	Minimum/Maximum Adult Daily Dose:0.25 - 10 mg (milligram) OR 1 - 40 Tablet	
Tablets		Anxiety, Insomnia الأرق والقلق	Jordan		
30 tablets					
Zolam-0.5	Alprazolam tablet 0.5mg	Central Nervous system drugs	RAM PHARMA	Minimum/Maximum Adult Daily Dose:0.25 - 10 mg (milligram) OR 1 - 40 Tablet	
Tablets		Anxiety, Insomnia الأرق والقلق	Jordan		
30 tablets					
Zollipak	Lansoprazole 30 mg	Gastro Intestinal drugs	SEDICO	Dyspepsia :15 or 30 mg once daily, for 2 to 4 weeks, For peptic ulcer 30 mg once daily , Zollinger-Ellison syndrome the dose is 60 mg daily.	
Capsules		Peptic ulcer قرحة المعدة	Egypt		
10 caps					
Zolofet	Sertraline tablet 50mg	Central Nervous system drugs	pfizer	Minimum/Maximum Adult Daily Dose:50 - 200 mg (milligram) OR 0.5 - 2 Tablet.	
Tablets		Mental Disorders الأمراض العقلية	USA		
15 tablets					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
Zosert-50	Sertraline tablet 50mg	Central Nervous system drugs	SUN	Minimum/Maximum Adult Daily Dose:50 - 200 mg (milligram) OR 0.5 - 2 Tablet.	
Tablets		Mental Disorders الأمراض العقلية	India		
30 tablet					
Zovirax	Acyclovir 200mg	Antivirals	Unknown	1 g t.i.d., 7 days.	
Tablets		Viral Infections الأصابات الفيروسية	Unknown		
4 Tab.					
Zovirax cream	Acyclovir cream 5% w/w	Antivirals	gsk glaxosmithkline	1 g t.i.d., 7 days.	
Cream		Viral Infections الأصابات الفيروسية	UK		
1 tube 2 gm					
Ztrax 400	Albendazole 400 mg / tab	Anthelmintic	STADA	Single dose 400 mg or Mixed dose 400 mg twice daily, or Hydatid disease : 400 mg twice daily for 28 days.	
Tablets		Common Worms الديدان الشائعة			
1 chewable tablet					
ZWAG	Sildenafil Citrate 50 mg	Sex Stimulants	Shaphaco	25 - 50 - 100 mg depending on response, about one hour before sexual intercourse	
Tablets		Sex Stimulants منشطات جنسية	Yemen		
4 tab					
ZWAGRA	Sildenafil Citrate 25 mg	Sex Stimulants	Shaphaco	25 - 50 - 100 mg depending on response, about one hour before sexual intercourse	
Tablets		Sex Stimulants منشطات جنسية	Yemen		
10 tab					
ZWAGRA	Sildenafil Citrate 50 mg	Sex Stimulants	Shaphaco	25 - 50 - 100 mg depending on response, about one hour before sexual intercourse	
Tablets		Sex Stimulants منشطات جنسية	Yemen		
2 tab 4 tab 20 tab					

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
ZYCAL	Calcium, Vit-D3, Minerals	Vitamines and Menirals	ZYNOVA	Dissolve the content of sachet in half glass of water to get a palatable effervescent solution and drink immediately. Adults: 1-2 sachets daily. Children: 1/2-1 sachet daily.	
Tablets		Osteoarthritis التهابات العظام	Unknown		
30 softabs					
Zyllt 75mg	Clopidogrel 75mg	Cardio Vascular System drugs	KRKA	acute coronary syndromes, a single 300-mg loading dose, followed by 75 mg once daily. prophylaxis of thromboembolic events, 75 mg once daily	
Tablets		Thrombosis الجلطات	India		
28 Film Coated Tablet					
Zyloric	allopurinol 100mg	Hyperuricaemia	aspen	100 to 300 up to 600 mg	
Tablets		Gout النقرس	Ireland		
50 tablet					
Zymogen Forte	Pepsin+analase 5000IU+Lipase 800 mg+protease 500IU+ox bile 20 mg+hemicellulose	Gastro Intestinal drugs	NILE CO.	tid during or after meal	
Tablets		Indigestion سوء الهضم	Egypt		
20 tabs					
Zyracin	Cetirizine Hydrochloride 10 mg	Antihistamines	Global Pharma	10 mg once daily or 5 mg twice daily. Children aged 2 to 5 years may be given cetirizine 5 mg once daily or 2.5 mg twice daily.	
Tablets		Allergy الحساسية	Yemen		
20 tab					
Zyracin	Cetirizine Hydrochloride 5 mg /5 ml	Antihistamines	Global Pharma	10 mg once daily or 5 mg twice daily. Children aged 2 to 5 years may be given cetirizine 5 mg once daily or 2.5 mg twice daily.	
Syrup		Allergy الحساسية	Yemen		
60 ml					
بدون اسم تجاري	Atracurium Besilate	Central Nervous system drugs	Unknown	IV only.: Adults IV bolus: 0.25–0.35 mg/kg. Adults IV infusion: 9–10 µg/kg.	
		Anaesthetics التخدير العام	Unknown		

Trade name	Generic Name and Composition	Therapeutic Category	Manufacturer	Dose الجرعة	Product Picture صورة الدواء
Dosage forms		Disease	Country		
Package					
سيدالاك	Lactulose	Gastro Intestinal drugs	Unknown	10 to 20 g (15 to 30 mL) given daily by mouth in a single dose or in 2 divided doses	
Syrup		Constipation الأمساك	Unknown		
120 ml					
سينا ويت	Herbal extract	Respiratory drugs	Sina Pharma	As directed	
Syrup		Common Cold نزلات البرد	Unknown		
120 ml					
ليوكائين	Lidocaine 10 gm + Cetrimide 0.07 gm / 100 ml	Central Nervous system drugs	Unknown	The dose of lidocaine hydrochloride used for local anaesthesia depends on the site of injection and the procedure used.	
Spray		Anaesthetics التخدير الموضعي	Unknown		
100 ml					
ميداسين T	Clindamycin	Antibiotics	Unknown	Adult :150 to 300 mg of clindamycin, Children: 3 to 6 mg/kg of clindamycin for both every 6 hours	
Solution		Anaerobic Infections الميكروبات اللاهوائية	Unknown		
30 ml					
نيوموكس	Amoxicillin*	Antibiotics	Neo pharma	cap 1gm &500mg &250mg syrup 250mg &125mg drop 100mg Vial 1gm &500mg & 250mg	
Capsules		الأمصابات الميكروبية Microbial Infections	Unknown		
10strip*10capsules					
هيوزار	Losartan potassium 50 mg	Cardio Vascular System drugs	Unknown	Adult usual dose is 50- 100 mg once daily, Children 25 - 50 mg once daily.	
Suppositoris		Hypertension ارتفاع ضغط الدم	Syria		
20 supp					